

Detlef Zillikens

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5109217/detlef-zillikens-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248
papers

8,819
citations

48
h-index

87
g-index

263
ext. papers

11,301
ext. citations

5.1
avg, IF

6.15
L-index

#	Paper	IF	Citations
248	Pemphigoid diseases. <i>Lancet, The</i> , 2013 , 381, 320-32	40	629
247	The first international consensus on mucous membrane pemphigoid: definition, diagnostic criteria, pathogenic factors, medical treatment, and prognostic indicators. <i>Archives of Dermatology</i> , 2002 , 138, 370-9		526
246	Consensus statement on definitions of disease, end points, and therapeutic response for pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2008 , 58, 1043-6	4.5	372
245	Anti-inflammatory activity of IgG1 mediated by Fc galactosylation and association of Fc γ RIIB and dectin-1. <i>Nature Medicine</i> , 2012 , 18, 1401-6	50.5	311
244	Serum levels of autoantibodies to BP180 correlate with disease activity in patients with bullous pemphigoid. <i>Archives of Dermatology</i> , 2000 , 136, 174-8		237
243	Incidence of autoimmune subepidermal blistering dermatoses in a region of central Germany. <i>Archives of Dermatology</i> , 1995 , 131, 957-8		225
242	Pemphigus. <i>Nature Reviews Disease Primers</i> , 2017 , 3, 17026	51.1	217
241	Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. <i>Journal of Clinical Investigation</i> , 2005 , 115, 870-878	15.9	191
240	Management of bullous pemphigoid: the European Dermatology Forum consensus in collaboration with the European Academy of Dermatology and Venereology. <i>British Journal of Dermatology</i> , 2015 , 172, 867-77	4	178
239	Pemphigus. S2 Guideline for diagnosis and treatment--guided by the European Dermatology Forum (EDF) in cooperation with the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 405-14	4.6	165
238	Increased risk of bullous pemphigoid in male and very old patients: A population-based study on incidence. <i>Journal of the American Academy of Dermatology</i> , 1999 , 41, 266-8	4.5	151
237	Autoantibodies to bullous pemphigoid antigen 180 induce dermal-epidermal separation in cryosections of human skin. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 664-71	4.3	147
236	Granulocyte-derived elastase and gelatinase B are required for dermal-epidermal separation induced by autoantibodies from patients with epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Pathology</i> , 2004 , 204, 519-27	9.4	140
235	Prospektive Untersuchung der Inzidenz blasenbildender Autoimmundermatosen in Unterfranken. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 434-440	1.2	139
234	Diagnosis and management of pemphigus: Recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 575-585.e1	4.5	127
233	Induction of complement-fixing autoantibodies against type VII collagen results in subepidermal blistering in mice. <i>Journal of Immunology</i> , 2006 , 177, 3461-8	5.3	126
232	PI3K β plays a critical role in neutrophil activation by immune complexes. <i>Science Signaling</i> , 2011 , 4, ra23	8.8	115

231	Autoantibodies to type VII collagen mediate Fcγ-dependent neutrophil activation and induce dermal-epidermal separation in cryosections of human skin. <i>American Journal of Pathology</i> , 2002 , 161, 301-11	5.8	115
230	NADPH oxidase is required for neutrophil-dependent autoantibody-induced tissue damage. <i>Journal of Pathology</i> , 2007 , 212, 56-65	9.4	110
229	Novel ELISA systems for antibodies to desmoglein 1 and 3: correlation of disease activity with serum autoantibody levels in individual pemphigus patients. <i>Experimental Dermatology</i> , 2010 , 19, 458-63 ⁴		104
228	Cicatricial pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180. <i>British Journal of Dermatology</i> , 2001 , 145, 778-83	4	98
227	Prospective analysis of the incidence of autoimmune bullous disorders in Lower Franconia, Germany. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009 , 7, 434-40	1.2	96
226	Rituximab for treatment-refractory pemphigus and pemphigoid: a case series of 17 patients. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 552-558	4.5	95
225	Definitions and outcome measures for mucous membrane pemphigoid: recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 168-74	4.5	93
224	Prevalence and Age Distribution of Pemphigus and Pemphigoid Diseases in Germany. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2495-2498	4.3	92
223	Autoantibodies to BP180 associated with bullous pemphigoid release interleukin-6 and interleukin-8 from cultured human keratinocytes. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 842-8 ^{4,3}		82
222	Melatonin enhances mitochondrial ATP synthesis, reduces reactive oxygen species formation, and mediates translocation of the nuclear erythroid 2-related factor 2 resulting in activation of phase-2 antioxidant enzymes (EGCS, HO-1, NQO1) in ultraviolet radiation-treated normal human epidermal keratinocytes (NHK). <i>Journal of Cellular Biochemistry</i> , 2011 , 101, 167-87	10.4	81
221	Development of NC1 and NC2 domains of type VII collagen ELISA for the diagnosis and analysis of the time course of epidermolysis bullosa acquisita patients. <i>Journal of Dermatological Science</i> , 2011 , 62, 169-75	4.3	81
220	Analysis of antigens targeted by circulating IgG and IgA autoantibodies in 50 patients with cicatricial pemphigoid. <i>Journal of Dermatological Science</i> , 1998 , 17, 39-44	4.3	80
219	Correlation of Serum Levels of IgE Autoantibodies Against BP180 With Bullous Pemphigoid Disease Activity. <i>JAMA Dermatology</i> , 2017 , 153, 30-38	5.1	77
218	Serological diagnosis of autoimmune bullous skin diseases: prospective comparison of the BIOCHIP mosaic-based indirect immunofluorescence technique with the conventional multi-step single test strategy. <i>Orphanet Journal of Rare Diseases</i> , 2012 , 7, 49	4.2	77
217	Anti-p200 pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 185-91	4.5	75
216	Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. <i>Journal of Clinical Investigation</i> , 2005 , 115, 870-8	15.9	74
215	Mechanisms Causing Loss of Keratinocyte Cohesion in Pemphigus. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 32-37	4.3	70
214	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, e89-95	4.5	70

213	Genetic identification and functional validation of Fc γ RIV as key molecule in autoantibody-induced tissue injury. <i>Journal of Pathology</i> , 2012 , 228, 8-19	9.4	68
212	Epidermolysis Bullosa Acquisita: From Pathophysiology to Novel Therapeutic Options. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 24-33	4.3	61
211	Canakinumab in adults with steroid-refractory pyoderma gangrenosum. <i>British Journal of Dermatology</i> , 2015 , 173, 1216-23	4	60
210	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 1900-1913	4.6	60
209	Generation of antibodies of distinct subclasses and specificity is linked to H2s in an active mouse model of epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 167-76	4.3	56
208	Malignancies in pemphigus and pemphigoid diseases. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1445-1447	4.3	55
207	Cicatrical pemphigoid with circulating autoantibodies to beta4 integrin, bullous pemphigoid 180 and bullous pemphigoid 230. <i>British Journal of Dermatology</i> , 2001 , 145, 998-1004	4	55
206	Diagnosis of Autoimmune Blistering Diseases. <i>Frontiers in Medicine</i> , 2018 , 5, 296	4.9	54
205	Repetitive immunization breaks tolerance to type XVII collagen and leads to bullous pemphigoid in mice. <i>Journal of Immunology</i> , 2011 , 187, 1176-83	5.3	52
204	Recommendations for the use of immunoapheresis in the treatment of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007 , 5, 881-7	1.2	50
203	Antiepiligrin cicatricial pemphigoid: an underdiagnosed entity within the spectrum of scarring autoimmune subepidermal bullous diseases?. <i>Archives of Dermatology</i> , 1999 , 135, 1091-8		49
202	Fc γ receptors III and IV mediate tissue destruction in a novel adult mouse model of bullous pemphigoid. <i>American Journal of Pathology</i> , 2014 , 184, 2185-96	5.8	48
201	T cells are required for the production of blister-inducing autoantibodies in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , 2010 , 184, 1596-603	5.3	48
200	Dimethylfumarate Impairs Neutrophil Functions. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 117-26	4.3	46
199	Structural proteins of the dermal-epidermal junction targeted by autoantibodies in pemphigoid diseases. <i>Experimental Dermatology</i> , 2017 , 26, 1154-1162	4	45
198	IgE-mediated mechanisms in bullous pemphigoid and other autoimmune bullous diseases. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 267-77	5.1	44
197	B cells, dendritic cells, and macrophages are required to induce an autoreactive CD4 helper T cell response in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , 2013 , 191, 2978-88	5.3	43
196	The Leukotriene B and its Receptor BLT1 Act as Critical Drivers of Neutrophil Recruitment in Murine Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1104-1113	4.3	40

195	An open, multicentre, randomized clinical study in patients with bullous pemphigoid comparing methylprednisolone and azathioprine with methylprednisolone and dapsone. <i>British Journal of Dermatology</i> , 2017 , 177, 1299-1305	4	40
194	Emerging treatments for pemphigoid diseases. <i>Trends in Molecular Medicine</i> , 2013 , 19, 501-12	11.5	40
193	Expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e302-e303	4.6	39
192	IL-17A is functionally relevant and a potential therapeutic target in bullous pemphigoid. <i>Journal of Autoimmunity</i> , 2019 , 96, 104-112	15.5	39
191	Identification of a Functional Risk Variant for Pemphigus Vulgaris in the ST18 Gene. <i>PLoS Genetics</i> , 2016 , 12, e1006008	6	38
190	Serration pattern analysis for differentiating epidermolysis bullosa acquisita from other pemphigoid diseases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 754-759.e6	4.5	36
189	Complement-fixing anti-type VII collagen antibodies are induced in Th1-polarized lymph nodes of epidermolysis bullosa acquisita-susceptible mice. <i>Journal of Immunology</i> , 2011 , 187, 5043-50	5.3	36
188	The role of the microbiome in psoriasis: moving from disease description to treatment selection?. <i>British Journal of Dermatology</i> , 2018 , 178, 1020-1027	4	35
187	FcRIIA and FcRIIIB are required for autoantibody-induced tissue damage in experimental human models of bullous pemphigoid. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 2841-4	4.3	35
186	International Bullous Diseases Group: consensus on diagnostic criteria for epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2018 , 179, 30-41	4	35
185	Caspase-1-independent IL-1 release mediates blister formation in autoantibody-induced tissue injury through modulation of endothelial adhesion molecules. <i>Journal of Immunology</i> , 2015 , 194, 3656-63	5.3	34
184	Methylprednisolone blocks autoantibody-induced tissue damage in experimental models of bullous pemphigoid and epidermolysis bullosa acquisita through inhibition of neutrophil activation. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2390-2399	4.3	34
183	Prevalence of pemphigus and pemphigoid autoantibodies in the general population. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 63	4.2	33
182	Autoantibody-induced intestinal inflammation and weight loss in experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2011 , 224, 234-44	9.4	33
181	Prospective studies on the routine use of a novel multivariant enzyme-linked immunosorbent assay for the diagnosis of autoimmune bullous diseases. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 889-894.e5	4.5	32
180	GM-CSF modulates autoantibody production and skin blistering in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , 2014 , 192, 559-71	5.3	32
179	Successful pregnancy outcome under prolonged ustekinumab treatment in a patient with Crohn's disease and paradoxical psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, e191-e192	4.6	32
178	Meta-analysis of the clinical and immunopathological characteristics and treatment outcomes in epidermolysis bullosa acquisita patients. <i>Orphanet Journal of Rare Diseases</i> , 2018 , 13, 153	4.2	32

177	Diagnosis of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1077-1091	1.2	32
176	Gene Expression Analysis Reveals Novel Shared Gene Signatures and Candidate Molecular Mechanisms between Pemphigus and Systemic Lupus Erythematosus in CD4 T Cells. <i>Frontiers in Immunology</i> , 2017 , 8, 1992	8.4	31
175	Regulatory T Cells Suppress Inflammation and Blistering in Pemphigoid Diseases. <i>Frontiers in Immunology</i> , 2017 , 8, 1628	8.4	30
174	Immune checkpoint inhibitors and tuberculosis: an old disease in a new context. <i>Lancet Oncology</i> , 2020 , 21, e55-e65	21.7	30
173	European Guidelines (S1) on the use of high-dose intravenous immunoglobulin in dermatology. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1657-1669	4.6	29
172	BP180-specific IgG is associated with skin adverse events, therapy response, and overall survival in non-small cell lung cancer patients treated with checkpoint inhibitors. <i>Journal of the American Academy of Dermatology</i> , 2020 , 82, 854-861	4.5	29
171	Pemphigoid gestationis: Toward a better understanding of the etiopathogenesis. <i>Clinics in Dermatology</i> , 2016 , 34, 378-82	3	28
170	A sensitive and specific assay for the serological diagnosis of antilaminin 332 mucous membrane pemphigoid. <i>British Journal of Dermatology</i> , 2019 , 180, 149-156	4	28
169	Genetic control of psoriasis is relatively distinct from that of metabolic syndrome and coronary artery disease. <i>Experimental Dermatology</i> , 2013 , 22, 552-3	4	27
168	Heat shock protein 90: a pathophysiological factor and novel treatment target in autoimmune bullous skin diseases. <i>Experimental Dermatology</i> , 2015 , 24, 567-71	4	27
167	Experimental Laminin 332 Mucous Membrane Pemphigoid Critically Involves C5aR1 and Reflects Clinical and Immunopathological Characteristics of the Human Disease. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1709-1718	4.3	26
166	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1199-1203	4.3	26
165	Routine detection of serum antidesmocollin autoantibodies is only useful in patients with atypical pemphigus. <i>Experimental Dermatology</i> , 2017 , 26, 1267-1270	4	26
164	S2k guideline for the diagnosis of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015 , 13, 713-27	1.2	26
163	Combined culture and metagenomic analyses reveal significant shifts in the composition of the cutaneous microbiome in psoriasis. <i>British Journal of Dermatology</i> , 2019 , 181, 1254-1264	4	25
162	Identification of the recently described plasminogen gene mutation p.Lys330Glu in a family from Northern Germany with hereditary angioedema. <i>Clinical and Translational Allergy</i> , 2019 , 9, 9	5.2	25
161	T cells mediate antibody-induced cutaneous inflammation and blistering in epidermolysis bullosa acquisita. <i>Scientific Reports</i> , 2016 , 6, 38357	4.9	25
160	Multiple and repeated sampling increases the sensitivity of direct immunofluorescence testing for the diagnosis of mucous membrane pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 700-705.e3	4.5	24

159	Tissue Destruction in Bullous Pemphigoid Can Be Complement Independent and May Be Mitigated by C5aR2. <i>Frontiers in Immunology</i> , 2018 , 9, 488	8.4	23
158	Diagnosis of autoimmune bullous skin diseases. <i>Clinical Laboratory</i> , 2008 , 54, 491-503	2	23
157	IgE-specific immunoadsorption for treatment of recalcitrant atopic dermatitis. <i>JAMA Dermatology</i> , 2014 , 150, 1350-1	5.1	22
156	Recombinant soluble CD32 suppresses disease progression in experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 916-919	4.3	21
155	Conditional depletion of mast cells has no impact on the severity of experimental epidermolysis bullosa acquisita. <i>European Journal of Immunology</i> , 2015 , 45, 1462-70	6.1	21
154	Analysis of serum markers of cellular immune activation in patients with bullous pemphigoid. <i>Experimental Dermatology</i> , 2017 , 26, 1248-1252	4	20
153	Polymorphisms in the mitochondrially encoded ATP synthase 8 gene are associated with susceptibility to bullous pemphigoid in the German population. <i>Experimental Dermatology</i> , 2015 , 24, 715-7	4	20
152	Prospective study in bullous pemphigoid: association of high serum anti-BP180 IgG levels with increased mortality and reduced Karnofsky score. <i>British Journal of Dermatology</i> , 2018 , 179, 918-924	4	20
151	Therapeutic Effect of a Novel Phosphatidylinositol-3-Kinase Inhibitor in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018 , 9, 1558	8.4	19
150	Effects of intravenous immunoglobulins on mice with experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 768-775	4.3	19
149	Reduced skin blistering in experimental epidermolysis bullosa acquisita after anti-TNF treatment. <i>Molecular Medicine</i> , 2017 , 22, 918-926	6.2	19
148	Accelerated barrier recovery and enhancement of the barrier integrity and properties by topical application of a pH 4 vs. a pH 5B water-in-oil emulsion in aged skin. <i>British Journal of Dermatology</i> , 2018 , 179, 471-477	4	18
147	Whole-Genome Expression Profiling in Skin Reveals SYK As a Key Regulator of Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018 , 9, 249	8.4	18
146	Treatment of bullous pemphigoid with adjuvant immunoadsorption: a case series. <i>Journal of the American Academy of Dermatology</i> , 2014 , 71, 1018-20	4.5	18
145	Heat shock protein 90 is required for ex vivo neutrophil-driven autoantibody-induced tissue damage in experimental epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2015 , 24, 471-3	4	18
144	Recombinant human IgA1 and IgA2 autoantibodies to type VII collagen induce subepidermal blistering ex vivo. <i>Journal of Immunology</i> , 2014 , 193, 1600-8	5.3	18
143	Periodontitis in oral pemphigus and pemphigoid: A systematic review of published studies. <i>Journal of the American Academy of Dermatology</i> , 2017 , 76, 975-978.e3	4.5	17
142	Targeting IgE Antibodies by Immunoadsorption in Atopic Dermatitis. <i>Frontiers in Immunology</i> , 2018 , 9, 254	8.4	17

141	Autoimmunity to heat shock proteins and vitamin D status in patients with celiac disease without associated dermatitis herpetiformis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 173, 23-27	5.1	17
140	Topically Applied Hsp90 Blocker 17AAG Inhibits Autoantibody-Mediated Blister-Inducing Cutaneous Inflammation. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 341-349	4.3	17
139	The retinoid-related orphan receptor alpha is essential for the end-stage effector phase of experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , 2015 , 237, 111-22	9.4	17
138	Gene-diet interactions associated with complex trait variation in an advanced intercross outbred mouse line. <i>Nature Communications</i> , 2019 , 10, 4097	17.4	16
137	Anti-p200 pemphigoid is the most common pemphigoid disease with serum antibodies against the dermal side by indirect immunofluorescence microscopy on human salt-split skin. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 1195-1197	4.5	16
136	Autoantibodies to Multiple Epitopes on the Non-Collagenous-1 Domain of Type VII Collagen Induce Blisters. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1565-1573	4.3	16
135	Allelic and copy-number variations of FcRs affect granulocyte function and susceptibility for autoimmune blistering diseases. <i>Journal of Autoimmunity</i> , 2015 , 61, 36-44	15.5	16
134	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1926-1948	4.6	16
133	A distinct cutaneous microbiota profile in autoimmune bullous disease patients. <i>Experimental Dermatology</i> , 2017 , 26, 1221-1227	4	15
132	Radiosensitive Hematopoietic Cells Determine the Extent of Skin Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , 2015 , 195, 1945-54	5.3	15
131	PDE4 Inhibition as Potential Treatment of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2211-2220	4.3	15
130	Skin microbiota-associated inflammation precedes autoantibody induced tissue damage in experimental epidermolysis bullosa acquisita. <i>Journal of Autoimmunity</i> , 2016 , 68, 14-22	15.5	15
129	Dual inhibition of complement factor 5 and leukotriene B4 synergistically suppresses murine pemphigoid disease. <i>JCI Insight</i> , 2019 , 4,	9.9	15
128	Updated international expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e412-e414	4.6	15
127	European Guidelines (S1) on the use of high-dose intravenous immunoglobulin in dermatology. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 228-241	1.2	14
126	Specific Inhibition of Complement Activation Significantly Ameliorates Autoimmune Blistering Disease in Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 535	8.4	14
125	Barrier function and natural moisturizing factor levels after cumulative exposure to a fruit-derived organic acid and a detergent: different outcomes in atopic and healthy skin and relevance for occupational contact dermatitis in the food industry. <i>Contact Dermatitis</i> , 2015 , 73, 358-63	2.7	14
124	Checkpoint Inhibition May Trigger the Rare Variant of Anti-LAD-1 IgG-Positive, Anti-BP180 NC16A IgG-Negative Bullous Pemphigoid. <i>Frontiers in Immunology</i> , 2019 , 10, 1934	8.4	13

123	Multicenter prospective study on multivariant diagnostics of autoimmune bullous dermatoses using the BIOCHIP technology. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1315-1322	4.5	13
122	Influence of cigarette smoking on pemphigus - a systematic review and pooled analysis of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 1256-1262	4.6	13
121	Calcitriol Treatment Ameliorates Inflammation and Blistering in Mouse Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 301-309	4.3	13
120	Immunoabsorption of Desmoglein-3-Specific IgG Abolishes the Blister-Inducing Capacity of Pemphigus Vulgaris IgG in Neonatal Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 1935	8.4	13
119	The Immunometabolomic Interface Receptor Hydroxycarboxylic Acid Receptor 2 Mediates the Therapeutic Effects of Dimethyl Fumarate in Autoantibody-Induced Skin Inflammation. <i>Frontiers in Immunology</i> , 2018 , 9, 1890	8.4	13
118	Parkinson disease and multiple sclerosis are not associated with autoantibodies against structural proteins of the dermal-epidermal junction. <i>British Journal of Dermatology</i> , 2016 , 175, 407-9	4	12
117	Immunoabsorber for specific apheresis of autoantibodies in the treatment of bullous pemphigoid. <i>Archives of Dermatological Research</i> , 2016 , 308, 31-8	3.3	12
116	(MIF) Drives Murine Psoriasiform Dermatitis. <i>Frontiers in Immunology</i> , 2018 , 9, 2262	8.4	12
115	Clinical course, treatment modalities, and quality of life in patients with congenital melanocytic nevi - data from the German CMN registry. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 159-167	1.2	11
114	Long-term outcomes of rituximab therapy in pemphigus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2884-2889	4.6	11
113	Neutrophil Adhesion Is a Prerequisite for Antibody-Mediated Proteolytic Tissue Damage in Experimental Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1990-1998	4.3	11
112	Prevalence and age distribution of pemphigus and pemphigoid diseases among paediatric patients in Germany. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 2600-2605	4.6	11
111	Eczematous reaction to intravenous immunoglobulin: an alternative cause of eczema. <i>JAMA Dermatology</i> , 2014 , 150, 1120-2	5.1	10
110	Genomewide association study identifies GALC as susceptibility gene for mucous membrane pemphigoid. <i>Experimental Dermatology</i> , 2017 , 26, 1214-1220	4	10
109	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1750-1764	4.6	10
108	The p.Arg435His Variation of IgG3 With High Affinity to FcRn Is Associated With Susceptibility for Pemphigus Vulgaris-Analysis of Four Different Ethnic Cohorts. <i>Frontiers in Immunology</i> , 2018 , 9, 1788	8.4	10
107	Intralesional interleukin-2: A novel option to maximize response to systemic immune checkpoint therapy in loco-regional metastatic melanoma. <i>Dermatologic Therapy</i> , 2019 , 32, e12901	2.2	9
106	The genetic difference between C57Bl/6J and C57Bl/6N mice significantly impacts Aldara-induced psoriasiform dermatitis. <i>Experimental Dermatology</i> , 2017 , 26, 349-351	4	9

105	N-linked glycosylation on laminin α influences recognition of anti-laminin α pemphigoid autoantibodies. <i>Journal of Dermatological Science</i> , 2015 , 77, 125-9	4.3	9
104	Assessment of healthcare costs for patients with pemphigus and bullous pemphigoid in an academic centre in Germany. <i>British Journal of Dermatology</i> , 2020 , 182, 1296-1297	4	9
103	Adjuvant treatment of severe/refractory bullous pemphigoid with protein A immunoadsorption. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018 , 16, 1109-1118	1.2	9
102	Recent progresses and perspectives in autoimmune bullous diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1145-1147	11.5	8
101	Calcitriol exerts anti-inflammatory effects in keratinocytes treated with autoantibodies from a patient with bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 288-92	4.6	8
100	Sphingosine-1-phosphate modulators in inflammatory skin diseases - lining up for clinical translation. <i>Experimental Dermatology</i> , 2017 , 26, 206-210	4	8
99	Identification of novel therapeutic targets for blocking acantholysis in pemphigus. <i>British Journal of Pharmacology</i> , 2020 , 177, 5114-5130	8.6	8
98	Incidence of pemphigoid diseases in Northern Germany in 2016 - first data from the Schleswig-Holstein Registry of Autoimmune Bullous Diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1197-1202	4.6	8
97	IgE-Selective Immunoadsorption for Severe Atopic Dermatitis. <i>Frontiers in Medicine</i> , 2018 , 5, 27	4.9	7
96	Anti-p200/laminin α pemphigoid associated with metastatic oesophageal cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e219-e221	4.6	7
95	TNFAIP3 and IL12B gene polymorphisms associated with psoriasis vulgaris in an Egyptian cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1297-301	4.6	7
94	CD11b-deficient mice exhibit an increased severity in the late phase of antibody transfer-induced experimental epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2017 , 26, 1175-1178	4	7
93	A family with atypical Hailey Hailey disease--is there more to the underlying genetics than ATP2C1?. <i>PLoS ONE</i> , 2015 , 10, e0121253	3.7	7
92	Evaluation of Site- and Autoantigen-Specific Characteristics of Mucous Membrane Pemphigoid. <i>JAMA Dermatology</i> , 2021 ,	5.1	7
91	Epidermolysis bullosa acquisita and anti-p200 pemphigoid as major subepidermal autoimmune bullous diseases diagnosed by floor binding on indirect immunofluorescence microscopy using human salt-split skin. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2017 , 83, 550-555	0.8	7
90	Lichen Planus. <i>Frontiers in Medicine</i> , 2021 , 8, 737813	4.9	7
89	Automated direct immunofluorescence analyses of skin biopsies. <i>Journal of Cutaneous Pathology</i> , 2016 , 43, 227-35	1.7	7
88	Current treatments and developments in pemphigoid diseases as paradigm diseases for autoantibody-driven, organ-specific autoimmune diseases. <i>Seminars in Hematology</i> , 2016 , 53 Suppl 1, S51-3	4	7

87	Effectiveness and adverse events of ivermectin treatment for scabies in 30 infant patients: report from a German single centre. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e736-e737	4.6	6
86	Dissecting genetics of cutaneous miRNA in a mouse model of an autoimmune blistering disease. <i>BMC Genomics</i> , 2016 , 17, 112	4.5	6
85	EndoS reduces the pathogenicity of anti-mCOL7 IgG through reduced binding of immune complexes to neutrophils. <i>PLoS ONE</i> , 2014 , 9, e85317	3.7	6
84	Serologic characterization of anti-p200 pemphigoid: Epitope spreading as a common phenomenon. <i>Journal of the American Academy of Dermatology</i> , 2021 , 84, 1155-1157	4.5	6
83	HLA alleles in British Caucasians with mucous membrane pemphigoid. <i>Eye</i> , 2018 , 32, 1540-1541	4.4	6
82	Nadroparin carries a potentially high risk of inducing cutaneous delayed-type hypersensitivity responses. <i>Contact Dermatitis</i> , 2017 , 77, 35-41	2.7	5
81	Bullous pemphigoid autoantibody-mediated complement fixation is abolished by the low-molecular-weight heparin tinzaparin sodium. <i>British Journal of Dermatology</i> , 2019 , 181, 593-594	4	5
80	The Sphingosine-1-Phosphate Receptor Modulator Fingolimod Aggravates Murine Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 2381-2384.e3	4.3	5
79	First emergence of pyoderma gangraenosum, palmoplantar pustulosis and sacroiliitis in a psoriasis patient associated with switching from secukinumab to brodalumab. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e406-e407	4.6	5
78	Dupilumab for treatment-refractory prurigo nodularis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 618-624	1.2	5
77	Paraneoplastic pemphigus with anti-BP180 autoantibodies and Castleman disease. <i>British Journal of Dermatology</i> , 2017 , 176, 824-826	4	5
76	ptRNAPred: computational identification and classification of post-transcriptional RNA. <i>Nucleic Acids Research</i> , 2014 , 42, e167	20.1	5
75	Recurrent abscesses of the neck: scrofuloderma. <i>JAMA Dermatology</i> , 2014 , 150, 909-10	5.1	5
74	A refractory, cutaneous, subepidermal bullous disease. <i>Clinical and Experimental Dermatology</i> , 2016 , 41, 573-5	1.8	5
73	Retrospective Analysis of Checkpoint Inhibitor Therapy-Associated Cases of Bullous Pemphigoid From Six German Dermatology Centers. <i>Frontiers in Immunology</i> , 2020 , 11, 588582	8.4	5
72	Therapeutic Implications of Targeting Heat Shock Protein 70 by Immunization or Antibodies in Experimental Skin Inflammation. <i>Frontiers in Immunology</i> , 2021 , 12, 614320	8.4	5
71	GPR15 is not critically involved in the regulation of murine psoriasiform dermatitis. <i>Journal of Dermatological Science</i> , 2019 , 94, 196-204	4.3	4
70	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid: 2019 update. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 516-526	1.2	4

69	Primary Cutaneous Gamma-Delta T-Cell Lymphoma With Long-Term Indolent Clinical Course Initially Mimicking Lupus Erythematosus Profundus. <i>Frontiers in Oncology</i> , 2020 , 10, 133	5.3	4
68	Does the gastrointestinal microbiome contribute to the Obesity paradox in melanoma survival?. <i>British Journal of Dermatology</i> , 2018 , 179, 225-226	4	4
67	Intravenous immunoglobulins for rituximab-resistant mucous membrane pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, e321-e324	4.6	4
66	Immunohistochemical diagnosis of mucous membrane pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , 2018 , 47, 613-619	3.3	4
65	Bullous pemphigoid: diagnosis and management. <i>Expert Review of Dermatology</i> , 2006 , 1, 401-411		4
64	Dapsone Suppresses Disease in Preclinical Murine Models of Pemphigoid Diseases. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2587-2595.e2	4.3	4
63	Grover disease and bullous pemphigoid: a clinicopathological study of six cases. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 524-527	1.8	4
62	More Severe Erosive Phenotype Despite Lower Circulating Autoantibody Levels in Dipeptidyl Peptidase-4 Inhibitor (DPP4i)-Associated Bullous Pemphigoid: A Retrospective Cohort Study. <i>American Journal of Clinical Dermatology</i> , 2021 , 22, 117-127	7.1	4
61	Genetic variability of immune-related lncRNAs: polymorphisms in LINC-PINT and LY86-AS1 are associated with pemphigus foliaceus susceptibility. <i>Experimental Dermatology</i> , 2021 , 30, 831-840	4	4
60	A Mitochondrial Polymorphism Alters Immune Cell Metabolism and Protects Mice from Skin Inflammation. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
59	Black tea dressings - a rapidly effective treatment for facial dermatitis. <i>Journal of Dermatological Treatment</i> , 2019 , 30, 785-789	2.8	3
58	Visualization of autoantibodies and neutrophils in vivo identifies novel checkpoints in autoantibody-induced tissue injury. <i>Scientific Reports</i> , 2020 , 10, 4509	4.9	3
57	A recombinant fusion protein derived from dog hookworm inhibits autoantibody-induced dermal-epidermal separation ex vivo. <i>Experimental Dermatology</i> , 2015 , 24, 872-8	4	3
56	Lack of a specific humoral autoreactivity in sera from patients with early erythema exsudativum multiforme majus. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2799-2802	4.3	3
55	Contemporary management of pemphigus. <i>Expert Opinion on Orphan Drugs</i> , 2013 , 1, 295-314	1.1	3
54	Comparison of Two Diagnostic Assays for Anti-Laminin 332 Mucous Membrane Pemphigoid.. <i>Frontiers in Immunology</i> , 2021 , 12, 773720	8.4	3
53	COVID-19 vaccine acceptance and hesitancy in patients with immunobullous diseases: a cross-sectional study of the International Pemphigus and Pemphigoid Foundation. <i>British Journal of Dermatology</i> , 2021 ,	4	3
52	Childhood Epidermolysis Bullosa Acquisita: Confirmation of Diagnosis by Skin Deficient in Type VII Collagen, Enzyme-linked Immunosorbent Assay, and Immunoblotting. <i>Indian Journal of Dermatology</i> , 2016 , 61, 329-32	0.9	3

51	12/15-Lipoxygenase choreographs the resolution of IgG-mediated skin inflammation. <i>Journal of Autoimmunity</i> , 2020 , 115, 102528	15.5	3
50	The G Protein-Coupled Receptor (GPR) 15 Counteracts Antibody-Mediated Skin Inflammation. <i>Frontiers in Immunology</i> , 2020 , 11, 1858	8.4	3
49	Coexistence of bullous pemphigoid with neuropsychiatric comorbidities is associated with anti-BP230 seropositivity. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2067-2073	4.6	3
48	Evaluation and Comparison of Clinical and iLaboratory Characteristics of Patients With IgA Epidermolysis Bullosa Acquisita, Linear IgA Bullous Dermatitis, and IgG Epidermolysis Bullosa Acquisita. <i>JAMA Dermatology</i> , 2021 , 157, 917-923	5.1	3
47	Low prevalence of late-onset neutropenia after rituximab treatment in patients with pemphigus. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1824-1825	4.5	2
46	Myeloid-related proteins-8 and -14 are expressed but dispensable in the pathogenesis of experimental epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2016 , 81, 165-72	4.3	2
45	Retrospective analysis of the clinical characteristics and patient-reported outcomes in vulval lichen planus: Results from a single-center study. <i>Journal of Dermatology</i> , 2021 , 48, 1913-1917	1.6	2
44	Immunoglobulin and Complement Immunohistochemistry on Paraffin Sections in Autoimmune Bullous Diseases: A Systematic Review and Meta-analysis. <i>American Journal of Dermatopathology</i> , 2021 , 43, 689-699	0.9	2
43	COVID-19 pandemic and autoimmune bullous diseases: a cross-sectional study of the International Pemphigus and Pemphigoid Foundation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e418-e421	4.6	2
42	Generalized morphea in the setting of combined immune checkpoint inhibitor therapy for metastatic melanoma: A case report. <i>Medicine (United States)</i> , 2021 , 100, e25513	1.8	2
41	MicroRNAs in pemphigus and pemphigoid diseases. <i>Autoimmunity Reviews</i> , 2021 , 20, 102852	13.6	2
40	Polymorphisms in the Mitochondrial Genome Are Associated With Bullous Pemphigoid in Germans. <i>Frontiers in Immunology</i> , 2019 , 10, 2200	8.4	2
39	Low-dose ipilimumab combined with anti-PD-1 immunotherapy in patients with metastatic melanoma following anti-PD-1 treatment failure. <i>Melanoma Research</i> , 2021 , 31, 464-471	3.3	2
38	Serum Troponin T Concentrations Are Frequently Elevated in Advanced Skin Cancer Patients Prior to Immune Checkpoint Inhibitor Therapy: Experience From a Single Tertiary Referral Center. <i>Frontiers in Medicine</i> , 2021 , 8, 691618	4.9	2
37	Pathogenic Activation and Therapeutic Blockage of Fc γ 2b-Expressing Polymorphonuclear Leukocytes in IgA Pemphigus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2820-2828	4.3	2
36	The impact of the Covid-19 pandemic on quality of life in skin cancer patients. <i>PLoS ONE</i> , 2021 , 16, e0255501	5.0	2
35	Genetic association and differential expression of HLAComplexGroup lncRNAs in pemphigus. <i>Journal of Autoimmunity</i> , 2021 , 123, 102705	15.5	2
34	Heat shock protein 90 inhibition: A potential double- or triple-edged sword in the treatment of mucous membrane pemphigoid. <i>Medical Hypotheses</i> , 2015 , 85, 412-4	3.8	1

33	Penile mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 727-729	1.2	1
32	Paederus dermatitis - touched by champion flies - three clinical manifestations of pederin toxin-inflicted dermatitis. <i>International Journal of Dermatology</i> , 2018 , 57, 989-991	1.7	1
31	AuthorsReply: Paraneoplastic autoimmune multi-organ syndrome is a distinct entity from traditional pemphigus subtypes. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18013	51.1	1
30	CCL3/MIP1 α represents a biomarker but not a mandatory cytokine for disease development in experimental epidermolysis bullosa acquisita. <i>Journal of Dermatological Science</i> , 2017 , 88, 248-250	4.3	1
29	Immunization with desmoglein 3 induces non-pathogenic autoantibodies in mice. <i>PLoS ONE</i> , 2021 , 16, e0259586	3.7	1
28	Evidence for a role of extracellular heat shock protein 70 in epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2021 ,	4	1
27	Prevalence and presumptive triggers of localized bullous pemphigoid. <i>Journal of Dermatology</i> , 2021 , 48, 1257-1261	1.6	1
26	Immunological features and factors associated with mucocutaneous bullous pemphigoid - a retrospective cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021 , 19, 1289-1295	1.2	1
25	Anti-P 200 pemphigoid - The most common floor binding subepidermal autoimmune bullous disease in a tertiary care center in south India. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2021 , 87, 787-791	0.8	1
24	Inhibition of Glucose Metabolism Abrogates the Effector Phase of Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1646-1655.e3	4.3	1
23	Sequential Treatment With Targeted and Immune Checkpoint Therapy in Patients With BRAF Positive Metastatic Melanoma: The Importance of Timing?. <i>Frontiers in Medicine</i> , 2019 , 6, 257	4.9	1
22	Patients with bullous pemphigoid and comorbid psoriasis present with less blisters and lower serum levels of anti-BP180 autoantibodies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 981-987	4.6	1
21	Immunoglobulin M pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2021 , 85, 1486-1492	4.5	1
20	The pathogeneses of pemphigus and pemphigoid diseases.. <i>Journal of Dermatological Science</i> , 2021 , 104, 154-163	4.3	1
19	Follicular and cystic regression of locally advanced basal cell carcinoma following short-term neoadjuvant vismodegib therapy. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017 , 15, 1031-1033	1.3	0
18	Optimization of reference gene panels for gene expression analysis in preclinical models of inflammatory skin diseases. <i>Experimental Dermatology</i> , 2019 , 28, 985-988	4	0
17	Epidermal Damage Induces Th1 Polarization and Defines the Site of Inflammation in Murine Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1713-1722.e9	4.3	0
16	Preventive but Not Therapeutic Topical Application of Local Anesthetics Can Inhibit Experimental Epidermolysis Bullosa Acquisita in Mice. <i>Frontiers in Immunology</i> , 2021 , 12, 750160	8.4	0

15	Adjuvant treatment with secukinumab induced long term remission in a patient with severe bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020 , 18, 1478-1480	1.2	o
14	The G protein-coupled receptor 15 (GPR15) regulates cutaneous immunology by maintaining dendritic epidermal T cells and regulating the skin microbiome. <i>European Journal of Immunology</i> , 2021 , 51, 1390-1398	6.1	o
13	DNA-chip-based molecular testing as a clue for the diagnosis of tinea: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e522-e524	4.6	o
12	The impact of lesional inflammatory cellular infiltrate on the phenotype of bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1702-1711	4.6	o
11	Detection of u-serrated patterns in direct immunofluorescence images of autoimmune bullous diseases by inhibition-augmented COSFIRE filters. <i>International Journal of Medical Informatics</i> , 2019 , 122, 27-36	5.3	o
10	Post-orf epidermolysis bullosa acquisita. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e118-e119	4.6	o
9	Pathological Relevance of Anti-Hsp70 IgG Autoantibodies in Epidermolysis Bullosa Acquisita.. <i>Frontiers in Immunology</i> , 2022 , 13, 877958	8.4	o
8	Generalized Net-like Erythema and Stroke in a Young Female. <i>JAMA Dermatology</i> , 2018 , 154, 93-94	5.1	
7	THU0005 Drug Re-Purposing with A Commercially Available Chemical Library Identifies Novel B-Cell Inhibitory Compounds. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 179.2-179	2.4	
6	AB0734 Prevalence and co-occurrence of autoantibodies in blood donors. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 680.11-680	2.4	
5	Multidisziplin�r behandeln. <i>Der Deutsche Dermatologe</i> , 2022 , 70, 40-51	o	
4	AB0166 IMMUNOGLOBULIN G DERIVED FROM PATIENTS WITH SYSTEMIC SCLEROSIS IMPRINTS A PRO-INFLAMMATORY AND PRO-FIBROTIC PHENOTYPE IN MONOCYTE-LIKE THP-1 CELLS. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1383.2-1383	2.4	
3	Epidermolysis bullosa acquisita: the most frequent pemphigoid disease in patients with dermal binding autoantibodies by indirect immunofluorescence microscopy on human salt-split skin in Tehran, Iran. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e370-e372	4.6	
2	Topically applied low-dose calcitriol ameliorates atopic eyelid dermatitis. <i>JAAD Case Reports</i> , 2019 , 5, 5-6	1.4	
1	How do experts treat patients with bullous pemphigoid around the world? An international survey.. <i>JID Innovations</i> , 2022 , 100129		