

# Detlef Zillikens

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5109217/detlef-zillikens-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

248  
papers

8,819  
citations

48  
h-index

87  
g-index

263  
ext. papers

11,301  
ext. citations

5.1  
avg, IF

6.15  
L-index

#	Paper	IF	Citations
248	Multidisziplinäre behandeln. <i>Der Deutsche Dermatologe</i> , <b>2022</b> , 70, 40-51	0	0
247	How do experts treat patients with bullous pemphigoid around the world? An international survey.. <i>JID Innovations</i> , <b>2022</b> , 100129		
246	Pathological Relevance of Anti-Hsp70 IgG Autoantibodies in Epidermolysis Bullosa Acquisita.. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 877958	8.4	0
245	Retrospective analysis of the clinical characteristics and patient-reported outcomes in vulval lichen planus: Results from a single-center study. <i>Journal of Dermatology</i> , <b>2021</b> , 48, 1913-1917	1.6	2
244	Immunization with desmoglein 3 induces non-pathogenic autoantibodies in mice. <i>PLoS ONE</i> , <b>2021</b> , 16, e0259586	3.7	1
243	Evidence for a role of extracellular heat shock protein 70 in epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , <b>2021</b> ,	4	1
242	Comparison of Two Diagnostic Assays for Anti-Laminin 332 Mucous Membrane Pemphigoid.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 773720	8.4	3
241	COVID-19 vaccine acceptance and hesitancy in patients with immunobullous diseases: a cross-sectional study of the International Pemphigus and Pemphigoid Foundation. <i>British Journal of Dermatology</i> , <b>2021</b> ,	4	3
240	Evaluation of Site- and Autoantigen-Specific Characteristics of Mucous Membrane Pemphigoid. <i>JAMA Dermatology</i> , <b>2021</b> ,	5.1	7
239	Immunoglobulin and Complement Immunohistochemistry on Paraffin Sections in Autoimmune Bullous Diseases: A Systematic Review and Meta-analysis. <i>American Journal of Dermatopathology</i> , <b>2021</b> , 43, 689-699	0.9	2
238	Preventive but Not Therapeutic Topical Application of Local Anesthetics Can Inhibit Experimental Epidermolysis Bullosa Acquisita in Mice. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 750160	8.4	0
237	Lichen Planus. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 737813	4.9	7
236	Epidermolysis bullosa acquisita: the most frequent pemphigoid disease in patients with dermal binding autoantibodies by indirect immunofluorescence microscopy on human salt-split skin in Tehran, Iran. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e370-e372	4.6	
235	COVID-19 pandemic and autoimmune bullous diseases: a cross-sectional study of the International Pemphigus and Pemphigoid Foundation. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e418-e421	4.6	2
234	Updated international expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e412-e414	4.6	15
233	The G protein-coupled receptor 15 (GPR15) regulates cutaneous immunology by maintaining dendritic epidermal T cells and regulating the skin microbiome. <i>European Journal of Immunology</i> , <b>2021</b> , 51, 1390-1398	6.1	0
232	Generalized morphea in the setting of combined immune checkpoint inhibitor therapy for metastatic melanoma: A case report. <i>Medicine (United States)</i> , <b>2021</b> , 100, e25513	1.8	2

231	Coexistence of bullous pemphigoid with neuropsychiatric comorbidities is associated with anti-BP230 seropositivity. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 2067-2073	4.6	3
230	Dapsone Suppresses Disease in Preclinical Murine Models of Pemphigoid Diseases. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 2587-2595.e2	4.3	4
229	DNA-chip-based molecular testing as a clue for the diagnosis of tinea: a case series. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e522-e524	4.6	0
228	Prevalence and presumptive triggers of localized bullous pemphigoid. <i>Journal of Dermatology</i> , <b>2021</b> , 48, 1257-1261	1.6	1
227	The impact of lesional inflammatory cellular infiltrate on the phenotype of bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1702-1711	4.6	0
226	Immunological features and factors associated with mucocutaneous bullous pemphigoid - a retrospective cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 1289-1295	1.2	1
225	Anti-P 200 pemphigoid - The most common floor binding subepidermal autoimmune bullous disease in a tertiary care center in south India. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , <b>2021</b> , 87, 787-791	0.8	1
224	Inhibition of Glucose Metabolism Abrogates the Effector Phase of Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 1646-1655.e3	4.3	1
223	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1750-1764	4.6	10
222	MicroRNAs in pemphigus and pemphigoid diseases. <i>Autoimmunity Reviews</i> , <b>2021</b> , 20, 102852	13.6	2
221	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1926-1948	4.6	16
220	Serologic characterization of anti-p200 pemphigoid: Epitope spreading as a common phenomenon. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 84, 1155-1157	4.5	6
219	More Severe Erosive Phenotype Despite Lower Circulating Autoantibody Levels in Dipeptidyl Peptidase-4 Inhibitor (DPP4i)-Associated Bullous Pemphigoid: A Retrospective Cohort Study. <i>American Journal of Clinical Dermatology</i> , <b>2021</b> , 22, 117-127	7.1	4
218	Patients with bullous pemphigoid and comorbid psoriasis present with less blisters and lower serum levels of anti-BP180 autoantibodies. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 981-987	4.6	1
217	Genetic variability of immune-related lncRNAs: polymorphisms in LINC-PINT and LY86-AS1 are associated with pemphigus foliaceus susceptibility. <i>Experimental Dermatology</i> , <b>2021</b> , 30, 831-840	4	4
216	Immunoglobulin M pemphigoid. <i>Journal of the American Academy of Dermatology</i> , <b>2021</b> , 85, 1486-1492	4.5	1
215	A Mitochondrial Polymorphism Alters Immune Cell Metabolism and Protects Mice from Skin Inflammation. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	4
214	Incidence of pemphigoid diseases in Northern Germany in 2016 - first data from the Schleswig-Holstein Registry of Autoimmune Bullous Diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1197-1202	4.6	8

213	Therapeutic Implications of Targeting Heat Shock Protein 70 by Immunization or Antibodies in Experimental Skin Inflammation. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 614320	8.4	5
212	Low-dose ipilimumab combined with anti-PD-1 immunotherapy in patients with metastatic melanoma following anti-PD-1 treatment failure. <i>Melanoma Research</i> , <b>2021</b> , 31, 464-471	3.3	2
211	Serum Troponin T Concentrations Are Frequently Elevated in Advanced Skin Cancer Patients Prior to Immune Checkpoint Inhibitor Therapy: Experience From a Single Tertiary Referral Center. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 691618	4.9	2
210	Pathogenic Activation and Therapeutic Blockage of Fc $\gamma$ 2-Expressing Polymorphonuclear Leukocytes in IgA Pemphigus. <i>Journal of Investigative Dermatology</i> , <b>2021</b> , 141, 2820-2828	4.3	2
209	Evaluation and Comparison of Clinical and iLaboratory Characteristics of Patients With IgA Epidermolysis Bullosa Acquisita, Linear IgA Bullous Dermatitis, and IgG Epidermolysis Bullosa Acquisita. <i>JAMA Dermatology</i> , <b>2021</b> , 157, 917-923	5.1	3
208	The impact of the Covid-19 pandemic on quality of life in skin cancer patients. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255501	2	
207	Genetic association and differential expression of HLAComplexGroup lncRNAs in pemphigus. <i>Journal of Autoimmunity</i> , <b>2021</b> , 123, 102705	15.5	2
206	The pathogeneses of pemphigus and pemphigoid diseases.. <i>Journal of Dermatological Science</i> , <b>2021</b> , 104, 154-163	4.3	1
205	Long-term outcomes of rituximab therapy in pemphigus. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2884-2889	4.6	11
204	S2k guidelines for the treatment of pemphigus vulgaris/foiaceus and bullous pemphigoid: 2019 update. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 516-526	1.2	4
203	Dupilumab for treatment-refractory prurigo nodularis. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 618-624	1.2	5
202	Penile mucous membrane pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 727-729	1.2	1
201	Low prevalence of late-onset neutropenia after rituximab treatment in patients with pemphigus. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 1824-1825	4.5	2
200	Primary Cutaneous Gamma-Delta T-Cell Lymphoma With Long-Term Indolent Clinical Course Initially Mimicking Lupus Erythematosus Profundus. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 133	5.3	4
199	Epidermal Damage Induces Th1 Polarization and Defines the Site of Inflammation in Murine Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2020</b> , 140, 1713-1722.e9	4.3	0
198	Visualization of autoantibodies and neutrophils in vivo identifies novel checkpoints in autoantibody-induced tissue injury. <i>Scientific Reports</i> , <b>2020</b> , 10, 4509	4.9	3
197	Multicenter prospective study on multivariant diagnostics of autoimmune bullous dermatoses using the BIOCHIP technology. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 83, 1315-1322	4.5	13
196	Effectiveness and adverse events of ivermectin treatment for scabies in 30 infant patients: report from a German single centre. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e736-e737	4.6	6

195	Recent progresses and perspectives in autoimmune bullous diseases. <i>Journal of Allergy and Clinical Immunology</i> , <b>2020</b> , 145, 1145-1147	11.5	8
194	Expert recommendations for the management of autoimmune bullous diseases during the COVID-19 pandemic. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, e302-e303	4.6	39
193	AB0166 IMMUNOGLOBULIN G DERIVED FROM PATIENTS WITH SYSTEMIC SCLEROSIS IMPRINTS A PRO-INFLAMMATORY AND PRO-FIBROTIC PHENOTYPE IN MONOCYTE-LIKE THP-1 CELLS. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 1383.2-1383	2.4	
192	Immune checkpoint inhibitors and tuberculosis: an old disease in a new context. <i>Lancet Oncology, The</i> , <b>2020</b> , 21, e55-e65	21.7	30
191	Assessment of healthcare costs for patients with pemphigus and bullous pemphigoid in an academic centre in Germany. <i>British Journal of Dermatology</i> , <b>2020</b> , 182, 1296-1297	4	9
190	12/15-Lipoxygenase choreographs the resolution of IgG-mediated skin inflammation. <i>Journal of Autoimmunity</i> , <b>2020</b> , 115, 102528	15.5	3
189	Updated S2K guidelines on the management of pemphigus vulgaris and foliaceus initiated by the european academy of dermatology and venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 1900-1913	4.6	60
188	The G Protein-Coupled Receptor (GPR) 15 Counteracts Antibody-Mediated Skin Inflammation. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 1858	8.4	3
187	Identification of novel therapeutic targets for blocking acantholysis in pemphigus. <i>British Journal of Pharmacology</i> , <b>2020</b> , 177, 5114-5130	8.6	8
186	Adjuvant treatment with secukinumab induced long term remission in a patient with severe bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 1478-1480	1.2	0
185	Diagnosis and management of pemphigus: Recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 82, 575-585.e1	4.5	127
184	BP180-specific IgG is associated with skin adverse events, therapy response, and overall survival in non-small cell lung cancer patients treated with checkpoint inhibitors. <i>Journal of the American Academy of Dermatology</i> , <b>2020</b> , 82, 854-861	4.5	29
183	Prevalence and age distribution of pemphigus and pemphigoid diseases among paediatric patients in Germany. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2600-2605	4.6	11
182	Retrospective Analysis of Checkpoint Inhibitor Therapy-Associated Cases of Bullous Pemphigoid From Six German Dermatology Centers. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 588582	8.4	5
181	Checkpoint Inhibition May Trigger the Rare Variant of Anti-LAD-1 IgG-Positive, Anti-BP180 NC16A IgG-Negative Bullous Pemphigoid. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 1934	8.4	13
180	Gene-diet interactions associated with complex trait variation in an advanced intercross outbred mouse line. <i>Nature Communications</i> , <b>2019</b> , 10, 4097	17.4	16
179	Anti-p200 pemphigoid is the most common pemphigoid disease with serum antibodies against the dermal side by indirect immunofluorescence microscopy on human salt-split skin. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 81, 1195-1197	4.5	16
178	Black tea dressings - a rapidly effective treatment for facial dermatitis. <i>Journal of Dermatological Treatment</i> , <b>2019</b> , 30, 785-789	2.8	3

177	Bullous pemphigoid autoantibody-mediated complement fixation is abolished by the low-molecular-weight heparin tinzaparin sodium. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 593-594	4	5
176	The Sphingosine-1-Phosphate Receptor Modulator Fingolimod Aggravates Murine Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 2381-2384.e3	4.3	5
175	Optimization of reference gene panels for gene expression analysis in preclinical models of inflammatory skin diseases. <i>Experimental Dermatology</i> , <b>2019</b> , 28, 985-988	4	0
174	First emergence of pyoderma gangraenosum, palmoplantar pustulosis and sacroiliitis in a psoriasis patient associated with switching from secukinumab to brodalumab. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, e406-e407	4.6	5
173	Combined culture and metagenomic analyses reveal significant shifts in the composition of the cutaneous microbiome in psoriasis. <i>British Journal of Dermatology</i> , <b>2019</b> , 181, 1254-1264	4	25
172	Identification of the recently described plasminogen gene mutation p.Lys330Glu in a family from Northern Germany with hereditary angioedema. <i>Clinical and Translational Allergy</i> , <b>2019</b> , 9, 9	5.2	25
171	Intralesional interleukin-2: A novel option to maximize response to systemic immune checkpoint therapy in loco-regional metastatic melanoma. <i>Dermatologic Therapy</i> , <b>2019</b> , 32, e12901	2.2	9
170	GPR15 is not critically involved in the regulation of murine psoriasiform dermatitis. <i>Journal of Dermatological Science</i> , <b>2019</b> , 94, 196-204	4.3	4
169	Dual inhibition of complement factor 5 and leukotriene B4 synergistically suppresses murine pemphigoid disease. <i>JCI Insight</i> , <b>2019</b> , 4,	9.9	15
168	Topically applied low-dose calcitriol ameliorates atopic eyelid dermatitis. <i>JAAD Case Reports</i> , <b>2019</b> , 5, 5-6	1.4	
167	Sequential Treatment With Targeted and Immune Checkpoint Therapy in Patients With BRAF Positive Metastatic Melanoma: The Importance of Timing?. <i>Frontiers in Medicine</i> , <b>2019</b> , 6, 257	4.9	1
166	Polymorphisms in the Mitochondrial Genome Are Associated With Bullous Pemphigoid in Germans. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 2200	8.4	2
165	IL-17A is functionally relevant and a potential therapeutic target in bullous pemphigoid. <i>Journal of Autoimmunity</i> , <b>2019</b> , 96, 104-112	15.5	39
164	A sensitive and specific assay for the serological diagnosis of antilaminin 332 mucous membrane pemphigoid. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 149-156	4	28
163	Detection of u-serrated patterns in direct immunofluorescence images of autoimmune bullous diseases by inhibition-augmented COSFIRE filters. <i>International Journal of Medical Informatics</i> , <b>2019</b> , 122, 27-36	5.3	0
162	Post-orf epidermolysis bullosa acquisita. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, e118-e119	4.6	0
161	Grover disease and bullous pemphigoid: a clinicopathological study of six cases. <i>Clinical and Experimental Dermatology</i> , <b>2019</b> , 44, 524-527	1.8	4
160	Influence of cigarette smoking on pemphigus - a systematic review and pooled analysis of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 1256-1262	4.6	13

159	Does the gastrointestinal microbiome contribute to the obesity paradox in melanoma survival?. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 225-226	4	4
158	Accelerated barrier recovery and enhancement of the barrier integrity and properties by topical application of a pH 4 vs. a pH 5.5 water-in-oil emulsion in aged skin. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 471-477	4	18
157	Paederus dermatitis - touched by champion flies - three clinical manifestations of pederin toxin-inflicted dermatitis. <i>International Journal of Dermatology</i> , <b>2018</b> , 57, 989-991	1.7	1
156	Prospective study in bullous pemphigoid: association of high serum anti-BP180 IgG levels with increased mortality and reduced Karnofsky score. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 918-924	4	20
155	Intravenous immunoglobulins for rituximab-resistant mucous membrane pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, e321-e324	4.6	4
154	Serration pattern analysis for differentiating epidermolysis bullosa acquisita from other pemphigoid diseases. <i>Journal of the American Academy of Dermatology</i> , <b>2018</b> , 78, 754-759.e6	4.5	36
153	Neutrophil Adhesion Is a Prerequisite for Antibody-Mediated Proteolytic Tissue Damage in Experimental Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2018</b> , 138, 1990-1998	4.3	11
152	Authors' Reply: Paraneoplastic autoimmune multi-organ syndrome is a distinct entity from traditional pemphigus subtypes. <i>Nature Reviews Disease Primers</i> , <b>2018</b> , 4, 18013	51.1	1
151	Mechanisms Causing Loss of Keratinocyte Cohesion in Pemphigus. <i>Journal of Investigative Dermatology</i> , <b>2018</b> , 138, 32-37	4.3	70
150	The role of the microbiome in psoriasis: moving from disease description to treatment selection?. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 1020-1027	4	35
149	Calcitriol Treatment Ameliorates Inflammation and Blistering in Mouse Models of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2018</b> , 138, 301-309	4.3	13
148	Generalized Net-like Erythema and Stroke in a Young Female. <i>JAMA Dermatology</i> , <b>2018</b> , 154, 93-94	5.1	
147	Therapeutic Effect of a Novel Phosphatidylinositol-3-Kinase Inhibitor in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1558	8.4	19
146	Whole-Genome Expression Profiling in Skin Reveals SYK As a Key Regulator of Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 249	8.4	18
145	Targeting IgE Antibodies by Immunoabsorption in Atopic Dermatitis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 254	8.4	17
144	Tissue Destruction in Bullous Pemphigoid Can Be Complement Independent and May Be Mitigated by C5aR2. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 488	8.4	23
143	Specific Inhibition of Complement Activation Significantly Ameliorates Autoimmune Blistering Disease in Mice. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 535	8.4	14
142	IgE-Selective Immunoabsorption for Severe Atopic Dermatitis. <i>Frontiers in Medicine</i> , <b>2018</b> , 5, 27	4.9	7

141	Immunohistochemical diagnosis of mucous membrane pemphigoid. <i>Journal of Oral Pathology and Medicine</i> , <b>2018</b> , 47, 613-619	3.3	4
140	International Bullous Diseases Group: consensus on diagnostic criteria for epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 30-41	4	35
139	Diagnosis of Autoimmune Blistering Diseases. <i>Frontiers in Medicine</i> , <b>2018</b> , 5, 296	4.9	54
138	Immunoabsorption of Desmoglein-3-Specific IgG Abolishes the Blister-Inducing Capacity of Pemphigus Vulgaris IgG in Neonatal Mice. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1935	8.4	13
137	(MIF) Drives Murine Psoriasiform Dermatitis. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2262	8.4	12
136	The Immunometabolomic Interface Receptor Hydroxycarboxylic Acid Receptor 2 Mediates the Therapeutic Effects of Dimethyl Fumarate in Autoantibody-Induced Skin Inflammation. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1890	8.4	13
135	Meta-analysis of the clinical and immunopathological characteristics and treatment outcomes in epidermolysis bullosa acquisita patients. <i>Orphanet Journal of Rare Diseases</i> , <b>2018</b> , 13, 153	4.2	32
134	Diagnosis of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2018</b> , 16, 1077-1091	1.2	32
133	Adjuvant treatment of severe/refractory bullous pemphigoid with protein A immunoabsorption. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2018</b> , 16, 1109-1118	1.2	9
132	The p.Arg435His Variation of IgG3 With High Affinity to FcRn Is Associated With Susceptibility for Pemphigus Vulgaris-Analysis of Four Different Ethnic Cohorts. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1788	8.4	10
131	HLA alleles in British Caucasians with mucous membrane pemphigoid. <i>Eye</i> , <b>2018</b> , 32, 1540-1541	4.4	6
130	The Leukotriene B and its Receptor BLT1 Act as Critical Drivers of Neutrophil Recruitment in Murine Bullous Pemphigoid-Like Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1104-1113	4.3	40
129	Clinical course, treatment modalities, and quality of life in patients with congenital melanocytic nevi - data from the German CMN registry. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 159-167	1.2	11
128	A distinct cutaneous microbiota profile in autoimmune bullous disease patients. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 1221-1227	4	15
127	Analysis of serum markers of cellular immune activation in patients with bullous pemphigoid. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 1248-1252	4	20
126	Pemphigus. <i>Nature Reviews Disease Primers</i> , <b>2017</b> , 3, 17026	51.1	217
125	Experimental Laminin 332 Mucous Membrane Pemphigoid Critically Involves C5aR1 and Reflects Clinical and Immunopathological Characteristics of the Human Disease. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1709-1718	4.3	26
124	An open, multicentre, randomized clinical study in patients with bullous pemphigoid comparing methylprednisolone and azathioprine with methylprednisolone and dapsone. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 1299-1305	4	40



123	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1199-1203	4.3	26
122	Nadroparin carries a potentially high risk of inducing cutaneous delayed-type hypersensitivity responses. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 35-41	2.7	5
121	European Guidelines (S1) on the use of high-dose intravenous immunoglobulin in dermatology. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 228-241	1.2	14
120	Periodontitis in oral pemphigus and pemphigoid: A systematic review of published studies. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 76, 975-978.e3	4.5	17
119	Prospective studies on the routine use of a novel multivariant enzyme-linked immunosorbent assay for the diagnosis of autoimmune bullous diseases. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 76, 889-894.e5	4.5	32
118	Follicular and cystic regression of locally advanced basal cell carcinoma following short-term neoadjuvant vismodegib therapy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 1031-1033	1.2	0
117	Gene Expression Analysis Reveals Novel Shared Gene Signatures and Candidate Molecular Mechanisms between Pemphigus and Systemic Lupus Erythematosus in CD4 T Cells. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 1992	8.4	31
116	Routine detection of serum antidesmocollin autoantibodies is only useful in patients with atypical pemphigus. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 1267-1270	4	26
115	Structural proteins of the dermal-epidermal junction targeted by autoantibodies in pemphigoid diseases. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 1154-1162	4	45
114	CCL3/MIP1 $\alpha$ represents a biomarker but not a mandatory cytokine for disease development in experimental epidermolysis bullosa acquisita. <i>Journal of Dermatological Science</i> , <b>2017</b> , 88, 248-250	4.3	1
113	Genomewide association study identifies GALC as susceptibility gene for mucous membrane pemphigoid. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 1214-1220	4	10
112	Multiple and repeated sampling increases the sensitivity of direct immunofluorescence testing for the diagnosis of mucous membrane pemphigoid. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 77, 700-705.e3	4.5	24
111	Correlation of Serum Levels of IgE Autoantibodies Against BP180 With Bullous Pemphigoid Disease Activity. <i>JAMA Dermatology</i> , <b>2017</b> , 153, 30-38	5.1	77
110	Autoimmunity to heat shock proteins and vitamin D status in patients with celiac disease without associated dermatitis herpetiformis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2017</b> , 173, 23-27	5.1	17
109	Sphingosine-1-phosphate modulators in inflammatory skin diseases - lining up for clinical translation. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 206-210	4	8
108	Topically Applied Hsp90 Blocker 17AAG Inhibits Autoantibody-Mediated Blister-Inducing Cutaneous Inflammation. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 341-349	4.3	17
107	Anti-p200/laminin $\alpha$ pemphigoid associated with metastatic oesophageal cancer. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, e219-e221	4.6	7
106	Paraneoplastic pemphigus with anti-BP180 autoantibodies and Castleman disease. <i>British Journal of Dermatology</i> , <b>2017</b> , 176, 824-826	4	5

105	The genetic difference between C57Bl/6J and C57Bl/6N mice significantly impacts Aldara-induced psoriasiform dermatitis. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 349-351	4	9
104	Regulatory T Cells Suppress Inflammation and Blistering in Pemphigoid Diseases. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 1628	8.4	30
103	CD11b-deficient mice exhibit an increased severity in the late phase of antibody transfer-induced experimental epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 1175-1178	4	7
102	Epidermolysis bullosa acquisita and anti-p200 pemphigoid as major subepidermal autoimmune bullous diseases diagnosed by floor binding on indirect immunofluorescence microscopy using human salt-split skin. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , <b>2017</b> , 83, 550-555	0.8	7
101	Reduced skin blistering in experimental epidermolysis bullosa acquisita after anti-TNF treatment. <i>Molecular Medicine</i> , <b>2017</b> , 22, 918-926	6.2	19
100	Dimethylfumarate Impairs Neutrophil Functions. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 117-126	4.3	46
99	PDE4 Inhibition as Potential Treatment of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 2211-2220	4.3	15
98	European Guidelines (S1) on the use of high-dose intravenous immunoglobulin in dermatology. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 1657-1669	4.6	29
97	THU0005 Drug Re-Purposing with A Commercially Available Chemical Library Identifies Novel B-Cell Inhibitory Compounds. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 179.2-179	2.4	
96	Dissecting genetics of cutaneous miRNA in a mouse model of an autoimmune blistering disease. <i>BMC Genomics</i> , <b>2016</b> , 17, 112	4.5	6
95	Melatonin enhances mitochondrial ATP synthesis, reduces reactive oxygen species formation, and mediates translocation of the nuclear erythroid 2-related factor 2 resulting in activation of phase-2 antioxidant enzymes (EGCS, HO-1, NQO1) in ultraviolet radiation-treated normal human epidermal keratinocytes (NHEK). <i>Journal of Pineal Research</i> , <b>2016</b> , 61, 187-97	10.4	81
94	Parkinson disease and multiple sclerosis are not associated with autoantibodies against structural proteins of the dermal-epidermal junction. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 407-9	4	12
93	Calcitriol exerts anti-inflammatory effects in keratinocytes treated with autoantibodies from a patient with bullous pemphigoid. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 288-92	4.6	8
92	IgE-mediated mechanisms in bullous pemphigoid and other autoimmune bullous diseases. <i>Expert Review of Clinical Immunology</i> , <b>2016</b> , 12, 267-77	5.1	44
91	Myeloid-related proteins-8 and -14 are expressed but dispensable in the pathogenesis of experimental epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Dermatological Science</i> , <b>2016</b> , 81, 165-72	4.3	2
90	Pemphigoid gestationis: Toward a better understanding of the etiopathogenesis. <i>Clinics in Dermatology</i> , <b>2016</b> , 34, 378-82	3	28
89	Skin microbiota-associated inflammation precedes autoantibody induced tissue damage in experimental epidermolysis bullosa acquisita. <i>Journal of Autoimmunity</i> , <b>2016</b> , 68, 14-22	15.5	15
88	Identification of a Functional Risk Variant for Pemphigus Vulgaris in the ST18 Gene. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1006008	6	38

87	Childhood Epidermolysis Bullosa Acquisita: Confirmation of Diagnosis by Skin Deficient in Type VII Collagen, Enzyme-linked Immunosorbent Assay, and Immunoblotting. <i>Indian Journal of Dermatology</i> , <b>2016</b> , 61, 329-32	0.9	3
86	Successful pregnancy outcome under prolonged ustekinumab treatment in a patient with Crohn's disease and paradoxical psoriasis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, e191-e192	4.6	32
85	A refractory, cutaneous, subepidermal bullous disease. <i>Clinical and Experimental Dermatology</i> , <b>2016</b> , 41, 573-5	1.8	5
84	Automated direct immunofluorescence analyses of skin biopsies. <i>Journal of Cutaneous Pathology</i> , <b>2016</b> , 43, 227-35	1.7	7
83	T cells mediate autoantibody-induced cutaneous inflammation and blistering in epidermolysis bullosa acquisita. <i>Scientific Reports</i> , <b>2016</b> , 6, 38357	4.9	25
82	Epidermolysis Bullosa Acquisita: From Pathophysiology to Novel Therapeutic Options. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 24-33	4.3	61
81	Current treatments and developments in pemphigoid diseases as paradigm diseases for autoantibody-driven, organ-specific autoimmune diseases. <i>Seminars in Hematology</i> , <b>2016</b> , 53 Suppl 1, S51-3	4	7
80	Immunoabsorber for specific apheresis of autoantibodies in the treatment of bullous pemphigoid. <i>Archives of Dermatological Research</i> , <b>2016</b> , 308, 31-8	3.3	12
79	Prevalence and Age Distribution of Pemphigus and Pemphigoid Diseases in Germany. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 2495-2498	4.3	92
78	Recombinant soluble CD32 suppresses disease progression in experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , <b>2015</b> , 135, 916-919	4.3	21
77	Autoantibodies to Multiple Epitopes on the Non-Collagenous-1 Domain of Type VII Collagen Induce Blisters. <i>Journal of Investigative Dermatology</i> , <b>2015</b> , 135, 1565-1573	4.3	16
76	Heat shock protein 90 inhibition: A potential double- or triple-edged sword in the treatment of mucous membrane pemphigoid. <i>Medical Hypotheses</i> , <b>2015</b> , 85, 412-4	3.8	1
75	Management of bullous pemphigoid: the European Dermatology Forum consensus in collaboration with the European Academy of Dermatology and Venereology. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 867-77	4	178
74	Caspase-1-independent IL-1 release mediates blister formation in autoantibody-induced tissue injury through modulation of endothelial adhesion molecules. <i>Journal of Immunology</i> , <b>2015</b> , 194, 3656-63	5.3	34
73	Polymorphisms in the mitochondrially encoded ATP synthase 8 gene are associated with susceptibility to bullous pemphigoid in the German population. <i>Experimental Dermatology</i> , <b>2015</b> , 24, 715-7	4	20
72	Radiosensitive Hematopoietic Cells Determine the Extent of Skin Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , <b>2015</b> , 195, 1945-54	5.3	15
71	Allelic and copy-number variations of FcγRs affect granulocyte function and susceptibility for autoimmune blistering diseases. <i>Journal of Autoimmunity</i> , <b>2015</b> , 61, 36-44	15.5	16
70	Pemphigus. S2 Guideline for diagnosis and treatment--guided by the European Dermatology Forum (EDF) in cooperation with the European Academy of Dermatology and Venereology (EADV). <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 405-14	4.6	165

69	Heat shock protein 90 is required for ex vivo neutrophil-driven autoantibody-induced tissue damage in experimental epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , <b>2015</b> , 24, 471-3	4	18
68	Conditional depletion of mast cells has no impact on the severity of experimental epidermolysis bullosa acquisita. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 1462-70	6.1	21
67	Canakinumab in adults with steroid-refractory pyoderma gangrenosum. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 1216-23	4	60
66	Heat shock protein 90: a pathophysiological factor and novel treatment target in autoimmune bullous skin diseases. <i>Experimental Dermatology</i> , <b>2015</b> , 24, 567-71	4	27
65	Prevalence of pemphigus and pemphigoid autoantibodies in the general population. <i>Orphanet Journal of Rare Diseases</i> , <b>2015</b> , 10, 63	4.2	33
64	The retinoid-related orphan receptor alpha is essential for the end-stage effector phase of experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , <b>2015</b> , 237, 111-22	9.4	17
63	S2k guideline for the diagnosis of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2015</b> , 13, 713-27	1.2	26
62	Barrier function and natural moisturizing factor levels after cumulative exposure to a fruit-derived organic acid and a detergent: different outcomes in atopic and healthy skin and relevance for occupational contact dermatitis in the food industry. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 358-63	2.7	14
61	A recombinant fusion protein derived from dog hookworm inhibits autoantibody-induced dermal-epidermal separation ex vivo. <i>Experimental Dermatology</i> , <b>2015</b> , 24, 872-8	4	3
60	TNFAIP3 and IL12B gene polymorphisms associated with psoriasis vulgaris in an Egyptian cohort. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1297-301	4.6	7
59	Malignancies in pemphigus and pemphigoid diseases. <i>Journal of Investigative Dermatology</i> , <b>2015</b> , 135, 1445-1447	4.3	55
58	Definitions and outcome measures for mucous membrane pemphigoid: recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, 168-74	4.5	93
57	N-linked glycosylation on laminin $\alpha$ influences recognition of anti-laminin $\alpha$ pemphigoid autoantibodies. <i>Journal of Dermatological Science</i> , <b>2015</b> , 77, 125-9	4.3	9
56	Effects of intravenous immunoglobulins on mice with experimental epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , <b>2015</b> , 135, 768-775	4.3	19
55	A family with atypical Hailey Hailey disease--is there more to the underlying genetics than ATP2C1?. <i>PLoS ONE</i> , <b>2015</b> , 10, e0121253	3.7	7
54	Treatment of bullous pemphigoid with adjuvant immunoadsorption: a case series. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 1018-20	4.5	18
53	Fc $\gamma$ receptors III and IV mediate tissue destruction in a novel adult mouse model of bullous pemphigoid. <i>American Journal of Pathology</i> , <b>2014</b> , 184, 2185-96	5.8	48
52	GM-CSF modulates autoantibody production and skin blistering in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , <b>2014</b> , 192, 559-71	5.3	32

51	Eczematous reaction to intravenous immunoglobulin: an alternative cause of eczema. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 1120-2	5.1	10
50	Recombinant human IgA1 and IgA2 autoantibodies to type VII collagen induce subepidermal blistering ex vivo. <i>Journal of Immunology</i> , <b>2014</b> , 193, 1600-8	5.3	18
49	ptRNAPred: computational identification and classification of post-transcriptional RNA. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, e167	20.1	5
48	IgE-specific immunoadsorption for treatment of recalcitrant atopic dermatitis. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 1350-1	5.1	22
47	Recurrent abscesses of the neck: scrofuloderma. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 909-10	5.1	5
46	Anti-p200 pemphigoid. <i>Journal of the American Academy of Dermatology</i> , <b>2014</b> , 71, 185-91	4.5	75
45	EndoS reduces the pathogenicity of anti-mCOL7 IgG through reduced binding of immune complexes to neutrophils. <i>PLoS ONE</i> , <b>2014</b> , 9, e85317	3.7	6
44	Genetic control of psoriasis is relatively distinct from that of metabolic syndrome and coronary artery disease. <i>Experimental Dermatology</i> , <b>2013</b> , 22, 552-3	4	27
43	Pemphigoid diseases. <i>Lancet, The</i> , <b>2013</b> , 381, 320-32	4.0	629
42	Sensitive and specific assays for routine serological diagnosis of epidermolysis bullosa acquisita. <i>Journal of the American Academy of Dermatology</i> , <b>2013</b> , 68, e89-95	4.5	70
41	Emerging treatments for pemphigoid diseases. <i>Trends in Molecular Medicine</i> , <b>2013</b> , 19, 501-12	11.5	40
40	B cells, dendritic cells, and macrophages are required to induce an autoreactive CD4 helper T cell response in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , <b>2013</b> , 191, 2978-88	5.3	43
39	Lack of a specific humoral autoreactivity in sera from patients with early erythema exsudativum multiforme majus. <i>Journal of Investigative Dermatology</i> , <b>2013</b> , 133, 2799-2802	4.3	3
38	Methylprednisolone blocks autoantibody-induced tissue damage in experimental models of bullous pemphigoid and epidermolysis bullosa acquisita through inhibition of neutrophil activation. <i>Journal of Investigative Dermatology</i> , <b>2013</b> , 133, 2390-2399	4.3	34
37	AB0734 Prevalence and co-occurrence of autoantibodies in blood donors. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 680.11-680	2.4	
36	Contemporary management of pemphigus. <i>Expert Opinion on Orphan Drugs</i> , <b>2013</b> , 1, 295-314	1.1	3
35	Anti-inflammatory activity of IgG1 mediated by Fc galactosylation and association of FcγRIIB and dectin-1. <i>Nature Medicine</i> , <b>2012</b> , 18, 1401-6	50.5	311
34	Serological diagnosis of autoimmune bullous skin diseases: prospective comparison of the BIOCHIP mosaic-based indirect immunofluorescence technique with the conventional multi-step single test strategy. <i>Orphanet Journal of Rare Diseases</i> , <b>2012</b> , 7, 49	4.2	77

33	Genetic identification and functional validation of Fc $\gamma$ RIV as key molecule in autoantibody-induced tissue injury. <i>Journal of Pathology</i> , <b>2012</b> , 228, 8-19	9.4	68
32	Development of NC1 and NC2 domains of type VII collagen ELISA for the diagnosis and analysis of the time course of epidermolysis bullosa acquisita patients. <i>Journal of Dermatological Science</i> , <b>2011</b> , 62, 169-75	4.3	81
31	Rituximab for treatment-refractory pemphigus and pemphigoid: a case series of 17 patients. <i>Journal of the American Academy of Dermatology</i> , <b>2011</b> , 65, 552-558	4.5	95
30	PI3K $\gamma$ plays a critical role in neutrophil activation by immune complexes. <i>Science Signaling</i> , <b>2011</b> , 4, ra23	8.8	115
29	Generation of antibodies of distinct subclasses and specificity is linked to H2s in an active mouse model of epidermolysis bullosa acquisita. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 167-76	4.3	56
28	Autoantibody-induced intestinal inflammation and weight loss in experimental epidermolysis bullosa acquisita. <i>Journal of Pathology</i> , <b>2011</b> , 224, 234-44	9.4	33
27	Complement-fixing anti-type VII collagen antibodies are induced in Th1-polarized lymph nodes of epidermolysis bullosa acquisita-susceptible mice. <i>Journal of Immunology</i> , <b>2011</b> , 187, 5043-50	5.3	36
26	Repetitive immunization breaks tolerance to type XVII collagen and leads to bullous pemphigoid in mice. <i>Journal of Immunology</i> , <b>2011</b> , 187, 1176-83	5.3	52
25	Novel ELISA systems for antibodies to desmoglein 1 and 3: correlation of disease activity with serum autoantibody levels in individual pemphigus patients. <i>Experimental Dermatology</i> , <b>2010</b> , 19, 458-63 <sup>4</sup>		104
24	T cells are required for the production of blister-inducing autoantibodies in experimental epidermolysis bullosa acquisita. <i>Journal of Immunology</i> , <b>2010</b> , 184, 1596-603	5.3	48
23	Fc $\gamma$ RIIA and Fc $\gamma$ RIIIB are required for autoantibody-induced tissue damage in experimental human models of bullous pemphigoid. <i>Journal of Investigative Dermatology</i> , <b>2010</b> , 130, 2841-4	4.3	35
22	Prospective analysis of the incidence of autoimmune bullous disorders in Lower Franconia, Germany. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 434-40	1.2	96
21	Prospektive Untersuchung der Inzidenz blasenbildender Autoimmundermatosen in Unterfranken. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2009</b> , 7, 434-440	1.2	139
20	Consensus statement on definitions of disease, end points, and therapeutic response for pemphigus. <i>Journal of the American Academy of Dermatology</i> , <b>2008</b> , 58, 1043-6	4.5	372
19	Diagnosis of autoimmune bullous skin diseases. <i>Clinical Laboratory</i> , <b>2008</b> , 54, 491-503	2	23
18	NADPH oxidase is required for neutrophil-dependent autoantibody-induced tissue damage. <i>Journal of Pathology</i> , <b>2007</b> , 212, 56-65	9.4	110
17	Recommendations for the use of immunoapheresis in the treatment of autoimmune bullous diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2007</b> , 5, 881-7	1.2	50
16	Induction of complement-fixing autoantibodies against type VII collagen results in subepidermal blistering in mice. <i>Journal of Immunology</i> , <b>2006</b> , 177, 3461-8	5.3	126

15	Bullous pemphigoid: diagnosis and management. <i>Expert Review of Dermatology</i> , <b>2006</b> , 1, 401-411		4
14	Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. <i>Journal of Clinical Investigation</i> , <b>2005</b> , 115, 870-878	15.9	191
13	Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. <i>Journal of Clinical Investigation</i> , <b>2005</b> , 115, 870-8	15.9	74
12	Granulocyte-derived elastase and gelatinase B are required for dermal-epidermal separation induced by autoantibodies from patients with epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Pathology</i> , <b>2004</b> , 204, 519-27	9.4	140
11	Autoantibodies to bullous pemphigoid antigen 180 induce dermal-epidermal separation in cryosections of human skin. <i>Journal of Investigative Dermatology</i> , <b>2002</b> , 118, 664-71	4.3	147
10	Autoantibodies to type VII collagen mediate Fcγ-dependent neutrophil activation and induce dermal-epidermal separation in cryosections of human skin. <i>American Journal of Pathology</i> , <b>2002</b> , 161, 301-11	5.8	115
9	The first international consensus on mucous membrane pemphigoid: definition, diagnostic criteria, pathogenic factors, medical treatment, and prognostic indicators. <i>Archives of Dermatology</i> , <b>2002</b> , 138, 370-9		526
8	Cicatricial pemphigoid: IgA and IgG autoantibodies target epitopes on both intra- and extracellular domains of bullous pemphigoid antigen 180. <i>British Journal of Dermatology</i> , <b>2001</b> , 145, 778-83	4	98
7	Cicatricial pemphigoid with circulating autoantibodies to beta4 integrin, bullous pemphigoid 180 and bullous pemphigoid 230. <i>British Journal of Dermatology</i> , <b>2001</b> , 145, 998-1004	4	55
6	Autoantibodies to BP180 associated with bullous pemphigoid release interleukin-6 and interleukin-8 from cultured human keratinocytes. <i>Journal of Investigative Dermatology</i> , <b>2000</b> , 115, 842-8	4.3	82
5	Serum levels of autoantibodies to BP180 correlate with disease activity in patients with bullous pemphigoid. <i>Archives of Dermatology</i> , <b>2000</b> , 136, 174-8		237
4	Increased risk of bullous pemphigoid in male and very old patients: A population-based study on incidence. <i>Journal of the American Academy of Dermatology</i> , <b>1999</b> , 41, 266-8	4.5	151
3	Antiepiligrin cicatricial pemphigoid: an underdiagnosed entity within the spectrum of scarring autoimmune subepidermal bullous diseases?. <i>Archives of Dermatology</i> , <b>1999</b> , 135, 1091-8		49
2	Analysis of antigens targeted by circulating IgG and IgA autoantibodies in 50 patients with cicatricial pemphigoid. <i>Journal of Dermatological Science</i> , <b>1998</b> , 17, 39-44	4.3	80
1	Incidence of autoimmune subepidermal blistering dermatoses in a region of central Germany. <i>Archives of Dermatology</i> , <b>1995</b> , 131, 957-8		225