

Junko Tanaka

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5109747/junko-tanaka-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

6,085
citations

33
h-index

73
g-index

255
ext. papers

7,996
ext. citations

5.2
avg, IF

5.13
L-index

#	Paper	IF	Citations
221	Impact of robot-assisted surgery appearance on reduction of annual blood transfusion cases in Japan: application of meta-analysis and NDB open data.. <i>Journal of Robotic Surgery</i> , 2022 , 1	2.9	
220	Adverse reactions to the BNT162b2 and mRNA-1273 mRNA COVID-19 vaccines in Japan.. <i>Journal of Infection and Chemotherapy</i> , 2022 ,	2.2	9
219	Identification of the suitable candidates for EOB-MRI with the high risk of the presence of non-hypervascular hypointense nodules in patients with HCV infection.. <i>European Radiology</i> , 2022 , 1	8	
218	Burden of cancer attributable to modifiable factors in Japan in 2015.. <i>Global Health & Medicine</i> , 2022 , 4, 26-36	2.4	1
217	The preventive effects of perioperative oral care on surgical site infections after pancreatic cancer surgery: a retrospective study.. <i>Supportive Care in Cancer</i> , 2022 , 1	3.9	0
216	Effects of Hand Hygiene Using 4% Chlorhexidine Gluconate or Natural Soap During Hand Rubbing Followed by Alcohol-Based 1% Chlorhexidine Gluconate Sanitizer Lotion in the Operating Room. <i>Advances in Wound Care</i> , 2022 , 11, 1-9	4.8	1
215	Mass Screening of SARS-CoV-2 Variants using Sanger Sequencing Strategy in Hiroshima, Japan.. <i>Scientific Reports</i> , 2022 , 12, 2419	4.9	0
214	Quantitative Measurement of the SARS-CoV-2 IgG Antibody and Surrogate Neutralizing Antibody Responses among mRNA COVID-19 Vaccine-Inoculated Medical Staff in Designated Medical Institutions for Infectious Diseases. <i>Journal of the Japanese Association for Infectious Diseases</i> , 2022 , 96, 52-55	0.1	
213	Burden of chronic hepatitis B and C infections in 2015 and future trends in Japan: A simulation study. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 100428	5	0
212	Authors' response to 'Prevalence and Incidence of Fatty Liver for People Who Took Part in A Health Checkup in 2008-2019 in Japan'.. <i>Liver International</i> , 2022 ,	7.9	
211	Global change in hepatitis C virus prevalence and cascade of care between 2015 and 2020: a modelling study.. <i>The Lancet Gastroenterology and Hepatology</i> , 2022 , 7, 396-415	18.8	11
210	Long COVID occurrence in COVID-19 survivors.. <i>Scientific Reports</i> , 2022 , 12, 6039	4.9	6
209	Prevalence and genotype distribution of viral hepatitis B in Cambodia between 1990 and 2020: a systematic review and meta-analysis.. <i>Archives of Public Health</i> , 2022 , 80, 119	2.6	0
208	Liver biopsy implementation rate for diagnosis of NASH in Japan -analysis of big data of health insurance claims-. <i>Acta Hepatologica Japonica</i> , 2022 , 63, 211-213	0.3	
207	The Impact of Cirrhosis and History of Hepatocellular Carcinoma on All-Cause Mortality After Eradication of Hepatitis C Virus in Patients With Chronic Hepatitis C 2022 , 1, 508-515		
206	Distribution of FIB-4 index in the general population: analysis of 75,666 residents who underwent health checkups.. <i>BMC Gastroenterology</i> , 2022 , 22, 241	3	0
205	The risk of COVID-19 death is much greater and age dependent with type I IFN autoantibodies.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2200413119 ^{11.5}		3

204	Prediction of follicle development after laparoscopic ovarian drilling by the pre-operative LH/FSH ratio and number of drillings per ovarian unit volume.. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2022 , 38, 19-25	0	
203	Attitudes and Behavior toward COVID-19 Vaccination in Japanese University Students: A Cross-Sectional Study. <i>Vaccines</i> , 2022 , 10, 863	5.3	0
202	Impact of Immune Reconstitution-Induced Hepatic Flare on Hepatitis B Surface Antigen Loss in Hepatitis B Virus/Human Immunodeficiency Virus-1 Coinfected Patients. <i>Journal of Infectious Diseases</i> , 2021 , 223, 2080-2089	7	5
201	Road to elimination of HCV: Clinical challenges in HCV management.. <i>Liver International</i> , 2021 ,	7.9	4
200	Sequential dynamics of virological and serological changes in the serum of SARS-CoV-2 infected patients.. <i>Journal of Medical Virology</i> , 2021 ,	19.7	2
199	Burden of cancer attributable to infection in Japan in 2015. <i>GHM Open</i> , 2021 , 1, 63-69		2
198	Identification of Aggravation-Predicting Gene Polymorphisms in Coronavirus Disease 2019 Patients Using a Candidate Gene Approach Associated With Multiple Phase Pathogenesis: A Study in a Japanese City of 1 Million People 2021 , 3, e0576		1
197	Mortality of inactive hepatitis B virus carriers in Japan is similar to that of the general population. <i>Hepatology Research</i> , 2021 , 52, 81	5.1	3
196	Outcomes of Patients Who Undergo Transfusion of Fresh Frozen Plasma: A Prospective, Observational, Multicentre Cohort Study in Hiroshima, Japan. <i>Journal of Blood Medicine</i> , 2021 , 12, 965-973	7.3	0
195	Utility of Ultrasound-Guided Attenuation Parameter for Grading Steatosis With Reference to MRI-PDFF in a Large Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	2
194	Development of an intervention system for linkage-to-care and follow-up for hepatitis B and C virus carriers. <i>Hepatology International</i> , 2021 , 1	8.8	0
193	Epidemiologic profile of hepatitis C virus infection and genotype distribution in Burkina Faso: a systematic review with meta-analysis. <i>BMC Infectious Diseases</i> , 2021 , 21, 1126	4	
192	Comparison of the impact of tenofovir alafenamide and entecavir on declines of hepatitis B surface antigen levels. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 32, 255-260	2.2	5
191	Applicability of APRI and FIB-4 as a transition indicator of liver fibrosis in patients with chronic viral hepatitis. <i>Journal of Gastroenterology</i> , 2021 , 56, 470-478	6.9	4
190	Pretreatment non-hypervascular hypointense nodules on Gd-EOB-DTPA-enhanced MRI as a predictor of hepatocellular carcinoma development after sustained virologic response in HCV infection. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 53, 1309-1316	6.1	1
189	Comparison of the Prognosis of Decompensated Cirrhosis in Patients with and Without Eradication of Hepatitis C Virus. <i>Infectious Diseases and Therapy</i> , 2021 , 10, 1001-1013	6.2	0
188	Usefulness of serial FIB-4 score measurement for predicting the risk of hepatocarcinogenesis after hepatitis C virus eradication. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 ,	2.2	1
187	Characteristics and Prognosis of Hepatocellular Carcinoma After Sustained Virologic Response. <i>Hepatology Communications</i> , 2021 , 5, 1290-1299	6	1

186	Dried blood spot-based detection of serological profiles of hepatitis B and C infections and their prevalence in Cambodia. <i>GastroHep</i> , 2021 , 3, 247-253	1	0
185	A novel model for predicting posthepatectomy liver failure based on liver function and degree of liver resection in patients with hepatocellular carcinoma. <i>Hpb</i> , 2021 , 23, 134-143	3.8	2
184	The case for simplifying and using absolute targets for viral hepatitis elimination goals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 12-19	3.4	12
183	Serial changes in FIB-4 score and hepatocarcinogenesis in hepatitis B patients treated with or without nucleot(s)ide analogue therapy. <i>GastroHep</i> , 2021 , 3, 37-49	1	1
182	Comparison of liver disease state progression in patients with eradication of versus persistent infection with hepatitis C virus: Markov chain analysis. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 538-547	3.4	1
181	Long-term prognosis with or without nucleot(s)ide analogue therapy in hepatitis B virus-related decompensated cirrhosis. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 508-516	3.4	2
180	Screening for M-proteinemia consisting of monoclonal gammopathy of undetermined significance and multiple myeloma for 30 years among atomic bomb survivors in Hiroshima. <i>International Journal of Hematology</i> , 2021 , 113, 576-585	2.3	
179	A multi-institutional survey of the quality of life after treatment for uterine cervical cancer: a comparison between radical radiotherapy and surgery in Japan. <i>Journal of Radiation Research</i> , 2021 , 62, 269-284	2.4	3
178	Molecular characterization and the mutation pattern of SARS-CoV-2 during first and second wave outbreaks in Hiroshima, Japan. <i>PLoS ONE</i> , 2021 , 16, e0246383	3.7	12
177	Prevalence of total hepatitis A antibody among 5 to 7 years old children and their mothers in Cambodia. <i>Scientific Reports</i> , 2021 , 11, 4778	4.9	1
176	Long-term outcomes of viral eradication in patients with hepatitis C virus infection and mild hepatic fibrosis. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1293-1303	3.4	0
175	The Association between Wearing a Mask and COVID-19. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6
174	Autoantibodies neutralizing type I IFNs are present in 4% of uninfected individuals over 70 years old and account for 20% of COVID-19 deaths. <i>Science Immunology</i> , 2021 , 6,	2.8	91
173	Relationship between drinking frequency and fatty liver prevalence or incidence in Japanese undergoing health checkup in 2008-2019. <i>Liver International</i> , 2021 ,	7.9	4
172	Lack of hepatitis C virus reinfection in lifetime of Japanese general population with previous hepatitis C virus (HCV) infection successfully treated with anti-HCV therapy. <i>Journal of Infection and Chemotherapy</i> , 2021 , 27, 1674-1675	2.2	0
171	Epidemiological assessment of interventions to eliminate mother-to-child transmission of hepatitis B virus in Japan. <i>GastroHep</i> , 2021 , 3, 72-79	1	1
170	Epidemiology of viral hepatitis C: Road to elimination in Japan. <i>Global Health & Medicine</i> , 2021 , 3, 262-269.	2.4	0
169	Changes in Background Liver Function in Patients with Hepatocellular Carcinoma over 30 Years: Comparison of Child-Pugh Classification and Albumin Bilirubin Grade. <i>Liver Cancer</i> , 2020 , 9, 518-528	9.1	7

168	Substitution of the CD81 Binding Site and E Sandwich Area in E2 of HCV in Cambodia. <i>Viruses</i> , 2020 , 12,	6.2	2
167	Long-term prognosis of liver disease in patients with eradicated chronic hepatitis C virus: An analysis using a Markov chain model. <i>Hepatology Research</i> , 2020 , 50, 936-946	5.1	3
166	Eighteen-year follow-up cohort study on hepatitis B and C virus infections related long-term prognosis among hemodialysis patients in Hiroshima. <i>Journal of Medical Virology</i> , 2020 , 92, 3436	19.7	4
165	Evaluation of the efficiency of dried blood spot-based measurement of hepatitis B and hepatitis C virus seromarkers. <i>Scientific Reports</i> , 2020 , 10, 3857	4.9	13
164	The Tokyo subway sarin attack has long-term effects on survivors: A 10-year study started 5 years after the terrorist incident. <i>PLoS ONE</i> , 2020 , 15, e0234967	3.7	8
163	The changing epidemiology of hepatitis B and C infections in Nanoro, rural Burkina Faso: a random sampling survey. <i>BMC Infectious Diseases</i> , 2020 , 20, 46	4	6
162	Diagnostic performance of peripheral leukocyte telomere G-tail length for detecting breast cancer. <i>Cancer Science</i> , 2020 , 111, 1856-1861	6.9	3
161	Existence of hepatitis B virus surface protein mutations and other variants: demand for hepatitis B infection control in Cambodia. <i>BMC Infectious Diseases</i> , 2020 , 20, 305	4	3
160	Liver stiffness does not affect ultrasound-guided attenuation coefficient measurement in the evaluation of hepatic steatosis. <i>Hepatology Research</i> , 2020 , 50, 190-198	5.1	14
159	Impact of the introduction of direct-acting anti-viral drugs on hepatocarcinogenesis: a prospective serial follow-up MRI study. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 359-370	6.1	3
158	PNPLA3 and HLA-DQB1 polymorphisms are associated with hepatocellular carcinoma after hepatitis C virus eradication. <i>Journal of Gastroenterology</i> , 2020 , 55, 1162-1170	6.9	2
157	Meta-regression Analysis of Sex- and Birth Year-Specific Prevalence of HBsAg and Anti-HCV Among Un-diagnosed Japanese: Data From the First-time Blood Donors, Periodical Health Checkup, and the Comprehensive Health Checkup With Lifestyle Education (Ningen Dock). <i>Journal of Epidemiology</i> , 2020 , 30, 120-127	3.4	4
156	Predicting the presence of breast cancer using circulating small RNAs, including those in the extracellular vesicles. <i>Cancer Science</i> , 2020 , 111, 2104-2115	6.9	11
155	High possibility of hepatocarcinogenesis in HBV genotype C1 infected Cambodians is indicated by 340 HBV C1 full-genomes analysis from GenBank. <i>Scientific Reports</i> , 2019 , 9, 12186	4.9	4
154	Comparison of new prognostic systems for patients with resectable hepatocellular carcinoma: Albumin-Bilirubin grade and Albumin-Indocyanine Green Evaluation grade. <i>Hepatology Research</i> , 2019 , 49, 1218-1226	5.1	4
153	The course of elderly patients with persistent hepatitis C virus infection without hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2019 , 54, 829-836	6.9	5
152	Type 2 diabetes mellitus: A risk factor for progression of liver fibrosis in middle-aged patients with non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 2011-2018	4	22
151	Alteration of gut microbiota by a Westernized lifestyle and its correlation with insulin resistance in non-diabetic Japanese men. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1463-1470	3.9	10

150	A Questionnaire Survey on the Sequence of Events Prior to Undergoing Colonoscopy: The Influence of the Behavioral Response after a Fecal Occult Blood Test on the Early Detection of Colorectal Cancer. <i>Internal Medicine</i> , 2019 , 58, 1541-1547	1.1	
149	Levodopa Use Is Associated With Improvement in Sarcopenia in Patients With Liver Cirrhosis. <i>Hepatology Communications</i> , 2019 , 3, 348-355	6	24
148	Countermeasures against viral hepatitis B and C in Japan: An epidemiological point of view. <i>Hepatology Research</i> , 2019 , 49, 990-1002	5.1	37
147	Hepatitis B surface antigen seroprevalence among pre- and post-vaccine cohorts in Cambodia, 2017. <i>Vaccine</i> , 2019 , 37, 5059-5066	4.1	11
146	Natural history of liver-related disease in patients with chronic hepatitis C virus infection: An analysis using a Markov chain model. <i>Journal of Medical Virology</i> , 2019 , 91, 1837-1844	19.7	9
145	Serum milk fat globule-EGF factor 8 (MFG-E8) as a diagnostic and prognostic biomarker in patients with hepatocellular carcinoma. <i>Scientific Reports</i> , 2019 , 9, 15788	4.9	9
144	The emergence of non-hypervascular hypointense nodules on Gd-EOB-DTPA-enhanced MRI in patients with chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 1232-1238	6.1	1
143	Long-term prognosis of liver disease in patients with chronic hepatitis B virus infection receiving nucleos(t)ide analogue therapy: an analysis using a Markov chain model. <i>European Journal of Gastroenterology and Hepatology</i> , 2019 , 31, 1452-1459	2.2	3
142	Very low prevalence of anti-HAV in Japan: high potential for future outbreak. <i>Scientific Reports</i> , 2019 , 9, 1493	4.9	11
141	Impact of albumin-bilirubin grade on survival in patients with hepatocellular carcinoma who received sorafenib: An analysis using time-dependent receiver operating characteristic. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1066-1073	4	27
140	Acquisition rate of antibody to hepatitis B surface antigen among medical and dental students in Japan after three-dose hepatitis B vaccination. <i>Vaccine</i> , 2019 , 37, 145-151	4.1	5
139	The impact of HCV eradication by direct-acting antivirals on the transition of precancerous hepatic nodules to HCC: A prospective observational study. <i>Liver International</i> , 2019 , 39, 448-454	7.9	19
138	Analytical performance of a low-cost multiplex polymerase chain reaction human papillomavirus genotyping assay for use in Sub-Saharan Africa. <i>Journal of Medical Virology</i> , 2019 , 91, 308-316	19.7	6
137	Long-term natural history of liver disease in patients with chronic hepatitis B virus infection: an analysis using the Markov chain model. <i>Journal of Gastroenterology</i> , 2018 , 53, 1196-1205	6.9	13
136	Viral eradication reduces both liver stiffness and steatosis in patients with chronic hepatitis C virus infection who received direct-acting anti-viral therapy. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 1012-1022	6.1	31
135	Cost-effectiveness analyses of anti-hepatitis C virus treatments using quality of life scoring among patients with chronic liver disease in Hiroshima prefecture, Japan. <i>Hepatology Research</i> , 2018 , 48, 509-520	5.1	7
134	High prevalence of hepatitis B infections in Burkina Faso (1996-2017): a systematic review with meta-analysis of epidemiological studies. <i>BMC Public Health</i> , 2018 , 18, 551	4.1	16
133	Study for the actual status of the hepatitis medical care coordinator -Analysis of the study in Hiroshima and Nationwide survey-. <i>Acta Hepatologica Japonica</i> , 2018 , 59, 33-40	0.3	2

132	Global prevalence, treatment, and prevention of hepatitis B virus infection in 2016: a modelling study. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 383-403	18.8	702
131	Soft silicone foam dressing is more effective than polyurethane film dressing for preventing intraoperatively acquired pressure ulcers in spinal surgery patients: the Border Operating room Spinal Surgery (BOSS) trial in Japan. <i>International Wound Journal</i> , 2018 , 15, 188-197	2.6	19
130	A seroepidemiological survey of the effect of hepatitis B vaccine and hepatitis B and C virus infections among elementary school students in Siem Reap province, Cambodia. <i>Hepatology Research</i> , 2018 , 48, E172-E182	5.1	10
129	Incidence and risk factors of colorectal cancer based on 56,24 health checkups: A 7-year retrospective cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 855-862	4	2
128	Pilot study for hepatitis virus screening among employees as an effective approach to encourage employees who screened positive to receive medical care in Japan. <i>Hepatology Research</i> , 2018 , 48, E291-E302	5.1	7
127	Hepatitis B virus core-related antigen levels predict progression to liver cirrhosis in hepatitis B carriers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 918-925	4	20
126	Impact of previously cured hepatocellular carcinoma (HCC) on new development of HCC after eradication of hepatitis C infection with non-interferon-based treatments. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 664-670	6.1	15
125	Impact of hepatocellular carcinoma aetiology and liver function on the benefit of surveillance: A novel approach for the adjustment of lead-time bias. <i>Liver International</i> , 2018 , 38, 2260-2268	7.9	5
124	Natural course of persistent hepatitis B virus infection in hepatitis B e antigen-positive and hepatitis B e antigen-negative cohorts in Japan based on the Markov model. <i>Journal of Medical Virology</i> , 2018 , 90, 1800-1813	19.7	3
123	Modeling NAFLD disease burden in China, France, Germany, Italy, Japan, Spain, United Kingdom, and United States for the period 2016-2030. <i>Journal of Hepatology</i> , 2018 , 69, 896-904	13.4	550
122	Cytokine and chemokine signatures associated with hepatitis B surface antigen loss in hepatitis B patients. <i>JCI Insight</i> , 2018 , 3,	9.9	16
121	Trends in the total numbers of HBV and HCV carriers in Japan from 2000 to 2011. <i>Journal of Viral Hepatitis</i> , 2018 , 25, 363-372	3.4	32
120	Effect of bevacizumab plus XELOX (CapeOX) chemotherapy on liver natural killer cell activity in colorectal cancer with resectable liver metastasis. <i>Annals of Gastroenterological Surgery</i> , 2018 , 2, 383-393	4.3	3
119	A Novel iRFP-Incorporated in vivo Murine Atherosclerosis Imaging System. <i>Scientific Reports</i> , 2018 , 8, 14515	4.9	2
118	New Diagnostic Criteria for the Localization of Insulinomas with the Selective Arterial Calcium Injection Test: Decision Tree Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2018 , 29, 1749-1753	2.4	4
117	Incidence rates of hepatitis C virus infection among blood donors in Japan: a nationwide retrospective cohort study. <i>Transfusion</i> , 2018 , 58, 2880-2885	2.9	10
116	Impact of FIB-4 index on hepatocellular carcinoma incidence during nucleos(t)ide analogue therapy in patients with chronic hepatitis B: An analysis using time-dependent receiver operating characteristic. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 451-458	4	14
115	Global prevalence and genotype distribution of hepatitis C virus infection in 2015: a modelling study. <i>The Lancet Gastroenterology and Hepatology</i> , 2017 , 2, 161-176	18.8	1196

114	Fluorescence and Bioluminescence Imaging of Angiogenesis in Flk1-Nano-lantern Transgenic Mice. <i>Scientific Reports</i> , 2017 , 7, 46597	4.9	10
113	Mustard gas exposure and mortality among retired workers at a poisonous gas factory in Japan: a 57-year follow-up cohort study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 321-327	2.1	10
112	A comparison of clinicopathological features and prognosis in prostate cancer between atomic bomb survivors and control patients. <i>Oncology Letters</i> , 2017 , 14, 299-305	2.6	
111	Reduced prevalence of hepatitis B surface antigen positivity among pregnant women born after the national implementation of immunoprophylaxis for babies born to hepatitis B virus-carrier mothers in Japan. <i>Hepatology Research</i> , 2017 , 47, 1329-1334	5.1	5
110	Differences in the impact of prognostic factors for hepatocellular carcinoma over time. <i>Cancer Science</i> , 2017 , 108, 2438-2444	6.9	27
109	Viral eradication reduces all-cause mortality, including non-liver-related disease, in patients with progressive hepatitis C virus-related fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 687-694	4	21
108	Post-treatment levels of α -fetoprotein predict long-term hepatocellular carcinoma development after sustained virological response in patients with hepatitis C. <i>Hepatology Research</i> , 2017 , 47, 1021-1031	5.1	18
107	Progression of liver fibrosis is associated with non-liver-related mortality in patients with nonalcoholic fatty liver disease. <i>Hepatology Communications</i> , 2017 , 1, 899-910	6	25
106	Clustering infection of hepatitis B virus genotype B4 among residents in Vietnam, and its genomic characters both intra- and extra-family. <i>PLoS ONE</i> , 2017 , 12, e0177248	3.7	7
105	Long-term prognosis of patients with chronic hepatitis C who did not receive interferon-based therapy: causes of death and analysis based on the FIB-4 index. <i>Journal of Gastroenterology</i> , 2016 , 51, 380-9	6.9	13
104	Systematic review and meta-analysis of hepatitis C virus infection in the Democratic Republic of Congo. <i>Public Health</i> , 2016 , 139, 13-21	4	12
103	Hypothalamic-pituitary-adrenal axis activity is associated with the prevalence of chronic kidney disease in diabetic patients. <i>Endocrine Journal</i> , 2016 , 63, 119-26	2.9	10
102	A multi-institutional feasibility study of S-1/oxaliplatin plus bevacizumab in patients with advanced/metastatic colorectal cancer: the HiSCO-02 prospective phase II study. <i>SpringerPlus</i> , 2016 , 5, 1800		3
101	Evaluation of the sensitivity of bioluminescent enzyme immunoassay for the detection of hepatitis B surface antigen. <i>Acta Hepatologica Japonica</i> , 2016 , 57, 42-44	0.3	
100	Study of the issues of receiving hepatitis screening and the rate of consulting hospitals -The rate of recognized receiving hepatitis screening and that of the unrecognized-. <i>Acta Hepatologica Japonica</i> , 2016 , 57, 634-648	0.3	15
99	HBcrAg predicts hepatocellular carcinoma development: An analysis using time-dependent receiver operating characteristics. <i>Journal of Hepatology</i> , 2016 , 65, 48-56	13.4	88
98	Different sensitivity of rituximab-treatment to B-cells between ABO-incompatible kidney and liver transplantation. <i>Human Immunology</i> , 2016 , 77, 456-63	2.3	10
97	Effect of tenofovir disoproxil fumarate on drug-resistant HBV clones. <i>Journal of Infection</i> , 2016 , 72, 91-102	12.9	14

96	Reproducibility of optic disk evaluation in supine subjects with a Heidelberg Retina Tomograph II laser tomographic scanner. <i>Clinical Ophthalmology</i> , 2016 , 10, 1617-22	2.5	1
95	High Vaccination Coverage among Children during Influenza A(H1N1)pdm09 as a Potential Factor of Herd Immunity. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	2
94	Key role of heat shock protein 90 in leptin-induced STAT3 activation and feeding regulation. <i>British Journal of Pharmacology</i> , 2016 , 173, 2434-45	8.6	9
93	Viral eradication reduces all-cause mortality in patients with chronic hepatitis C virus infection: a propensity score analysis. <i>Liver International</i> , 2016 , 36, 817-26	7.9	47
92	Follow-up study of the regional quota system of Japanese medical schools and prefecture scholarship programmes: a study protocol. <i>BMJ Open</i> , 2016 , 6, e011165	3	16
91	Predicting future blood supply and demand in Japan with a Markov model: application to the sex- and age-specific probability of blood donation. <i>Transfusion</i> , 2016 , 56, 2750-2759	2.9	16
90	Effect of increasing respiratory rate on airway resistance and reactance in COPD patients. <i>Respirology</i> , 2015 , 20, 87-94	3.6	13
89	Hepatitis B virus infection in hemodialysis patients in Japan: Prevalence, incidence and occult hepatitis B virus infection. <i>Hepatology Research</i> , 2015 , 45, 1211-9	5.1	12
88	Strategies to manage hepatitis C virus infection disease burden - volume 3. <i>Journal of Viral Hepatitis</i> , 2015 , 22 Suppl 4, 42-65	3.4	35
87	The present and future disease burden of hepatitis C virus infections with today's treatment paradigm - volume 3. <i>Journal of Viral Hepatitis</i> , 2015 , 22 Suppl 4, 21-41	3.4	54
86	Historical epidemiology of hepatitis C virus (HCV) in select countries - volume 3. <i>Journal of Viral Hepatitis</i> , 2015 , 22 Suppl 4, 4-20	3.4	63
85	Comparison between Long- and Short-Acting Erythropoiesis-Stimulating Agents in the Period Required for Haemoglobin Stabilisation in Treatment of Anaemia in Patients with Chronic Kidney Disease. <i>Biological and Pharmaceutical Bulletin</i> , 2015 , 38, 740-5	2.3	2
84	Sustained virological response to antiviral therapy improves survival rate in patients with recurrent hepatitis C virus infection after liver transplantation. <i>Hepatology Research</i> , 2015 , 45, 1047-54	5.1	14
83	Estimated numbers of patients with liver disease related to hepatitis B or C virus infection based on the database reconstructed from medical claims from 2008 to 2010 in Japan. <i>Hepatology Research</i> , 2015 , 45, 1228-40	5.1	14
82	Intraocular pressure readings obtained through soft contact lenses using four types of tonometer. <i>Clinical Ophthalmology</i> , 2015 , 9, 1875-81	2.5	3
81	Novel mitochondria-targeted heat-soluble proteins identified in the anhydrobiotic Tardigrade improve osmotic tolerance of human cells. <i>PLoS ONE</i> , 2015 , 10, e0118272	3.7	54
80	The association of hepatitis C virus infection with the prognosis of chronic hemodialysis patients: A retrospective study of 3,064 patients between 1999 and 2010. <i>Journal of Medical Virology</i> , 2015 , 87, 1558-1564	19.7	6
79	Synergistic combination therapy with cotylenin[A and vincristine in multiple myeloma models. <i>International Journal of Oncology</i> , 2015 , 46, 1801-9	4.4	7

78	High prevalences of hepatitis B and C virus infections among adults living in Binh Thuan province, Vietnam. <i>Hepatology Research</i> , 2015 , 45, 259-68	5.1	25
77	Seroprevalence, genotypic distribution and potential risk factors of hepatitis B and C virus infections among adults in Siem Reap, Cambodia. <i>Hepatology Research</i> , 2015 , 45, 480-7	5.1	33
76	Validation of rapid point-of-care (POC) tests for detection of hepatitis B surface antigen in field and laboratory settings in the Gambia, Western Africa. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 1156-63	9.7	62
75	Hepatitis E Virus in Cambodia: Prevalence among the General Population and Complete Genome Sequence of Genotype 4. <i>PLoS ONE</i> , 2015 , 10, e0136903	3.7	17
74	Inner retinal layer comparisons of eyes with exudative age-related macular degeneration and eyes with age-related macular degeneration and glaucoma. <i>Graefels Archive for Clinical and Experimental Ophthalmology</i> , 2014 , 252, 563-70	3.8	12
73	High-sensitivity Lens culinaris agglutinin-reactive alpha-fetoprotein assay predicts early detection of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2014 , 49, 555-63	6.9	46
72	Estimating numbers of persons with persistent hepatitis B virus infection transmitted vertically and horizontally in the birth cohort during 1950-1985 in Japan. <i>Hepatology Research</i> , 2014 , 44, E181-8	5.1	12
71	Fluorescence-based co-culture of normal and cancerous cells as an indicator of therapeutic effects in cancer. <i>European Journal of Pharmaceutical Sciences</i> , 2014 , 63, 1-7	5.1	3
70	Corrigendum to: Report from a Viral Hepatitis Policy Forum on implementing the WHO framework for global action on viral hepatitis in North Asia [J Hepatol 2013;59:1073-1080]. <i>Journal of Hepatology</i> , 2014 , 60, 902-903	13.4	
69	Changes in hepatitis C virus genotype distribution in Japan. <i>Epidemiology and Infection</i> , 2014 , 142, 2624-8	8.3	48
68	Validation and limitation of age-period-cohort model in simulating mortality due to hepatocellular carcinoma from 1940 to 2010 in Japan. <i>Hepatology Research</i> , 2014 , 44, 713-9	5.1	9
67	Using the early postoperative intraocular pressure to predict pressure control after a trabeculectomy. <i>Journal of Glaucoma</i> , 2014 , 23, 410-4	2.1	18
66	Quantitative effect of natural killer-cell licensing on hepatocellular carcinoma recurrence after curative hepatectomy. <i>Cancer Immunology Research</i> , 2014 , 2, 1142-7	12.5	14
65	Width of abnormal ganglion cell complex area determined using optical coherence tomography to predict glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2014 , 58, 47-55	2.6	10
64	Comparative evaluation of PHA (Mycell anti-rHbc) and CLIA (Architect Anti-HBc II) for detecting antibody to hepatitis B core antigen. <i>Acta Hepatologica Japonica</i> , 2014 , 55, 409-412	0.3	
63	Clinicopathological features of liver injury in patients with type 2 diabetes mellitus and comparative study of histologically proven nonalcoholic fatty liver diseases with or without type 2 diabetes mellitus. <i>Journal of Gastroenterology</i> , 2013 , 48, 515-25	6.9	19
62	Effect of nucleos(t)ide analogue therapy on hepatocarcinogenesis in chronic hepatitis B patients: a propensity score analysis. <i>Journal of Hepatology</i> , 2013 , 58, 427-33	13.4	108
61	Prognosis of chronic spontaneous urticaria in 117 patients not controlled by a standard dose of antihistamine. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 229-35	9.3	55

60	Characteristics of elderly hepatitis C virus-associated hepatocellular carcinoma patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 357-64	4	10
59	A tilting embryo culture system increases the number of high-grade human blastocysts with high implantation competence. <i>Reproductive BioMedicine Online</i> , 2013 , 26, 260-8	4	15
58	Improvement of glycated hemoglobin in Japanese subjects with type 2 diabetes by resolution of periodontal inflammation using adjunct topical antibiotics: results from the Hiroshima Study. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 53-60	7.4	30
57	The applicability of ganglion cell complex parameters determined from SD-OCT images to detect glaucomatous eyes. <i>Journal of Glaucoma</i> , 2013 , 22, 713-8	2.1	50
56	A follow-up survey of hepatitis virus carriers after notification of their infection in Okayama prefecture. <i>Acta Hepatologica Japonica</i> , 2013 , 54, 84-86	0.3	1
55	Follow up of the 987 blood donors found with hepatitis C virus infection over 9-18 years. <i>Hepatology Research</i> , 2012 , 42, 637-47	5.1	9
54	Morning blood pressure is useful for detection of left ventricular hypertrophy in hemodialysis patients. <i>Clinical and Experimental Nephrology</i> , 2012 , 16, 921-9	2.5	
53	Intraocular pressure measurement using rebound tonometer for deviated angles and positions in human eyes. <i>Current Eye Research</i> , 2012 , 37, 109-14	2.9	7
52	Comprehensive miRNA expression analysis in peripheral blood can diagnose liver disease. <i>PLoS ONE</i> , 2012 , 7, e48366	3.7	122
51	Corneal displacement during tonometry with a noncontact tonometer. <i>Japanese Journal of Ophthalmology</i> , 2012 , 56, 273-9	2.6	3
50	Association of serum anti-periodontal pathogen antibody with ischemic stroke. <i>Cerebrovascular Diseases</i> , 2012 , 34, 385-92	3.2	40
49	Report of questionnaire survey about the rate of having hepatitis screening and the prevalence of hepatitis virus infection among the general population and the working population. <i>Acta Hepatologica Japonica</i> , 2012 , 53, 707-720	0.3	3
48	Predictive value of tumor markers for hepatocarcinogenesis in patients with hepatitis C virus. <i>Journal of Gastroenterology</i> , 2011 , 46, 536-44	6.9	38
47	Endogenous estrogen may prevent bone loss in postmenopausal hemodialysis patients throughout life. <i>Osteoporosis International</i> , 2011 , 22, 1573-9	5.3	14
46	Total numbers of undiagnosed carriers of hepatitis C and B viruses in Japan estimated by age- and area-specific prevalence on the national scale. <i>Intervirology</i> , 2011 , 54, 185-95	2.5	123
45	Interferon alone or combined with ribavirin for acute prolonged infection with hepatitis C virus in chimpanzees. <i>Intervirology</i> , 2011 , 54, 229-32	2.5	
44	Evaluation of rebound tonometer for measuring intraocular pressure at deviated angle and position. <i>Current Eye Research</i> , 2011 , 36, 422-8	2.9	7
43	Transcatheter chemoembolization for unresectable hepatocellular carcinoma and comparison of five staging systems. <i>Hepatology Research</i> , 2010 , 40, 1082-91	5.1	7

42	Regular surveillance by imaging for early detection and better prognosis of hepatocellular carcinoma in patients infected with hepatitis C virus. <i>Journal of Gastroenterology</i> , 2010 , 45, 105-12	6.9	23
41	A novel hepatitis B virus surface antigen immunoassay as sensitive as hepatitis B virus nucleic acid testing in detecting early infection. <i>Transfusion</i> , 2009 , 49, 585-95	2.9	26
40	Incidence rates of hepatitis B and C virus infections among blood donors in Hiroshima, Japan, during 10 years from 1994 to 2004. <i>Intervirology</i> , 2008 , 51, 33-41	2.5	23
39	Comparative study on the morphology and the composition of the otoliths in the teleosts. <i>Acta Oto-Laryngologica</i> , 2008 , 128, 846-55	1.6	6
38	Minimum infectious dose of hepatitis B virus in chimpanzees and difference in the dynamics of viremia between genotype A and genotype C. <i>Transfusion</i> , 2008 , 48, 286-94	2.9	30
37	Titration of hepatitis B virus infectivity in the sera of pre-acute and late acute phases of HBV infection: transmission experiments to chimeric mice with human liver repopulated hepatocytes. <i>Journal of Medical Virology</i> , 2008 , 80, 2064-8	19.7	48
36	Liver disease in hepatitis C virus carriers identified at blood donation and their outcomes with or without interferon treatment: Study on 1019 carriers followed for 5-10 years. <i>Hepatology Research</i> , 2007 , 37, 994-1001	5.1	12
35	Modification of POSSUM Score for Gastrointestinal Surgery. <i>Japanese Journal of Gastroenterological Surgery</i> , 2007 , 40, 1-7	0.1	2
34	National prevention of hepatocellular carcinoma in Japan based on epidemiology of hepatitis C virus infection in the general population. <i>Intervirology</i> , 2006 , 49, 7-17	2.5	58
33	Perinatal Hepatitis B Virus Infection in Japan. <i>Perspectives in Medical Virology</i> , 2006 , 141-151		3
32	Hepatitis B virus (HBV) screening strategy to ensure the safety of blood for transfusion through a combination of immunological testing and nucleic acid amplification testing - Japanese experience. <i>Journal of Clinical Virology</i> , 2006 , 36 Suppl 1, S56-64	14.5	27
31	Hepatitis C virus infection in 2,744 hemodialysis patients followed regularly at nine centers in Hiroshima during November 1999 through February 2003. <i>Journal of Medical Virology</i> , 2005 , 76, 498-502	19.7	29
30	Prediction of outcomes of assisted reproduction treatment using the calcium ionophore-induced acrosome reaction. <i>Human Reproduction</i> , 2005 , 20, 469-75	5.7	29
29	Early dynamics of hepatitis C virus in the circulation of chimpanzees with experimental infection. <i>Intervirology</i> , 2005 , 48, 120-3	2.5	11
28	Sex- and age-specific carriers of hepatitis B and C viruses in Japan estimated by the prevalence in the 3,485,648 first-time blood donors during 1995-2000. <i>Intervirology</i> , 2004 , 47, 32-40	2.5	147
27	Titration of hepatitis C virus in chimpanzees for determining the copy number required for transmission. <i>Intervirology</i> , 2004 , 47, 57-64	2.5	45
26	Association between ENOS gene polymorphism and cardiovascular events in nondiabetic hemodialysis patients: a prospective study. <i>American Journal of Kidney Diseases</i> , 2004 , 44, 112-20	7.4	17
25	Effect of polymorphism of the endothelial nitric oxide synthase and apolipoprotein E genes on carotid atherosclerosis in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 822-32	7.4	30

24	Natural histories of hepatitis C virus infection in men and women simulated by the Markov model. <i>Journal of Medical Virology</i> , 2003 , 70, 378-86	19.7	33
23	Lack of epidemiological evidence for a role of resolved hepatitis B virus infection in hepatocarcinogenesis in patients infected with hepatitis C virus in Japan. <i>Intervirology</i> , 2003 , 46, 171-6	2.5	12
22	High incidence of extrahepatic manifestations in an HCV hyperendemic area. <i>Hepatology Research</i> , 2002 , 22, 27-36	5.1	20
21	Generation of chlorinated aromatic acids during sludge-composting and their fate in soils. <i>Soil Science and Plant Nutrition</i> , 2001 , 47, 443-453	1.6	1
20	Epidemiology of hepatitis C virus in japan. <i>Intervirology</i> , 1999 , 42, 153-8	2.5	39
19	Screening for gastroenterological malignancies in new and maintenance dialysis patients. <i>Journal of Gastroenterology</i> , 1999 , 34, 35-40	6.9	15
18	Astrocytes prevent neuronal death induced by reactive oxygen and nitrogen species. <i>Glia</i> , 1999 , 28, 85-96		171
17	Morphological differentiation of microglial cells in culture: involvement of insoluble factors derived from astrocytes. <i>Neuroscience Research</i> , 1999 , 34, 207-15	2.9	47
16	Induction of resting microglia in culture medium devoid of glycine and serine. <i>Glia</i> , 1998 , 24, 198-215	9	13
15	Interaction of smooth muscle myosin phosphatase with phospholipids. <i>Biochemistry</i> , 1997 , 36, 7607-14	3.2	61
14	Glucocorticoid- and mineralocorticoid receptors in microglial cells: the two receptors mediate differential effects of corticosteroids. <i>Glia</i> , 1997 , 20, 23-37	9	50
13	Ultrasound biomicroscopic study of ciliary body thickness after topical application of pharmacologic agents. <i>American Journal of Ophthalmology</i> , 1996 , 121, 319-21	4.9	32
12	Microglial ramification requires nondiffusible factors derived from astrocytes. <i>Experimental Neurology</i> , 1996 , 137, 367-75	5.7	106
11	Very low incidence rates of community-acquired hepatitis C virus infection in company employees, long-term inpatients, and blood donors in Japan. <i>Journal of Epidemiology</i> , 1996 , 6, 198-203	3.4	22
10	Chemical mediators released by primary-cultured human hepatic macrophages in patients with and without cirrhosis: A study in tumor-bearing patients. <i>Hepatology</i> , 1996 , 23, 1353-1358	11.2	2
9	Central nervous system abnormalities in chromosome deletion at 11q23. <i>Clinical Genetics</i> , 1994 , 45, 325-9		20
8	Evaluation of mixed chimaerism and origin of bone marrow derived fibroblastoid cells after allogeneic bone marrow transplantation. <i>British Journal of Haematology</i> , 1994 , 86, 436-8	4.5	28
7	Comparison of HCV core antigen activity by ELISA and amount of HCV RNA by branched DNA assay. <i>International Hepatology Communications</i> , 1994 , 2, 175-177		4

6	Cytokine gene expression by concanavalin A-stimulated peripheral mononuclear cells after bone marrow transplantation: an indicator of immunological abnormality due to chronic graft-versus-host disease. <i>Bone Marrow Transplantation</i> , 1994 , 14, 695-701	4.4	8
5	Toxicity of fenitrothion degradation products to medaka (<i>Oryzias latipes</i>). <i>Bulletin of Environmental Contamination and Toxicology</i> , 1990 , 44, 210-5	2.7	2
4	Clinicopathological features of malignancy in hepatocellular carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 1989 , 23 Suppl, S96-100	3.5	7
3	Toxicity to medaka of solutions of fenitrothion degraded by strong alkali. <i>Environmental Pollution</i> , 1989 , 58, 35-42	9.3	
2	Cerebral autoregulation during deep hypothermic nonpulsatile cardiopulmonary bypass with selective cerebral perfusion in dogs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1988 , 95, 124-32	1.5	7
1	Regulation of Human Lymphocyte Immune Responses. 1. <i>Japanese Journal of Clinical Immunology</i> , 1980 , 3, 255-266		