# Ashfaq A Marghoob

## List of Publications by Citations



| 260 | 8,198 | 50 | 79 |
|---|---|---|---|
| papers | citations | h-index | g-index |
| 281 | 9,652 | 3.2 | 5.96 |
| ext. papers | ext. citations | avg, IF | L-index |

| # | Paper | IF | Citations |
|---|---|---|---|
| 260 | Neurocutaneous melanosis: clinical features of large congenital melanocytic nevi in patients with manifest central nervous system melanosis. *Journal of the American Academy of Dermatology*, **1996**, 35, 529-38 | 4.5 | 200 |
| 259 | Dermoscopic evaluation of amelanotic and hypomelanotic melanoma. *Archives of Dermatology*, **2008**, 144, 1120-7 | | 193 |
| 258 | Dermoscopy in general dermatology. *Dermatology*, **2006**, 212, 7-18 | 4.4 | 181 |
| 257 | New recommendations for the categorization of cutaneous features of congenital melanocytic nevi. *Journal of the American Academy of Dermatology*, **2013**, 68, 441-51 | 4.5 | 179 |
| 256 | A study of large congenital melanocytic nevi and associated malignant melanomas: review of cases in the New York University Registry and the world literature. *Journal of the American Academy of Dermatology*, **1997**, 36, 409-16 | 4.5 | 177 |
| 255 | Large Congenital Melanocytic Nevi and the Risk for the Development of Malignant Melanoma. *Archives of Dermatology*, **1996**, 132, 170 | | 169 |
| 254 | The CASH (color, architecture, symmetry, and homogeneity) algorithm for dermoscopy. *Journal of the American Academy of Dermatology*, **2007**, 56, 45-52 | 4.5 | 165 |
| 253 | In vivo reflectance confocal microscopy imaging of melanocytic skin lesions: consensus terminology glossary and illustrative images. *Journal of the American Academy of Dermatology*, **2007**, 57, 644-58 | 4.5 | 155 |
| 252 | Results of the 2016 International Skin Imaging Collaboration International Symposium on Biomedical Imaging challenge: Comparison of the accuracy of computer algorithms to dermatologists for the diagnosis of melanoma from dermoscopic images. *Journal of the American Academy of Dermatology*, **2018**, 78, 270-277.e1 | 4.5 | 151 |
| 251 | Differences between polarized light dermoscopy and immersion contact dermoscopy for the evaluation of skin lesions. *Archives of Dermatology*, **2007**, 143, 329-38 | | 147 |
| 250 | Association of melanoma and neurocutaneous melanocytosis with large congenital melanocytic naevi--results from the NYU-LCMN registry. *British Journal of Dermatology*, **2005**, 152, 512-7 | 4 | 145 |
| 249 | Standardization of terminology in dermoscopy/dermatoscopy: Results of the third consensus conference of the International Society of Dermoscopy. *Journal of the American Academy of Dermatology*, **2016**, 74, 1093-106 | 4.5 | 140 |
| 248 | Reflectance confocal microscopy criteria for squamous cell carcinomas and actinic keratoses. *Archives of Dermatology*, **2009**, 145, 766-72 | | 134 |
| 247 | Accuracy in melanoma detection: a 10-year multicenter survey. *Journal of the American Academy of Dermatology*, **2012**, 67, 54-9 | 4.5 | 131 |
| 246 | Reflectance confocal microscopy of skin in vivo: From bench to bedside. *Lasers in Surgery and Medicine*, **2017**, 49, 7-19 | 3.6 | 130 |
| 245 | Instruments and new technologies for the in vivo diagnosis of melanoma. *Journal of the American Academy of Dermatology*, **2003**, 49, 777-97; quiz 798-9 | 4.5 | 124 |
| 244 | Melanomas detected with the aid of total cutaneous photography. *British Journal of Dermatology*, **2004**, 150, 706-14 | 4 | 114 |

| | | | |
|---|---|---|---|
| 243 | Number of satellite nevi as a correlate for neurocutaneous melanocytosis in patients with large congenital melanocytic nevi. *Archives of Dermatology*, **2004**, 140, 171-5 | | 108 |
| 242 | Dermoscopic semiology: further insights into vascular features by screening a large spectrum of nontumoral skin lesions. *British Journal of Dermatology*, **2004**, 150, 226-31 | 4 | 108 |
| 241 | Management of dysplastic nevi: a survey of fellows of the American Academy of Dermatology. *Journal of the American Academy of Dermatology*, **2002**, 46, 674-82 | 4.5 | 106 |
| 240 | Expert-Level Diagnosis of Nonpigmented Skin Cancer by Combined Convolutional Neural Networks. *JAMA Dermatology*, **2019**, 155, 58-65 | 5.1 | 104 |
| 239 | Multimodal in vivo optical imaging, including confocal microscopy, facilitates presurgical margin mapping for clinically complex lentigo maligna melanoma. *British Journal of Dermatology*, **2005**, 153, 1031-6 | 4 | 98 |
| 238 | Age-related prevalence of dermoscopy patterns in acquired melanocytic naevi. *British Journal of Dermatology*, **2006**, 154, 299-304 | 4 | 93 |
| 237 | Dermoscopy of pigmented lesions of the mucosa and the mucocutaneous junction: results of a multicenter study by the International Dermoscopy Society (IDS). *Archives of Dermatology*, **2011**, 147, 1181-7 | | 91 |
| 236 | Congenital melanocytic nevi. Evaluation and management. *Dermatologic Clinics*, **2002**, 20, 607-16, viii | 4.2 | 91 |
| 235 | Dermoscopic features of plaque psoriasis and lichen planus: new observations. *Dermatology*, **2003**, 207, 151-6 | 4.4 | 90 |
| 234 | The "ugly duckling" sign: agreement between observers. *Archives of Dermatology*, **2008**, 144, 58-64 | | 83 |
| 233 | Frequency of dermoscopic nevus subtypes by age and body site: a cross-sectional study. *Archives of Dermatology*, **2011**, 147, 663-70 | | 78 |
| 232 | Age- and site-specific variation in the dermoscopic patterns of congenital melanocytic nevi: an aid to accurate classification and assessment of melanocytic nevi. *Archives of Dermatology*, **2007**, 143, 1007-14 | | 75 |
| 231 | Management of Spitz nevi: a survey of dermatologists in the United States. *Journal of the American Academy of Dermatology*, **2002**, 47, 224-30 | 4.5 | 75 |
| 230 | Validity and Reliability of Dermoscopic Criteria Used to Differentiate Nevi From Melanoma: A Web-Based International Dermoscopy Society Study. *JAMA Dermatology*, **2016**, 152, 798-806 | 5.1 | 75 |
| 229 | Observation of chrysalis structures with polarized dermoscopy. *Archives of Dermatology*, **2009**, 145, 618 | | 74 |
| 228 | Asymptomatic neurocutaneous melanocytosis in patients with large congenital melanocytic nevi: a study of cases from an Internet-based registry. *Journal of the American Academy of Dermatology*, **2005**, 53, 959-65 | 4.5 | 74 |
| 227 | Skin Cancer Diagnosis With Reflectance Confocal Microscopy: Reproducibility of Feature Recognition and Accuracy of Diagnosis. *JAMA Dermatology*, **2015**, 151, 1075-80 | 5.1 | 73 |
| 226 | The significance of reflectance confocal microscopy in the assessment of solitary pink skin lesions. *Journal of the American Academy of Dermatology*, **2009**, 61, 230-41 | 4.5 | 72 |

| | | | |
|---|---|---|---|
| 225 | Techniques of cutaneous examination for the detection of skin cancer. *Cancer*, **1995**, 75, 684-90 | 6.4 | 72 |
| 224 | Basal cell and squamous cell carcinomas are important risk factors for cutaneous malignant melanoma. Screening implications. *Cancer*, **1995**, 75, 707-14 | 6.4 | 68 |
| 223 | Polarized and nonpolarized dermoscopy: the explanation for the observed differences. *Archives of Dermatology*, **2008**, 144, 828-9 | | 66 |
| 222 | The significance of crystalline/chrysalis structures in the diagnosis of melanocytic and nonmelanocytic lesions. *Journal of the American Academy of Dermatology*, **2012**, 67, 194.e1-8 | 4.5 | 65 |
| 221 | Reflectance confocal microscopy and features of melanocytic lesions: an internet-based study of the reproducibility of terminology. *Archives of Dermatology*, **2009**, 145, 1137-43 | | 61 |
| 220 | Time required for a complete skin examination with and without dermoscopy: a prospective, randomized multicenter study. *Archives of Dermatology*, **2008**, 144, 509-13 | | 59 |
| 219 | Historical, clinical, and dermoscopic characteristics of thin nodular melanoma. *Archives of Dermatology*, **2010**, 146, 311-8 | | 58 |
| 218 | The association between large congenital melanocytic naevi and cutaneous melanoma: preliminary findings from an Internet-based registry of 379 patients. *Melanoma Research*, **2005**, 15, 61-7 | 3.3 | 55 |
| 217 | Utility of the Wood's light: five cases from a pigmented lesion clinic. *British Journal of Dermatology*, **2005**, 152, 1039-44 | 4 | 55 |
| 216 | Skin cancer screening and prevention in the primary care setting: national ambulatory medical care survey 1997. *Journal of General Internal Medicine*, **2001**, 16, 297-301 | 4 | 55 |
| 215 | Dermoscopic patterns of naevi in fifth grade children of the Framingham school system. *British Journal of Dermatology*, **2008**, 158, 1041-9 | 4 | 54 |
| 214 | Large congenital melanocytic nevi, risk of cutaneous melanoma, and prophylactic surgery. *Journal of the American Academy of Dermatology*, **2006**, 54, 868-70; discussion 871-3 | 4.5 | 54 |
| 213 | Conventional and polarized dermoscopy features of dermatofibroma. *Archives of Dermatology*, **2006**, 142, 1431-7 | | 53 |
| 212 | Congenital melanocytic nevi needing treatment. *Dermatologic Therapy*, **2005**, 18, 136-50 | 2.2 | 52 |
| 211 | Automated Dermatological Diagnosis: Hype or Reality?. *Journal of Investigative Dermatology*, **2018**, 138, 2277-2279 | 4.3 | 50 |
| 210 | Langerhans cells and melanocytes share similar morphologic features under in vivo reflectance confocal microscopy: a challenge for melanoma diagnosis. *Journal of the American Academy of Dermatology*, **2012**, 66, 452-62 | 4.5 | 50 |
| 209 | Dermoscopy for the pediatric dermatologist part I: dermoscopy of pediatric infectious and inflammatory skin lesions and hair disorders. *Pediatric Dermatology*, **2013**, 30, 163-71 | 1.9 | 50 |
| 208 | Clinical and dermoscopic stability and volatility of melanocytic nevi in a population-based cohort of children in Framingham school system. *Journal of Investigative Dermatology*, **2011**, 131, 1615-21 | 4.3 | 49 |

| | | | |
|---|---|---|---|
| 207 | Can automated dermoscopy image analysis instruments provide added benefit for the dermatologist? A study comparing the results of three systems. *British Journal of Dermatology*, **2007**, 157, 926-33 | 4 | 49 |
| 206 | Correlation of dermoscopic structures of melanocytic lesions to reflectance confocal microscopy. *Archives of Dermatology*, **2007**, 143, 176-85 | | 45 |
| 205 | Use of and beliefs about total body photography and dermatoscopy among US dermatology training programs: an update. *Journal of the American Academy of Dermatology*, **2010**, 62, 794-803 | 4.5 | 44 |
| 204 | Three roots of melanoma. *Archives of Dermatology*, **2008**, 144, 1375-9 | | 44 |
| 203 | The complexity of diagnosing melanoma. *Journal of Investigative Dermatology*, **2009**, 129, 11-3 | 4.3 | 42 |
| 202 | Feasibility and Efficacy of Patient-Initiated Mobile Teledermoscopy for Short-term Monitoring of Clinically Atypical Nevi. *JAMA Dermatology*, **2015**, 151, 489-96 | 5.1 | 41 |
| 201 | White shiny structures: dermoscopic features revealed under polarized light. *Journal of the European Academy of Dermatology and Venereology*, **2012**, 26, 1493-7 | 4.6 | 41 |
| 200 | Dermoscopic assessment of long-term topical therapies with potent steroids in chronic psoriasis. *Journal of the American Academy of Dermatology*, **2004**, 51, 811-3 | 4.5 | 41 |
| 199 | Evaluation of a Combined Reflectance Confocal Microscopy-Optical Coherence Tomography Device for Detection and Depth Assessment of Basal Cell Carcinoma. *JAMA Dermatology*, **2018**, 154, 1175-1183 | 5.1 | 40 |
| 198 | Electrical Impedance Spectroscopy in Skin Cancer Diagnosis. *Dermatologic Clinics*, **2017**, 35, 489-493 | 4.2 | 40 |
| 197 | Dermoscopic findings in cutaneous metastases. *JAMA Dermatology*, **2014**, 150, 429-33 | 5.1 | 40 |
| 196 | Clinical and dermoscopic characteristics of melanomas on nonfacial chronically sun-damaged skin. *Journal of the American Academy of Dermatology*, **2015**, 72, 1027-35 | 4.5 | 39 |
| 195 | Enhancing Skin Cancer Diagnosis with Dermoscopy. *Dermatologic Clinics*, **2017**, 35, 417-437 | 4.2 | 39 |
| 194 | Proposal for a revised 2-step algorithm for the classification of lesions of the skin using dermoscopy. *Archives of Dermatology*, **2010**, 146, 426-8 | | 39 |
| 193 | Congenital melanocytic nevi: treatment modalities and management options. *Seminars in Cutaneous Medicine and Surgery*, **2003**, 22, 21-32 | 1.4 | 39 |
| 192 | Variation in the diagnosis, treatment, and management of melanoma in situ: a survey of US dermatologists. *Archives of Dermatology*, **2005**, 141, 723-9 | | 39 |
| 191 | The diagnostic accuracy of dermoscopy for basal cell carcinoma: A systematic review and meta-analysis. *Journal of the American Academy of Dermatology*, **2019**, 80, 1380-1388 | 4.5 | 38 |
| 190 | Large congenital melanocytic nevi: associated risks and management considerations. *Seminars in Cutaneous Medicine and Surgery*, **2010**, 29, 79-84 | 1.4 | 38 |

| | | | |
|---|---|---|---|
| 189 | Congenital melanocytic naevi. *Australasian Journal of Dermatology*, **2009**, 50, 231-40; quiz 241-2 | 1.3 | 38 |
| 188 | Proposed Technical Guidelines for the Acquisition of Clinical Images of Skin-Related Conditions. *JAMA Dermatology*, **2017**, 153, 453-457 | 5.1 | 37 |
| 187 | Differences in dermoscopic images from nonpolarized dermoscope and polarized dermoscope influence the diagnostic accuracy and confidence level: a pilot study. *Dermatologic Surgery*, **2008**, 34, 1389-95 | 1.7 | 37 |
| 186 | Congenital melanocytic nevi: treatment modalities and management options. *Seminars in Cutaneous Medicine and Surgery*, **2007**, 26, 231-40 | 1.4 | 37 |
| 185 | Standardized positioning of patients (poses) for whole body cutaneous photography. *Journal of the American Academy of Dermatology*, **2003**, 49, 593-8 | 4.5 | 37 |
| 184 | Predominant dermoscopic patterns observed among nevi. *Journal of Cutaneous Medicine and Surgery*, **2006**, 10, 170-4 | 1.6 | 35 |
| 183 | Dermoscopy for the pediatric dermatologist part III: dermoscopy of melanocytic lesions. *Pediatric Dermatology*, **2013**, 30, 281-93 | 1.9 | 34 |
| 182 | Recurrent melanocytic nevi and melanomas in dermoscopy: results of a multicenter study of the International Dermoscopy Society. *JAMA Dermatology*, **2014**, 150, 138-45 | 5.1 | 34 |
| 181 | Clinical and dermoscopic characteristics of amelanotic melanomas that are not of the nodular subtype. *Journal of the European Academy of Dermatology and Venereology*, **2012**, 26, 591-6 | 4.6 | 34 |
| 180 | Dermoscopy: what's new?. *Clinics in Dermatology*, **2009**, 27, 26-34 | 3 | 34 |
| 179 | Changes observed in slow-growing melanomas during long-term dermoscopic monitoring. *British Journal of Dermatology*, **2012**, 166, 1213-20 | 4 | 33 |
| 178 | Addressing the knowledge gap in clinical recommendations for management and complete excision of clinically atypical nevi/dysplastic nevi: Pigmented Lesion Subcommittee consensus statement. *JAMA Dermatology*, **2015**, 151, 212-8 | 5.1 | 33 |
| 177 | Usefulness of dermoscopy to improve the clinical and histopathologic diagnosis of skin cancers. *Journal of the American Academy of Dermatology*, **2019**, 80, 365-377 | 4.5 | 33 |
| 176 | A case report of disappearing pigmented skin lesions associated with pembrolizumab treatment for metastatic melanoma. *British Journal of Dermatology*, **2018**, 178, 265-269 | 4 | 32 |
| 175 | Association of Shiny White Blotches and Strands With Nonpigmented Basal Cell Carcinoma: Evaluation of an Additional Dermoscopic Diagnostic Criterion. *JAMA Dermatology*, **2016**, 152, 546-52 | 5.1 | 32 |
| 174 | Reflectance confocal microscopy criteria of lichen planus-like keratosis. *Journal of the European Academy of Dermatology and Venereology*, **2012**, 26, 578-90 | 4.6 | 32 |
| 173 | In vivo confocal scanning laser microscopy of a series of congenital melanocytic nevi suggestive of having developed malignant melanoma. *Archives of Dermatology*, **2005**, 141, 1401-12 | | 31 |
| 172 | Current management approaches for congenital melanocytic nevi. *Dermatologic Clinics*, **2012**, 30, 377-87 | 4.2 | 30 |

| | | | |
|---|---|---|---|
| 171 | Dermoscopy and the diagnosis of primary cutaneous B-cell lymphoma. *Journal of the European Academy of Dermatology and Venereology*, **2018**, 32, 53-56 | 4.6 | 29 |
| 170 | Confocal Microscopy in Skin Cancer. *Current Dermatology Reports*, **2018**, 7, 105-118 | 1.5 | 29 |
| 169 | Dermoscopic features of basal cell carcinomas: differences in appearance under non-polarized and polarized light. *Dermatologic Surgery*, **2012**, 38, 392-9 | 1.7 | 29 |
| 168 | Melanoma patient self-detection: a review of efficacy of the skin self-examination and patient-directed educational efforts. *Expert Review of Anticancer Therapy*, **2013**, 13, 1423-31 | 3.5 | 29 |
| 167 | Technique Standards for Skin Lesion Imaging: A Delphi Consensus Statement. *JAMA Dermatology*, **2017**, 153, 207-213 | 5.1 | 28 |
| 166 | Growth-Curve Modeling of Nevi With a Peripheral Globular Pattern. *JAMA Dermatology*, **2015**, 151, 1338-1345 | 5.1 | 26 |
| 165 | Dermoscopy for the family physician. *American Family Physician*, **2013**, 88, 441-50 | 1.3 | 26 |
| 164 | Burden of basal cell carcinoma in USA. *Future Oncology*, **2015**, 11, 2967-74 | 3.6 | 25 |
| 163 | Clinical and dermoscopic characterization of pediatric and adolescent melanomas: Multicenter study of 52 cases. *Journal of the American Academy of Dermatology*, **2018**, 78, 278-288 | 4.5 | 25 |
| 162 | Patterns of distribution of giant congenital melanocytic nevi (GCMN): The 6B rule. *Journal of the American Academy of Dermatology*, **2017**, 76, 689-694 | 4.5 | 24 |
| 161 | Genetic factors associated with naevus count and dermoscopic patterns: preliminary results from the Study of Nevi in Children (SONIC). *British Journal of Dermatology*, **2015**, 172, 1081-9 | 4 | 24 |
| 160 | Prognostic Gene Expression Profiling in Cutaneous Melanoma: Identifying the Knowledge Gaps and Assessing the Clinical Benefit. *JAMA Dermatology*, **2020**, 156, 1004-1011 | 5.1 | 24 |
| 159 | Dermoscopy and dermatopathology correlates of cutaneous neoplasms. *Journal of the American Academy of Dermatology*, **2019**, 80, 341-363 | 4.5 | 24 |
| 158 | White globules correlate with balloon cell nevi nests. *Journal of the American Academy of Dermatology*, **2011**, 65, e119-e120 | 4.5 | 23 |
| 157 | Dermoscopy in skin self-examination: A useful tool for select patients. *Archives of Dermatology*, **2011**, 147, 53-8 | | 23 |
| 156 | The beauty and the beast sign in dermoscopy. *Dermatologic Surgery*, **2007**, 33, 1388-91 | 1.7 | 23 |
| 155 | Level of confidence in diagnosis: clinical examination versus dermoscopy examination. *Dermatologic Surgery*, **2006**, 32, 738-44 | 1.7 | 23 |
| 154 | Practical application of the new classification scheme for congenital melanocytic nevi. *Pediatric Dermatology*, **2015**, 32, 23-7 | 1.9 | 22 |

| | | | |
|---|---|---|---|
| 153 | Digital imaging biomarkers feed machine learning for melanoma screening. *Experimental Dermatology*, **2017**, 26, 615-618 | 4 | 22 |
| 152 | Handbook of Dermoscopy | | 22 |
| 151 | Developing an interactive web-based learning program on skin cancer: the learning experiences of clinical educators. *Journal of Cancer Education*, **2012**, 27, 709-16 | 1.8 | 21 |
| 150 | The most common challenges in melanoma diagnosis and how to avoid them. *Australasian Journal of Dermatology*, **2009**, 50, 1-13; quiz 14-5 | 1.3 | 21 |
| 149 | Differences in Dermoscopic Images from Nonpolarized Dermoscope and Polarized Dermoscope Influence the Diagnostic Accuracy and Confidence Level. *Dermatologic Surgery*, **2008**, 34, 1389-1395 | 1.7 | 21 |
| 148 | Cutaneous melanoma: surveillance of patients for recurrence and new primary melanomas. *Dermatologic Therapy*, **2005**, 18, 423-35 | 2.2 | 21 |
| 147 | Discriminating Nevi from Melanomas: Clues and Pitfalls. *Dermatologic Clinics*, **2016**, 34, 395-409 | 4.2 | 21 |
| 146 | Dermoscopy for the pediatric dermatologist, part ii: dermoscopy of genetic syndromes with cutaneous manifestations and pediatric vascular lesions. *Pediatric Dermatology*, **2013**, 30, 172-81 | 1.9 | 20 |
| 145 | Correlation of dermoscopy with in vivo reflectance confocal microscopy of streaks in melanocytic lesions. *Archives of Dermatology*, **2007**, 143, 727-34 | | 20 |
| 144 | Dermoscopic features of basal cell carcinoma and its subtypes: A systematic review. *Journal of the American Academy of Dermatology*, **2021**, 85, 653-664 | 4.5 | 19 |
| 143 | Melanocytic naevi with globular and reticular dermoscopic patterns display distinct BRAF V600E expression profiles and histopathological patterns. *British Journal of Dermatology*, **2014**, 171, 1060-5 | 4 | 19 |
| 142 | Dermoscopic patterns and subclinical melanocytic nests in normal-appearing skin. *British Journal of Dermatology*, **2009**, 160, 1318-21 | 4 | 19 |
| 141 | Remodeling of the dermoepidermal junction in superficial spreading melanoma: insights gained from correlation of dermoscopy, reflectance confocal microscopy, and histopathologic analysis. *Archives of Dermatology*, **2008**, 144, 1644-9 | | 19 |
| 140 | Dermoscopic features and patterns of poromas: a multicentre observational case-control study conducted by the International Dermoscopy Society. *Journal of the European Academy of Dermatology and Venereology*, **2018**, 32, 1263-1271 | 4.6 | 19 |
| 139 | Reflectance confocal microscopy terminology glossary for nonmelanocytic skin lesions: A systematic review. *Journal of the American Academy of Dermatology*, **2019**, 80, 1414-1427.e3 | 4.5 | 18 |
| 138 | A Randomized Trial on the Efficacy of Mastery Learning for Primary Care Provider Melanoma Opportunistic Screening Skills and Practice. *Journal of General Internal Medicine*, **2018**, 33, 855-862 | 4 | 18 |
| 137 | Dermoscopy of scalp tumours: a multi-centre study conducted by the international dermoscopy society. *Journal of the European Academy of Dermatology and Venereology*, **2012**, 26, 953-63 | 4.6 | 18 |
| 136 | Spitz nevi: a bridge between dermoscopic morphology and histopathology. *Dermatologic Clinics*, **2013**, 31, 327-35 | 4.2 | 18 |

| | | | |
|---|---|---|---|
| 135 | Reflectance confocal microscopy confirms residual basal cell carcinoma on clinically negative biopsy sites before Mohs micrographic surgery: A prospective study. *Journal of the American Academy of Dermatology*, **2019**, 81, 417-426 | 4.5 | 17 |
| 134 | The diagnostic value and histologic correlate of distinct patterns of shiny white streaks for the diagnosis of melanoma: A retrospective, case-control study. *Journal of the American Academy of Dermatology*, **2018**, 78, 913-919 | 4.5 | 17 |
| 133 | The morphologic universe of melanoma. *Dermatologic Clinics*, **2013**, 31, 599-613, viii-ix | 4.2 | 17 |
| 132 | Basal and squamous cell carcinomas. What every primary care physician should know. *Postgraduate Medicine*, **1997**, 102, 139-42, 146, 152-4 passim | 3.7 | 17 |
| 131 | Core Outcome Set for Actinic Keratosis Clinical Trials. *JAMA Dermatology*, **2020**, 156, 326-333 | 5.1 | 16 |
| 130 | The study of nevi in children: Principles learned and implications for melanoma diagnosis. *Journal of the American Academy of Dermatology*, **2016**, 75, 813-823 | 4.5 | 16 |
| 129 | Reflectance confocal microscopy and dermoscopy aid in evaluating repigmentation within or adjacent to lentigo maligna melanoma surgical scars. *Journal of the European Academy of Dermatology and Venereology*, **2020**, 34, 74-81 | 4.6 | 16 |
| 128 | Cross-sectional analysis of the dermoscopic patterns and structures of melanocytic naevi on the back and legs of adolescents. *British Journal of Dermatology*, **2015**, 173, 1486-1493 | 4 | 15 |
| 127 | The "blink sign" in dermoscopy. *Archives of Dermatology*, **2011**, 147, 520 | | 15 |
| 126 | Large congenital melanotic nevi in an extremity with neurocutaneous melanocytosis. *Pediatric Dermatology*, **2009**, 26, 79-82 | 1.9 | 15 |
| 125 | Early diagnosis of genital mucosal melanoma: how good are our dermoscopic criteria?. *Dermatology Practical and Conceptual*, **2016**, 6, 43-46 | 1.5 | 15 |
| 124 | Chemoprevention agents for melanoma: A path forward into phase 3 clinical trials. *Cancer*, **2019**, 125, 18-44 | 6.4 | 15 |
| 123 | 'Do UC the melanoma?' Recognising the importance of different lesions displaying unevenness or having a history of change for early melanoma detection. *Australasian Journal of Dermatology*, **2014** , 55, 119-24 | 1.3 | 14 |
| 122 | Melanoma diagnosis by confocal microscopy: promise and pitfalls. *Journal of Investigative Dermatology*, **2005**, 125, vii | 4.3 | 14 |
| 121 | Risk Factors and Outcomes of Nonmelanoma Skin Cancer in Children and Young Adults. *Journal of Pediatrics*, **2019**, 211, 152-158 | 3.6 | 13 |
| 120 | Performance of the First Step of the 2-Step Dermoscopy Algorithm. *JAMA Dermatology*, **2015**, 151, 715-721 | 5.1 | 13 |
| 119 | Clinical and dermoscopic characteristics of new naevi in adults: results from a cohort study. *British Journal of Dermatology*, **2013**, 169, 848-53 | 4 | 13 |
| 118 | Confocal scanning laser reflectance microscopy: why bother?. *Archives of Dermatology*, **2005**, 141, 212-5 | | 13 |

| | | | |
|---|---|---|---|
| 117 | Large congenital melanocytic nevi. *Current Problems in Dermatology*, **2000**, 12, 146-152 | | 13 |
| 116 | Dermatoscopic imaging of skin lesions by high school students: a cross-sectional pilot study. *Dermatology Practical and Conceptual*, **2015**, 5, 11-28 | 1.5 | 12 |
| 115 | Triage amalgamated dermoscopic algorithm (TADA) for skin cancer screening. *Dermatology Practical and Conceptual*, **2017**, 7, 39-46 | 1.5 | 12 |
| 114 | Clinical and Dermoscopic Features of Cutaneous Melanoacanthoma. *JAMA Dermatology*, **2015**, 151, 1129-30 | 5.1 | 11 |
| 113 | Sunburn, sun exposure, and sun sensitivity in the Study of Nevi in Children. *Annals of Epidemiology*, **2015**, 25, 839-43 | 6.4 | 11 |
| 112 | The Role of Color and Morphologic Characteristics in Dermoscopic Diagnosis. *JAMA Dermatology*, **2016**, 152, 676-82 | 5.1 | 11 |
| 111 | The ABCDs of melanoma: why change?. *Journal of the American Academy of Dermatology*, **1995**, 32, 682-4 | 4.5 | 11 |
| 110 | Practice Gaps in Dermatology: Melanocytic Lesions and Melanoma. *Dermatologic Clinics*, **2016**, 34, 353-62 | 4.2 | 11 |
| 109 | Clinical and dermoscopic features associated with lichen planus-like keratoses that undergo skin biopsy: A single-center, observational study. *Australasian Journal of Dermatology*, **2019**, 60, e119-e126 | 1.3 | 11 |
| 108 | Early-stage non-Spitzoid cutaneous melanoma in patients younger than 22 years of age at diagnosis: long-term follow-up and survival analysis. *Journal of Pediatric Surgery*, **2015**, 50, 1019-23 | 2.6 | 10 |
| 107 | Factors associated with nevus volatility in early adolescence. *Journal of Investigative Dermatology*, **2014**, 134, 2469-2471 | 4.3 | 10 |
| 106 | One-year follow-up of dermoscopy education on the ability of medical students to detect skin cancer. *Dermatology*, **2013**, 226, 267-73 | 4.4 | 10 |
| 105 | Clinical and dermoscopic features of cutaneous BAP1-inactivated melanocytic tumors: Results of a multicenter case-control study by the International Dermoscopy Society. *Journal of the American Academy of Dermatology*, **2019**, 80, 1585-1593 | 4.5 | 10 |
| 104 | Ink-enhanced dermoscopy is a useful tool to differentiate acquired solitary plaque porokeratosis from other scaly lesions. *Journal of the American Academy of Dermatology*, **2019**, 80, e137-e138 | 4.5 | 10 |
| 103 | High-dynamic-range dermoscopy imaging and diagnosis of hypopigmented skin cancers. *JAMA Dermatology*, **2015**, 151, 456-7 | 5.1 | 9 |
| 102 | Advancing Survivors' Knowledge (ASK) about skin cancer study: study protocol for a randomized controlled trial. *Trials*, **2015**, 16, 109 | 2.8 | 9 |
| 101 | Variation in dermoscopic features of basal cell carcinoma as a function of anatomical location and pigmentation status. *British Journal of Dermatology*, **2018**, 178, e136-e137 | 4 | 9 |
| 100 | Histologic Evidence of Melanocytes Isolated to the Nail Matrix. *JAMA Dermatology*, **2016**, 152, 573-5 | 5.1 | 9 |

| | | | |
|---|---|---|---|
| 99 | Reflectance Confocal Microscopic and En Face Histopathologic Correlation of the Dermoscopic "Circle Within a Circle" in Lentigo Maligna. *JAMA Dermatology*, **2018**, 154, 1092-1094 | 5.1 | 9 |
| 98 | Teaching Benign Skin Lesions as a Strategy to Improve the Triage Amalgamated Dermoscopic Algorithm (TADA). *Journal of the American Board of Family Medicine*, **2019**, 32, 96-102 | 1.6 | 9 |
| 97 | Streaks in pigmented squamous cell carcinoma in situ. *Journal of the American Academy of Dermatology*, **2015**, 72, S64-5 | 4.5 | 8 |
| 96 | Association of Multiple Aggregated Yellow-White Globules With Nonpigmented Basal Cell Carcinoma. *JAMA Dermatology*, **2020**, 156, 882-890 | 5.1 | 8 |
| 95 | Reference values for skin microanatomy: A systematic review and meta-analysis of ex vivo studies. *Journal of the American Academy of Dermatology*, **2017**, 77, 1133-1144.e4 | 4.5 | 8 |
| 94 | Ten reasons why dermoscopy is beneficial for the evaluation of skin lesions. *Expert Review of Dermatology*, **2006**, 1, 369-374 | | 8 |
| 93 | Total Body Skin Examination Practices: A Survey Study Amongst Dermatologists at High-Risk Skin Cancer Clinics. *Dermatology Practical and Conceptual*, **2019**, 9, 132-138 | 1.5 | 8 |
| 92 | Improvement of diagnostic confidence and management of equivocal skin lesions by integration of reflectance confocal microscopy in daily practice: Prospective study in 2 referral skin cancer centers. *Journal of the American Academy of Dermatology*, **2020**, 83, 1057-1063 | 4.5 | 8 |
| 91 | Large Acquired Nevus or Dysplastic Nevus: What's in the Name of a Nevus?. *JAMA Dermatology*, **2016**, 152, 623-4 | 5.1 | 8 |
| 90 | Accuracy of tele-consultation on management decisions of lesions suspect for melanoma using reflectance confocal microscopy as a stand-alone diagnostic tool. *Journal of the European Academy of Dermatology and Venereology*, **2019**, 33, 439-446 | 4.6 | 8 |
| 89 | Impact of the COVID-19 Pandemic on Dermatology Practice Worldwide: Results of a Survey Promoted by the International Dermoscopy Society (IDS). *Dermatology Practical and Conceptual*, **2021**, 11, e2021153 | 1.5 | 8 |
| 88 | A retrospective multicenter study of fatal pediatric melanoma. *Journal of the American Academy of Dermatology*, **2020**, 83, 1274-1281 | 4.5 | 7 |
| 87 | Influence of time on dermoscopic diagnosis and management. *Australasian Journal of Dermatology*, **2013**, 54, 96-104 | 1.3 | 7 |
| 86 | Thin melanoma: still "excellent prognosis" disease?. *Journal of Clinical Oncology*, **2004**, 22, 3651-3 | 2.2 | 7 |
| 85 | Nevi and lasers: Practical considerations. *Lasers in Surgery and Medicine*, **2018**, 50, 7-9 | 3.6 | 7 |
| 84 | Malignant transformation of neurocutaneous melanosis (NCM) following immunosuppression. *Pediatric Dermatology*, **2019**, 36, 497-500 | 1.9 | 6 |
| 83 | Dermoscopy of elastosis perforans serpiginosa: A useful tool to distinguish it from granuloma annulare. *Journal of the American Academy of Dermatology*, **2015**, 73, e7-9 | 4.5 | 6 |
| 82 | Rapid diagnosis of tinea incognito using handheld reflectance confocal microscopy: a paradigm shift in dermatology?. *Mycoses*, **2015**, 58, 383-6 | 5.2 | 6 |

| | | | |
|---|---|---|---|
| 81 | Incompletely excised lentigo maligna melanoma is associated with unpredictable residual disease: clinical features and the emerging role of reflectance confocal microscopy. *Journal of the European Academy of Dermatology and Venereology*, **2020**, 34, 2280-2287 | 4.6 | 6 |
| 80 | Dermoscopy: not just for dermatologists. *Melanoma Management*, **2015**, 2, 63-73 | 2.1 | 6 |
| 79 | Integrating clinical/dermatoscopic findings and fluorescence in situ hybridization in diagnosing melanocytic neoplasms with less than definitive histopathologic features. *Journal of the American Academy of Dermatology*, **2012**, 66, 917-22 | 4.5 | 6 |
| 78 | Biologically distinct subsets of nevi. *Giornale Italiano Di Dermatologia E Venereologia*, **2016**, 151, 365-84 | 0.8 | 6 |
| 77 | Skin Cancer Early Detection Practices among Adult Survivors of Childhood Cancer Treated with Radiation. *Journal of Investigative Dermatology*, **2019**, 139, 1898-1905.e2 | 4.3 | 5 |
| 76 | Management strategies of academic pigmented lesion clinic directors in the United States. *Journal of the American Academy of Dermatology*, **2018**, 79, 367-369 | 4.5 | 5 |
| 75 | Risk of developing multiple primary cutaneous melanomas in patients with the classic atypical-mole syndrome: a case-control study. *British Journal of Dermatology*, **1996**, 135, 704-711 | 4 | 5 |
| 74 | An Epidemiologic Analysis of Melanoma Overdiagnosis in the United States, 1975-2017.. *Journal of Investigative Dermatology*, **2021**, | 4.3 | 5 |
| 73 | Reflectance confocal microscopy features of BRAF V600E mutated thin melanomas detected by immunohistochemistry. *PLoS ONE*, **2017**, 12, e0179745 | 3.7 | 5 |
| 72 | Development of a core outcome set for cutaneous squamous cell carcinoma trials: identification of core domains and outcomes. *British Journal of Dermatology*, **2021**, 184, 1113-1122 | 4 | 5 |
| 71 | Association between the dermoscopic morphology of peripheral globules and melanocytic lesion diagnosis. *Journal of the European Academy of Dermatology and Venereology*, **2021**, 35, 892-899 | 4.6 | 5 |
| 70 | The differences in clinical and dermoscopic features between in situ and invasive nevus-associated melanomas and de novo melanomas. *Journal of the European Academy of Dermatology and Venereology*, **2021**, 35, 1111-1118 | 4.6 | 5 |
| 69 | Factors in Early Adolescence Associated With a Mole-Prone Phenotype in Late Adolescence. *JAMA Dermatology*, **2017**, 153, 990-998 | 5.1 | 4 |
| 68 | Traditional versus streamlined management of basal cell carcinoma (BCC): A cost analysis. *Journal of the American Academy of Dermatology*, **2015**, 73, 791-8 | 4.5 | 4 |
| 67 | Triage amalgamated dermoscopic algorithm. *Journal of the American Academy of Dermatology*, **2020**, 82, 1551-1552 | 4.5 | 4 |
| 66 | Melanoma at the periphery of a congenital melanocytic nevus. *Journal of the American Academy of Dermatology*, **2013**, 69, e227-e228 | 4.5 | 4 |
| 65 | Redefining the number needed to excise. *Australasian Journal of Dermatology*, **2013**, 54, 310-2 | 1.3 | 4 |
| 64 | Integrating clinical, dermoscopy, and reflectance confocal microscopy findings into correctly identifying a nevoid melanoma. *JAAD Case Reports*, **2017**, 3, 505-508 | 1.4 | 4 |

| | | | |
|---|---|---|---|
| 63 | The ink test: identifying 3-dimensional features of seborrheic keratoses under dermoscopy. *JAMA Dermatology*, **2013**, 149, 497-8 | 5.1 | 4 |
| 62 | Skin cancers and their etiologies. *Seminars in Cutaneous Medicine and Surgery*, **2011**, 30, S1-5 | 1.4 | 4 |
| 61 | Vascular pattern in seborrheic keratoses and melanoma. *Dermatologic Surgery*, **2004**, 30, 75-7 | 1.7 | 4 |
| 60 | Evaluation of a virtual basic dermatology curriculum for dermoscopy by using the triage amalgamated dermoscopic algorithm for novice dermoscopists. *Journal of the American Academy of Dermatology*, **2020**, 83, 590-592 | 4.5 | 4 |
| 59 | Human surface anatomy terminology for dermatology: a Delphi consensus from the International Skin Imaging Collaboration. *Journal of the European Academy of Dermatology and Venereology*, **2020** , 34, 2659-2663 | 4.6 | 4 |
| 58 | In vivo identification of amyloid and mucin in basal cell carcinoma with combined reflectance confocal microscopy-optical coherence tomography device and direct histopathologic correlation. *Journal of the American Academy of Dermatology*, **2020**, 83, 619-622 | 4.5 | 4 |
| 57 | Differentiating basal cell carcinoma from intradermal nevi along the eyelid margin with dermoscopy: A case series. *Journal of the American Academy of Dermatology*, **2021**, 84, 173-175 | 4.5 | 4 |
| 56 | Reflectance confocal microscopy terminology glossary for melanocytic skin lesions: A systematic review. *Journal of the American Academy of Dermatology*, **2021**, 84, 102-119 | 4.5 | 4 |
| 55 | Acral persistent papular mucinosis (APPM): Dermoscopy of an uncommon disease. *Journal of the American Academy of Dermatology*, **2017**, 76, S10-S11 | 4.5 | 3 |
| 54 | Consensus recommendations for the use of noninvasive melanoma detection techniques based on results of an international Delphi process. *Journal of the American Academy of Dermatology*, **2021**, 85, 745-749 | 4.5 | 3 |
| 53 | Practice gaps. Underuse of dermoscopy in assessing Spitz nevi in children : comment on "Spitz nevi: beliefs, behaviors, and experiences of pediatric dermatologists". *JAMA Dermatology*, **2013**, 149, 291-2 | 5.1 | 3 |
| 52 | Dermoscopy of nevi and melanoma in childhood. *Expert Review of Dermatology*, **2011**, 6, 19-34 | | 3 |
| 51 | Deep learning-level melanoma detection by interpretable machine learning and imaging biomarker cues. *Journal of Biomedical Optics*, **2020**, 25, | 3.5 | 3 |
| 50 | Optical imaging guided- 'precision' biopsy of skin tumors: a novel approach for targeted sampling and histopathologic correlation. *Archives of Dermatological Research*, **2021**, 313, 517-529 | 3.3 | 3 |
| 49 | Towards three-dimensional temporal monitoring of naevi: a comparison of methodologies for assessing longitudinal changes in skin surface area around naevi. *British Journal of Dermatology*, **2016**, 175, 1376-1378 | 4 | 3 |
| 48 | RAS pathway influences the number of melanocytic nevi in cardiofaciocutaneous and Costello syndromes. *Journal of the American Academy of Dermatology*, **2020**, 82, 1091-1093 | 4.5 | 2 |
| 47 | Contemporary management of actinic keratosis. *Journal of Dermatological Treatment*, **2021**, 32, 572-574 | 2.8 | 2 |
| 46 | Dermoscopy. *Cmaj*, **2014**, 186, 1167 | 3.5 | 2 |

| | | | |
|---|---|---|---|
| 45 | In Vivo Confocal Reflectance Microscopy of Congenital Melanocytic Nevi **2012**, 115-131 | | 2 |
| 44 | Pattern Analysis **2012**, 98-112 | | 2 |
| 43 | The potential utility of integrated reflectance confocal microscopy-optical coherence tomography for guiding triage and therapy of basal cell carcinomas. *Journal of Cancer*, **2020**, 11, 6019-6024 | 4.5 | 2 |
| 42 | Dermoscopy in the COVID-19 Era: Magnifying the Gap for Clinicians. *Dermatology Practical and Conceptual*, **2021**, 11, e2021069 | 1.5 | 2 |
| 41 | Dermoscopic Appearance of Amelanotic Volar Melanoma Compared With Volar Angioma. *JAMA Dermatology*, **2019**, 155, 500-501 | 5.1 | 2 |
| 40 | Angulated small nests and cords: Key diagnostic histopathologic features of infiltrative basal cell carcinoma can be identified using integrated reflectance confocal microscopy-optical coherence tomography. *Journal of Cutaneous Pathology*, **2021**, 48, 53-65 | 1.7 | 2 |
| 39 | Incidence of New Primary Cutaneous Melanoma in Patients With Metastatic Melanoma Treated With Immune Checkpoint Inhibitors: A Single-Center Cohort Study. *JAMA Dermatology*, **2021**, 157, 79-83 | 5.1 | 2 |
| 38 | Recurrent nevus as a pitfall of melanoma diagnosis under reflectance confocal microscopy. *Australasian Journal of Dermatology*, **2018**, 59, 227-229 | 1.3 | 2 |
| 37 | Dermoscopic features of benign vascular lesions presenting on volar skin: a case series and literature review. *Journal of the European Academy of Dermatology and Venereology*, **2019**, 33, e444-e445 | 4.6 | 1 |
| 36 | Number needed to biopsy ratio and diagnostic accuracy for melanoma detection. *Journal of the American Academy of Dermatology*, **2020**, 83, 780-787 | 4.5 | 1 |
| 35 | Necrobiosis lipoidica in a patient with monoclonal gammopathy of underdetermined significance. *Australasian Journal of Dermatology*, **2019**, 60, e346-e348 | 1.3 | 1 |
| 34 | Assessment of the Safety Risk of Dermatoscope Magnets in Patients With Cardiovascular Implanted Electronic Devices. *JAMA Dermatology*, **2018**, 154, 1204-1207 | 5.1 | 1 |
| 33 | Clinical Presentations of Melanoma **2020**, 107-144 | | 1 |
| 32 | Patient concern as a predictor of cutaneous malignancy. *British Journal of Dermatology*, **2016**, 174, 222-4 | 4 | 1 |
| 31 | Basal cell carcinoma and balloon cell nevus collision mimicking a melanoma on reflectance confocal microscopy. *JAAD Case Reports*, **2020**, 6, 339-340 | 1.4 | 1 |
| 30 | In vivo imaging characterization of basal cell carcinoma and cutaneous response to high-dose ionizing radiation therapy: A prospective study of reflectance confocal microscopy, dermoscopy, and ultrasonography. *Journal of the American Academy of Dermatology*, **2021**, 84, 1575-1584 | 4.5 | 1 |
| 29 | Dermoscopy Proficiency Expectations for US Dermatology Resident Physicians: Results of a Modified Delphi Survey of Pigmented Lesion Experts. *JAMA Dermatology*, **2021**, 157, 189-197 | 5.1 | 1 |
| 28 | Dermoscopy **2012**, 384-403 | | 1 |

| | | | |
|---|---|---|---|
| 27 | Temporal Changes in Size and Dermoscopic Patterns of New and Existing Nevi in Adolescents. *Journal of Investigative Dermatology*, **2019**, 139, 1828-1830 | 4.3 | 0 |
| 26 | Dermoscopic appearance of intraluminal hematogenous and lymphatic patterns of cutaneous melanoma metastases. *JAMA Dermatology*, **2015**, 151, 103-5 | 5.1 | 0 |
| 25 | In vivo optical imaging-guided targeted sampling for precise diagnosis and molecular pathology. *Scientific Reports*, **2021**, 11, 23124 | 4.9 | 0 |
| 24 | Clinical and dermoscopic features of Fibroepithelioma of Pinkus: case series with an emphasis on hypopigmented to pink lines intersecting at acute angles. *Archives of Dermatological Research*, **2021**, 313, 633-640 | 3.3 | 0 |
| 23 | Characteristics of nonmelanoma skin cancer in children without identifiable risk factors. *Journal of the American Academy of Dermatology*, **2021**, 84, 1472-1476 | 4.5 | 0 |
| 22 | Neurocutaneous melanocytosis-associated malignant melanoma presenting with peritoneal seeding. *Pediatric Dermatology*, **2021**, 38, 1298-1301 | 1.9 | 0 |
| 21 | Congenital Melanocytic Naevi **2019**, 1-30 | | |
| 20 | Dermoscopy of Melanocytic Lesions **2018**, 143-158 | | |
| 19 | Dermoscopy of Melanocytic Lesions in the Paediatric Population **2011**, 185.1-185.21 | | |
| 18 | Confocal Microscopy of Skin Cancers **2011**, 163-185 | | |
| 17 | Dermatologists, melanoma and the law. *Expert Review of Dermatology*, **2009**, 4, 341-354 | | |
| 16 | Anatomic Distribution of Cutaneous Melanomas and Painful Sunburns in Adults. *Journal of Cutaneous Medicine and Surgery*, **1996**, 1, 81-85 | 1.6 | |
| 15 | Acquired Precursor Lesions and Phenotypic Markers of Increased Risk for Cutaneous Melanoma **2020**, 501-524 | | |
| 14 | Clinical Presentations of Melanoma **2019**, 1-38 | | |
| 13 | Acquired Precursor Lesions and Phenotypic Markers of Increased Risk for Cutaneous Melanoma **2019**, 1-24 | | |
| 12 | Congenital Melanocytic Naevi **2019**, 365-394 | | |
| 11 | Total Body Photography as an Aid for the Early Detection of Skin Cancer **2020**, 253-269 | | |
| 10 | Management of basal cell carcinoma in the United States: Can we simplify care and reduce cost?. *Journal of Clinical Oncology*, **2014**, 32, 17-17 | 2.2 | |

| | | |
|---|---|---|
| 9 | Advancing Survivors Knowledge (ASK) about skin cancer study: A randomized intervention within the Childhood Cancer Survivor Study (CCSS).. *Journal of Clinical Oncology*, **2016**, 34, 255-255 | 2.2 |
| 8 | Exceptions to the two-step dermoscopy algorithm **2012**, 309-324 | |
| 7 | Clinical-Pathological Integration in the Diagnosis of Skin Cancer **2014**, 205-211 | |
| 6 | Technology-enabled activation of skin cancer screening for hematopoietic cell transplantation survivors and their primary care providers (TEACH). *BMC Cancer*, **2020**, 20, 721 | 4.8 |
| 5 | Bilateral diffuse uveal melanocytic proliferation with multifocal diffuse integumentary melanocytic proliferation paraneoplastic syndrome: A case report. *Australasian Journal of Dermatology*, **2021**, 62, 386-389 | 1.3 |
| 4 | Response to comments on the Letter to the Editor titled "Differentiating basal cell carcinoma from intradermal nevi along the eyelid margin with dermoscopy: A case series". *Journal of the American Academy of Dermatology*, **2021**, 84, e305 | 4.5 |
| 3 | Dermoscopy of Melanocytic Lesions in the Paediatric Population **2019**, 2357-2377 | |
| 2 | Dermoscopy for Dermatopathologists **2019**, 331-347 | |
| 1 | Risk of non-acral cutaneous melanoma after the diagnosis of acral melanoma.. *British Journal of Dermatology*, **2022**, | 4 |