

Ophira Salomon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/510996/publications.pdf>

Version: 2024-02-01

69
papers

2,777
citations

201658

27
h-index

175241

52
g-index

70
all docs

70
docs citations

70
times ranked

1891
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced incidence of ischemic stroke in patients with severe factor XI deficiency. <i>Blood</i> , 2008, 111, 4113-4117.	1.4	260
2	Single and Combined Prothrombotic Factors in Patients With Idiopathic Venous Thromboembolism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 511-518.	2.4	244
3	Analysis of prothrombotic and vascular risk factors in patients with nonarteritic anterior ischemic optic neuropathy. <i>Ophthalmology</i> , 1999, 106, 739-742.	5.2	188
4	Patients with severe factor XI deficiency have a reduced incidence of deep-vein thrombosis. <i>Thrombosis and Haemostasis</i> , 2011, 105, 269-273.	3.4	181
5	Variable bleeding manifestations characterize different types of surgery in patients with severe factor XI deficiency enabling parsimonious use of replacement therapy. <i>Haemophilia</i> , 2006, 12, 490-493.	2.1	169
6	Congenital Factor XI Deficiency: An Update. <i>Seminars in Thrombosis and Hemostasis</i> , 2013, 39, 621-631.	2.7	146
7	Prevalence, causes, and characterization of factor XI inhibitors in patients with inherited factor XI deficiency. <i>Blood</i> , 2003, 101, 4783-4788.	1.4	122
8	Inherited factor XI deficiency confers no protection against acute myocardial infarction. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 658-661.	3.8	115
9	Plasma replacement therapy during labor is not mandatory for women with severe factor XI deficiency. <i>Blood Coagulation and Fibrinolysis</i> , 2005, 16, 37-41.	1.0	89
10	Risk Factors Associated with Postpartum Ovarian Vein Thrombosis. <i>Thrombosis and Haemostasis</i> , 1999, 82, 1015-1019.	3.4	82
11	Abnormal plasma clot structure and stability distinguish bleeding risk in patients with severe factor XI deficiency. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 1121-1130.	3.8	79
12	Prevalence of circulating procoagulant microparticles in women with recurrent miscarriage: a case-controlled study. <i>Human Reproduction</i> , 2004, 19, 191-195.	0.9	73
13	Role of aspirin in reducing the frequency of second eye involvement in patients with non-arteritic anterior ischaemic optic neuropathy. <i>Eye</i> , 1999, 13, 357-359.	2.1	69
14	Rare bleeding disorders – bleeding assessment tools, laboratory aspects and phenotype and therapy of FXI deficiency. <i>Haemophilia</i> , 2014, 20, 71-75.	2.1	67
15	Recombinant activated factor VII and tranexamic acid are haemostatically effective during major surgery in factor XI-deficient patients with inhibitor antibodies. <i>Thrombosis and Haemostasis</i> , 2009, 102, 487-492.	3.4	64
16	New observations in postpartum ovarian vein thrombosis: experience of single center. <i>Blood Coagulation and Fibrinolysis</i> , 2010, 21, 16-19.	1.0	52
17	New observations on factor XI deficiency. <i>Haemophilia</i> , 2004, 10, 184-187.	2.1	51
18	Acute renal artery occlusion: Presentation, treatment, and outcome. <i>Journal of Vascular Surgery</i> , 2016, 64, 1026-1032.	1.1	51

#	ARTICLE	IF	CITATIONS
19	Analysis of genetic polymorphisms related to thrombosis and other risk factors in patients with retinal vein occlusion. <i>Blood Coagulation and Fibrinolysis</i> , 1998, 9, 617-622.	1.0	50
20	The common prothrombotic factors in nulliparous women do not compromise blood flow in the fetomaternal circulation and are not associated with preeclampsia or intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 2002-2009.	1.3	43
21	Prerequisites for recombinant factor VIIa-induced thrombin generation in plasmas deficient in factors VIII, IX or XI. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 192-200.	3.8	41
22	Exploring the global landscape of genetic variation in coagulation factor XI deficiency. <i>Blood</i> , 2017, 130, e1-e6.	1.4	41
23	Factor XI Deficiency Protects Against Atherogenesis in Apolipoprotein E/Factor XI Double Knockout Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 475-481.	2.4	35
24	Nonarteritic anterior ischemic optic neuropathy is associated with a specific platelet polymorphism located on the glycoprotein Ibl± gene. <i>Ophthalmology</i> , 2004, 111, 184-188.	5.2	34
25	Thrombophilia as a cause for central and branch retinal artery occlusion in patients without an apparent embolic source. <i>Eye</i> , 2001, 15, 511-514.	2.1	33
26	The impact of thrombin generation and rotation thromboelastometry on assessment of severity of factor XI deficiency. <i>Thrombosis Research</i> , 2015, 136, 465-473.	1.7	33
27	Combined jugular and subclavian vein thrombosis following assisted reproductive technology—new observation. <i>Fertility and Sterility</i> , 2009, 92, 620-625.	1.0	28
28	Compound heterozygosity of HLA-DRB3*01:01 and HLA-DRB4*01:01 as a potential predictor of fetal neonatal alloimmune thrombocytopenia. <i>Transfusion</i> , 2013, 53, 344-352.	1.6	26
29	Fluorescence lifetime imaging of DAPI-stained nuclei as a novel diagnostic tool for the detection and classification of B-cell chronic lymphocytic leukemia. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2016, 89, 644-652.	1.5	24
30	Identification of the factor XII contact activation site enables sensitive coagulation diagnostics. <i>Nature Communications</i> , 2021, 12, 5596.	12.8	23
31	Risk factors associated with postpartum ovarian vein thrombosis. <i>Thrombosis and Haemostasis</i> , 1999, 82, 1015-9.	3.4	23
32	Inhibitors to Factor XI in Patients With Severe Factor XI Deficiency. <i>Seminars in Hematology</i> , 2006, 43, S10-S12.	3.4	22
33	The Association between Factor XI Deficiency and the Risk of Bleeding, Cardiovascular, and Venous Thromboembolic Events. <i>Thrombosis and Haemostasis</i> , 2022, 122, 808-817.	3.4	18
34	A proposal for managing bleeding in patients on therapeutic factor XI(a) inhibitors. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 32-38.	3.8	18
35	Assessment of Liver and Spleen Stiffness in Patients With Myelofibrosis Using FibroScan and Shear Wave Elastography. <i>Ultrasound Quarterly</i> , 2015, 31, 166-169.	0.8	17
36	Are transient and shear wave elastography useful tools in Gaucher disease?. <i>Blood Cells, Molecules, and Diseases</i> , 2018, 68, 143-147.	1.4	16

#	ARTICLE	IF	CITATIONS
37	Predicting risk severity and response of fetal neonatal alloimmune thrombocytopenia. British Journal of Haematology, 2013, 162, 304-312.	2.5	14
38	Acquired familial Mediterranean fever associated with a somatic MEFV mutation in a patient with JAK2 associated post-polycythemia myelofibrosis. Orphanet Journal of Rare Diseases, 2015, 10, 86.	2.7	14
39	Head trauma is the major risk factor for cerebral sinus-vein thrombosis. Thrombosis Research, 2016, 137, 26-29.	1.7	13
40	Plasma levels of microparticles at 24 weeks of gestation do not predict subsequent pregnancy complications. Fertility and Sterility, 2009, 92, 682-687.	1.0	9
41	Management of severe factor XI deficiency in cardiac surgery: A case report and review of the literature. Haemophilia, 2017, 23, e512-e514.	2.1	9
42	Low rate of spleen involvement in sporadic Burkitt lymphoma at staging on PET-CT. Abdominal Radiology, 2018, 43, 2369-2374.	2.1	9
43	Factor XI deficiency is not associated with an increased risk of pneumonia and pneumonia-related mortality. Haemophilia, 2018, 24, 634-640.	2.1	9
44	Role of five platelet membrane glycoprotein polymorphisms in branch retinal vein occlusion. Blood Coagulation and Fibrinolysis, 2006, 17, 485-488.	1.0	7
45	The use of optional inferior vena cava filters of type Optease in trauma patients- a single type of filter in a single Medical Center. Thrombosis Research, 2015, 135, 873-876.	1.7	7
46	Single Low Dose of rFVIIa Combined with Antifibrinolytic Agent is a Simple and Safe Treatment for Factor XI-Deficient Patients undergoing Surgery. Thrombosis and Haemostasis, 2019, 119, 1927-1932.	3.4	7
47	Hyperphosphatemia during spontaneous tumor lysis syndrome culminate in severe hypophosphatemia at the time of blast crisis of Phneg CML to acute myelomonocytic leukemia. Experimental Hematology and Oncology, 2012, 1, 24.	5.0	6
48	Molecular investigation of 41 patients affected by coagulation factor XI deficiency. Haemophilia, 2018, 24, e50-e55.	2.1	6
49	Eculizumab-Responsive Adult Onset Protein Losing Enteropathy, Caused by Germline CD55-Deficiency and Complicated by Aggressive Angiosarcoma. Journal of Clinical Immunology, 2021, 41, 477-481.	3.8	6
50	Elderly apolipoprotein E ϵ 4 mice with advanced atherosclerotic lesions in the aorta do not develop Alzheimer's disease-like pathologies. Molecular Medicine Reports, 2017, 17, 2488-2492.	2.4	5
51	Safety of cataract surgery in patients treated with the new oral anticoagulants (NOACs). Graefe's Archive for Clinical and Experimental Ophthalmology, 2019, 257, 2671-2676.	1.9	5
52	Maternal Anti-HPA-1a Antibodies Increase Endothelial Cell Apoptosis and Permeability. Journal of Vascular Research, 2021, 58, 321-329.	1.4	4
53	Thrombin Generation Test Can Predict Bleeding Tendency In Patients With Severe Factor XI Deficiency. Blood, 2013, 122, 3600-3600.	1.4	4
54	The Influence of Prothrombotic Polymorphisms and Obstetrical and Medical Variables on the Length of Secondary Postpartum Hemorrhage. Journal of Women's Health, 2005, 14, 306-310.	3.3	3

#	ARTICLE	IF	CITATIONS
55	Cataract Extraction Without Prophylactic Treatment in Patients With Severe Factor XI Deficiency. American Journal of Ophthalmology, 2009, 148, 920-924.e1.	3.3	3
56	<p>c.259A>>C in the fibrinogen gene of alpha chain (FGA) is a fibrinogen with thrombotic phenotype</p>. The Application of Clinical Genetics, 2019, Volume 12, 27-33.	3.0	2
57	Post-essential thrombocythemia myelofibrosis and chronic myelomonocytic leukemia can co-exist with complex cytogenetic abnormalities. Leukemia Research, 2010, 34, e308-e310.	0.8	1
58	Pseudo pulmonary embolism in cancer patients. Blood Coagulation and Fibrinolysis, 2014, 25, 871-875.	1.0	1
59	Calreticulin mutation burden " Is it a stable clone in patients with essential thrombocythemia and myelofibrosis?. Blood Cells, Molecules, and Diseases, 2015, 55, 281-283.	1.4	1
60	An impact of lipid profile and lipid lowering drugs on "¥70" year olds of an upper socioeconomic class: a retrospective cohort study. Lipids in Health and Disease, 2021, 20, 120.	3.0	1
61	HLADRB3*0101 Combined with DRB4*0101 Are Potential Predictor of Neonatal Alloimmune Thrombocytopenia (NAIT) Development. Blood, 2011, 118, 2221-2221.	1.4	1
62	Targeted ultrasound is the procedure of choice for detecting rudimentary branchial cysts causing jugular and subclavian vein thrombosis. Blood Coagulation and Fibrinolysis, 2010, 21, 726-728.	1.0	1
63	JAK2V617F Is a Risk Factor for TIA/Stroke in Young Patients. Thrombosis and Haemostasis, 2022, , .	3.4	1
64	OP17.02: Non-invasive antenatal management of neonatal alloimmune thrombocytopenia in recurring pregnancies. Ultrasound in Obstetrics and Gynecology, 2011, 38, 105-105.	1.7	0
65	The effect of civil and military flights on coagulation, fibrinolysis and blood flow: insight from a rat model. Thrombosis Journal, 2020, 18, 24.	2.1	0
66	Prevalence of Common Thrombophilia and Antiphospholipid Antibodies in Unexplained Infertility Women Undergoing in Vitro Fertilization (IVF). Blood, 2012, 120, 628-628.	1.4	0
67	A Lesson from the Use of Optional Inferior Vena Cava Filters of Type Optease in Trauma Patients- a Single Type of Filter in a Single Medical Center. Blood, 2014, 124, 4248-4248.	1.4	0
68	Head Trauma Is the Major Risk Factor for Cerebral Sinus-Vein Thrombosis. Blood, 2015, 126, 1108-1108.	1.4	0
69	Factor XI Deficiency Protects Against Atherogenesis. Blood, 2015, 126, 421-421.	1.4	0