

Kevin C Kain

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/511030/kevin-c-kain-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

6,222
citations

48
h-index

70
g-index

207
ext. papers

7,211
ext. citations

7
avg, IF

5.56
L-index

#	Paper	IF	Citations
179	Clinical sign and biomarker-based algorithm to identify bacterial pneumonia among outpatients with lower respiratory tract infection in Tanzania.. <i>BMC Infectious Diseases</i> , 2022 , 22, 39	4	0
178	Association of Clinical Signs, Host Biomarkers and Etiology With Radiological Pneumonia in Bhutanese Children.. <i>Global Pediatric Health</i> , 2022 , 9, 2333794X221078698	1.2	
177	Cardiovascular signatures of COVID-19 predict mortality and identify barrier stabilizing therapies.. <i>EBioMedicine</i> , 2022 , 78, 103982	8.8	2
176	The Angiotensin-Tie2 axis contributes to placental vascular disruption and adverse birth outcomes in malaria in pregnancy. <i>EBioMedicine</i> , 2021 , 73, 103683	8.8	3
175	Risk-stratification of febrile African children at risk of sepsis using sTREM-1 as basis for a rapid triage test. <i>Nature Communications</i> , 2021 , 12, 6832	17.4	1
174	Plasma concentrations of leptin at mid-pregnancy are associated with gestational weight gain among pregnant women in Tanzania: a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 675	3.2	0
173	Anticipating the future: prognostic tools as a complementary strategy to improve care for patients with febrile illnesses in resource-limited settings. <i>BMJ Global Health</i> , 2021 , 6,	6.6	4
172	COVID-19 risk stratification algorithms based on sTREM-1 and IL-6 in emergency department. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 99-106.e4	11.5	23
171	Prediction of disease severity in young children presenting with acute febrile illness in resource-limited settings: a protocol for a prospective observational study. <i>BMJ Open</i> , 2021 , 11, e045826		3
170	Plasma angiotensin-2 is associated with age-related deficits in cognitive sub-scales in Ugandan children following severe malaria. <i>Malaria Journal</i> , 2021 , 20, 17	3.6	2
169	Prediction of donor related lung injury in clinical lung transplantation using a validated ex vivo lung perfusion inflammation score. <i>Journal of Heart and Lung Transplantation</i> , 2021 , 40, 687-695	5.8	4
168	Neurocognitive outcomes in Malawian children exposed to malaria during pregnancy: An observational birth cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003701	11.6	0
167	Prognostic Accuracy of Soluble Triggering Receptor Expressed on Myeloid Cells (sTREM-1)-based Algorithms in Febrile Adults Presenting to Tanzanian Outpatient Clinics. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1304-1312	11.6	16
166	GeoSentinel surveillance of travel-associated infections: What lies in the future?. <i>Travel Medicine and Infectious Disease</i> , 2020 , 36, 101600	8.4	1
165	Traveller exposures to animals: a GeoSentinel analysis. <i>Journal of Travel Medicine</i> , 2020 , 27,	12.9	11
164	Anemia and transfusion requirements among Ugandan children with severe malaria treated with intravenous artesunate. <i>Pediatric Hematology and Oncology</i> , 2020 , 37, 140-152	1.7	2
163	Malaria in Pregnancy and Adverse Birth Outcomes: New Mechanisms and Therapeutic Opportunities. <i>Trends in Parasitology</i> , 2020 , 36, 127-137	6.4	10

162	Protecting Frontline Health Care Workers from COVID-19 with Hydroxychloroquine Pre-exposure Prophylaxis: A structured summary of a study protocol for a randomised placebo-controlled multisite trial in Toronto, Canada. <i>Trials</i> , 2020 , 21, 647	2.8	6
161	Pregnant Women in Low- and Middle-Income Countries Require a Special Focus During the COVID-19 Pandemic. <i>Frontiers in Global Women S Health</i> , 2020 , 1, 564560	8.4	7
160	Clinical trials to assess adjuvant therapeutics for severe malaria. <i>Malaria Journal</i> , 2020 , 19, 268	3.6	1
159	Host-Based Prognostic Biomarkers to Improve Risk Stratification and Outcome of Febrile Children in Low- and Middle-Income Countries. <i>Frontiers in Pediatrics</i> , 2020 , 8, 552083	3.4	2
158	Endothelial Activation, Acute Kidney Injury, and Cognitive Impairment in Pediatric Severe Malaria. <i>Critical Care Medicine</i> , 2020 , 48, e734-e743	1.4	14
157	The Impact of Infection in Pregnancy on Placental Vascular Development and Adverse Birth Outcomes. <i>Frontiers in Microbiology</i> , 2019 , 10, 1924	5.7	34
156	Early malaria infection, dysregulation of angiogenesis, metabolism and inflammation across pregnancy, and risk of preterm birth in Malawi: A cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002914	11.6	19
155	Dysregulation of solute carrier transporters in malaria-infected pregnant mice. <i>Parasite Immunology</i> , 2019 , 41, e12614	2.2	3
154	Perspective: L-arginine and L-citrulline Supplementation in Pregnancy: A Potential Strategy to Improve Birth Outcomes in Low-Resource Settings. <i>Advances in Nutrition</i> , 2019 , 10, 765-777	10	19
153	Systemic inflammation is associated with malaria and preterm birth in women living with HIV on antiretrovirals and co-trimoxazole. <i>Scientific Reports</i> , 2019 , 9, 6758	4.9	5
152	Cutaneous and mucocutaneous leishmaniasis in travellers and migrants: a 20-year GeoSentinel Surveillance Network analysis. <i>Journal of Travel Medicine</i> , 2019 , 26,	12.9	20
151	A Direct from Blood/Plasma Reverse Transcription-Polymerase Chain Reaction for Dengue Virus Detection in Point-of-Care Settings. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019 , 100, 1534-1540	3.2	6
150	Biomarkers of endothelial activation/dysfunction distinguish sub-groups of Ugandan patients with sepsis and differing mortality risks. <i>JCI Insight</i> , 2019 , 5,	9.9	4
149	New insights into microvascular injury to inform enhanced diagnostics and therapeutics for severe malaria. <i>Virulence</i> , 2019 , 10, 1034-1046	4.7	8
148	Vitamin D Concentration during Early Pregnancy and Adverse Outcomes among HIV-Negative Women in Dar-es-Salaam, Tanzania: A Case-Control Study. <i>Nutrients</i> , 2019 , 11,	6.7	1
147	Single-dose radical cure for Plasmodium vivax. <i>Journal of Travel Medicine</i> , 2019 , 26,	12.9	1
146	Spectrum of illness in migrants to Canada: sentinel surveillance through CanTravNet. <i>Journal of Travel Medicine</i> , 2019 , 26,	12.9	11
145	Plasmodium falciparum-CD36 Structure-Function Relationships Defined by Ortholog Scanning Mutagenesis. <i>Journal of Infectious Diseases</i> , 2019 , 219, 945-954	7	3

144	Rocaglates as dual-targeting agents for experimental cerebral malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E2366-E2375	11.5	14
143	Business travel-associated illness: a GeoSentinel analysis. <i>Journal of Travel Medicine</i> , 2018 , 25,	12.9	32
142	Malaria in pregnancy alters l-arginine bioavailability and placental vascular development. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	27
141	Estradiol Levels Are Altered in Human Immunodeficiency Virus-Infected Pregnant Women Randomized to Efavirenz-Versus Lopinavir/Ritonavir-Based Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2018 , 66, 428-436	11.6	15
140	Chitinase-3-like 1 is a biomarker of acute kidney injury and mortality in paediatric severe malaria. <i>Malaria Journal</i> , 2018 , 17, 82	3.6	15
139	Endothelial Activation: The Ang/Tie Axis in Sepsis. <i>Frontiers in Immunology</i> , 2018 , 9, 838	8.4	45
138	Complement and Malaria in Pregnancy 2018 , 91-105		1
137	Solar-Powered Oxygen Delivery in Low-Resource Settings: A Randomized Clinical Noninferiority Trial. <i>JAMA Pediatrics</i> , 2018 , 172, 694-696	8.3	9
136	Biomarkers of endothelial dysfunction predict sepsis mortality in young infants: a matched case-control study. <i>BMC Pediatrics</i> , 2018 , 18, 118	2.6	16
135	Adjunctive therapy for severe malaria: a review and critical appraisal. <i>Malaria Journal</i> , 2018 , 17, 47	3.6	48
134	Inhaled nitric oxide and cognition in pediatric severe malaria: A randomized double-blind placebo controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0191550	3.7	15
133	Rabies post-exposure prophylaxis started during or after travel: A GeoSentinel analysis. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006951	4.8	18
132	Integrated fever management: disease severity markers to triage children with malaria and non-malarial febrile illness. <i>Malaria Journal</i> , 2018 , 17, 353	3.6	17
131	Rectal and Naris Swabs: Practical and Informative Samples for Analyzing the Microbiota of Critically Ill Patients. <i>MSphere</i> , 2018 , 3,	5	8
130	Underestimate of annual malaria imports to Canada. <i>Lancet Infectious Diseases</i> , 2017 , 17, 141-142	25.5	2
129	Vitamin A and Zinc Supplementation Among Pregnant Women to Prevent Placental Malaria: A Randomized, Double-Blind, Placebo-Controlled Trial in Tanzania. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017 , 96, 826-834	3.2	17
128	Surveillance report of Zika virus among Canadian travellers returning from the Americas. <i>Cmaj</i> , 2017 , 189, E334-E340	3.5	26
127	Maternal Dietary L-Arginine and Adverse Birth Outcomes in Dar es Salaam, Tanzania. <i>American Journal of Epidemiology</i> , 2017 , 186, 603-611	3.8	4

126	Altered angiogenesis as a common mechanism underlying preterm birth, small for gestational age, and stillbirth in women living with HIV. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 684.e1-684.e17	6.4	37
125	Synthetic oleanane triterpenoids enhance blood brain barrier integrity and improve survival in experimental cerebral malaria. <i>Malaria Journal</i> , 2017 , 16, 463	3.6	10
124	Malaria after international travel: a GeoSentinel analysis, 2003-2016. <i>Malaria Journal</i> , 2017 , 16, 293	3.6	41
123	miR-155 Modifies Inflammation, Endothelial Activation and Blood-Brain Barrier Dysfunction in Cerebral Malaria. <i>Molecular Medicine</i> , 2017 , 23, 24-33	6.2	43
122	Brain-derived Neurotrophic Factor Is Associated With Disease Severity and Clinical Outcome in Ugandan Children Admitted to Hospital With Severe Malaria. <i>Pediatric Infectious Disease Journal</i> , 2017 , 36, 146-150	3.4	6
121	Response to "Selection bias". <i>Cmaj</i> , 2017 , 189, E674	3.5	
120	-Nitrosogluthathione Reductase Deficiency Confers Improved Survival and Neurological Outcome in Experimental Cerebral Malaria. <i>Infection and Immunity</i> , 2017 , 85,	3.7	10
119	Safety and tolerability of adjunctive rosiglitazone treatment for children with uncomplicated malaria. <i>Malaria Journal</i> , 2017 , 16, 215	3.6	14
118	Validation of two multiplex platforms to quantify circulating markers of inflammation and endothelial injury in severe infection. <i>PLoS ONE</i> , 2017 , 12, e0175130	3.7	31
117	Alterations in Systemic Extracellular Heme and Hemopexin Are Associated With Adverse Clinical Outcomes in Ugandan Children With Severe Malaria. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1268-75	7	29
116	Dysregulation of angiopoietin-1 plays a mechanistic role in the pathogenesis of cerebral malaria. <i>Science Translational Medicine</i> , 2016 , 8, 358ra128	17.5	51
115	A common TLR1 polymorphism is associated with higher parasitaemia in a Southeast Asian population with Plasmodium falciparum malaria. <i>Malaria Journal</i> , 2016 , 15, 12	3.6	9
114	Endothelial activation, haemostasis and thrombosis biomarkers in Ugandan children with severe malaria participating in a clinical trial. <i>Malaria Journal</i> , 2016 , 15, 56	3.6	20
113	Biomarkers of hypoxia, endothelial and circulatory dysfunction among climbers in Nepal with AMS and HAPE: a prospective case-control study. <i>Journal of Travel Medicine</i> , 2016 , 23,	12.9	12
112	Gene control of tyrosine kinase TIE2 and vascular manifestations of infections. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 2472-7	11.5	63
111	Malaria in travellers returning or migrating to Canada: surveillance report from CanTravNet surveillance data, 2004-2014. <i>CMAJ Open</i> , 2016 , 4, E352-E358	2.5	17
110	Low prevalence of laboratory-confirmed malaria in clinically diagnosed adult women from the Wakiso district of Uganda. <i>Malaria Journal</i> , 2016 , 15, 555	3.6	13
109	Angiogenic proteins, placental weight and perinatal outcomes among pregnant women in Tanzania. <i>PLoS ONE</i> , 2016 , 11, e0167716	3.7	9

108	Methemoglobin and nitric oxide therapy in Ugandan children hospitalized for febrile illness: results from a prospective cohort study and randomized double-blind placebo-controlled trial. <i>BMC Pediatrics</i> , 2016 , 16, 177	2.6	5
107	Acute Kidney Injury Is Common in Pediatric Severe Malaria and Is Associated With Increased Mortality. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw046	1	49
106	CD47-SIRPα Interactions Regulate Macrophage Uptake of Plasmodium falciparum-Infected Erythrocytes and Clearance of Malaria In Vivo. <i>Infection and Immunity</i> , 2016 , 84, 2002-2011	3.7	24
105	Host Biomarkers Are Associated With Response to Therapy and Long-Term Mortality in Pediatric Severe Malaria. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw134	1	18
104	Prospective validation of pediatric disease severity scores to predict mortality in Ugandan children presenting with malaria and non-malaria febrile illness. <i>Critical Care</i> , 2015 , 19, 47	10.8	24
103	Host biomarkers are associated with progression to dengue haemorrhagic fever: a nested case-control study. <i>International Journal of Infectious Diseases</i> , 2015 , 40, 45-53	10.5	29
102	Inhaled nitric oxide as adjunctive therapy for severe malaria: a randomized controlled trial. <i>Malaria Journal</i> , 2015 , 14, 421	3.6	44
101	Dysregulation of the haem-haemopexin axis is associated with severe malaria in a case-control study of Ugandan children. <i>Malaria Journal</i> , 2015 , 14, 511	3.6	15
100	Solar-powered oxygen delivery: study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 297	2.8	7
99	Dermatoses among returned Canadian travellers and immigrants: surveillance report based on CanTravNet data, 2009-2012. <i>CMAJ Open</i> , 2015 , 3, E119-26	2.5	12
98	Complement Activation in Placental Malaria. <i>Frontiers in Microbiology</i> , 2015 , 6, 1460	5.7	11
97	Biomarkers of Host Response Predict Primary End-Point Radiological Pneumonia in Tanzanian Children with Clinical Pneumonia: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0137592	3.7	29
96	Biomarkers of Endothelial Activation Are Associated with Poor Outcome in Critical Illness. <i>PLoS ONE</i> , 2015 , 10, e0141251	3.7	68
95	Experimental Malaria in Pregnancy Induces Neurocognitive Injury in Uninfected Offspring via a C5a-C5a Receptor Dependent Pathway. <i>PLoS Pathogens</i> , 2015 , 11, e1005140	7.6	28
94	Failure of atovaquone-proguanil malaria chemoprophylaxis in a traveler to Ghana. <i>Travel Medicine and Infectious Disease</i> , 2015 , 13, 89-93	8.4	11
93	Inflammatory and Angiogenic Factors at Mid-Pregnancy Are Associated with Spontaneous Preterm Birth in a Cohort of Tanzanian Women. <i>PLoS ONE</i> , 2015 , 10, e0134619	3.7	14
92	Use of a three-band HRP2/pLDH combination rapid diagnostic test increases diagnostic specificity for falciparum malaria in Ugandan children. <i>Malaria Journal</i> , 2014 , 13, 43	3.6	28
91	Host biomarkers distinguish dengue from leptospirosis in Colombia: a case-control study. <i>BMC Infectious Diseases</i> , 2014 , 14, 35	4	16

90	Mesenchymal stromal (stem) cells suppress pro-inflammatory cytokine production but fail to improve survival in experimental staphylococcal toxic shock syndrome. <i>BMC Immunology</i> , 2014 , 15, 1	3.7	34
89	Malaria infection alters the expression of hepatobiliary and placental drug transporters in pregnant mice. <i>Drug Metabolism and Disposition</i> , 2014 , 42, 603-10	4	16
88	Prevention of Malaria in Travelers: Bite Avoidance and Chemoprophylactic Measures. <i>Current Treatment Options in Infectious Diseases</i> , 2014 , 6, 47-57	1	1
87	Performance of point-of-care diagnostics for glucose, lactate, and hemoglobin in the management of severe malaria in a resource-constrained hospital in Uganda. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014 , 90, 605-8	3.2	14
86	CD36 and malaria: friends or foes? A decade of data provides some answers. <i>Trends in Parasitology</i> , 2014 , 30, 436-44	6.4	31
85	Chitinase 3-like 1 is induced by Plasmodium falciparum malaria and predicts outcome of cerebral malaria and severe malarial anaemia in a case-control study of African children. <i>Malaria Journal</i> , 2014 , 13, 279	3.6	16
84	Functional roles for C5a and C5aR but not CSL2 in the pathogenesis of human and experimental cerebral malaria. <i>Infection and Immunity</i> , 2014 , 82, 371-9	3.7	35
83	Angiogenic and inflammatory biomarkers in midpregnancy and small-for-gestational-age outcomes in Tanzania. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 509.e1-8	6.4	26
82	PPAR α agonists improve survival and neurocognitive outcomes in experimental cerebral malaria and induce neuroprotective pathways in human malaria. <i>PLoS Pathogens</i> , 2014 , 10, e1003980	7.6	37
81	Endothelial activation and dysfunction in the pathogenesis of microvascular obstruction in severe malaria--a viable target for therapeutic adjunctive intervention. <i>Journal of Infectious Diseases</i> , 2014 , 210, 163-4	7	4
80	Travel-acquired infections and illnesses in Canadians: surveillance report from CanTravNet surveillance data, 2009-2011. <i>Open Medicine</i> , 2014 , 8, e20-32		28
79	Systemic release of high mobility group box 1 (HMGB1) protein is associated with severe and fatal Plasmodium falciparum malaria. <i>Malaria Journal</i> , 2013 , 12, 105	3.6	30
78	The impact of placental malaria on neurodevelopment of exposed infants: a role for the complement system?. <i>Trends in Parasitology</i> , 2013 , 29, 213-9	6.4	17
77	Multimolecular signaling complexes enable Syk-mediated signaling of CD36 internalization. <i>Developmental Cell</i> , 2013 , 24, 372-83	10.2	83
76	Complement activation and the resulting placental vascular insufficiency drives fetal growth restriction associated with placental malaria. <i>Cell Host and Microbe</i> , 2013 , 13, 215-26	23.4	91
75	Contrasting pediatric and adult cerebral malaria: the role of the endothelial barrier. <i>Virulence</i> , 2013 , 4, 543-55	4.7	43
74	Dysregulation of angiopoietin 1 and 2 in Escherichia coli O157:H7 infection and the hemolytic-uremic syndrome. <i>Journal of Infectious Diseases</i> , 2013 , 208, 929-33	7	25
73	Mesenchymal stromal (stem) cell therapy fails to improve outcomes in experimental severe influenza. <i>PLoS ONE</i> , 2013 , 8, e71761	3.7	38

72	Malaria in pregnancy: diagnosing infection and identifying fetal risk. <i>Expert Review of Anti-Infective Therapy</i> , 2012 , 10, 1331-42	5.5	16
71	ABO blood groups influence macrophage-mediated phagocytosis of Plasmodium falciparum-infected erythrocytes. <i>PLoS Pathogens</i> , 2012 , 8, e1002942	7.6	35
70	Angiopoietin-2 levels are associated with retinopathy and predict mortality in Malawian children with cerebral malaria: a retrospective case-control study*. <i>Critical Care Medicine</i> , 2012 , 40, 952-9	1.4	80
69	Taking the sting out of malaria. <i>Immunity</i> , 2011 , 35, 149-51	32.3	3
68	Nitric oxide for the adjunctive treatment of severe malaria: hypothesis and rationale. <i>Medical Hypotheses</i> , 2011 , 77, 437-44	3.8	21
67	S1P is associated with protection in human and experimental cerebral malaria. <i>Molecular Medicine</i> , 2011 , 17, 717-25	6.2	59
66	Inhaled nitric oxide reduces endothelial activation and parasite accumulation in the brain, and enhances survival in experimental cerebral malaria. <i>PLoS ONE</i> , 2011 , 6, e27714	3.7	53
65	Angiopoietin-1 and angiopoietin-2 as clinically informative prognostic biomarkers of morbidity and mortality in severe sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 702-10	1.4	144
64	Endothelial activation and dysregulation in malaria: a potential target for novel therapeutics. <i>Current Opinion in Hematology</i> , 2011 , 18, 177-85	3.3	55
63	Inhaled nitric oxide for the adjunctive therapy of severe malaria: protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 176	2.8	27
62	Immunopathogenesis of falciparum malaria: implications for adjunctive therapy in the management of severe and cerebral malaria. <i>Expert Review of Anti-Infective Therapy</i> , 2011 , 9, 803-19	5.5	51
61	Systemic dysregulation of angiopoietin-1/2 in streptococcal toxic shock syndrome. <i>Clinical Infectious Diseases</i> , 2011 , 52, e157-61	11.6	19
60	Combinations of host biomarkers predict mortality among Ugandan children with severe malaria: a retrospective case-control study. <i>PLoS ONE</i> , 2011 , 6, e17440	3.7	102
59	Circulating soluble endoglin levels in pregnant women in Cameroon and Malawi--associations with placental malaria and fetal growth restriction. <i>PLoS ONE</i> , 2011 , 6, e24985	3.7	29
58	Performance characteristics of combinations of host biomarkers to identify women with occult placental malaria: a case-control study from Malawi. <i>PLoS ONE</i> , 2011 , 6, e28540	3.7	30
57	Complement driven innate immune response to malaria: fuelling severe malarial diseases. <i>Cellular Microbiology</i> , 2010 , 12, 1036-45	3.9	54
56	Dysregulation of angiopoietins is associated with placental malaria and low birth weight. <i>PLoS ONE</i> , 2010 , 5, e9481	3.7	51
55	Combined measurement of soluble and cellular ICAM-1 among children with Plasmodium falciparum malaria in Uganda. <i>Malaria Journal</i> , 2010 , 9, 233	3.6	19

54	Cysteamine, the natural metabolite of pantetheinase, shows specific activity against Plasmodium. <i>Experimental Parasitology</i> , 2010 , 125, 315-24	2.1	24
53	Malaria exacerbates experimental mycobacterial infection in vitro and in vivo. <i>Microbes and Infection</i> , 2010 , 12, 864-74	9.3	26
52	Endothelium-based biomarkers are associated with cerebral malaria in Malawian children: a retrospective case-control study. <i>PLoS ONE</i> , 2010 , 5, e15291	3.7	92
51	Serum angiopoietin-1 and -2 levels discriminate cerebral malaria from uncomplicated malaria and predict clinical outcome in African children. <i>PLoS ONE</i> , 2009 , 4, e4912	3.7	150
50	C5a enhances dysregulated inflammatory and angiogenic responses to malaria in vitro: potential implications for placental malaria. <i>PLoS ONE</i> , 2009 , 4, e4953	3.7	57
49	Use of peroxisome proliferator-activated receptor gamma agonists as adjunctive treatment for Plasmodium falciparum malaria: a randomized, double-blind, placebo-controlled trial. <i>Clinical Infectious Diseases</i> , 2009 , 49, 841-9	11.6	57
48	Rosiglitazone modulates the innate immune response to Plasmodium falciparum infection and improves outcome in experimental cerebral malaria. <i>Journal of Infectious Diseases</i> , 2009 , 199, 1536-45	7	57
47	Whole blood angiopoietin-1 and -2 levels discriminate cerebral and severe (non-cerebral) malaria from uncomplicated malaria. <i>Malaria Journal</i> , 2009 , 8, 295	3.6	84
46	CD36 and TLR interactions in inflammation and phagocytosis: implications for malaria. <i>Journal of Immunology</i> , 2009 , 183, 6452-9	5.3	73
45	Inflammatory pathways in malaria infection: TLRs share the stage with other components of innate immunity. <i>Molecular and Biochemical Parasitology</i> , 2008 , 162, 105-11	1.9	31
44	C5 deficiency and C5a or C5aR blockade protects against cerebral malaria. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1133-43	16.6	82
43	Pyruvate kinase deficiency and malaria. <i>New England Journal of Medicine</i> , 2008 , 358, 1805-10	59.2	80
42	Parasite burden and CD36-mediated sequestration are determinants of acute lung injury in an experimental malaria model. <i>PLoS Pathogens</i> , 2008 , 4, e1000068	7.6	69
41	Seasonality, annual trends, and characteristics of dengue among ill returned travelers, 1997-2006. <i>Emerging Infectious Diseases</i> , 2008 , 14, 1081-8	10.2	137
40	Malaria Chemoprophylaxis 2008 , 137-157		
39	Tafenoquine: a promising new antimalarial agent. <i>Expert Opinion on Investigational Drugs</i> , 2007 , 16, 705-15	3.5	59
38	Disruption of CD36 impairs cytokine response to Plasmodium falciparum glycosylphosphatidylinositol and confers susceptibility to severe and fatal malaria in vivo. <i>Journal of Immunology</i> , 2007 , 178, 3954-61	5.3	65
37	Expression microarray analysis implicates apoptosis and interferon-responsive mechanisms in susceptibility to experimental cerebral malaria. <i>American Journal of Pathology</i> , 2007 , 171, 1894-903	5.8	53

36	ATOVAQUONE-PROGUANIL: REPORT FROM THE CDC EXPERT MEETING ON MALARIA CHEMOPROPHYLAXIS (II). <i>American Journal of Tropical Medicine and Hygiene</i> , 2007 , 76, 208-223	3.2	66
35	Illness in travelers visiting friends and relatives: a review of the GeoSentinel Surveillance Network. <i>Clinical Infectious Diseases</i> , 2006 , 43, 1185-93	11.6	277
34	Placental chondroitin sulfate A-binding malarial isolates evade innate phagocytic clearance. <i>Journal of Infectious Diseases</i> , 2006 , 194, 133-9	7	49
33	Peroxisome proliferator-activated receptor gamma and retinoid X receptor agonists have minimal effects on the interaction of endothelial cells with Plasmodium falciparum-infected erythrocytes. <i>Infection and Immunity</i> , 2005 , 73, 1209-13	3.7	10
32	EMERGENCE OF ATOVAQUONE-PROGUANIL RESISTANCE DURING TREATMENT OF PLASMODIUM FALCIPARUM MALARIA ACQUIRED BY A NON-IMMUNE NORTH AMERICAN TRAVELLER TO WEST AFRICA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005 , 72, 407-409	3.2	49
31	Drug-resistant Malaria 2004 , 335-360		
30	CD36 mediates the phagocytosis of Plasmodium falciparum-infected erythrocytes by rodent macrophages. <i>Journal of Infectious Diseases</i> , 2004 , 189, 204-13	7	109
29	Malaria in travelers: a review of the GeoSentinel surveillance network. <i>Clinical Infectious Diseases</i> , 2004 , 39, 1104-12	11.6	199
28	Atovaquone/proguanil: the need for family protection. <i>Journal of Travel Medicine</i> , 2003 , 10 Suppl 1, S8-12; discussion S21	12.9	3
27	CD36 and malaria: friends or foes?. <i>Trends in Parasitology</i> , 2003 , 19, 461-9	6.4	80
26	Current status and replies to frequently posed questions on atovaquone plus proguanil (Malarone) for the prevention of malaria. <i>BioDrugs</i> , 2003 , 17 Suppl 1, 23-8	7.9	6
25	Genetic confirmation of atovaquone-proguanil-resistant Plasmodium falciparum malaria acquired by a nonimmune traveler to East Africa. <i>Clinical Infectious Diseases</i> , 2003 , 37, 450-1	11.6	85
24	Novel disulfides as anticancer/antimalarial agents. <i>Sulfur Letters</i> , 2003 , 26, 149-154		14
23	Mechanism of protection induced by vitamin A in falciparum malaria. <i>Lancet, The</i> , 2002 , 359, 1404-6	4.0	49
22	PCR-based ELISA technique for malaria diagnosis of specimens from Thailand. <i>Tropical Medicine and International Health</i> , 2001 , 6, 458-62	2.3	25
21	Peroxisome proliferator-activated receptor gamma-retinoid X receptor agonists increase CD36-dependent phagocytosis of Plasmodium falciparum-parasitized erythrocytes and decrease malaria-induced TNF-alpha secretion by monocytes/macrophages. <i>Journal of Immunology</i> , 2001 , 166, 6742-8	5.3	89
20	Malaria chemoprophylaxis in the age of drug resistance. II. Drugs that may be available in the future. <i>Clinical Infectious Diseases</i> , 2001 , 33, 381-5	11.6	59
19	Malaria chemoprophylaxis in the age of drug resistance. I. Currently recommended drug regimens. <i>Clinical Infectious Diseases</i> , 2001 , 33, 226-34	11.6	66

18	Nonpathogenic Protozoa: Laboratory Reporting Practices in Canada and the United States. <i>Laboratory Medicine</i> , 2001 , 32, 455-456	1.6	2
17	Reply from Dr Kevin Kain. <i>Tropical Doctor</i> , 2000 , 30, 125-125	0.9	
16	Nonopsonic monocyte/macrophage phagocytosis of Plasmodium falciparum-parasitized erythrocytes: a role for CD36 in malarial clearance. <i>Blood</i> , 2000 , 96, 3231-3240	2.2	206
15	Nonylphenoethoxylates as malarial chloroquine resistance reversal agents. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 2431-4	5.9	14
14	Health advice and immunizations for travelers. <i>New England Journal of Medicine</i> , 2000 , 342, 1716-25	59.2	141
13	Atovaquone-proguanil versus chloroquine-proguanil for malaria prophylaxis in non-immune travellers: a randomised, double-blind study. Malarone International Study Team. <i>Lancet, The</i> , 2000 , 356, 1888-94	40	117
12	Nonopsonic monocyte/macrophage phagocytosis of Plasmodium falciparum-parasitized erythrocytes: a role for CD36 in malarial clearance. <i>Blood</i> , 2000 , 96, 3231-3240	2.2	2
11	Plasmodium falciparum-infected erythrocytes and oxidized low-density lipoprotein bind to separate domains of CD36. <i>Journal of Infectious Diseases</i> , 1999 , 180, 473-9	7	5
10	Evaluation of a colorimetric PCR-based assay to diagnose Plasmodium falciparum malaria in travelers. <i>Journal of Clinical Microbiology</i> , 1999 , 37, 339-41	9.7	33
9	Immunochromatographic strip-based detection of Entamoeba histolytica-E. dispar and Giardia lamblia coproantigen. <i>Journal of Clinical Microbiology</i> , 1999 , 37, 3017-9	9.7	26
8	Comparison of the ParaSight-F test and the ICT Malaria Pf test with the polymerase chain reaction for the diagnosis of Plasmodium falciparum malaria in travellers. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1998 , 92, 166-9	2	87
7	Malaria in travelers. Epidemiology, disease, and prevention. <i>Infectious Disease Clinics of North America</i> , 1998 , 12, 267-84	6.5	63
6	Malaria: Probably locally acquired in Toronto, Ontario. <i>Canadian Journal of Infectious Diseases & Medical Microbiology</i> , 1998 , 9, 183-4		3
5	The Plasmodium falciparum-CD36 Interaction Is Modified by a Single Amino Acid Substitution in CD36. <i>Blood</i> , 1998 , 92, 1814-1819	2.2	24
4	Outbreak of trichinosis in Ontario secondary to the ingestion of wild boar meat. <i>Canadian Journal of Public Health</i> , 1997 , 88, 52-6	3.2	13
3	Plasmodium vivax infections in U.S. Army troops: failure of primaquine to prevent relapse in studies from Somalia. <i>American Journal of Tropical Medicine and Hygiene</i> , 1997 , 56, 231-4	3.2	49
2	Parasight F test compared with the polymerase chain reaction and microscopy for the diagnosis of Plasmodium falciparum malaria in travelers. <i>American Journal of Tropical Medicine and Hygiene</i> , 1997 , 56, 44-8	3.2	134
1	Chemotherapy of drug-resistant malaria. <i>Canadian Journal of Infectious Diseases & Medical Microbiology</i> , 1996 , 7, 25-33		7

