William V Bobo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5112063/publications.pdf

Version: 2024-02-01

| 126 | 4,093 | 35 | 56 |
|----------|----------------|--------------|---------------------|
| papers | citations | h-index | g-index |
| 130 | 130 | 130 | 6116 citing authors |
| all docs | docs citations | times ranked | |

| # | Article | IF | CITATIONS |
|----|--|------------------|---------------------|
| 1 | Antipsychotics and the Risk of Type 2 Diabetes Mellitus in Children and Youth. JAMA Psychiatry, 2013, 70, 1067. | 6.0 | 194 |
| 2 | Prevalence of Multimorbidity in a Geographically Defined American Population. Mayo Clinic Proceedings, 2014, 89, 1336-1349. | 1.4 | 193 |
| 3 | Risk of developing multimorbidity across all ages in an historical cohort study: differences by sex and ethnicity. BMJ Open, 2015, 5, e006413-e006413. | 0.8 | 180 |
| 4 | The PHQ-9 Item 9 based screening for suicide risk: a validation study of the Patient Health Questionnaire (PHQ)â^'9 Item 9 with the Columbia Suicide Severity Rating Scale (C-SSRS). Journal of Affective Disorders, 2018, 232, 34-40. | 2.0 | 136 |
| 5 | Guidelines for the evaluation and treatment of perimenopausal depression: summary and recommendations. Menopause, 2018, 25, 1069-1085. | 0.8 | 122 |
| 6 | Increasing pregnancy-related use of prescribed opioid analgesics. Annals of Epidemiology, 2013, 23, 498-503. | 0.9 | 111 |
| 7 | Prevalence and trends in the use of antipsychotic medications during pregnancy in the U.S., 2001–2007: a population-based study of 585,615 deliveries. Archives of Women's Mental Health, 2013, 16, 149-157. | 1.2 | 107 |
| 8 | Antidepressant discontinuation syndrome. American Family Physician, 2006, 74, 449-56. | 0.1 | 100 |
| 9 | Guidelines for the Evaluation and Treatment of Perimenopausal Depression: Summary and Recommendations. Journal of Women's Health, 2019, 28, 117-134. | 1.5 | 96 |
| 10 | KETAMINE FOR TREATMENT-RESISTANT UNIPOLAR AND BIPOLAR MAJOR DEPRESSION: CRITICAL REVIEW AND IMPLICATIONS FOR CLINICAL PRACTICE. Depression and Anxiety, 2016, 33, 698-710. | 2.0 | 94 |
| 11 | Continuation phase intravenous ketamine in adults with treatment-resistant depression. Journal of Affective Disorders, 2016, 206, 300-304. | 2.0 | 80 |
| 12 | Medical burden in bipolar disorder: findings from the Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder study (Bipolar <scp>CHOICE</scp>). Bipolar Disorders, 2015, 17, 212-223. | 1.1 | 77 |
| 13 | Association of exercise with quality of life and mood symptoms in a comparative effectiveness study of bipolar disorder. Journal of Affective Disorders, 2013, 151, 722-727. | 2.0 | 76 |
| 14 | Pharmacogenomicsâ€Driven Prediction of Antidepressant Treatment Outcomes: A Machineâ€Learning Approach With Multiâ€trial Replication. Clinical Pharmacology and Therapeutics, 2019, 106, 855-865. | 2.3 | 69 |
| 15 | Bipolar CHOICE (Clinical Health Outcomes Initiative in Comparative Effectiveness). Journal of Clinical Psychiatry, 2016, 77, 90-99. | 1.1 | 69 |
| 16 | Trends in the Use of Antiepileptic Drugs among Pregnant Women in the US, 2001–2007: A Medication Exposure in Pregnancy Risk Evaluation Program Study. Paediatric and Perinatal Epidemiology, 2012, 26, 578-588. | 0.8 | 68 |
| 17 | Prevalence and correlates of DSM-5 eating disorders in patients with bipolar disorder. Journal of Affective Disorders, 2016, 191, 216-221. | 2.0 | 62 |
| 18 | Clinical and Health Outcomes Initiative in Comparative Effectiveness for Bipolar Disorder (Bipolar) Tj ETQq0 0 0 r | gBT /Over 0.7 | lock 10 Tf 50 60 |

114-127.

| # | ARTICLE Validation of the 17a€item <scp>Hamilton Depression Rating Scale </scp> definition of response for | IF | Citations |
|----|---|-----|-----------|
| 19 | adults with major depressive disorder using equipercentile linking to <scp>Clinical Global Impression</scp> scale ratings: analysis of <scp>Pharmacogenomic Research Network Antidepressant Medication Pharmacogenomic Study</scp> (PGRNâ€AMPS) data. Human Psychopharmacology, 2016, 31, | 0.7 | 60 |
| 20 | Beta-defensin 1, aryl hydrocarbon receptor and plasma kynurenine in major depressive disorder: metabolomics-informed genomics. Translational Psychiatry, 2018, 8, 10. | 2.4 | 59 |
| 21 | Maternal Use of Specific Antidepressant Medications During Early Pregnancy and the Risk of Selected Birth Defects. JAMA Psychiatry, 2020, 77, 1246. | 6.0 | 58 |
| 22 | The Diagnosis and Management of Bipolar I and II Disorders: Clinical Practice Update. Mayo Clinic Proceedings, 2017, 92, 1532-1551. | 1.4 | 55 |
| 23 | The brainâ€derived neurotrophic factor (BDNF) Val66Met polymorphism is associated with increased body mass index and insulin resistance measures in bipolar disorder and schizophrenia. Bipolar Disorders, 2015, 17, 528-535. | 1.1 | 52 |
| 24 | Concise Review for Physicians and Other Clinicians: Postpartum Depression. Mayo Clinic Proceedings, 2014, 89, 835-844. | 1.4 | 51 |
| 25 | Prevalence of Combined Somatic and Mental Health Multimorbidity: Patterns by Age, Sex, and Race/Ethnicity. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1483-1491. | 1.7 | 48 |
| 26 | Factors affecting outcome in schizophrenia and their relevance for psychopharmacological treatment. International Clinical Psychopharmacology, 2007, 22, 249-267. | 0.9 | 46 |
| 27 | Randomized comparison of selective serotonin reuptake inhibitor (escitalopram) monotherapy and antidepressant combination pharmacotherapy for major depressive disorder with melancholic features: A CO-MED report. Journal of Affective Disorders, 2011, 133, 467-476. | 2.0 | 45 |
| 28 | Increasing use of atypical antipsychotics and anticonvulsants during pregnancy. Pharmacoepidemiology and Drug Safety, 2013, 22, 794-801. | 0.9 | 44 |
| 29 | Association of schizophrenia polygenic risk score with manic and depressive psychosis in bipolar disorder. Translational Psychiatry, 2018, 8, 188. | 2.4 | 44 |
| 30 | Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder: Efficacy Results From a Randomized, Double-Blind, Placebo-Controlled Study. American Journal of Psychiatry, 2015, 172, 1251-1258. | 4.0 | 43 |
| 31 | Risperidone long-acting injectable (Risperdal Consta $<$ sup $>$ Â $^{\odot}<$ /sup $>$) for maintenance treatment in patients with bipolar disorder. Expert Review of Neurotherapeutics, 2010, 10, 1637-1658. | 1.4 | 41 |
| 32 | A 12-Month Randomized, Open-Label Study of the Metabolic Effects of Olanzapine and Risperidone in Psychotic Patients. Journal of Clinical Psychiatry, 2011, 72, 1602-1610. | 1.1 | 40 |
| 33 | Interpreting the Efficacy Findings in the CATIE Study: What Clinicians Should Know. CNS Spectrums, 2006, 11, 14-24. | 0.7 | 39 |
| 34 | Association of the Polygenic Scores for Personality Traits and Response to Selective Serotonin Reuptake Inhibitors in Patients with Major Depressive Disorder. Frontiers in Psychiatry, 2018, 9, 65. | 1.3 | 38 |
| 35 | Sex differences in the risk of rapid cycling and other indicators of adverse illness course in patients with bipolar I and II disorder. Bipolar Disorders, 2015, 17, 670-676. | 1.1 | 37 |
| 36 | The relative influence of individual risk factors for attempted suicide in patients with bipolar I versus bipolar II disorder. Journal of Affective Disorders, 2018, 225, 489-494. | 2.0 | 37 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Association of Cytomegalovirus and <i>Toxoplasma gondii</i> Antibody Titers With Bipolar Disorder. JAMA Psychiatry, 2019, 76, 1285. | 6.0 | 36 |
| 38 | Acylcarnitine metabolomic profiles inform clinically-defined major depressive phenotypes. Journal of Affective Disorders, 2020, 264, 90-97. | 2.0 | 36 |
| 39 | Selective serotonin reuptake inhibitor treatment of post traumatic Klüver-Bucy syndrome. Brain Injury, 1999, 13, 59-62. | 0.6 | 35 |
| 40 | Augmentation of Physician Assessments with Multi-Omics Enhances Predictability of Drug Response: A Case Study of Major Depressive Disorder. IEEE Computational Intelligence Magazine, 2018, 13, 20-31. | 3.4 | 34 |
| 41 | Characteristics of Repeat Users of an Inpatient Psychiatry Service at a Large Military Tertiary Care Hospital. Military Medicine, 2004, 169, 648-653. | 0.4 | 32 |
| 42 | The effect of adjunctive armodafinil on cognitive performance and psychopathology in antipsychotic-treated patients with schizophrenia/schizoaffective disorder: A randomized, double-blind, placebo-controlled trial. Schizophrenia Research, 2011, 130, 106-113. | 1.1 | 32 |
| 43 | Soldier Peer Mentoring Care and Support: Bringing Psychological Awareness to the Front. Military Medicine, 2005, 170, 355-361. | 0.4 | 31 |
| 44 | Comparative effectiveness of switching antipsychotic drug treatment to aripiprazole or ziprasidone for improving metabolic profile and atherogenic dyslipidemia: a 12-month, prospective, open-label study. Journal of Psychopharmacology, 2012, 26, 1201-1210. | 2.0 | 29 |
| 45 | Current landscape, unmet needs, and future directions for treatment of bipolar depression. Journal of Affective Disorders, 2014, 169, S17-S23. | 2.0 | 29 |
| 46 | Clinical features of bipolar spectrum with binge eating behaviour. Journal of Affective Disorders, 2016, 201, 95-98. | 2.0 | 29 |
| 47 | Mapping depression rating scale phenotypes onto research domain criteria (RDoC) to inform biological research in mood disorders. Journal of Affective Disorders, 2018, 238, 1-7. | 2.0 | 28 |
| 48 | Positive predictive value of automated database records for diabetic ketoacidosis (DKA) in children and youth exposed to antipsychotic drugs or control medications: a tennessee medicaid study. BMC Medical Research Methodology, 2011, 11, 157. | 1.4 | 27 |
| 49 | Quantifying the impact of chronic conditions on a diagnosis of major depressive disorder in adults: a cohort study using linked electronic medical records. BMC Psychiatry, 2016, 16, 114. | 1.1 | 27 |
| 50 | Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. Journal of Affective Disorders, 2016, 194, 120-127. | 2.0 | 27 |
| 51 | The association of obesity and coronary artery disease genes with response to SSRIs treatment in major depression. Journal of Neural Transmission, 2019, 126, 35-45. | 1.4 | 27 |
| 52 | The Effect of Psychiatric Third-Year Rotation Setting on Academic Performance, Student Attitudes, and Specialty Choice. Academic Psychiatry, 2009, 33, 105-111. | 0.4 | 26 |
| 53 | Complex polypharmacy in bipolar disorder: Side effect burden, adherence, and response predictors. Journal of Affective Disorders, 2019, 257, 17-22. | 2.0 | 26 |
| 54 | A randomized trial comparing clozapine and typical neuroleptic drugs in non-treatment-resistant schizophrenia. Psychiatry Research, 2010, 177, 286-293. | 1.7 | 24 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Asenapine, iloperidone and lurasidone: critical appraisal of the most recently approved pharmacotherapies for schizophrenia in adults. Expert Review of Clinical Pharmacology, 2013, 6, 61-91. | 1.3 | 22 |
| 56 | A tool to predict suicidal ideation and behavior in bipolar disorder: The Concise Health Risk Tracking Self-Report. Journal of Affective Disorders, 2016, 192, 212-218. | 2.0 | 22 |
| 57 | Time trends of antidepressant drug prescriptions in men versus women in a geographically defined US population. Archives of Women's Mental Health, 2014, 17, 485-492. | 1.2 | 21 |
| 58 | Psychotherapy use in bipolar disorder: Association with functioning and illness severity. Australian and New Zealand Journal of Psychiatry, 2015, 49, 453-461. | 1.3 | 21 |
| 59 | Evidence for a <i>SULT4A1</i> haplotype correlating with baseline psychopathology and atypical antipsychotic response. Pharmacogenomics, 2011, 12, 471-480. | 0.6 | 20 |
| 60 | Comparative Effectiveness of Second-Generation Antipsychotic Medications in Early-Onset Schizophrenia. Schizophrenia Bulletin, 2012, 38, 845-853. | 2.3 | 20 |
| 61 | Treatment of bipolar disorders during pregnancy: maternal and fetal safety and challenges. Drug, Healthcare and Patient Safety, 2015, 7, 7. | 1.0 | 20 |
| 62 | Multi-omics driven predictions of response to acute phase combination antidepressant therapy: a machine learning approach with cross-trial replication. Translational Psychiatry, 2021, 11, 513. | 2.4 | 20 |
| 63 | Treatment of nonpsychotic major depression during pregnancy: patient safety and challenges. Drug, Healthcare and Patient Safety, 2014, 6, 109. | 1.0 | 19 |
| 64 | Profile of vortioxetine in the treatment of major depressive disorder: an overview of the primary and secondary literature. Therapeutics and Clinical Risk Management, 2015, 11, 1193. | 0.9 | 19 |
| 65 | Clinical correlates of acute bipolar depressive episode with psychosis. Journal of Affective Disorders, 2017, 217, 29-33. | 2.0 | 19 |
| 66 | Efficacy, safety and tolerability of Symbyax $<$ sup $>$ Â $^{@}<$ /sup $>$ for acute-phase management of treatment-resistant depression. Expert Review of Neurotherapeutics, 2010, 10, 651-670. | 1.4 | 18 |
| 67 | Positive predictive value of a case definition for diabetes mellitus using automated administrative health data in children and youth exposed to antipsychotic drugs or control medications: a Tennessee Medicaid study. BMC Medical Research Methodology, 2012, 12, 128. | 1.4 | 18 |
| 68 | Effect of adjunctive benzodiazepines on clinical outcomes in lithium- or quetiapine-treated outpatients with bipolar I or II disorder: Results from the Bipolar CHOICE trial. Journal of Affective Disorders, 2014, 161, 30-35. | 2.0 | 18 |
| 69 | Complexity of Illness and Adjunctive Benzodiazepine Use in Outpatients With Bipolar I or II Disorder. Journal of Clinical Psychopharmacology, 2015, 35, 68-74. | 0.7 | 18 |
| 70 | Trajectories of suicidal ideation over 6 months among 482 outpatients with bipolar disorder. Journal of Affective Disorders, 2017, 223, 146-152. | 2.0 | 18 |
| 71 | Sleep disturbance may impact treatment outcome in bipolar disorder: A preliminary investigation in the context of a large comparative effectiveness trial. Journal of Affective Disorders, 2018, 225, 563-568. | 2.0 | 18 |
| 72 | Implementing the US Department of Health and Human Services definition of multimorbidity: a comparison between billing codes and medical record review in a population-based sample of persons 40 â€" 84 years old. BMJ Open, 2021, 11, e042870. | 0.8 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A Randomized Open Comparison of Long-Acting Injectable Risperidone and Treatment as Usual for Prevention of Relapse, Rehospitalization, and Urgent Care Referral in Community-Treated Patients With Rapid Cycling Bipolar Disorder. Clinical Neuropharmacology, 2011, 34, 224-233. | 0.2 | 17 |
| 74 | The association of exercise during pregnancy with trimester-specific and postpartum quality of life and depressive symptoms in a cohort of healthy pregnant women. Archives of Women's Mental Health, 2017, 21, 215-224. | 1.2 | 17 |
| 75 | Recurring Episodes of Bell's Mania After Cerebrovascular Accident. Psychosomatics, 2009, 50, 285-288. | 2.5 | 16 |
| 76 | Pharmacokinetic-Pharmacodynamic interaction associated with venlafaxine-XR remission in patients with major depressive disorder with history of citalopram / escitalopram treatment failure. Journal of Affective Disorders, 2019, 246, 62-68. | 2.0 | 16 |
| 77 | The Management of Post Traumatic Stress Disorder (PTSD) in the Primary Care Setting. Southern Medical Journal, 2007, 100, 797-802. | 0.3 | 16 |
| 78 | Current Perspectives on Chief Residents in Psychiatry. Academic Psychiatry, 2007, 31, 270-276. | 0.4 | 15 |
| 79 | Multimorbidity, ageing and mortality: normative data and cohort study in an American population. BMJ Open, 2021, 11, e042633. | 0.8 | 15 |
| 80 | Olanzapine and fluoxetine combination therapy for treatment-resistant depression: review of efficacy, safety, and study design issues. Neuropsychiatric Disease and Treatment, 2009, 5, 369. | 1.0 | 14 |
| 81 | Converting from brand-name to generic clozapine: A review of effectiveness and tolerability data. American Journal of Health-System Pharmacy, 2010, 67, 27-37. | 0.5 | 14 |
| 82 | Prediction of short-term antidepressant response using probabilistic graphical models with replication across multiple drugs and treatment settings. Neuropsychopharmacology, 2021, 46, 1272-1282. | 2.8 | 14 |
| 83 | Olanzapine monotherapy for acute depression in patients with bipolar I or II disorder: results of an 8â€week open label trial. Human Psychopharmacology, 2010, 25, 30-36. | 0.7 | 13 |
| 84 | The effect of regulatory advisories on maternal antidepressant prescribing, 1995–2007: an interrupted time series study of 228,876 pregnancies. Archives of Women's Mental Health, 2014, 17, 17-26. | 1.2 | 13 |
| 85 | Predictors of Return Visits Among Insured Emergency Department Mental Health and Substance Abuse Patients, 2005-2013. Western Journal of Emergency Medicine, 2017, 18, 884-893. | 0.6 | 13 |
| 86 | Bipolar depression and suicidal ideation: Moderators and mediators of a complex relationship. Journal of Affective Disorders, 2019, 259, 164-172. | 2.0 | 13 |
| 87 | Frequency and predictors of the potential overprescribing of antidepressants in elderly residents of a geographically defined U.S. population. Pharmacology Research and Perspectives, 2019, 7, e00461. | 1.1 | 13 |
| 88 | The impact of binge eating behavior on lithium- and quetiapine-associated changes in body weight, body mass index, and waist circumference during 6 months of treatment: Findings from the bipolar CHOICE study. Journal of Affective Disorders, 2020, 266, 772-781. | 2.0 | 13 |
| 89 | Ketamine as a Preferred Substance of Abuse. American Journal on Addictions, 2002, 11, 332-334. | 1.3 | 12 |
| 90 | Association between history of psychosis and cardiovascular disease in bipolar disorder. Bipolar Disorders, 2015, 17, 518-527. | 1.1 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|-------------|
| 91 | Cytochrome P450 2C19 Poor Metabolizer Phenotype in Treatment Resistant Depression: Treatment and Diagnostic Implications. Frontiers in Pharmacology, 2019, 10, 83. | 1.6 | 12 |
| 92 | Atypical antipsychotic use during pregnancy and birth defect risk: National Birth Defects Prevention Study, 1997–2011. Schizophrenia Research, 2020, 215, 81-88. | 1.1 | 12 |
| 93 | The Association Between Body Mass Index and Remission Rates in Patients With Treatment-Resistant Depression Who Received Intravenous Ketamine. Journal of Clinical Psychiatry, 2019, 80, . | 1.1 | 12 |
| 94 | Comorbid anxiety in bipolar CHOICE: Insights from the bipolar inventory of symptoms scale. Journal of Affective Disorders, 2019, 246, 126-131. | 2.0 | 11 |
| 95 | Sex-specific effects of gain-of-function P2RX7 variation on bipolar disorder. Journal of Affective Disorders, 2019, 245, 597-601. | 2.0 | 11 |
| 96 | The Neurobiology of Schizophrenia. , 0, , 301-316. | | 11 |
| 97 | Bipolar mixed features – Results from the comparative effectiveness for bipolar disorder (Bipolar) Tj ETQq1 1 C | .784314 r 2.0 | gBT/Overloc |
| 98 | Changes in weight and body mass index during treatment with melperone, clozapine and typical neuroleptics. Psychiatry Research, 2010, 176, 114-119. | 1.7 | 9 |
| 99 | An electronic health record driven algorithm to identify incident antidepressant medication users. Journal of the American Medical Informatics Association: JAMIA, 2014, 21, 785-791. | 2.2 | 9 |
| 100 | Treatment outcomes of acute bipolar depressive episode with psychosis. Depression and Anxiety, 2018, 35, 402-410. | 2.0 | 9 |
| 101 | Integration of machine learning and pharmacogenomic biomarkers for predicting response to antidepressant treatment: can computational intelligence be used to augment clinical assessments?. Pharmacogenomics, 2019, 20, 983-988. | 0.6 | 9 |
| 102 | Mental health conditions diagnosed before bilateral oophorectomy: a population-based case-control study. Menopause, 2019, 26, 1395-1404. | 0.8 | 9 |
| 103 | Ziprasidone Augmentation of Escitalopram for Major Depressive Disorder. Journal of Clinical Psychiatry, 2017, 78, 449-455. | 1.1 | 9 |
| 104 | Bi-directional association between depression and HF: An electronic health records-based cohort study. Journal of Comorbidity, 2020, 10, 2235042X2098405. | 3.9 | 8 |
| 105 | Tracking medication changes to assess outcomes in comparative effectiveness research: A bipolar CHOICE study. Journal of Affective Disorders, 2016, 205, 159-164. | 2.0 | 7 |
| 106 | Data-driven longitudinal modeling and prediction of symptom dynamics in major depressive disorder: Integrating factor graphs and learning methods., 2017,,. | | 7 |
| 107 | Effects of orally disintegrating vs regular olanzapine tablets on body weight, eating behavior, glycemic and lipid indices, and gastrointestinal hormones: a randomized, open comparison in outpatients with bipolar depression. Annals of Clinical Psychiatry, 2011, 23, 193-201. | 0.6 | 7 |
| 108 | Multi-Omics Characterization of Early- and Adult-Onset Major Depressive Disorder. Journal of Personalized Medicine, 2022, 12, 412. | 1.1 | 7 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Melperone, an aytpical antipsychotic drug with clozapineâ€like effect on plasma prolactin: contrast with typical neuroleptics. Human Psychopharmacology, 2009, 24, 415-422. | 0.7 | 6 |
| 110 | Depressive Symptoms and Access to Mental Health Care in Women Screened for Postpartum Depression Who Lose Health Insurance Coverage After Delivery: Findings From the Translating Research Into Practice for Postpartum Depression (TRIPPD) Effectiveness Study. Mayo Clinic Proceedings, 2014, 89, 1220-1228. | 1.4 | 6 |
| 111 | Postâ€traumatic stress disorder, anxiety, and depression among adults with congenital heart defects. Birth Defects Research, 2022, 114, 124-135. | 0.8 | 6 |
| 112 | Patterns of changes in bipolar depressive symptoms revealed by trajectory analysis among 482 patients with bipolar disorder. Bipolar Disorders, 2018, 21, 350-360. | 1.1 | 5 |
| 113 | Effects of a multidisciplinary quality of life intervention on sleep quality in patients with advanced cancer receiving radiation therapy. Palliative and Supportive Care, 2020, 18, 307-313. | 0.6 | 5 |
| 114 | Illness stage and predominant polarity in bipolar disorder: Correlation with burden of illness and moderation of treatment outcome. Journal of Psychiatric Research, 2021, 140, 205-213. | 1.5 | 5 |
| 115 | Next-Step Treatment Considerations for Patients With Treatment-Resistant Depression That Responds to Low-Dose Intravenous Ketamine. Focus (American Psychiatric Publishing), 2020, 18, 181-192. | 0.4 | 4 |
| 116 | A Single-Dose Crossover Pharmacokinetic Comparison Study of Oral, Rectal and Topical Quetiapine in Healthy Adults. Clinical Pharmacokinetics, 2016, 55, 971-976. | 1.6 | 3 |
| 117 | Decreased activation and subsyndromal manic symptoms predict lower remission rates in bipolar depression. Australian and New Zealand Journal of Psychiatry, 2018, 52, 994-1002. | 1.3 | 3 |
| 118 | Venlafaxine prescription claims among insured women of reproductive age and pregnant women, $2011\hat{a} \in 2016$. Birth Defects Research, 2021 , 113 , $1052-1056$. | 0.8 | 2 |
| 119 | Evidence for machine learning guided early prediction of acute outcomes in the treatment of depressed children and adolescents with antidepressants. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1347-1358. | 3.1 | 2 |
| 120 | Acute Bipolar Depression: A Review of the Use of Olanzapine/Fluoxetine. Clinical Medicine Insights Therapeutics, 2010, 2, CMT.S1945. | 0.4 | 1 |
| 121 | Comparative Effectiveness of Intravenous Ketamine and Intranasal Esketamine in Real-World Setting Among Patients with Treatment Refractory Depression. CNS Spectrums, 2022, 27, 232-232. | 0.7 | 1 |
| 122 | A Characterization of the Clinical Global Impression Scale Thresholds in the Treatment of Adolescent Depression Across Multiple Rating Scales. Journal of Child and Adolescent Psychopharmacology, 2022, 32, 278-287. | 0.7 | 1 |
| 123 | More evidence of an association between antipsychotic drugs and the risk of diabetes in children and adolescents: a population-based study. Evidence-Based Mental Health, 2015, 18, e1-e1. | 2.2 | 0 |
| 124 | Relative Age Effect on Problematic Alcohol Use in Adolescents. Journal of Child and Adolescent Psychopharmacology, 2021, , . | 0.7 | 0 |
| 125 | Developing an IV Ketamine Clinic for Treatment-Resistant Depression: a Primer. Psychopharmacology Bulletin, 2021, 51, 109-124. | 0.0 | 0 |
| 126 | Positive Urine Drug Screens and External Mortality in Teenagers Who Present for Medical Care. Journal of Clinical Psychiatry, 2022, 83, . | 1.1 | 0 |