
## Dongmiao Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5112872/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comprehensive characterization of pleomorphic adenoma at intraoral unusual sites. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2022, 133, 21-27.	0.4	2
2	Comprehensive characterization of epidemiological and 3D radiographic features of non-third molar impacted teeth in a Chinese dental population. Clinical Oral Investigations, 2022, , 1.	3.0	3
3	Epidemiological, clinical, radiographic characterization of nonâ€syndromic supernumerary teeth in Chinese children and adolescents. Oral Diseases, 2021, 27, 981-992.	3.0	11
4	Identification of a prognostic alternative splicing signature in oral squamous cell carcinoma. Journal of Cellular Physiology, 2020, 235, 4804-4813.	4.1	27
5	Combinational therapeutic targeting of BRD4 and CDK7 synergistically induces anticancer effects in head and neck squamous cell carcinoma. Cancer Letters, 2020, 469, 510-523.	7.2	36
6	Therapeutically targeting head and neck squamous cell carcinoma through synergistic inhibition of LSD1 and JMJD3 by TCP and GSK-J1. British Journal of Cancer, 2020, 122, 528-538.	6.4	26
7	Identification of a Transcriptional Prognostic Signature From Five Metabolic Pathways in Oral Squamous Cell Carcinoma. Frontiers in Oncology, 2020, 10, 572919.	2.8	10
8	Predictive value of prognostic nutritional index in patients with oral squamous cell carcinoma. Oral Diseases, 2020, 26, 903-911.	3.0	17
9	Restoration of TET2 deficiency inhibits tumor growth in head neck squamous cell carcinoma. Annals of Translational Medicine, 2020, 8, 329-329.	1.7	12
10	Facial soft tissue thickness in Yangtze River delta Han population: Accurate assessment and comparative analysis utilizing Cone-Beam CT. Legal Medicine, 2020, 44, 101693.	1.3	11
11	Epidemiological, clinical, and 3-dimentional CBCT radiographic characterizations of supernumerary teeth in a non-syndromic adult population: a single-institutional study from 60,104 Chinese subjects. Clinical Oral Investigations, 2020, 24, 4271-4281.	3.0	11
12	The Hippo effector TAZ promotes cancer stemness by transcriptional activation of SOX2 in head neck squamous cell carcinoma. Cell Death and Disease, 2019, 10, 603.	6.3	44
13	Therapeutic Targeting of BRD4 in Head Neck Squamous Cell Carcinoma. Theranostics, 2019, 9, 1777-1793.	10.0	37
14	Assessment of aging characteristics of female condylar trabecular structure by cone-beam computed tomography. Oral Radiology, 2019, 35, 16-22.	1.9	5
15	Density and location of <scp>CD</scp> 3 <sup>+</sup> and <scp>CD</scp> 8 <sup>+</sup> tumorâ€infiltrating lymphocytes correlate with prognosis of oral squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2018, 47, 359-367.	2.7	41
16	<scp>SUZ</scp> 12 is a novel putative oncogene promoting tumorigenesis in head and neck squamous cell carcinoma. Journal of Cellular and Molecular Medicine, 2018, 22, 3582-3594.	3.6	24
17	Overexpression of WD repeat domain 5 associates with aggressive clinicopathological features and unfavorable prognosis in head neck squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2018, 47, 502-510.	2.7	17
18	Comprehensive analysis of 225 Castleman's diseases in the oral maxillofacial and neck region: a rare disease revisited. Clinical Oral Investigations, 2018, 22, 1285-1295.	3.0	5

DONGMIAO WANG

#	Article	IF	CITATIONS
19	TEAD4 overexpression promotes epithelial-mesenchymal transition and associates with aggressiveness and adverse prognosis in head neck squamous cell carcinoma. Cancer Cell International, 2018, 18, 178.	4.1	40
20	Assessment of Periodontal Biotype in a Young Chinese Population using Different Measurement Methods. Scientific Reports, 2018, 8, 11212.	3.3	31
21	Pharmacological activation of TAZ enhances osteogenic differentiation and bone formation of adipose-derived stem cells. Stem Cell Research and Therapy, 2018, 9, 53.	5.5	48
22	Radiographic features of anatomic relationship between impacted third molar and inferior alveolar canal on coronal CBCT images: risk factors for nerve injury after tooth extraction. Archives of Medical Science, 2018, 14, 532-540.	0.9	38
23	Overexpression of suppressor of zest 12 is associated with cervical node metastasis and unfavorable prognosis in tongue squamous cell carcinoma. Cancer Cell International, 2017, 17, 26.	4.1	15
24	Assessment of the Second Mesiobuccal Root Canal in Maxillary First Molars: A Cone-beam Computed Tomographic Study. Journal of Endodontics, 2017, 43, 1990-1996.	3.1	50
25	External root resorption of the second molar associated with mesially and horizontally impacted mandibular third molar: evidence from cone beam computed tomography. Clinical Oral Investigations, 2017, 21, 1335-1342.	3.0	49
26	Comprehensive analysis of ectopic mandibular third molar: a rare clinical entity revisited. Head & Face Medicine, 2017, 13, 24.	2.1	13
27	Topographic relationship between root apex of mesially and horizontally impacted mandibular third molar and lingual plate: cross-sectional analysis using CBCT. Scientific Reports, 2016, 6, 39268.	3.3	14
28	Overexpression of miR-29b reduces collagen biosynthesis by inhibiting heat shock protein 47 during skin wound healing. Translational Research, 2016, 178, 38-53.e6.	5.0	37
29	The histone demethylase LSD1 is a novel oncogene and therapeutic target in oral cancer. Cancer Letters, 2016, 374, 12-21.	7.2	49
30	The pluripotency factor LIN28B is involved in oral carcinogenesis and associates with tumor aggressiveness and unfavorable prognosis. Cancer Cell International, 2015, 15, 99.	4.1	15
31	The Hippo transducer TAZ promotes epithelial to mesenchymal transition and cancer stem cell maintenance in oral cancer. Molecular Oncology, 2015, 9, 1091-1105.	4.6	139