Bronwen A Connolly

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5113136/publications.pdf

Version: 2024-02-01

46 papers 3,833 citations

257357 24 h-index 254106 43 g-index

47 all docs

47 docs citations

47 times ranked

4492 citing authors

#	Article	IF	CITATIONS
1	Acute Skeletal Muscle Wasting in Critical Illness. JAMA - Journal of the American Medical Association, 2013, 310, 1591.	3.8	1,379
2	Guidelines on the management of acute respiratory distress syndrome. BMJ Open Respiratory Research, 2019, 6, e000420.	1.2	316
3	Quadriceps wasting and physical inactivity in patients with COPD. European Respiratory Journal, 2012, 40, 1115-1122.	3.1	269
4	Effect of Noninvasive Respiratory Strategies on Intubation or Mortality Among Patients With Acute Hypoxemic Respiratory Failure and COVID-19. JAMA - Journal of the American Medical Association, 2022, 327, 546.	3.8	229
5	Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. Intensive Care Medicine, 2017, 43, 531-542.	3.9	118
6	Addressing the post-acute sequelae of SARS-CoV-2 infection: a multidisciplinary model of care. Lancet Respiratory Medicine, the, 2021, 9, 1328-1341.	5.2	105
7	Clinical predictive value of manual muscle strength testing during critical illness: an observational cohort study. Critical Care, 2013, 17, R229.	2.5	103
8	Skeletal Muscle Ultrasound in Critical Care: A Tool in Need of Translation. Annals of the American Thoracic Society, 2017, 14, 1495-1503.	1.5	96
9	Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. American Journal of Respiratory and Critical Care Medicine, 2019, 200, 972-981.	2.5	96
10	\hat{l}^2 -Hydroxy- \hat{l}^2 -methylbutyrate and its impact on skeletal muscle mass and physical function in clinical practice: a systematic review and meta-analysis. American Journal of Clinical Nutrition, 2019, 109, 1119-1132.	2.2	96
11	Ultrasound for the Assessment of Peripheral Skeletal Muscle Architecture in Critical Illness. Critical Care Medicine, 2015, 43, 897-905.	0.4	94
12	Exercise rehabilitation following intensive care unit discharge for recovery from critical illness. The Cochrane Library, 2018, 2018, CD008632.	1.5	93
13	Physical rehabilitation interventions for adult patients during critical illness: an overview of systematic reviews. Thorax, 2016, 71, 881-890.	2.7	89
14	Effect of Intermittent or Continuous Feed on Muscle Wasting in Critical Illness. Chest, 2020, 158, 183-194.	0.4	84
15	Variation in Definition of Prolonged Mechanical Ventilation. Respiratory Care, 2017, 62, 1324-1332.	0.8	58
16	A Core Outcome Set for Critical Care Ventilation Trials. Critical Care Medicine, 2019, 47, 1324-1331.	0.4	57
17	Exercise rehabilitation following intensive care unit discharge for recovery from critical illness: executive summary of a Cochrane Collaboration systematic review. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 520-526.	2.9	55
18	A UK survey of rehabilitation following critical illness: implementation of NICE Clinical Guidance 83 (CG83) following hospital discharge. BMJ Open, 2014, 4, e004963.	0.8	51

#	Article	IF	CITATIONS
19	Exercise rehabilitation following hospital discharge in survivors of critical illness: an integrative review. Critical Care, 2012, 16, 226.	2.5	44
20	Exercise-based rehabilitation after hospital discharge for survivors of critical illness with intensive care unit–acquired weakness: A pilot feasibility trial. Journal of Critical Care, 2015, 30, 589-598.	1.0	44
21	Non-invasive respiratory support strategies in COVID-19. Lancet Respiratory Medicine, the, 2021, 9, 553-556.	5.2	44
22	Nutrition and Exercise Rehabilitation in Obesity hypoventilation syndrome (NERO): a pilot randomised controlled trial. Thorax, 2018, 73, 62-69.	2.7	37
23	Recovery, rehabilitation and follow-up services following critical illness: an updated UK national cross-sectional survey and progress report. BMJ Open, 2021, 11, e052214.	0.8	36
24	Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. Trials, 2018, 19, 294.	0.7	34
25	RECOVERY- Respiratory Support: Respiratory Strategies for patients with suspected or proven COVID-19 respiratory failure; Continuous Positive Airway Pressure, High-flow Nasal Oxygen, and standard care: A structured summary of a study protocol for a randomised controlled trial. Trials, 2020, 21, 687.	0.7	28
26	Low Levels of Physical Activity During Critical Illness and Weaning: The Evidence–Reality Gap. Journal of Intensive Care Medicine, 2019, 34, 818-827.	1.3	23
27	Nonvolitional assessment of tibialis anterior force and architecture during critical illness. Muscle and Nerve, 2018, 57, 964-972.	1.0	22
28	Ankle dorsiflexor muscle size, composition and force with ageing and chronic obstructive pulmonary disease. Experimental Physiology, 2014, 99, 1078-1088.	0.9	18
29	Describing and measuring recovery and rehabilitation after critical illness. Current Opinion in Critical Care, 2015, 21, 445-452.	1.6	17
30	Monitoring Cough Effectiveness and Use of Airway Clearance Strategies: A Canadian and UK Survey. Respiratory Care, 2018, 63, 1506-1513.	0.8	13
31	Physical rehabilitation interventions for adult patients with critical illness across the continuum of recovery: an overview of systematic reviews protocol. Systematic Reviews, 2015, 4, 130.	2.5	12
32	Relationship Between Skeletal Muscle Area and Density and Clinical Outcome in Adults Receiving Venovenous Extracorporeal Membrane Oxygenation. Critical Care Medicine, 2021, 49, e350-e359.	0.4	10
33	Mucoactive agents for acute respiratory failure in the critically ill: a systematic review and meta-analysis. Thorax, 2020, 75, 623-631.	2.7	9
34	Rehabilitation after critical illness. BMJ, The, 2021, 373, n910.	3.0	8
35	Hindsight and moving the needle forwards on rehabilitation trial design. Thorax, 2018, 73, 203-205.	2.7	7
36	Characterising the research profile of the critical care physiotherapy workforce and engagement with critical care research: a UK national survey. BMJ Open, 2018, 8, e020350.	0.8	7

#	Article	IF	CITATIONS
37	Noninvasive Respiratory Strategies and Intubation or Mortality Among Patients With Acute Hypoxemic Respiratory Failure Due to COVID-19—Reply. JAMA - Journal of the American Medical Association, 2022, 327, 2023.	3.8	6
38	An observational cohort study to determine efficacy, adherence and outcome of the early initiation of pressure support ventilation during mechanical ventilation. BMJ Open Respiratory Research, 2014, 1, e000028.	1.2	5
39	Airway clearance techniques and use of mucoactive agents for adult critically ill patients with acute respiratory failure: a qualitative study exploring UK physiotherapy practice. Physiotherapy, 2020, 108, 78-87.	0.2	5
40	Mucoactive agent use in adult UK Critical Care Units: a survey of health care professionals' perception, pharmacists' description of practice, and point prevalence of mucoactive use in invasively mechanically ventilated patients. PeerJ, 2020, 8, e8828.	0.9	5
41	Synthesis of qualitative research studies regarding the factors surrounding UK critical care trial infrastructure. BMJ Open, 2019, 9, e030815.	0.8	4
42	Physical activity of patients with critical illness undergoing rehabilitation in intensive care and on the acute ward: An observational cohort study. Australian Critical Care, 2021, , .	0.6	4
43	Coloring by Number? Core Outcome Measures and the Canvas of Intensive Care Unit Survivorship. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 1087-1089.	2.5	3
44	Could "Big Brother―Be Joining the Early Mobilization Team?*. Critical Care Medicine, 2019, 47, 1274-1276.	0.4	0
45	Response. Chest, 2020, 158, 2708-2711.	0.4	O
46	Returning to work following critical illness: milestone or millstone?. Thorax, 2022, 77, 110-111.	2.7	0