

Joao P Conde

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5113496/joao-p-conde-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

252
papers

3,612
citations

31
h-index

45
g-index

273
ext. papers

4,039
ext. citations

4.4
avg, IF

5.24
L-index

#	Paper	IF	Citations
252	Monolithic integration of multi-spectral optical interference filter array on thin film amorphous silicon photodiodes. <i>IEEE Sensors Journal</i> , 2022 , 1-1	4	1
251	Monolithically integrated optical interference and absorption filters on thin film amorphous silicon photosensors for biological detection. <i>Sensors and Actuators B: Chemical</i> , 2022 , 356, 131330	8.5	1
250	Micropathological chip modelling the neurovascular unit response to inflammatory bone condition.. <i>Advanced Healthcare Materials</i> , 2022 , e2102305	10.1	0
249	Regenerable bead-based microfluidic device with integrated thin-film photodiodes for real-time monitoring of DNA detection. <i>Sensors and Actuators B: Chemical</i> , 2022 , 359, 131607	8.5	2
248	Microchromatography integrated with impedance sensor for bioprocess optimization: Experimental and numerical study of column efficiency for evaluation of scalability. <i>Journal of Chromatography A</i> , 2021 , 1661, 462678	4.5	1
247	Pre-miRNA-149 G-quadruplex as a molecular agent to capture nucleolin.. <i>European Journal of Pharmaceutical Sciences</i> , 2021 , 169, 106093	5.1	3
246	Microfluidic device for multiplexed detection of fungal infection biomarkers in grape cultivars. <i>Analyst, The</i> , 2021 , 145, 7973-7984	5	7
245	Aptamer-based approaches to detect nucleolin in prostate cancer. <i>Talanta</i> , 2021 , 226, 122037	6.2	7
244	Label-Free Biosensing Using Thin-Film Amorphous Silicon Photodiodes Integrated With Microfluidics. <i>IEEE Sensors Journal</i> , 2021 , 21, 15999-16005	4	2
243	Monitoring Intracellular Calcium in Response to GPCR Activation: Comparison Between Microtiter Plates and Microfluidic Assays. <i>Methods in Molecular Biology</i> , 2021 , 2268, 289-304	1.4	
242	Recent developments in microreactor technology for biocatalysis applications. <i>Reaction Chemistry and Engineering</i> , 2021 , 6, 815-827	4.9	6
241	Rolling Circle Amplification in Bead-Based Microfluidic Device with Integrated Photodiode for Fluorescence Signal Transduction 2021 ,		1
240	A Fast Alternative to Soft Lithography for the Fabrication of Organ-on-a-Chip Elastomeric-Based Devices and Microactuators. <i>Advanced Science</i> , 2021 , 8, 2003273	13.6	5
239	A Systematic Approach for Developing 3D High-Quality PDMS Microfluidic Chips Based on Micromilling Technology.. <i>Micromachines</i> , 2021 , 13,	3.3	1
238	A Versatile and Fully Integrated Hand-Held Device for Microfluidic-Based Biosensing: A Case Study of Plant Health Biomarkers. <i>IEEE Sensors Journal</i> , 2020 , 20, 14007-14015	4	2
237	Label-Free Biosensing of DNA in Microfluidics Using Amorphous Silicon Capacitive Micro-Cantilevers. <i>IEEE Sensors Journal</i> , 2020 , 1-1	4	4
236	Fabrication and characterization of thin-film silicon resonators on 10 μm -thick polyimide substrates. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 045007	2	2

235	Microfluidic platform for rapid screening of bacterial cell lysis. <i>Journal of Chromatography A</i> , 2020 , 1610, 460539	4.5	3
234	Microfluidic bioreactors for enzymatic synthesis in packed-bed reactors-Multi-step reactions and upscaling. <i>Journal of Biotechnology</i> , 2020 , 323, 24-32	3.7	10
233	Development of a rapid bead-based microfluidic platform for DNA hybridization using single- and multi-mode interactions for probe immobilization. <i>Sensors and Actuators B: Chemical</i> , 2019 , 286, 328-336	8.5	8
232	Nanotechnology is an important strategy for combinational innovative chemo-immunotherapies against colorectal cancer. <i>Journal of Controlled Release</i> , 2019 , 307, 108-138	11.7	26
231	Optimizing the Performance of Chromatographic Separations Using Microfluidics: Multiplexed and Quantitative Screening of Ligands and Target Molecules. <i>Biotechnology Journal</i> , 2019 , 14, e1800593	5.6	5
230	Label-Free Detection of Biomolecules in Microfluidic Systems Using On-Chip UV and Impedimetric Sensors. <i>IEEE Sensors Journal</i> , 2019 , 19, 7803-7812	4	9
229	Thin-Film Silicon MEMS for Dynamic Mass Sensing in Vacuum and Air: Phase Noise, Allan Deviation, Mass Sensitivity and Limits of Detection. <i>Journal of Microelectromechanical Systems</i> , 2019 , 28, 390-400	2.5	13
228	Microfluidic device for the point of need detection of a pathogen infection biomarker in grapes. <i>Analyst, The</i> , 2019 , 144, 4871-4879	5	9
227	Amorphous Silicon Self-Rolling Micro Electromechanical Systems: From Residual Stress Control to Complex 3D Structures. <i>Advanced Engineering Materials</i> , 2019 , 21, 1900663	3.5	2
226	CHAPTER 12. Applications of Recent Developments in Microfluidics for Rapid Analysis of Food Safety and Quality. <i>Food Chemistry, Function and Analysis</i> , 2019 , 256-281	0.6	
225	2019 ,		1
224	Silica bead-based microfluidic device with integrated photodiodes for the rapid capture and detection of rolling circle amplification products in the femtomolar range. <i>Biosensors and Bioelectronics</i> , 2019 , 128, 68-75	11.8	24
223	Studies on the purification of antibody fragments. <i>Separation and Purification Technology</i> , 2018 , 195, 388-397	8.3	13
222	Advances, challenges and opportunities for point-of-need screening of mycotoxins in foods and feeds. <i>Analyst, The</i> , 2018 , 143, 1015-1035	5	22
221	Multiplexed microfluidic fluorescence immunoassay with photodiode array signal acquisition for sub-minute and point-of-need detection of mycotoxins. <i>Lab on A Chip</i> , 2018 , 18, 1569-1580	7.2	26
220	Capillary-driven microfluidic device with integrated nanoporous microbeads for ultrarapid biosensing assays. <i>Sensors and Actuators B: Chemical</i> , 2018 , 265, 452-458	8.5	17
219	Multiplexed capillary microfluidic immunoassay with smartphone data acquisition for parallel mycotoxin detection. <i>Biosensors and Bioelectronics</i> , 2018 , 99, 40-46	11.8	43
218	A regenerable microfluidic device with integrated valves and thin-film photodiodes for rapid optimization of chromatography conditions. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 3636-3646	8.5	18

217	Top-Down Fabricated Silicon Nanowire Arrays for Field-Effect Detection of Prostate-Specific Antigen. <i>ACS Omega</i> , 2018 , 3, 8471-8482	3.9	24
216	Development of a Point-of-Care Platform for Plant Health Assessment: A Microfluidic Approach. <i>Proceedings (mdpi)</i> , 2018 , 2, 819	0.3	0
215	Optical biosensing in microfluidics using nanoporous microbeads and amorphous silicon thin-film photodiodes: quantitative analysis of molecular recognition and signal transduction. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 094004	2	6
214	A microfluidic platform for physical entrapment of yeast cells with continuous production of invertase. <i>Journal of Chemical Technology and Biotechnology</i> , 2017 , 92, 334-341	3.5	11
213	The application of microbeads to microfluidic systems for enhanced detection and purification of biomolecules. <i>Methods</i> , 2017 , 116, 112-124	4.6	35
212	Determination of partition coefficients of biomolecules in a microfluidic aqueous two phase system platform using fluorescence microscopy. <i>Journal of Chromatography A</i> , 2017 , 1487, 242-247	4.5	14
211	A multiplexed microfluidic toolbox for the rapid optimization of affinity-driven partition in aqueous two phase systems. <i>Journal of Chromatography A</i> , 2017 , 1515, 252-259	4.5	11
210	A simple method for point-of-need extraction, concentration and rapid multi-mycotoxin immunodetection in feeds using aqueous two-phase systems. <i>Journal of Chromatography A</i> , 2017 , 1511, 15-24	4.5	15
209	A point-of-use microfluidic device with integrated photodetector array for immunoassay multiplexing: Detection of a panel of mycotoxins in multiple samples. <i>Biosensors and Bioelectronics</i> , 2017 , 87, 823-831	11.8	33
208	Performance of Hydrogenated Amorphous Silicon Thin Film Photosensors at Ultra-Low Light Levels: Towards Attomole Sensitivities in Lab-on-Chip Biosensing Applications. <i>IEEE Sensors Journal</i> , 2017 , 1-1	4	9
207	Miniaturization of aqueous two-phase extraction for biological applications: From micro-tubes to microchannels. <i>Biotechnology Journal</i> , 2016 , 11, 1498-1512	5.6	21
206	Lab-on-chip systems for integrated bioanalyses. <i>Essays in Biochemistry</i> , 2016 , 60, 121-31	7.6	22
205	High-Throughput Nanoliter-Scale Analysis and Optimization of Multimodal Chromatography for the Capture of Monoclonal Antibodies. <i>Analytical Chemistry</i> , 2016 , 88, 7959-67	7.8	24
204	DNA aptamer-based sandwich microfluidic assays for dual quantification and multi-glycan profiling of cancer biomarkers. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 313-9	11.8	51
203	A Novel Microfluidic Cell Co-culture Platform for the Study of the Molecular Mechanisms of Parkinson's Disease and Other Synucleinopathies. <i>Frontiers in Neuroscience</i> , 2016 , 10, 511	5.1	31
202	Electrical characterization of thin-film silicon flexural resonators in linear and nonlinear regimes of motion for integration with electronics. <i>Sensors and Actuators A: Physical</i> , 2016 , 247, 482-493	3.9	2
201	Dynamics of hydrogenated amorphous silicon flexural resonators for enhanced performance. <i>Journal of Applied Physics</i> , 2016 , 119, 154501	2.5	5
200	Integration of Photosensors in a Nano-liter Scale Chromatography Column for the Online Monitoring of Adsorption/Desorption Kinetics of a Fluorophore-labeled Monoclonal Antibody. <i>Procedia Engineering</i> , 2016 , 168, 1426-1429		2

199	Point-of-use Ultrafast Single-step Detection of Food Contaminants: A Novel Microfluidic Fluorescence-based Immunoassay with Integrated Photodetection. <i>Procedia Engineering</i> , 2016 , 168, 329-332	5	
198	A Multiplexed Integrated a-Si:H Photosensor for Simultaneous Detection of Mycotoxins for Point-of-use Food Safety Applications. <i>Procedia Engineering</i> , 2016 , 168, 1422-1425	1	
197	Microcrystalline Diamond Membrane for Electronic Monitoring of Cells in Microfluidic Perfusion Systems. <i>Procedia Engineering</i> , 2016 , 168, 1442-1445	1	
196	An ultrarapid and regenerable microfluidic immunoassay coupled with integrated photosensors for point-of-use detection of ochratoxin A. <i>Sensors and Actuators B: Chemical</i> , 2016 , 235, 554-562	8.5	26
195	Study on the bio-functionalization of memristive nanowires for optimum memristive biosensors. <i>Journal of Materials Chemistry B</i> , 2016 , 4, 2153-2162	7.3	16
194	Optimization and miniaturization of aqueous two phase systems for the purification of recombinant human immunodeficiency virus-like particles from a CHO cell supernatant. <i>Separation and Purification Technology</i> , 2015 , 154, 27-35	8.3	39
193	Sub-micron gap in-plane micromechanical resonators based on low-temperature amorphous silicon thin-films on glass substrates. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 075026	2	4
192	A microfluidic immunoassay platform for the detection of free prostate specific antigen: a systematic and quantitative approach. <i>Analyst, The</i> , 2015 , 140, 4423-33	5	18
191	Surface plasmon resonance application in prostate cancer biomarker research. <i>Chemical Papers</i> , 2015 , 69,	1.9	14
190	A System Based on Capacitive Interfacing of CMOS With Post-Processed Thin-Film MEMS Resonators Employing Synchronous Readout for Parasitic Nulling. <i>IEEE Journal of Solid-State Circuits</i> , 2015 , 50, 1002-1015	5.5	5
189	Pressure effects on the dissipative behavior of nanocrystalline diamond microelectromechanical resonators. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 025019	2	2
188	Integrated fluorescence detection of labeled biomolecules using a prism-like PDMS microfluidic chip and lateral light excitation. <i>Lab on A Chip</i> , 2014 , 14, 1991-5	7.2	12
187	Tunable Properties of Hydrogenated Amorphous/Nanocrystalline Silicon Thin-Films for Enhanced MEMS Resonators Performance. <i>Journal of Microelectromechanical Systems</i> , 2014 , 23, 600-609	2.5	8
186	Determination of aqueous two phase system binodal curves using a microfluidic device. <i>Journal of Chromatography A</i> , 2014 , 1370, 115-20	4.5	31
185	An ASIC for readout of post-processed thin-film MEMS resonators by employing capacitive interfacing and active parasitic cancellation 2014 ,		2
184	An amorphous silicon photodiode microfluidic chip to detect nanomolar quantities of HIV-1 virion infectivity factor. <i>Analyst, The</i> , 2014 , 139, 3709-13	5	13
183	Modulation of alpha-synuclein toxicity in yeast using a novel microfluidic-based gradient generator. <i>Lab on A Chip</i> , 2014 , 14, 3949-57	7.2	25
182	Aqueous two-phase systems for enhancing immunoassay sensitivity: simultaneous concentration of mycotoxins and neutralization of matrix interference. <i>Journal of Chromatography A</i> , 2014 , 1361, 67-76	4.5	20

181	On-chip sample preparation and analyte quantification using a microfluidic aqueous two-phase extraction coupled with an immunoassay. <i>Lab on A Chip</i> , 2014 , 14, 4284-94	7.2	48
180	Integrated optical detection of autonomous capillary microfluidic immunoassays: a hand-held point-of-care prototype. <i>Biosensors and Bioelectronics</i> , 2014 , 57, 284-91	11.8	39
179	Low Temperature Sub-micron Gap Thin-film Silicon Resonators on Glass Substrate. <i>Procedia Engineering</i> , 2014 , 87, 1418-1421		
178	Optically transparent diamond/PDMS microfluidic system for electronic monitoring of cells. <i>Physica Status Solidi (B): Basic Research</i> , 2014 , 251, 2593-2598	1.3	7
177	Integration of Single Cell Traps, Chemical Gradient Generator and Photosensors in a Microfluidic Platform for the Study of Alpha-Synuclein Toxicity in Yeast. <i>Procedia Engineering</i> , 2014 , 87, 92-95		
176	Microfluidic ELISA for sensing of prostate cancer biomarkers using integrated a-Si:H p-i-n photodiodes 2014 ,		2
175	Monitoring intracellular calcium in response to GPCR activation using thin-film silicon photodiodes with integrated fluorescence filters. <i>Biosensors and Bioelectronics</i> , 2014 , 52, 232-8	11.8	8
174	Streaming currents in microfluidics with integrated polarizable electrodes. <i>Microfluidics and Nanofluidics</i> , 2013 , 15, 361-376	2.8	7
173	The effect of the surface functionalization and the electrolyte concentration on the electrical conductance of silica nanochannels. <i>Biomicrofluidics</i> , 2013 , 7, 34111	3.2	20
172	Detection of ochratoxin A in wine and beer by chemiluminescence-based ELISA in microfluidics with integrated photodiodes. <i>Sensors and Actuators B: Chemical</i> , 2013 , 176, 232-240	8.5	66
171	Control of sequential fluid delivery in a fully autonomous capillary microfluidic device. <i>Lab on A Chip</i> , 2013 , 13, 641-5	7.2	53
170	Mechanical properties of polymer/carbon nanotube composite micro-electromechanical systems bridges. <i>Journal of Applied Physics</i> , 2013 , 113, 134508	2.5	2
169	Microstructure factor and mechanical and electronic properties of hydrogenated amorphous and nanocrystalline silicon thin-films for microelectromechanical systems applications. <i>Journal of Applied Physics</i> , 2013 , 114, 184905	2.5	19
168	Transient streaming current measurements in nanochannels for molecular detection. <i>Applied Physics Letters</i> , 2013 , 103, 253112	3.4	4
167	Study of the out-of-plane vibrational modes in thin-film amorphous silicon micromechanical disk resonators. <i>Journal of Applied Physics</i> , 2013 , 113, 174904	2.5	7
166	Metabolic viability of Escherichia coli trapped by dielectrophoresis in microfluidics. <i>Electrophoresis</i> , 2013 , 34, 575-82	3.6	17
165	Integrated On-chip Photodetection of Intracellular Calcium in Response to the Activation of G-protein Coupled Receptors. <i>Procedia Engineering</i> , 2012 , 47, 993-996		
164	Multi-modal Analysis of Out-of-plane Vibration Modes of Thin-film Circular Resonators for Mass Sensing Applications. <i>Procedia Engineering</i> , 2012 , 47, 1121-1124		1

163	Lab-on-Chip Prototype Platform for Ochratoxin A Detection in Wine and Beer. <i>Procedia Engineering</i> , 2012 , 47, 550-553		5
162	High-throughput study of alpha-synuclein expression in yeast using microfluidics for control of local cellular microenvironment. <i>Biomicrofluidics</i> , 2012 , 6, 14109-141099	3.2	9
161	Integrated detection of intrinsic fluorophores in live microbial cells using an array of thin film amorphous silicon photodetectors. <i>Biosensors and Bioelectronics</i> , 2012 , 36, 242-9	11.8	7
160	Design of a microfluidic platform for monoclonal antibody extraction using an aqueous two-phase system. <i>Journal of Chromatography A</i> , 2012 , 1249, 1-7	4.5	43
159	Towards the miniaturization of GPCR-based live-cell screening assays. <i>Trends in Biotechnology</i> , 2012 , 30, 566-74	15.1	24
158	Derivation of the near-surface dielectric function of amorphous silicon from photoelectron loss spectra. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 2019-2022	3.9	6
157	Streaming current measurements in micro and nanofluidic channels for label-free multiplexed genomics diagnostics 2012 ,		1
156	Pressure effects on the dynamic properties of hydrogenated amorphous silicon disk resonators. <i>Journal of Micromechanics and Microengineering</i> , 2012 , 22, 085026	2	2
155	Mechanical and piezoresistive properties of thin silicon films deposited by plasma-enhanced chemical vapor deposition and hot-wire chemical vapor deposition at low substrate temperatures. <i>Journal of Applied Physics</i> , 2012 , 112, 024906	2.5	15
154	Lab-on-a-Chip Ochratoxin A Detection Using Competitive ELISA in Microfluidics with Integrated Photodiode Signal Acquisition. <i>Procedia Engineering</i> , 2011 , 25, 1205-1208		5
153	Hydrogenated Amorphous Silicon Thin-Film Disk Resonators. <i>Procedia Engineering</i> , 2011 , 25, 1525-1528		
152	Integration of Carbon Nanotubes into Electrostatically Actuated all-Polymer PEDOT: PSS/PMMA MEMS. <i>Procedia Engineering</i> , 2011 , 25, 1665-1668		3
151	Electrical detection of DNA immobilization and hybridization by streaming current measurements in microchannels. <i>Applied Physics Letters</i> , 2011 , 99, 183702	3.4	8
150	Microspot-based ELISA in microfluidics: chemiluminescence and colorimetry detection using integrated thin-film hydrogenated amorphous silicon photodiodes. <i>Lab on A Chip</i> , 2011 , 11, 4063-71	7.2	58
149	Submicron thin-film amorphous silicon photoconductive light sensors. <i>Sensors and Actuators A: Physical</i> , 2011 , 170, 32-35	3.9	4
148	Integration of thin film amorphous silicon photodetector with lab-on-chip for monitoring protein fluorescence in solution and in live microbial cells. <i>Sensors and Actuators B: Chemical</i> , 2011 , 156, 662-667	8.5	11
147	Microelectromechanical resonators based on an all polymer/carbon nanotube composite structural material. <i>Applied Physics Letters</i> , 2011 , 99, 044104	3.4	11
146	Heterogeneous immunoassays in microfluidic format using fluorescence detection with integrated amorphous silicon photodiodes. <i>Biomicrofluidics</i> , 2011 , 5, 14102	3.2	22

145	Thin film amorphous silicon bulk-mode disk resonators fabricated on glass substrates. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1299, 1		2
144	Amorphous Silicon Photosensors for Detection of Intrinsic Cell Fluorophores. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1321, 435		1
143	Reliability and stability of thin-film amorphous silicon MEMS on glass substrates. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1299, 1		
142	Reply to Comment on Current routes in hydrogenated microcrystalline silicon <i>Physical Review B</i> , 2010 , 81,	3.3	2
141	Mechanical properties of thin silicon films deposited at low temperatures by PECVD. <i>Journal of Micromechanics and Microengineering</i> , 2010 , 20, 035022	2	16
140	Characterisation of hydrogenated silicon-carbon alloy filters with different carbon composition for on-chip fluorescence detection of biomolecules. <i>Sensors and Actuators A: Physical</i> , 2010 , 163, 96-100	3.9	18
139	Patterned functionalization layer for sub- μ DNA solid-phase immobilization and hybridization. <i>Sensors and Actuators B: Chemical</i> , 2010 , 149, 432-438	8.5	2
138	Detection of fluorescently labeled biomolecules immobilized on a detachable substrate using an integrated amorphous silicon photodetector. <i>Applied Physics Letters</i> , 2009 , 94, 164106	3.4	9
137	Thermal grafting of fluorinated molecular monolayers on doped amorphous silicon surfaces. <i>Journal of Applied Physics</i> , 2009 , 105, 064914	2.5	3
136	Chemiluminescent Detection of Horseradish Peroxidase Using an Integrated Amorphous Silicon Thin-Film Photosensor. <i>IEEE Sensors Journal</i> , 2009 , 9, 1282-1290	4	17
135	Comparison of amorphous silicon photodiodes and photoconductors for detection of quantum dot biomolecular tags. <i>Journal of Applied Physics</i> , 2009 , 106, 104904	2.5	6
134	The effect of the shape of single, sub-ms voltage pulses on the rates of surface immobilization and hybridization of DNA. <i>Nanotechnology</i> , 2009 , 20, 015503	3.4	4
133	Comparison of the mechanical and resonance properties of thin film silicon MEMS fabricated at 110 and 250 $^{\circ}$ C. <i>Journal of Micromechanics and Microengineering</i> , 2009 , 19, 025018	2	10
132	Enzymatic Biosensors with Integrated Thin Film a-Si:H Photodiodes. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1153, 1		
131	Miniaturization of Immunoassays Using Optical Detection with Integrated Amorphous Silicon Photodiodes. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1191, 66		
130	Thin Film Amorphous Silicon Nanoscale Photodetectors. <i>Procedia Chemistry</i> , 2009 , 1, 433-436		1
129	Mass Sensing using an Amorphous Silicon MEMS resonator. <i>Procedia Chemistry</i> , 2009 , 1, 1063-1066		4
128	Ionic Conductivity Measurements in a SiO ₂ Nanochannel with PDMS Interconnects. <i>Procedia Chemistry</i> , 2009 , 1, 1095-1098		2

127	Microscopic and macroscopic manifestations of percolation transitions in a semiconductor composite. <i>Physical Review B</i> , 2009 , 80,	3.3	10
126	On-chip magnetoresistive detection of resonance in microcantilevers. <i>Applied Physics Letters</i> , 2009 , 95, 023502	3.4	14
125	Detection of molecular tags with an integrated amorphous silicon photodetector for biological applications. <i>Journal of Non-Crystalline Solids</i> , 2008 , 354, 2594-2597	3.9	10
124	Amorphous Silicon Thin-Film Transistors Gated Through an Electrolyte Solution. <i>IEEE Electron Device Letters</i> , 2008 , 29, 1030-1033	4.4	3
123	Fluorescence detection of DNA using an amorphous silicon p-i-n photodiode. <i>Journal of Applied Physics</i> , 2008 , 104, 054913	2.5	15
122	Mechanical Properties and Reliability of Amorphous vs. Polycrystalline Silicon Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2008 , 1066, 1		4
121	Hybrid magnetoresistive microelectromechanical devices for static field modulation and sensor 1/f noise cancellation. <i>Journal of Applied Physics</i> , 2008 , 103, 07E924	2.5	38
120	Performance of thin film silicon MEMS on flexible plastic substrates. <i>Sensors and Actuators A: Physical</i> , 2008 , 144, 201-206	3.9	21
119	Colorimetric detection of molecular recognition reactions with an enzyme biolabel using a thin-film amorphous silicon photodiode on a glass substrate. <i>Sensors and Actuators B: Chemical</i> , 2008 , 135, 102-107	8.5	10
118	Observation of field-effect in a cross-linked polyfluorene semiconductor. <i>Chemical Physics Letters</i> , 2008 , 455, 189-191	2.5	14
117	Detection of DNA and proteins using amorphous silicon ion-sensitive thin-film field effect transistors. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 545-51	11.8	71
116	Hybrid Magnetic Tunnel Junction-MEMS High Frequency Field Modulator for 1/f Noise Suppression. <i>IEEE Transactions on Magnetics</i> , 2008 , 44, 2554-2557	2	21
115	pH sensitive photoconductor based on poly(para-phenylene-vinylene). <i>Sensors and Actuators B: Chemical</i> , 2007 , 123, 153-157	8.5	13
114	Noise Characteristics and Particle Detection Limits in Diode+\$MTJ Matrix Elements for Biochip Applications. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 2403-2405	2	13
113	Performance of Thin Film Silicon MEMS on Flexible Plastic Substrates. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 989, 2		1
112	Electrostatically actuated bilayer polyimide-based microresonators. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 797-803	2	13
111	Surface micromachining of a thin film microresonator using dry decomposition of a polymer sacrificial layer. <i>Journal of Vacuum Science & Technology B</i> , 2007 , 25, 455		5
110	Flexural and torsional vibration modes in low temperature thin-film silicon paddle microresonators. <i>Applied Physics Letters</i> , 2007 , 90, 233502	3.4	1

109	Detection of Chemiluminescence Using an Amorphous Silicon Photodiode. <i>IEEE Sensors Journal</i> , 2007 , 7, 415-416	4	27
108	Resonance of electrostatically actuated thin-film amorphous silicon microelectromechanical systems microresonators in aqueous solutions: Effect of solution conductivity and viscosity. <i>Journal of Applied Physics</i> , 2007 , 101, 094308	2.5	7
107	Conductive Blended Polymer MEMS Microresonators. <i>Journal of Microelectromechanical Systems</i> , 2007 , 16, 329-335	2.5	6
106	Nanotechnology and the Detection of Biomolecular Recognition Using Magnetoresistive Transducers 2007 , 3-22		
105	Electrostatically actuated conducting polymer microbridges. <i>Journal of Applied Physics</i> , 2007 , 101, 064507	2.5	9
104	a-Si:H Electrolyte-Gate Thin Film Devices for Biological Applications. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 926, 1		
103	Diode/magnetic tunnel junction cell for fully scalable matrix-based biochip. <i>Journal of Applied Physics</i> , 2006 , 99, 08B307	2.5	27
102	Thin film silicon MEMS microresonators fabricated by hot-wire chemical vapor deposition. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 2730-2735	2	5
101	Electrostatically actuated resonance of amorphous silicon microresonators in water. <i>Applied Physics Letters</i> , 2006 , 89, 143109	3.4	16
100	Micromechanical properties of amorphous, nanocrystalline and transition phase hot-wire thin-silicon MEMS. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1234-1237	3.9	
99	Label-free electronic detection of biomolecules using a-Si:H field-effect devices. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 2007-2010	3.9	10
98	Thin-film silicon MEMS DNA sensors. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 1999-2003	3.9	10
97	Electrostatically actuated polymer microresonators. <i>Applied Physics Letters</i> , 2005 , 87, 104104	3.4	24
96	Electrostatic microresonators from doped hydrogenated amorphous and nanocrystalline silicon thin films. <i>Journal of Microelectromechanical Systems</i> , 2005 , 14, 1082-1088	2.5	17
95	Electric-field assisted immobilization and hybridization of DNA oligomers on thin-film microchips. <i>Nanotechnology</i> , 2005 , 16, 2061-71	3.4	32
94	Single base mismatch detection by microsecond voltage pulses. <i>Biosensors and Bioelectronics</i> , 2005 , 21, 888-93	11.8	18
93	Thin Film Silicon Microbridges for DNA Detection. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 872, 1		
92	Electrostatically actuated thin-film amorphous silicon microbridge resonators. <i>Journal of Applied Physics</i> , 2005 , 97, 094501	2.5	25

91	Current routes in hydrogenated microcrystalline silicon. <i>Physical Review B</i> , 2005 , 71,	3.3	65
90	Fabrication and Electromechanical Properties of Conductive Polymer Microbridge Actuators. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 872, 1		1
89	Amorphous silicon electrostatic microresonators with high quality factors. <i>Applied Physics Letters</i> , 2004 , 84, 622-624	3.4	49
88	Optoelectronic detection of DNA molecules using an amorphous silicon photodetector. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 820, 61		
87	An on-chip thin film photodetector for the quantification of DNA probes and targets in microarrays. <i>Nucleic Acids Research</i> , 2004 , 32, e70	20.1	72
86	Covalent immobilization of DNA and hybridization on microchips by microsecond electric field pulses. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 820, 55		1
85	Immobilization and hybridization by single sub-millisecond electric field pulses, for pixel-addressed DNA microarrays. <i>Biosensors and Bioelectronics</i> , 2004 , 19, 1591-7	11.8	35
84	Hot-wire thin-film transistors on PET at 100 °C. <i>Thin Solid Films</i> , 2003 , 430, 240-244	2.2	13
83	Non-invasive electrical characterization of semiconductor interfaces. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2003 , 102, 156-160	3.1	
82	Low-temperature thin-film silicon MEMS. <i>Thin Solid Films</i> , 2003 , 427, 181-186	2.2	10
81	Electric-field-pulse-assisted covalent immobilization of DNA in the nanosecond time scale. <i>Applied Physics Letters</i> , 2003 , 83, 1465-1467	3.4	20
80	Integrated magnetic sensing of electrostatically actuated thin-film microbridges. <i>Journal of Microelectromechanical Systems</i> , 2003 , 12, 550-556	2.5	13
79	Electronic and structural properties of doped amorphous and nanocrystalline silicon deposited at low substrate temperatures by radio-frequency plasma-enhanced chemical vapor deposition. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2003 , 21, 1048-1054	2.9	27
78	Electrostatic actuation of thin-film microelectromechanical structures. <i>Journal of Applied Physics</i> , 2003 , 93, 10018-10029	2.5	41
77	Optoelectronic Detection of DNA Molecules Using an Amorphous Silicon Photodetector. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 762, 2121		1
76	Electric field pulse assisted covalent immobilization and hybridization of DNA in the nanosecond time scale. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 773, 1051		1
75	Thin Film Microelectromechanical Systems. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 715, 1231		
74	Photoluminescence and sub band gap absorption of CuGaSe ₂ thin films. <i>Thin Solid Films</i> , 2002 , 403-404, 495-499	2.2	22

73	Properties of high growth rate amorphous silicon deposited by MC-RF-PECVD. <i>Vacuum</i> , 2002 , 64, 245-248	7	11
72	Microelectromechanical system microbridge deflection monitoring using integrated spin valve sensors and micromagnets. <i>Journal of Applied Physics</i> , 2002 , 91, 7774	2.5	13
71	Thin film micro arrays with immobilized DNA for hybridization analysis. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 723, 231		13
70	Integrated Magnetic Sensing of Electrostatically Actuated Thin-Film Microbridges. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 729, 371		3
69	Direct measurement of Urbach tail and gap state absorption in CuGaSe ₂ thin films by photothermal deflection spectroscopy and the constant photocurrent method. <i>Journal of Applied Physics</i> , 2002 , 92, 3016-3020	2.5	47
68	MEMS microbridge vibration monitoring using spin-valve sensors. <i>IEEE Transactions on Magnetics</i> , 2002 , 38, 3371-3373	2	3
67	Piezoresistive sensors on plastic substrates using doped microcrystalline silicon. <i>IEEE Sensors Journal</i> , 2002 , 2, 336-341	4	24
66	Electronic transport in microcrystalline silicon controlled by trapping and intra-grain mobility. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 365-369	3.9	17
65	Electronic transport in low-temperature silicon nitride. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 434-438	3.9	8
64	Thermal actuation of thin film microelectromechanical structures. <i>Journal of Non-Crystalline Solids</i> , 2002 , 299-302, 1224-1228	3.9	20
63	Lifetime Regime in the Electrically-Detected Transient Grating Method Applied to Amorphous and Microcrystalline Silicon Films. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 715, 2021		1
62	Thin-Film Transistors on PET at 100°C. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 715, 311		6
61	Amorphous and microcrystalline silicon deposited by hot-wire chemical vapor deposition at low substrate temperatures: application to devices and thin-film microelectromechanical systems. <i>Thin Solid Films</i> , 2001 , 395, 105-111	2.2	21
60	Thin-Film Microelectromechanical Devices on Large-Area Substrates. <i>Solid State Phenomena</i> , 2001 , 80-81, 429-440	0.4	3
59	Doping of amorphous and microcrystalline silicon films deposited at low substrate temperatures by hot-wire chemical vapor deposition. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2001 , 19, 2328-2334	2.9	32
58	Electromechanical properties of amorphous and microcrystalline silicon micromachined structures. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 664, 2641		6
57	Doping of amorphous and microcrystalline silicon films by hot-wire CVD and RFPECVD at low substrate temperatures on plastic substrates. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 609, 2261		9
56	Photoluminescence intensity and anisotropy decays in amorphous carbon. <i>Chemical Physics Letters</i> , 2000 , 319, 113-118	2.5	14

55	Spin dependent tunnel junctions for memory and read-head applications. <i>IEEE Transactions on Magnetism</i> , 2000 , 36, 2796-2801	2	43
54	Amorphous silicon air-gap resonators on large-area substrates. <i>Applied Physics Letters</i> , 2000 , 77, 907-909	3.4	36
53	Low substrate temperature deposition of amorphous and microcrystalline silicon films on plastic substrates by hot-wire chemical vapor deposition. <i>Journal of Non-Crystalline Solids</i> , 2000 , 266-269, 110-114	3.9	18
52	Time-resolved study of photoluminescence polarization in a-C:H films. <i>Journal of Non-Crystalline Solids</i> , 2000 , 266-269, 773-777	3.9	1
51	Thin film micromachined structures for large-area applications. <i>Journal of Non-Crystalline Solids</i> , 2000 , 266-269, 1340-1344	3.9	4
50	Vertical integration of a spin dependent tunnel junction with an amorphous Si diode for MRAM application. <i>IEEE Transactions on Magnetism</i> , 1999 , 35, 2832-2834	2	17
49	Vertical integration of spin dependent tunnel junction and amorphous Si diode for MRAM application 1999 ,		1
48	Optoelectronic and structural properties of amorphous silicon-carbon alloys deposited by low-power electron-cyclotron resonance plasma-enhanced chemical-vapor deposition. <i>Journal of Applied Physics</i> , 1999 , 85, 3327-3338	2.5	71
47	Ion implantation of microcrystalline silicon for low process temperature top gate thin film transistors. <i>Thin Solid Films</i> , 1999 , 337, 203-207	2.2	1
46	Micromachining of an air-bridge structure using thin-films on glass substrates. <i>Sensors and Actuators A: Physical</i> , 1999 , 74, 5-8	3.9	3
45	Vertical integration of a spin dependent tunnel junction with an amorphous Si diode. <i>Applied Physics Letters</i> , 1999 , 74, 3893-3895	3.4	16
44	Amorphous and microcrystalline silicon films grown at low temperatures by radio-frequency and hot-wire chemical vapor deposition. <i>Journal of Applied Physics</i> , 1999 , 86, 3812-3821	2.5	122
43	Atomic Force Microscopy Study of Initial Nucleation in the Deposition OF μ c-Si:H. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 557, 519		
42	Mobility-lifetime product in microdoped amorphous silicon deposited by hot-wire chemical vapor deposition. <i>Journal of Non-Crystalline Solids</i> , 1998 , 227-230, 225-228	3.9	
41	Wide band gap a-SiC:H films for optoelectronic applications. <i>Journal of Non-Crystalline Solids</i> , 1998 , 227-230, 465-469	3.9	10
40	Photoluminescence of polymer-like amorphous carbon films grown in different plasma reactors. <i>Journal of Non-Crystalline Solids</i> , 1998 , 227-230, 574-578	3.9	7
39	Air-gap amorphous silicon thin film transistors. <i>Applied Physics Letters</i> , 1998 , 73, 502-504	3.4	22
38	Possible Origin of Large Response Times and Ambipolar Diffusion Lengths in Hot-Wire-Cvd Silicon Films. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 507, 799		1

37	Application of Thin-Film Micromachining on Glass. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 507, 85		2
36	The Effect of Hydrogen Dilution on Hot-Wire Thin-Film Transistors. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 507, 909		6
35	Role of RF Power and Gas Mixture in Some Optical and Photoluminescence Properties of Dual-Plasma a-C:H Films. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 508, 203		1
34	Amorphous and Microcrystalline Silicon Deposited by Low-Power Electron-Cyclotron Resonance Plasma-Enhanced Chemical-Vapor Deposition. <i>Japanese Journal of Applied Physics</i> , 1997 , 36, 38-49	1.4	10
33	Amorphous and microcrystalline silicon films obtained by hot-wire chemical vapour deposition using high filament temperatures between 1900 and 2500°C. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 1997 , 76, 299-308		19
32	Improved mobility of amorphous silicon thin-film transistors deposited by hot-wire chemical vapor deposition on glass substrates. <i>Applied Physics Letters</i> , 1997 , 70, 2714-2716	3.4	25
31	In-plane photoconductivity in amorphous silicon doping multilayers. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 1996 , 74, 331-347		1
30	Amorphous and microcrystalline silicon films deposited by hot-wire chemical vapor deposition at filament temperatures between 1500 and 1900 °C. <i>Journal of Applied Physics</i> , 1996 , 79, 8748-8760	2.5	54
29	Study of Doped-Intrinsic Interfaces in Amorphous Semiconductors Using Doping Multilayers. <i>Materials Science Forum</i> , 1996 , 207-209, 589-592	0.4	
28	Photoconductive analysis of defect density of hydrogenated amorphous silicon during room-temperature plasma posthydrogenation, light soaking, and thermal annealing. <i>Physical Review B</i> , 1996 , 53, 1886-1890	3.3	2
27	Transport and photoluminescence of hydrogenated amorphous silicon-carbon alloys. <i>Journal of Applied Physics</i> , 1995 , 78, 3164-3173	2.5	53
26	Low filament temperature deposition of a-Si:H by hot-wire chemical vapor deposition. <i>Journal of Applied Physics</i> , 1995 , 78, 3776-3783	2.5	18
25	Carrier lifetime in amorphous semiconductors. <i>Journal of Applied Physics</i> , 1994 , 75, 7349-7355	2.5	6
24	Properties of amorphous silicon/amorphous silicon-germanium multilayers. <i>Journal of Applied Physics</i> , 1994 , 75, 1638-1655	2.5	15
23	High-Growth Rate a-Si:H Deposited by Hot-Wire CVD. <i>Materials Research Society Symposia Proceedings</i> , 1994 , 336, 67		2
22	Dual-beam photocurrent spectra in undoped a-Si:H: anomalous band, optical transition energy, and correlation energy. <i>Journal of Non-Crystalline Solids</i> , 1993 , 164-166, 383-386	3.9	4
21	Response time measurements in microcrystalline silicon. <i>Journal of Non-Crystalline Solids</i> , 1993 , 164-166, 477-480	3.9	5
20	Annealing kinetics of a-Si:H deposited by concentric-electrode rf glow discharge at room temperature. <i>Journal of Applied Physics</i> , 1993 , 73, 1826-1831	2.5	6

19	Low Filament Temperature Deposition of a-Si:H by Catalytic Chemical Vapor Deposition. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 297, 121		1
18	Dual-Beam Photocurrent Spectra in Undoped a-Si:H. <i>Materials Research Society Symposia Proceedings</i> , 1993 , 297, 473		1
17	The effect of the flow of silane on the properties of a-Si:H deposited by concentric-electrode radio frequency glow-discharge. <i>Journal of Applied Physics</i> , 1992 , 71, 3990-3996	2.5	7
16	. <i>IEEE Electron Device Letters</i> , 1992 , 13, 5-7	4.4	12
15	Deposition of amorphous silicon using a tubular reactor with concentric-electrode confinement. <i>Journal of Applied Physics</i> , 1992 , 71, 3981-3989	2.5	14
14	Optoelectronic properties of hydrogenated amorphous silicon films deposited under negative substrate bias. <i>Journal of Applied Physics</i> , 1991 , 69, 2942-2950	2.5	44
13	Photocurrent collection in a Schottky barrier on an amorphous silicon-germanium alloy structure with 1.23 eV optical gap. <i>Applied Physics Letters</i> , 1989 , 55, 262-264	3.4	23
12	. <i>IEEE Transactions on Electron Devices</i> , 1989 , 36, 2834-2838	2.9	4
11	Electron transport in superlattices. <i>Superlattices and Microstructures</i> , 1989 , 6, 1-5	2.8	1
10	The optoelectronic properties of a-Si, Ge:H(F) alloys. <i>Journal of Non-Crystalline Solids</i> , 1989 , 114, 453-458,9	3.9	18
9	Breaking the isotropy of amorphous silicon-germanium alloys: Graded-bandgap and sawtooth superlattice structures. <i>Journal of Non-Crystalline Solids</i> , 1989 , 114, 693	3.9	4
8	Simple procedure for generating sequences of daily radiation values using a library of Markov transition matrices. <i>Solar Energy</i> , 1988 , 40, 269-279	6.8	190
7	Optical and transport properties of a-Si:H,F/a-Si,Ge:H,F superlattices. <i>Solar Cells</i> , 1988 , 24, 223-235		3
6	Determination of the D ₀ /I ₁ level in amorphous Si,Ge:H(F) by time-of-flight charge collection. <i>Applied Physics Letters</i> , 1988 , 53, 1542-1544	3.4	10
5	Femtosecond spectroscopy in amorphous silicon and silicon-germanium alloys. <i>Journal of Non-Crystalline Solids</i> , 1987 , 97-98, 145-148	3.9	6
4	Steady state and transient transport in a-Si, Ge : H, F alloys. <i>Journal of Non-Crystalline Solids</i> , 1987 , 97-98, 1023-1026	3.9	21
3	Carrier transport mechanisms in a-Si:H,F/a-Si,Ge:H,F superlattices. <i>Journal of Non-Crystalline Solids</i> , 1987 , 97-98, 939-942	3.9	9
2	Porphyriquinone excited state interactions in reversed micelles. <i>Journal of Photochemistry and Photobiology</i> , 1985 , 28, 153-164		18

1 High-Q thin-film silicon resonators processed at temperatures below 110/spl deg/C on glass and plastic substrates

1