## Kristen Gibbons

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5114328/publications.pdf

Version: 2024-02-01

74163 126907 6,119 128 33 75 citations h-index g-index papers 131 131 131 9371 citing authors docs citations times ranked all docs

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Mucolytic Bacteria With Increased Prevalence in IBD Mucosa Augment In Vitro Utilization of Mucin by Other Bacteria. American Journal of Gastroenterology, 2010, 105, 2420-2428.  | 0.4  | 1,086     |
| 2  | Major risk factors for stillbirth in high-income countries: a systematic review and meta-analysis. Lancet, The, 2011, 377, 1331-1340.  | 13.7 | 987       |
| 3  | Stillbirths: recall to action in high-income countries. Lancet, The, 2016, 387, 691-702.   | 13.7 | 481       |
| 4  | Comparison of Human Placenta- and Bone Marrow–Derived Multipotent Mesenchymal Stem Cells.<br>Stem Cells and Development, 2008, 17, 1095-1108.  | 2.1  | 339       |
| 5  | Reduced intubation rates for infants after introduction of high-flow nasal prong oxygen delivery. Intensive Care Medicine, 2011, 37, 847-852.  | 8.2  | 256       |
| 6  | Birth outcomes associated with cannabis use before and during pregnancy. Pediatric Research, 2012, 71, 215-219.  | 2.3  | 191       |
| 7  | Prospective evaluation of the pharmacogenetics of azathioprine in the treatment of inflammatory bowel disease. Alimentary Pharmacology and Therapeutics, 2008, 28, 973-983.  | 3.7  | 152       |
| 8  | Overweight and obesity in Australian mothers: epidemic or endemic?. Medical Journal of Australia, 2012, 196, 184-188.  | 1.7  | 132       |
| 9  | An evaluation of classification systems for stillbirth. BMC Pregnancy and Childbirth, 2009, 9, 24.   | 2.4  | 131       |
| 10 | Causes of death and associated conditions (Codac) $\hat{a}\in$ a utilitarian approach to the classification of perinatal deaths. BMC Pregnancy and Childbirth, 2009, 9, 22.  | 2.4  | 100       |
| 11 | Parenting stress in mothers of very preterm infants â€" Influence of development, temperament and maternal depression. Early Human Development, 2013, 89, 625-629.   | 1.8  | 95        |
| 12 | Four Modes of Adhesion are Used During <i>Helicobacter pylori</i> Binding to Human Mucins in the Oral and Gastric Niches. Helicobacter, 2008, 13, 81-93.   | 3.5  | 84        |
| 13 | A cross-sectional analysis of patterns of obesity in a cohort of working nurses and midwives in Australia, New Zealand, and the United Kingdom. International Journal of Nursing Studies, 2012, 49, 727-738.           | 5.6  | 75        |
| 14 | Early high flow nasal cannula therapy in bronchiolitis, a prospective randomised control trial (protocol): A Paediatric Acute Respiratory Intervention Study (PARIS). BMC Pediatrics, 2015, 15, 183.                   | 1.7  | 67        |
| 15 | A survey of the views of palliative care healthcare professionals towards referring cancer patients to participate in randomized controlled trials in palliative care. Supportive Care in Cancer, 2008, 16, 1397-1405. | 2.2  | 63        |
| 16 | High-flow nasal cannula therapy for respiratory support in children. The Cochrane Library, 2018, 2018, CD009850.   | 2.8  | 62        |
| 17 | Woman-centred care: An integrative review of the empirical literature. International Journal of Nursing Studies, 2019, 94, 107-119.  | 5.6  | 57        |
| 18 | Testing for gestational diabetes during the COVID-19 pandemic. An evaluation of proposed protocols for the United Kingdom, Canada and Australia. Diabetes Research and Clinical Practice, 2020, 167, 108353.           | 2.8  | 53        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | lgG Antibodies Against Common Gut Bacteria Are More Diagnostic for Crohn's Disease Than IgG<br>Against Mannan or Flagellin. American Journal of Gastroenterology, 2008, 103, 386-396.   | 0.4 | 52        |
| 20 | Dose adjustment for normal eating (DAFNE) â€" an audit of outcomes in Australia. Medical Journal of Australia, 2010, 192, 637-640.  | 1.7 | 52        |
| 21 | The Efficacy of Haloperidol in the Management of Nausea and Vomiting in Patients with Cancer.<br>Journal of Pain and Symptom Management, 2010, 40, 111-116.   | 1.2 | 50        |
| 22 | Regional ventilation distribution in nonâ€sedated spontaneously breathing newborns and adults is not different. Pediatric Pulmonology, 2009, 44, 851-858.   | 2.0 | 47        |
| 23 | Randomised controlled trials of palliative care $\hat{a}\in$ a survey of the views of advanced cancer patients and their relatives. European Journal of Cancer, 2008, 44, 1820-1828.  | 2.8 | 43        |
| 24 | Neurodevelopmental outcome and risk factors for disability for twin-twin transfusion syndrome treated with laser surgery. American Journal of Obstetrics and Gynecology, 2011, 204, 159.e1-159.e6.  | 1.3 | 43        |
| 25 | Aromatherapy for treatment of postoperative nausea and vomiting. The Cochrane Library, 2012, , CD007598.  | 2.8 | 43        |
| 26 | A Randomised Controlled Trial to Delay or Prevent Type 2 Diabetes after Gestational Diabetes: Walking for Exercise and Nutrition to Prevent Diabetes for You. International Journal of Endocrinology, 2015, 2015, 1-8.  | 1.5 | 42        |
| 27 | Aromatherapy for treatment of postoperative nausea and vomiting. The Cochrane Library, 2018, 2018, CD007598.  | 2.8 | 41        |
| 28 | The Impact of Entry Technique and Access Diameter on Prelabour Rupture of Membranes Following Primary Fetoscopic Laser Treatment for Twin-Twin Transfusion Syndrome. Fetal Diagnosis and Therapy, 2016, 40, 100-109.  | 1.4 | 39        |
| 29 | The effect of cultural and linguistic diversity on pregnancy outcome. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 419-422.  | 1.0 | 38        |
| 30 | The Murri clinic: a comparative retrospective study of an antenatal clinic developed for Aboriginal and Torres Strait Islander women. BMC Pregnancy and Childbirth, 2012, 12, 159.  | 2.4 | 38        |
| 31 | A Systematic Review of the Effectiveness of Warming Interventions for Women Undergoing Cesarean Section. Worldviews on Evidence-Based Nursing, 2014, 11, 383-393.   | 2.9 | 38        |
| 32 | Trial for <scp>R</scp> educing <scp>W</scp> eight <scp>R</scp> etention in <scp>N</scp> ew <scp>M</scp> ums: a randomised controlled trial evaluating a low intensity, postpartum weight management programme. Journal of Human Nutrition and Dietetics, 2015, 28, 15-28. | 2.5 | 36        |
| 33 | The Skin Cancer Quality of Life Impact Tool (SCQOLIT): a validated healthâ€related quality of life questionnaire for nonâ€metastatic skin cancers. Journal of the European Academy of Dermatology and Venereology, 2013, 27, 1109-1113.                                   | 2.4 | 35        |
| 34 | Disturbed eating behaviours and thoughts in $\langle scp \rangle A \langle scp \rangle$ ustralian adolescents with type 1 diabetes. Journal of Paediatrics and Child Health, 2013, 49, E317-23.   | 0.8 | 35        |
| 35 | Screening for autism spectrum disorder in very preterm infants during early childhood. Early Human Development, 2015, 91, 271-276.  | 1.8 | 34        |
| 36 | Parenting stress trajectories in mothers of very preterm infants to 2 years. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F43-F48.  | 2.8 | 33        |

3

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 37 | Does model of maternity care make a difference to birth outcomes for young women? A retrospective cohort study. International Journal of Nursing Studies, 2015, 52, 1332-1342.  | 5.6         | 32        |
| 38 | The timing of elective caesarean deliveries and early neonatal outcomes in singleton infants born 37–41Aweeks' gestation. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2014, 54, 340-347.                                | 1.0         | 31        |
| 39 | Motor performance, postural stability and behaviour of non-disabled extremely preterm or extremely low birth weight children at four to five years of age. Early Human Development, 2015, 91, 309-315.  | 1.8         | 31        |
| 40 | Influence of xanthine oxidase on thiopurine metabolism in Crohn's disease. Alimentary Pharmacology and Therapeutics, 2008, 28, 749-757.   | 3.7         | 30        |
| 41 | Recent cessation of smoking and its effect on pregnancy outcomes. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 54-58.  | 1.0         | 29        |
| 42 | The long-term predictive validity of early motor development in "apparently normal―ELBW survivors. Early Human Development, 2012, 88, 637-641.  | 1.8         | 29        |
| 43 | Illicit drug use before and during pregnancy at a tertiary maternity hospital 2000–2006. Drug and Alcohol Review, 2011, 30, 181-187.  | 2.1         | 27        |
| 44 | Comparison of a single vs. a four intradermal sterile water injection for relief of lower back pain for women in labour: A randomised controlled trial. Midwifery, 2013, 29, 585-591.   | 2.3         | 27        |
| 45 | Mobile applications providing guidance about decreased fetal movement: Review and content analysis.<br>Women and Birth, 2019, 32, e289-e296.  | 2.0         | 26        |
| 46 | The maternal and neonatal outcomes for an urban Indigenous population compared with their non-Indigenous counterparts and a trend analysis over four triennia. BMC Pregnancy and Childbirth, 2013, 13, 167.                                   | 2.4         | 25        |
| 47 | Induction of labour using prostaglandin E <sub>2</sub> as an inpatient versus balloon catheter as an outpatient: a multicentre randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 571-579. | 2.3         | 25        |
| 48 | Do variations in insulin sensitivity and insulin secretion in pregnancy predict differences in obstetric and neonatal outcomes?. Diabetologia, 2021, 64, 304-312.   | 6.3         | 23        |
| 49 | The medical management of missed miscarriage: outcomes from a prospective, single entre, Australian cohort. Medical Journal of Australia, 2013, 199, 341-346.   | 1.7         | 22        |
| 50 | Psychosocial screening and management of young people aged 18–25 years with diabetes. Internal Medicine Journal, 2017, 47, 415-423.   | 0.8         | 20        |
| 51 | Associations of serum vitamin D concentrations with obstetric glucose metabolism in a subset of the Hyperglycemia and Adverse Pregnancy Outcome (HAPO) study cohort. Diabetic Medicine, 2012, 29, e199-204.                                   | 2.3         | 19        |
| 52 | Does lactate level in the first $12\hat{a} \in f$ hours of life predict mortality in extremely premature infants?. Journal of Paediatrics and Child Health, 2009, 45, 263-267.  | 0.8         | 18        |
| 53 | Ea versus Sham Acupuncture and no Acupuncture for the Control of Acute and Delayed<br>Chemotherapy-Induced Nausea and Vomiting: A Pilot Study. Acupuncture in Medicine, 2015, 33, 277-283.  | 1.0         | 18        |
| 54 | The effectiveness of varied levels of simulation fidelity on integrated performance of technical skills in midwifery students â€" A randomised intervention trial. Nurse Education Today, 2015, 35, 524-529.                                  | <b>3.</b> 3 | 18        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Can we use a lower intravaginal dose of <scp>m</scp> isoprostol in the medical management of miscarriage? A randomised controlled study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2013, 53, 64-73.                               | 1.0 | 17        |
| 56 | Perinatal mortality disparities between public care and private obstetricianâ€led care: a propensity score analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 149-158.  | 2.3 | 17        |
| 57 | Micronutrient Therapy for Violent and Aggressive Male Youth: An Open-Label Trial. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 823-832.  | 1.3 | 16        |
| 58 | The effect of dexmedetomidine on postoperative behaviour change in children: a randomised controlled trial. Anaesthesia, 2020, 75, 1461-1468.   | 3.8 | 16        |
| 59 | Reference intervals for plasma sulfate and urinary sulfate excretion in pregnancy. BMC Pregnancy and Childbirth, 2015, 15, 96.  | 2.4 | 15        |
| 60 | Relationship quality for mothers of very preterm infants. Early Human Development, 2016, 92, 13-18.   | 1.8 | 15        |
| 61 | Transnasal Humidified Rapid Insufflation Ventilatory Exchange in children requiring emergent intubation (Kids THRIVE): a protocol for a randomised controlled trial. BMJ Open, 2019, 9, e025997.  | 1.9 | 15        |
| 62 | Development and piloting the Woman Centred Care Scale (WCCS). Women and Birth, 2017, 30, 220-226.   | 2.0 | 14        |
| 63 | Adverse events and practice variability associated with paediatric endotracheal suction: An observational study. Australian Critical Care, 2020, 33, 350-357.   | 1.3 | 14        |
| 64 | A protocol for evaluating progressive levels of simulation fidelity in the development of technical skills, integrated performance and woman centred clinical assessment skills in undergraduate midwifery students. BMC Medical Education, 2013, 13, 72. | 2.4 | 13        |
| 65 | A randomised, double-blind controlled trial of intranasal midazolam for the palliation of dyspnoea in patients with life-limiting disease. Supportive Care in Cancer, 2016, 24, 3069-76.  | 2.2 | 13        |
| 66 | Barriers to the Best Care of the Dying in Queensland, Australia. Journal of Palliative Medicine, 2008, 11, 1325-1329.   | 1.1 | 12        |
| 67 | Validation and refinement of an Australian customised birthweight model using routinely collected data. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 506-511.  | 1.0 | 12        |
| 68 | Impact on Caesarean section rates following injections of sterile water (ICARIS): a multicentre randomised controlled trial. BMC Pregnancy and Childbirth, 2013, 13, 105.   | 2.4 | 12        |
| 69 | The influence of mode of birth on neonatal survival and maternal outcomes at extreme prematurity: A retrospective cohort study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2016, 56, 60-68.  | 1.0 | 12        |
| 70 | Growth monitoring of low birthweight infants: What references to use?. Journal of Paediatrics and Child Health, 2012, 48, 759-767.  | 0.8 | 11        |
| 71 | Development of a risk engine relating maternal glycemia and body mass index to pregnancy outcomes.<br>Diabetes Research and Clinical Practice, 2018, 139, 331-338.  | 2.8 | 11        |
| 72 | A survey of policies for the monitoring of fetal growth in Australian and New Zealand hospitals. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 493-498.   | 1.0 | 10        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Concurrent validity of selfâ€report measures of eating disorders in adolescents with type 1 diabetes. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 973-978.  | 1.5 | 10        |
| 74 | Health-related quality of life in pediatric ulcerative colitis patients on conventional medical treatment compared to those after restorative proctocolectomy. International Journal of Colorectal Disease, 2013, 28, 325-333.               | 2.2 | 10        |
| 75 | Customised birthweight models: Do they increase identification of atâ€risk infants?. Journal of Paediatrics and Child Health, 2013, 49, 380-387.   | 0.8 | 10        |
| 76 | Induction of labour for postdates in nulliparous women with uncomplicated pregnancy – is the caesarean section rate really lower?. Journal of Obstetrics and Gynaecology, 2016, 36, 916-920.   | 0.9 | 10        |
| 77 | Absent progesterone receptor expression in the lymph node metastases of ER-positive, HER2-negative breast cancer is associated with relapse on tamoxifen. Journal of Clinical Pathology, 2017, 70, 954-960.                                  | 2.0 | 10        |
| 78 | Resuscitation in Paediatric Sepsis Using Metabolic Resuscitation–A Randomized Controlled Pilot<br>Study in the Paediatric Intensive Care Unit (RESPOND PICU): Study Protocol and Analysis Plan.<br>Frontiers in Pediatrics, 2021, 9, 663435. | 1.9 | 10        |
| 79 | High flow in children with respiratory failure: A randomised controlled pilot trial – A paediatric acute respiratory intervention study. Journal of Paediatrics and Child Health, 2021, 57, 273-281.   | 0.8 | 10        |
| 80 | Effect of flow rate, humidifier dome and water volume on maximising heated, humidified gas use for neonatal resuscitation. Resuscitation, 2013, 84, 1428-1432.   | 3.0 | 9         |
| 81 | Strategy for managing maternal variant <i>RHD</i> alleles in Rhesus D negative obstetric populations during fetal <i>RHD</i> genotyping. Prenatal Diagnosis, 2014, 34, 56-62.  | 2.3 | 9         |
| 82 | Publicâ€private differences in shortâ€term neonatal outcomes following birth by prelabour caesarean section at early and full term. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, 176-185.                     | 1.0 | 9         |
| 83 | An open-label pilot study of oral vitamin C as an opioid-sparing agent in patients with chronic pain secondary to cancer. Supportive Care in Cancer, 2017, 25, 341-343.  | 2.2 | 9         |
| 84 | Cross-validated prediction model for severe adverse neonatal outcomes in a term, non-anomalous, singleton cohort. BMJ Paediatrics Open, 2019, 3, e000424.  | 1.4 | 9         |
| 85 | Prediction of large-for-gestational age infants in relation to hyperglycemia in pregnancy – A comparison of statistical models. Diabetes Research and Clinical Practice, 2021, 178, 108975.  | 2.8 | 9         |
| 86 | Midwifery group practice and mode of birth. Women and Birth, 2012, 25, 187-193.  | 2.0 | 8         |
| 87 | Fitness limitations in nonâ€disabled extremely low birthweight adolescents. Journal of Paediatrics and Child Health, 2013, 49, 548-553.  | 0.8 | 7         |
| 88 | Women's frequency of alcohol consumption prior to pregnancy and at their pregnancy-booking visit 2001–2006: A cohort study. Women and Birth, 2015, 28, 160-165.  | 2.0 | 7         |
| 89 | Quantitative assessment of dietary intake in adults with Type 1 diabetes following flexible insulin therapy education with an active promotion of dietary freedom. Diabetes Research and Clinical Practice, 2016, 116, 36-42.                | 2.8 | 7         |
| 90 | Prevalence of QTc Prolongation in Patients With Advanced Cancer Receiving Palliative Care—A Cause for Concern?. Journal of Pain and Symptom Management, 2020, 59, 856-863.   | 1.2 | 7         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Midazolam exposure in the paediatric intensive care unit predicts acute post-traumatic stress symptoms in children. Australian Critical Care, 2022, 35, 408-414.   | 1.3 | 7         |
| 92  | Major Risk Factors for Stillbirth in High-Income Countries: A Systematic Review and Meta-Analysis. Obstetrical and Gynecological Survey, 2011, 66, 483-485.  | 0.4 | 6         |
| 93  | Term stillbirth in older women. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 286-289.   | 1.0 | 6         |
| 94  | Twelveâ€year review of neonatal deaths in the delivery room in a perinatal tertiary centre. Journal of Paediatrics and Child Health, 2013, 49, E40-5.  | 0.8 | 6         |
| 95  | A Test of Agreement of Customised Birthweight Models. Paediatric and Perinatal Epidemiology, 2013, 27, 131-137.  | 1.7 | 6         |
| 96  | Prominent cervical mucous and its impact on cervical length measurement: Findings of a national survey. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2014, 54, 108-116.   | 1.0 | 6         |
| 97  | Choosing a screening tool to assess disordered eating in adolescents with type 1 diabetes mellitus. Journal of Diabetes and Its Complications, 2015, 29, 2-4.  | 2.3 | 6         |
| 98  | How have the lives of pregnant women changed in the last 30 years?. Women and Birth, 2017, 30, 342-349.  | 2.0 | 6         |
| 99  | Predictors of mode of birth and duration of labour following induction using prostaglandin vaginal gel. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, 168-175.   | 1.0 | 6         |
| 100 | Early Resuscitation in Paediatric Sepsis Using Inotropes – A Randomised Controlled Pilot Study in the Emergency Department (RESPOND ED): Study Protocol and Analysis Plan. Frontiers in Pediatrics, 2021, 9, 663028.   | 1.9 | 6         |
| 101 | Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution $\hat{a} \in \mathcal{C}$ An approach to the Danish paradox. Diabetes Research and Clinical Practice, 2021, 175, 108832.  | 2.8 | 6         |
| 102 | <i>&gt;H</i> igh-flow oxygen for children's <i>a</i> irway surgery: rando <i>m</i> icontroll <i>e</i> d <i>t</i> rial protocol (HAMSTER). BMJ Open, 2019, 9, e031873.  | 1.9 | 5         |
| 103 | Testing for Common Respiratory Viruses in Children Admitted to Pediatric Intensive Care: Epidemiology and Outcomes. Pediatric Critical Care Medicine, 2020, 21, e333-e341.   | 0.5 | 5         |
| 104 | Multicentre, randomised trial to investigate early nasal highâ€"flow therapy in paediatric acute hypoxaemic respiratory failure: a protocol for a randomised controlled trialâ€"a Paediatric Acute respiratory Intervention Study (PARIS 2). BMJ Open, 2019, 9, e030516. | 1.9 | 4         |
| 105 | The clinical effectiveness of interventions to assist perioperative temperature management for women undergoing cesarean section: a systematic review. JBI Database of Systematic Reviews and Implementation Reports, 2013, 11, 45-111.                                  | 1.7 | 3         |
| 106 | Nasal High Flow in Room Air for Hypoxemic Bronchiolitis Infants. Frontiers in Pediatrics, 2019, 7, 426.  | 1.9 | 3         |
| 107 | Development of a crossâ€validated model for predicting emergency cesarean for intrapartum fetal compromise at term. International Journal of Gynecology and Obstetrics, 2020, 148, 41-47.  | 2.3 | 3         |
| 108 | Behaviour of 4―to 5â€yearâ€old nondisabled <scp>ELBW</scp> children: Outcomes following groupâ€based physiotherapy intervention. Child: Care, Health and Development, 2018, 44, 227-233.   | 1.7 | 2         |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Antiâ€tumour necrosis factorâ€Î± treatment for perianal Crohn's disease in Australia. Medical Journal of Australia, 2010, 192, 375-377.  | 1.7 | 1         |
| 110 | Neurodevelopmental Outcome and Risk Factors for Disability for Twin-Twin Transfusion Syndrome Treated With Laser Surgery. Obstetrical and Gynecological Survey, 2011, 66, 344-345.   | 0.4 | 1         |
| 111 | Reply to Letter: Effect of flow rate, humidifier dome and water volume on maximising heated, humidified gas use for neonatal resuscitation—A response. Resuscitation, 2013, 84, e157.  | 3.0 | 1         |
| 112 | The Timing of Elective Caesarean Deliveries and Early Neonatal Outcomes in Singleton Infants Born at 37 to 41 Weeks' Gestation. Obstetrical and Gynecological Survey, 2014, 69, 722-724.   | 0.4 | 1         |
| 113 | Re: The timing of elective caesarean deliveries and early neonatal outcomes in singleton infants born $37\hat{a}\in 41$ weeks' gestation. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2014, 54, 602-603.   | 1.0 | 1         |
| 114 | Resistance training improves metainflammation and body composition in obese adolescents. International Journal of Pediatric Endocrinology (Springer), 2015, 2015, .  | 1.6 | 1         |
| 115 | Utility of βh <scp>CG</scp> monitoring in the followâ€up of medical management of miscarriage.<br>Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, 358-365.   | 1.0 | 1         |
| 116 | Psychosocial outcomes in adults with type 1 diabetes following a novel â€~short course' structured flexible MDI therapy selfâ€management programme. Practical Diabetes, 2017, 34, 235.   | 0.3 | 1         |
| 117 | Reprint of "Development of a risk engine relating maternal glycemia and body mass index to pregnancy outcomes― Diabetes Research and Clinical Practice, 2018, 145, 31-38.  | 2.8 | 1         |
| 118 | Antithrombin Dosing Guidelines in Children Underestimate Dose Needed for Plasma Level Increase. Pediatric Critical Care Medicine, 2020, 21, 746-752.   | 0.5 | 1         |
| 119 | Statistical analysis plan for the NITric oxide during cardiopulmonary bypass to improve Recovery in Infants with Congenital heart defects (NITRIC) trial. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 47-58. | 0.1 | 1         |
| 120 | A Comparison of Two Measures of Behaviour Change in Children After Day Surgery. Paediatric Anaesthesia, 2022, 32, 62-66.   | 1.1 | 1         |
| 121 | Research monitoring practices in critical care research: a survey of current state and attitudes. BMC Medical Research Methodology, 2022, 22, 74.  | 3.1 | 1         |
| 122 | Authors' reply. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, E18.   | 1.0 | 0         |
| 123 | The contribution of midwifery education to the provision of woman-centred care: outcomes and implications of an integrative review. Women and Birth, 2019, 32, S16.  | 2.0 | O         |
| 124 | Randomised clinical trial of groupâ€based physiotherapy in extremely low birthweight children with minimal/mild motor impairment: A preliminary study. Journal of Paediatrics and Child Health, 2020, 56, 727-734.   | 0.8 | 0         |
| 125 | Development of the Birthweight Appropriateness Quotient: A New Measure of Infant's Size. Maternal and Child Health Journal, 2020, 24, 1202-1211.   | 1.5 | 0         |
| 126 | 1409-P: Using Fasting Venous Plasma Glucose (FVPG) to Stratify Risk in Women with Gestational Diabetes (GDM). Diabetes, 2019, 68, .  | 0.6 | 0         |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | 355-OR: Is Classification of GDM Phenotypes Dependent on Ethnicity?. Diabetes, 2019, 68, 355-OR.   | 0.6 | O         |
| 128 | 353-OR: Comparison of Methods for Classifying Heterogeneity in Gestational Diabetes (GDM) and Association with Outcomes. Diabetes, 2019, 68, . | 0.6 | 0         |