

Fatma Nurhan zdemir Acar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5115754/fatma-nurhan-ozdemir-acar-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

202
papers

2,608
citations

27
h-index

37
g-index

213
ext. papers

2,869
ext. citations

1.9
avg, IF

4.35
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 202 | COMPARISON OF RAPAMYCIN WITH CYCLOSPORIN, AND TACROLIMUS IN REGARDS TO THE DEVELOPMENT OF EPITHELIAL-TO-MESENCHYMAL TRANSITION (EMT) OF TUBULAR CELLS AND ENDOTHELIAL-TO-MESENCHYMAL TRANSITION (ENDOMT) OF PERITUBULAR CAPILLARIES (PTCS). | 1.8 | |
| 201 | RAPAMYCIN PREVENTS INTERSTITIAL FIBROSIS THROUGH DECREASING PERITUBULAR CAPILLARY (PTC) VEGF EXPRESSION AND ANGIOGENESIS WHILE INDUCING GLOMERULAR SCLEROSIS AND PROTEINURIA THROUGH DECREASING GLOMERULAR VEGF EXPRESSION. <i>Transplantation</i> , 2020 , 101, S101-S104 | 1.8 | |
| 200 | GLOMERULAR DEPOSITS OF VON WILLEBRAND FACTOR (VWF) AND LOSS OF ENDOTHELIAL CELL SURFACE ANTIGENS ON PERITUBULAR CAPILLARIES (PTCS) SHOWED A STRONG ASSOCIATION WITH WORSE GRAFT OUTCOME IN RECIPIENTS WITH ANTIBODY-MEDIATED REJECTION (ABMR). <i>Transplantation</i> , 2020 , 101, S254-S254 | 1.8 | |
| 199 | INTRA-PATIENT TACROLIMUS LEVEL VARIABILITY IN BK VIRUS ASSOCIATED NEPHROPATHY. <i>Transplantation</i> , 2020 , 104, S424-S424 | 1.8 | |
| 198 | Pretransplant Renal Arterial Vasculopathy of Donor Predicts Poor Renal Allograft Survival. <i>Experimental and Clinical Transplantation</i> , 2018 , 16 Suppl 1, 41-46 | 0.8 | |
| 197 | Renal Allograft With Calcium Oxalate Deposition: Association with Urinary Tract Infection and Development of Interstitial Fibrosis. <i>Experimental and Clinical Transplantation</i> , 2018 , 16 Suppl 1, 126-130 | 0.8 | 1 |
| 196 | The Influence of Polyomavirus Infected Glomerular Cells on the Development of Glomerulopathy and the Graft Survival. <i>Transplantation</i> , 2018 , 102, S132 | 1.8 | |
| 195 | Influence of Hepatitis C Virus Infection on the Development of Interstitial Fibrosis and Transplant Glomerulopathy in Pediatric Renal Transplant Patients. <i>Transplantation</i> , 2017 , 101, S44 | 1.8 | |
| 194 | Comparison of Pediatric Patients with Pure Antibody-mediated Rejection (AMR) and Recipients with both AMR and Vascular Rejection in the Development of Interstitial Fibrosis and Transplant Glomerulopathy. <i>Transplantation</i> , 2017 , 101, S44 | 1.8 | |
| 193 | Predictive Value of Renal Poly (ADP-Ribose) Polymerase (PARP) Expression Both in Inflammation and Interstitial Fibrosis Processes in Recipients With Antibody-mediated Rejection. <i>Transplantation</i> , 2017 , 101, S26 | 1.8 | |
| 192 | Development of Transplant Glomerulopathy in Recipients With Antibody Mediated Rejection. <i>Transplantation</i> , 2017 , 101, S43 | 1.8 | |
| 191 | Graft function and arterial stiffness: can bioimpedance analysis be useful in renal transplant recipients?. <i>Transplantation Proceedings</i> , 2015 , 47, 1182-5 | 1.1 | 3 |
| 190 | SP403SEVELAMER DECREASES SERUM URIC ACID LEVELS AND IMPROVES ARTERIAL STIFFNESS IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii512-iii512 | 4.3 | |
| 189 | Post-transplantation Anemia Predicts Cardiovascular Morbidity and Poor Graft Function in Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2015 , 47, 1178-81 | 1.1 | 8 |
| 188 | Relationship between inflammation and sex hormone profile in female patients receiving different types of renal replacement therapy. <i>Transplantation Proceedings</i> , 2014 , 46, 1585-90 | 1.1 | 3 |
| 187 | Allopurinol reduces cardiovascular risks and improves renal function in pre-dialysis chronic kidney disease patients with hyperuricemia. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2014 , 25, 316-20 | 0.6 | 21 |
| 186 | Left ventricular mass index and its relationship to ambulatory blood pressure and renal resistivity index in renal transplant recipients. <i>Transplantation Proceedings</i> , 2013 , 45, 1575-8 | 1.1 | 10 |

| | | | |
|-----|--|-----|----|
| 185 | Male sexual function in patients receiving different types of renal replacement therapy. <i>Transplantation Proceedings</i> , 2013 , 45, 3494-7 | 1.1 | 12 |
| 184 | Evaluation of nutritional status in renal transplant recipients in accordance with changes in graft function. <i>Transplantation Proceedings</i> , 2013 , 45, 1418-22 | 1.1 | 8 |
| 183 | Low graft function and ongoing hyperparathyroidism are closely related to post-transplantation osteoporosis. <i>Transplantation Proceedings</i> , 2013 , 45, 1562-6 | 1.1 | 4 |
| 182 | Do the values of prostate specific antigen obtained from fresh and dried urine reflect the serum measurements?. <i>Urology Annals</i> , 2013 , 5, 99-102 | 1 | 6 |
| 181 | Is there a link between hyperuricemia, morning blood pressure surge, and non-dipping blood pressure pattern in metabolic syndrome patients?. <i>International Journal of Nephrology and Renovascular Disease</i> , 2013 , 6, 71-7 | 2.5 | 7 |
| 180 | The influence of socioeconomic factors on depression in maintenance hemodialysis patients and their caregivers. <i>Clinical Nephrology</i> , 2013 , 80, 342-8 | 2.1 | 12 |
| 179 | Body fat percentage as a risk factor for atherosclerosis but not for inflammation for hemodialysis patients: differences between genders. <i>Journal of Renal Nutrition</i> , 2012 , 22, 490-8 | 3 | 6 |
| 178 | Risk factors for candidemia with non-albicans <i>Candida</i> spp. in intensive care unit patients with end-stage renal disease on chronic hemodialysis. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 325-32 | 3.2 | 18 |
| 177 | Insulin resistance and left ventricular mass in non-diabetic hemodialysis patients. <i>Current Therapeutic Research</i> , 2012 , 73, 165-73 | 2.4 | 3 |
| 176 | Increased cardiac troponin T levels are related to inflammatory markers and various indices of renal function in chronic renal disease patients. <i>Renal Failure</i> , 2012 , 34, 454-9 | 2.9 | 7 |
| 175 | The relationship of visfatin levels with insulin resistance and left ventricular hypertrophy in peritoneal dialysis patients. <i>Renal Failure</i> , 2012 , 34, 732-7 | 2.9 | 5 |
| 174 | Prospective validation of the Glasgow Blatchford scoring system in patients with upper gastrointestinal bleeding in the emergency department. <i>Turkish Journal of Gastroenterology</i> , 2012 , 23, 448-55 | 1 | 8 |
| 173 | Circulating levels of osteopontin are related with calcification parameters in patients with renal transplantations. <i>Transplantation Proceedings</i> , 2011 , 43, 562-4 | 1.1 | 3 |
| 172 | Dialysis as a bridge therapy to renal transplantation: comparison of graft outcomes according to mode of dialysis treatment. <i>Transplantation Proceedings</i> , 2011 , 43, 485-7 | 1.1 | 15 |
| 171 | Angiotensinogen t235 and angiotensin-converting enzyme insertion/deletion polymorphisms associated with the development of posttransplantation diabetes mellitus in renal allograft recipients. <i>Transplantation Proceedings</i> , 2011 , 43, 572-4 | 1.1 | 6 |
| 170 | Factors associated with insulin resistance after long-term renal transplantation. <i>Transplantation Proceedings</i> , 2011 , 43, 575-7 | 1.1 | |
| 169 | Pretransplantation serum FT3 concentration in kidney recipients is useful to identify higher risk of graft failure. <i>Transplantation Proceedings</i> , 2011 , 43, 448-50 | 1.1 | |
| 168 | Rapamycin prevents interstitial fibrosis in renal allografts through decreasing angiogenesis and inflammation. <i>Transplantation Proceedings</i> , 2011 , 43, 524-6 | 1.1 | 8 |

| | | | |
|-----|---|-----|----|
| 167 | Daytime sleepiness and quality of life in peritoneal dialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2011 , 15, 565-71 | 1.9 | 12 |
| 166 | Factors related to fatigue and subgroups of fatigue in patients with end-stage renal disease. <i>Clinical Nephrology</i> , 2011 , 76, 358-64 | 2.1 | 28 |
| 165 | Regular lactulose use is associated with lower peritonitis rates: an observational study. <i>Peritoneal Dialysis International</i> , 2010 , 30, 243-6 | 2.8 | 24 |
| 164 | Peritoneal cells at admission: do they have prognostic significance in peritonitis?. <i>Renal Failure</i> , 2010 , 32, 335-42 | 2.9 | 4 |
| 163 | The influence of hepatitis C infection activity on oxidative stress markers and erythropoietin requirement in hemodialysis patients. <i>Transplantation Proceedings</i> , 2010 , 42, 1629-36 | 1.1 | 5 |
| 162 | Renin-angiotensin system polymorphisms: a risk factor for progression to end-stage renal disease in vesicoureteral reflux patients. <i>Renal Failure</i> , 2009 , 31, 196-200 | 2.9 | 9 |
| 161 | Renal resistive index and nocturnal non-dipping: is there an association in essential hypertension?. <i>International Urology and Nephrology</i> , 2009 , 41, 383-91 | 2.3 | 7 |
| 160 | Quality of life in hemodialysis patients: hepatitis C virus infection makes sense. <i>International Urology and Nephrology</i> , 2009 , 41, 1011-9 | 2.3 | 15 |
| 159 | Peritoneal albumin leakage: 2 year prospective cardiovascular event occurrence and patient survival analysis. <i>Nephrology</i> , 2009 , 14, 712-5 | 2.2 | 7 |
| 158 | Posttransplant proteinuria is associated with higher risk of cardiovascular disease and graft failure in renal transplant patients. <i>Transplantation Proceedings</i> , 2009 , 41, 1604-8 | 1.1 | 12 |
| 157 | Vitamin D status, bone mineral density, and inflammation in kidney transplantation patients. <i>Transplantation Proceedings</i> , 2009 , 41, 2823-5 | 1.1 | 13 |
| 156 | Predictors of early postoperative hypocalcemia in hemodialysis patients with secondary hyperparathyroidism. <i>Transplantation Proceedings</i> , 2009 , 41, 3642-6 | 1.1 | 34 |
| 155 | Relationship of renal resistive index and cardiovascular disease in renal transplant recipients. <i>Transplantation Proceedings</i> , 2009 , 41, 2835-7 | 1.1 | 7 |
| 154 | Metabolic syndrome is related to long-term graft function in renal transplant recipients. <i>Transplantation Proceedings</i> , 2009 , 41, 2808-10 | 1.1 | 14 |
| 153 | Does metabolic syndrome have an impact on the quality of life and mood of hemodialysis patients?. <i>Journal of Renal Nutrition</i> , 2009 , 19, 365-71 | 3 | 5 |
| 152 | Malnutrition inflammation score is associated with coronary artery disease in hepatitis C virus-infected hemodialysis patients. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1449-54 | 5.2 | 11 |
| 151 | Predictors for quality of life in continuous ambulatory peritoneal dialysis patients. <i>Nephrology</i> , 2008 , 13, 587-92 | 2.2 | 22 |
| 150 | Acute rejection rates and survival of renal transplant recipients with Alport® Syndrome. <i>Transplantation Proceedings</i> , 2008 , 40, 120-2 | 1.1 | 3 |

| | | | |
|-----|--|-----|----|
| 149 | Low total plasma homocysteine level in relation to malnutrition, inflammation, and outcome in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2008 , 18, 338-46 | 3 | 11 |
| 148 | Brucellosis in cases of end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 2344-9 | 4.3 | 11 |
| 147 | Streptococcus vestibularis bacteremia following dental extraction in a patient on long-term hemodialysis: a case report. <i>CKJ: Clinical Kidney Journal</i> , 2008 , 1, 276-7 | 4.5 | 6 |
| 146 | Peritonitis Due to Streptococcus anginosus in Patients Treated with CAPD: A Report of Two Cases. <i>Peritoneal Dialysis International</i> , 2008 , 28, 315-316 | 2.8 | 1 |
| 145 | Prevalence and predictors of arrhythmia in end stage renal disease patients on hemodialysis. <i>Renal Failure</i> , 2007 , 29, 331-9 | 2.9 | 31 |
| 144 | Effect of anti-HCV positivity on markers of malnutrition and inflammation in hemodialysis patients. <i>Renal Failure</i> , 2007 , 29, 85-90 | 2.9 | 3 |
| 143 | Icodextrin-Associated Sterile Peritonitis: A Recent Outbreak in Turkey. <i>Peritoneal Dialysis International</i> , 2007 , 27, 598-599 | 2.8 | 7 |
| 142 | Adherence, depression and quality of life in patients on a renal transplantation waiting list. <i>Transplant International</i> , 2007 , 20, 682-7 | 3 | 43 |
| 141 | Relationships between markers of inflammation, severity of injury, and clinical outcomes in hemorrhagic shock. <i>Advances in Therapy</i> , 2007 , 24, 955-62 | 4.1 | 24 |
| 140 | Mixed connective tissue disease: a case with scleroderma renal crisis following abortion. <i>Clinical Rheumatology</i> , 2007 , 26, 1545-7 | 3.9 | 8 |
| 139 | Soluble endothelial protein C receptor: influence on arteriovenous fistula thrombosis development in hemodialysis patients. <i>American Journal of Nephrology</i> , 2007 , 27, 366-72 | 4.6 | 7 |
| 138 | Determinants of coronary artery disease in nondiabetic hemodialysis patients: a matched case-control study. <i>Renal Failure</i> , 2007 , 29, 67-71 | 2.9 | 5 |
| 137 | Analysis of outcomes for surgically treated hip fractures in patients undergoing chronic hemodialysis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007 , 89, 324-31 | 5.6 | 35 |
| 136 | Peritoneal small solute transport rate is related to the malnutrition inflammation score in peritoneal dialysis patients. <i>Nephron Clinical Practice</i> , 2007 , 107, c156-62 | | 8 |
| 135 | Lipid profile during azathioprine or mycophenolate mofetil combinations with cyclosporine and steroids. <i>Transplantation Proceedings</i> , 2007 , 39, 135-7 | 1.1 | 13 |
| 134 | Possible influence of vitamin D receptor gene polymorphisms on recombinant human erythropoietin requirements in dialysis patients. <i>Transplantation Proceedings</i> , 2007 , 39, 40-4 | 1.1 | 11 |
| 133 | Factors associated with peak oxygen uptake in hemodialysis patients awaiting renal transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 879-82 | 1.1 | 13 |
| 132 | Serum C-reactive protein surge in renal transplant recipients: link with allograft survival. <i>Transplantation Proceedings</i> , 2007 , 39, 934-7 | 1.1 | 14 |

| | | | |
|-----|--|-----|----|
| 131 | The association between cytomegalovirus infection and atherosclerotic events in renal transplant recipients. <i>Transplantation Proceedings</i> , 2007 , 39, 990-2 | 1.1 | 24 |
| 130 | Early onset proteinuria after renal transplantation: a marker for allograft dysfunction. <i>Transplantation Proceedings</i> , 2007 , 39, 938-40 | 1.1 | 16 |
| 129 | The impact of renal failure on survival following cardiac transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 1247-9 | 1.1 | 2 |
| 128 | Value of the tuberculin skin test in screening for tuberculosis in dialysis patients. <i>Transplantation Proceedings</i> , 2007 , 39, 883-6 | 1.1 | 16 |
| 127 | Pretransplantation systolic blood pressure and the risk of delayed graft function in young living-related renal allograft recipients. <i>Transplantation Proceedings</i> , 2007 , 39, 842-5 | 1.1 | 8 |
| 126 | Is uric acid a predictive factor for graft dysfunction in renal transplant recipients?. <i>Transplantation Proceedings</i> , 2007 , 39, 1023-6 | 1.1 | 40 |
| 125 | Influence of oxidative stress and inflammation on rHuEPO requirements of hemodialysis patients with CRP values "in normal range". <i>Transplantation Proceedings</i> , 2007 , 39, 3035-40 | 1.1 | 4 |
| 124 | Nutritional status and depression, sleep disorder, and quality of life in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2007 , 17, 381-8 | 3 | 53 |
| 123 | Cholesterol crystal embolization mimicking vasculitis: success with corticosteroid and cyclophosphamide therapy in two cases. <i>Rheumatology International</i> , 2006 , 26, 454-60 | 3.6 | 16 |
| 122 | Isolated Brucella peritonitis in a CAPD patient. <i>American Journal of Kidney Diseases</i> , 2006 , 47, e65-6 | 7.4 | 6 |
| 121 | Expression of hepatocyte growth factor in chronic hepatitis: effect of hemodialysis. <i>Renal Failure</i> , 2006 , 28, 557-60 | 2.9 | 2 |
| 120 | Comparison of the non-invasive methods estimating dry weight in hemodialysis patients. <i>Renal Failure</i> , 2006 , 28, 217-22 | 2.9 | 9 |
| 119 | Lamivudine therapy in kidney allograft recipients who are seropositive for hepatitis B surface antigen. <i>Transplantation Proceedings</i> , 2006 , 38, 496-8 | 1.1 | 21 |
| 118 | Does colchicine have an antifibrotic effect on development of interstitial fibrosis in renal allografts of recipients with familial Mediterranean fever?. <i>Transplantation Proceedings</i> , 2006 , 38, 473-6 | 1.1 | 16 |
| 117 | Among therapy modalities of end-stage renal disease, renal transplantation improves survival in patients with amyloidosis. <i>Transplantation Proceedings</i> , 2006 , 38, 432-4 | 1.1 | 21 |
| 116 | Effects of immunosuppressive drugs on serum lipid levels in renal transplant recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 502-5 | 1.1 | 10 |
| 115 | Value of automatized blood culture systems in the diagnosis of continuous ambulatory peritoneal dialysis peritonitis. <i>Transplantation Proceedings</i> , 2006 , 38, 411-2 | 1.1 | 25 |
| 114 | Persistent hypercalcemia is a significant risk factor for graft dysfunction in renal transplantation recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 480-2 | 1.1 | 45 |

| | | | |
|-----|---|-----|----|
| 113 | Risk factors for development of posttransplant diabetes mellitus in renal transplant recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 529-32 | 1.1 | 24 |
| 112 | Subjective global assessment is a useful method to detect malnutrition in renal transplant patients. <i>Transplantation Proceedings</i> , 2006 , 38, 517-20 | 1.1 | 13 |
| 111 | Hepatitis C infection in hemodialysis patients: Protective against oxidative stress?. <i>Transplantation Proceedings</i> , 2006 , 38, 406-10 | 1.1 | 9 |
| 110 | Posttransplant diabetes mellitus: Impact of good blood glucose regulation on renal transplant recipient outcome. <i>Transplantation Proceedings</i> , 2006 , 38, 533-6 | 1.1 | 11 |
| 109 | Factors affecting exercise capacity in renal transplantation candidates on continuous ambulatory peritoneal dialysis therapy. <i>Transplantation Proceedings</i> , 2006 , 38, 401-5 | 1.1 | 17 |
| 108 | De novo glomerulonephritis in renal allografts with hepatitis C virus infection. <i>Transplantation Proceedings</i> , 2006 , 38, 492-5 | 1.1 | 45 |
| 107 | Predictors of vascular access thrombosis among patients on the cadaveric renal transplantation waiting list. <i>Transplantation Proceedings</i> , 2006 , 38, 413-5 | 1.1 | 14 |
| 106 | 1,25-dihydroxyvitamin D(3) therapy is protective for renal function and prevents hyperparathyroidism in renal allograft recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 2069-73 | 1.1 | 19 |
| 105 | Additional effect of hyperparathyroidism on inflammatory status and rHuEPO requirements in hemodialysis patients. <i>Transplantation Proceedings</i> , 2006 , 38, 2807-12 | 1.1 | 6 |
| 104 | Atherosclerosis in haemodialysis patients without significant comorbidities: determinants of progression. <i>Nephrology</i> , 2006 , 11, 489-93 | 2.2 | 5 |
| 103 | Diagnosing amyloid goitre with thyroid aspiration biopsy. <i>Cytopathology</i> , 2006 , 17, 262-6 | 1.3 | 28 |
| 102 | Distribution of HCV genotypes in patients with end-stage renal disease according to type of dialysis treatment. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 1420-5 | 4 | 31 |
| 101 | Malnutrition-inflammation score is a useful tool in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2006 , 26, 705-11 | 2.8 | 16 |
| 100 | Gemella morbillorum peritonitis in a patient being treated with continuous ambulatory peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 853-4 | 4.3 | 5 |
| 99 | Seronegative systemic lupus erythematosus: etiology of nephrotic syndrome and acute renal failure in early postpartum period. <i>Lupus</i> , 2005 , 14, 629-31 | 2.6 | 14 |
| 98 | Acute renal failure and mortality after open-heart surgery in infants. <i>Renal Failure</i> , 2005 , 27, 557-60 | 2.9 | 41 |
| 97 | Weight gain after living-related renal transplantation affects long-term graft function. <i>Transplantation Proceedings</i> , 2005 , 37, 1029-32 | 1.1 | 11 |
| 96 | Endothelial nitric oxide synthase and angiotensin II type 1 receptor gene polymorphisms can influence chronic inflammatory state in renal transplant patients. <i>Transplantation Proceedings</i> , 2005 , 37, 776-8 | 1.1 | 11 |

| | | | |
|----|---|-----|----|
| 95 | Effect of amyloidosis on long-term survival in kidney transplantation. <i>Transplantation Proceedings</i> , 2005 , 37, 2967-8 | 1.1 | 8 |
| 94 | Effects of smoking and blood eosinophil count on the development of arteriovenous fistulae thrombosis in hemodialysis patients. <i>Transplantation Proceedings</i> , 2005 , 37, 2918-21 | 1.1 | 7 |
| 93 | Vitamin D receptor Bsm1 and Tag1 gene polymorphisms in a Turkish ESRD population: influences on parathyroid hormone response. <i>Transplantation Proceedings</i> , 2005 , 37, 2922-4 | 1.1 | 7 |
| 92 | Risk factors for osteoporosis in young renal transplant recipients. <i>Transplantation Proceedings</i> , 2005 , 37, 3116-8 | 1.1 | 5 |
| 91 | Potential effects of 1,25-dihydroxyvitamin D3 in renal transplant recipients. <i>Transplantation Proceedings</i> , 2005 , 37, 3109-11 | 1.1 | 20 |
| 90 | Angiotensin-converting enzyme and endothelial constitutive nitric oxide synthase polymorphisms in Turkish renal transplant population and possible influence on renal artery atherosclerosis and graft survival. <i>Transplantation Proceedings</i> , 2005 , 37, 2929-32 | 1.1 | 3 |
| 89 | Pretransplantation and posttransplantation body mass indices and prognosis in renal transplant recipients: low versus normal. <i>Transplantation Proceedings</i> , 2005 , 37, 2994-7 | 1.1 | 4 |
| 88 | Relationship of posttransplantation erythrocytosis to hypercalcemia in renal transplant recipients. <i>Transplantation Proceedings</i> , 2005 , 37, 3103-5 | 1.1 | 5 |
| 87 | Influence of cyclosporine and tacrolimus on serum uric acid levels in stable kidney transplant recipients. <i>Transplantation Proceedings</i> , 2005 , 37, 3119-20 | 1.1 | 44 |
| 86 | TGF-beta1 expression in renal allograft rejection and cyclosporine A toxicity. <i>Transplantation</i> , 2005 , 80, 1681-5 | 1.8 | 37 |
| 85 | Cardiac troponin I and beta 2 microglobulin as risk factors for early-onset atherosclerosis in patients on haemodialysis. <i>Nephrology</i> , 2005 , 10, 453-8 | 2.2 | 22 |
| 84 | Vascular endothelial growth factor expression and cyclosporine toxicity in renal allograft rejection. <i>American Journal of Transplantation</i> , 2005 , 5, 766-74 | 8.7 | 19 |
| 83 | Association of Cardiac Valve Calcification and Inflammation in Patients on Hemodialysis. <i>Renal Failure</i> , 2005 , 27, 221-226 | 2.9 | 9 |
| 82 | Statin Therapy Helps to Control Blood Pressure Levels in Hypertensive Dyslipidemic Patients. <i>Renal Failure</i> , 2005 , 27, 297-303 | 2.9 | 9 |
| 81 | Duodenal biopsy may be preferred first for diagnosis of renal amyloidosis in patients with nephrotic syndrome. <i>Clinical Nephrology</i> , 2005 , 64, 242-3 | 2.1 | 5 |
| 80 | Report of a case with surprising etiology of renovascular hypertension. <i>Clinical Nephrology</i> , 2005 , 64, 444-7 | 2.1 | 2 |
| 79 | Acute interstitial nephritis due to cefoperazone. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 1446-8 | 2.9 | 5 |
| 78 | Acute renal failure and hepatotoxicity associated with roxithromycin. <i>Annals of Pharmacotherapy</i> , 2004 , 38, 721-2 | 2.9 | 7 |

| | | | |
|----|---|-----|----|
| 77 | Pulmonary function in uremic patients on long-term hemodialysis. <i>Renal Failure</i> , 2004 , 26, 273-8 | 2.9 | 13 |
| 76 | Bone mineral density in patients on maintenance hemodialysis and effect of chronic hepatitis C virus infection. <i>Renal Failure</i> , 2004 , 26, 159-64 | 2.9 | 14 |
| 75 | Renal transplantation offers a better survival in HCV-infected ESRD patients. <i>Clinical Transplantation</i> , 2004 , 18, 619-23 | 3.8 | 48 |
| 74 | Renal amyloidosis is associated with increased mortality in hemodialysis patients. <i>Artificial Organs</i> , 2004 , 28, 846-52 | 2.6 | 8 |
| 73 | Gabapentin versus levodopa for the treatment of Restless Legs Syndrome in hemodialysis patients: an open-label study. <i>Renal Failure</i> , 2004 , 26, 393-7 | 2.9 | 75 |
| 72 | Relationships between HLA-A, -B, -DQ and -DR antigens and interstitial fibrosis in renal allografts. <i>Renal Failure</i> , 2004 , 26, 243-6 | 2.9 | |
| 71 | Pregnancy during hemodialysis: perinatal outcome in our cases. <i>Transplantation Proceedings</i> , 2004 , 36, 53-5 | 1.1 | 30 |
| 70 | Angiotensin-converting enzyme genotype is a predictive factor in the peak panel-reactive antibody response. <i>Transplantation Proceedings</i> , 2004 , 36, 35-7 | 1.1 | 16 |
| 69 | Depression levels before and after renal transplantation. <i>Transplantation Proceedings</i> , 2004 , 36, 111-3 | 1.1 | 79 |
| 68 | Clinical consequences of intermittent elevation of C-reactive protein levels in hemodialysis patients. <i>Transplantation Proceedings</i> , 2004 , 36, 38-40 | 1.1 | 10 |
| 67 | Association of helicobacter pylori infection with nutritional status in hemodialysis patients. <i>Transplantation Proceedings</i> , 2004 , 36, 47-9 | 1.1 | 23 |
| 66 | Efficacy and safety of sildenafil citrate in hemodialysis patients. <i>Transplantation Proceedings</i> , 2004 , 36, 56-8 | 1.1 | 8 |
| 65 | Investigation of possible clinical and laboratory predictors of liver fibrosis in hemodialysis patients infected with hepatitis C virus. <i>Transplantation Proceedings</i> , 2004 , 36, 50-2 | 1.1 | 23 |
| 64 | The renin-angiotensin system and endothelial nitric oxide synthase gene polymorphisms and cyclosporine toxicity in renal transplant patients. <i>Transplantation Proceedings</i> , 2004 , 36, 128-30 | 1.1 | 1 |
| 63 | The importance of A3 allele in response to hepatitis B vaccine in end-stage renal disease patients. <i>Transplantation Proceedings</i> , 2004 , 36, 2615-7 | 1.1 | 4 |
| 62 | Association of the genetic polymorphisms of the renin-angiotensin system and endothelial nitric oxide synthase with chronic renal transplant dysfunction. <i>Transplantation</i> , 2004 , 78, 892-8 | 1.8 | 27 |
| 61 | Assessment of risk factors for chronic allograft nephropathy in renal transplant patients. <i>Transplantation Proceedings</i> , 2003 , 35, 2634-6 | 1.1 | 2 |
| 60 | Influence of recipient family history of atherosclerosis of renal allograft outcome. <i>Transplantation Proceedings</i> , 2003 , 35, 2602-4 | 1.1 | |

| | | | |
|----|---|-----|----|
| 59 | Serum albumin and lymphocyte subsets as predictors of infection in renal transplant patients. <i>Transplantation Proceedings</i> , 2003 , 35, 2673-5 | 1.1 | |
| 58 | HCV antibody positivity significantly affects renal allograft survival. <i>Transplantation Proceedings</i> , 2003 , 35, 2701-2 | 1.1 | 3 |
| 57 | Contribution of late acute rejection to long-term renal allograft survival in patients with chronic allograft nephropathy. <i>Transplantation Proceedings</i> , 2003 , 35, 2637-8 | 1.1 | 1 |
| 56 | Early detection of amyloidosis in renal allografts: electron microscopic, histochemical, immunohistochemical findings and relationship with graft survival. <i>Transplantation Proceedings</i> , 2003 , 35, 2639-40 | 1.1 | 2 |
| 55 | Predictors of hematopoietic response after renal transplantation. <i>Transplantation Proceedings</i> , 2003 , 35, 2716-7 | 1.1 | |
| 54 | Do serum albumin and aminotransferase levels predict renal graft outcome: a 5-year follow-up. <i>Transplantation Proceedings</i> , 2003 , 35, 2607-8 | 1.1 | |
| 53 | Role of macrophages and lymphocytes in the induction of neovascularization in renal allograft rejection. <i>American Journal of Kidney Diseases</i> , 2002 , 39, 347-53 | 7.4 | 29 |
| 52 | EFFECT OF CHRONIC HEPATITIS C INFECTION ON LYMPHOCYTE SUBSETS IN RENAL TRANSPLANT PATIENTS. <i>Tissue Antigens</i> , 2002 , 60, 552-552 | | |
| 51 | INFLUENCE OF PARATHYROID HORMONE LEVEL ON RENAL ALLOGRAFT OUTCOME, AND CORRELATION WITH HISTOPATHOLOGICAL FINDINGS. <i>Tissue Antigens</i> , 2002 , 60, 552-552 | | |
| 50 | POST-TRANSPLANT C-REACTIVE PROTEIN MONITORING PREDICTS CHRONIC REJECTION AND RENAL ALLOGRAFT SURVIVAL. <i>Tissue Antigens</i> , 2002 , 60, 558-559 | | 2 |
| 49 | PANEL-REACTIVE ANTIBODY POSITIVITY AND ASSOCIATED HLA-ANTIBODIES IN TURKISH END-STAGE RENAL DISEASE PATIENTS. <i>Tissue Antigens</i> , 2002 , 60, 559-559 | | |
| 48 | PRURITUS AND HLA IN HEMODIALYSIS PATIENTS. <i>Tissue Antigens</i> , 2002 , 60, 559-559 | | 2 |
| 47 | INFLUENCE OF SIMVASTATIN IN THE TREATMENT OF HIGHLY SENSITIZED DIALYSIS PATIENTS: LONG-TERM PRE- AND POST-RENAL TRANSPLANTATION OUTCOMES. <i>Tissue Antigens</i> , 2002 , 60, 560-560 | | |
| 46 | IMPORTANCE OF A3 ALLELE OF HLA CLASS I IN RESPONSE TO HEPATITIS B VACCINE IN END-STAGE RENAL DISEASE PATIENTS. <i>Tissue Antigens</i> , 2002 , 60, 558-558 | | 2 |
| 45 | POLYMORPHISMS OF ANGIOTENSIN-CONVERTING ENZYME, ANGIOTENSINOGEN, ANGIOTENSIN II TYPE 1 AND TYPE 2 RECEPTORS AND ENDOTHELIAL NITRIC OXIDE SYNTHASE IN TURKISH RENAL TRANSPLANT RECIPIENTS: A PRELIMINARY STUDY. <i>Tissue Antigens</i> , 2002 , 60, 558-558 | | 1 |
| 44 | Intravenous ascorbic acid administration for erythropoietin-hyporesponsive anemia in iron loaded hemodialysis patients. <i>Artificial Organs</i> , 2002 , 26, 366-70 | 2.6 | 38 |
| 43 | Bronchiectasis-related amyloidosis as a cause of chronic renal failure. <i>Renal Failure</i> , 2002 , 24, 815-23 | 2.9 | 18 |
| 42 | Triad of malnutrition, inflammation, and atherosclerosis in hemodialysis patients. <i>Nephron</i> , 2002 , 91, 456-62 | 3.3 | 21 |

| | | | |
|----|---|-----|----|
| 41 | The association of interdialytic weight gain with nutritional parameters and mortality risk in hemodialysis patients. <i>Renal Failure</i> , 2002 , 24, 37-48 | 2.9 | 38 |
| 40 | Value of testis biopsy in the diagnosis of systemic amyloidosis. <i>Urology</i> , 2002 , 59, 201-5 | 1.6 | 23 |
| 39 | Role of genetic mutations in vascular access thrombosis among hemodialysis patients waiting for renal transplantation. <i>Transplantation Proceedings</i> , 2002 , 34, 2030-2 | 1.1 | 19 |
| 38 | Can troponin-I predict cardiovascular mortality due to myocardial injury in hemodialysis patients?. <i>Transplantation Proceedings</i> , 2002 , 34, 2033-4 | 1.1 | 6 |
| 37 | Improved survival rates at Bağent University hemodialysis centers through continuous quality improvement. <i>Transplantation Proceedings</i> , 2002 , 34, 2035-6 | 1.1 | |
| 36 | Effects of secondary hyperparathyroidism treatments on blood pressure and lipid levels in chronic renal failure patients. <i>Transplantation Proceedings</i> , 2002 , 34, 2041-3 | 1.1 | 2 |
| 35 | Role of parathormone levels on T-cell response in hemodialysis patients. <i>Transplantation Proceedings</i> , 2002 , 34, 2044-5 | 1.1 | 9 |
| 34 | Significance of diagnostic procedures for renal transplant graft function. <i>Transplantation Proceedings</i> , 2002 , 34, 2096-8 | 1.1 | |
| 33 | Myocardial revascularization in renal transplant patients. <i>Transplantation Proceedings</i> , 2002 , 34, 2124-5 | 1.1 | |
| 32 | Lamivudine in renal transplant candidates with chronic hepatitis B infection. <i>Transplantation Proceedings</i> , 2002 , 34, 2131-2 | 1.1 | 16 |
| 31 | Atherosclerosis risk is higher in continuous ambulatory peritoneal dialysis patients than in hemodialysis patients. <i>Artificial Organs</i> , 2001 , 25, 448-52 | 2.6 | 13 |
| 30 | Dialysis modalities in patients with acute renal failure. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16 Suppl 6, 18-20 | 4.3 | 2 |
| 29 | Cyclophosphamide therapy in a serious case of lupus nephritis during pregnancy. <i>Lupus</i> , 2001 , 10, 818-20 | 2.6 | 35 |
| 28 | Amyloid goiter in Familial Mediterranean Fever (FMF): a clinicopathologic study of 10 cases. <i>Renal Failure</i> , 2001 , 23, 659-67 | 2.9 | 20 |
| 27 | Ferritin levels can be a good predictor for HCV viremia in potential renal transplant candidates. <i>Transplantation Proceedings</i> , 2001 , 33, 2796-8 | 1.1 | 6 |
| 26 | The effect of simvastatin on panel-reactive antibody and crossmatch positivity. <i>Transplantation Proceedings</i> , 2001 , 33, 2842-3 | 1.1 | 8 |
| 25 | Spectrum of liver damage and correlation with clinical and laboratory parameters in HCV infected hemodialysis patients. <i>Renal Failure</i> , 2001 , 23, 807-18 | 2.9 | 11 |
| 24 | Interferon therapy in haemodialysis patients with acute hepatitis C virus infection and factors that predict response to treatment. <i>Journal of Viral Hepatitis</i> , 2001 , 8, 70-7 | 3.4 | 46 |

| | | | |
|----|---|-----|----|
| 23 | High frequency of amyloid lymphadenopathy in uremic patients. <i>Renal Failure</i> , 2000 , 22, 613-21 | 2.9 | 1 |
| 22 | Ambulatory blood pressure monitoring in potential renal transplant donors. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 1038-40 | 4.3 | 21 |
| 21 | Effect of apolipoprotein E polymorphism on serum lipid, lipoproteins, and atherosclerosis in hemodialysis patients. <i>American Journal of Kidney Diseases</i> , 2000 , 36, 826-36 | 7.4 | 48 |
| 20 | Renal transplantation in children. <i>Transplantation Proceedings</i> , 2000 , 32, 520-1 | 1.1 | 9 |
| 19 | Impact of HCV infection on development of posttransplantation diabetes mellitus in renal allograft recipients. <i>Transplantation Proceedings</i> , 2000 , 32, 561-2 | 1.1 | 57 |
| 18 | Pretransplantation alpha-interferon therapy and the effect of hepatitis C virus infection on kidney allograft recipients. <i>Transplantation Proceedings</i> , 2000 , 32, 580-2 | 1.1 | 24 |
| 17 | Factors influencing response to hepatitis B virus vaccination in hemodialysis patients. <i>Transplantation Proceedings</i> , 2000 , 32, 607-8 | 1.1 | 47 |
| 16 | Impact of Helicobacter pylori infection on serum gastrin in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 1999 , 14, 2688-91 | 4.3 | 28 |
| 15 | Long-term complications in patients surviving more than 10 years on hemodialysis. <i>Transplantation Proceedings</i> , 1999 , 31, 3231-2 | 1.1 | 1 |
| 14 | Immunologic profile of end-stage renal failure patients. <i>Transplantation Proceedings</i> , 1999 , 31, 3359-60 | 1.1 | 2 |
| 13 | Anticardiolipin antibodies in hemodialysis patients. <i>Transplantation Proceedings</i> , 1999 , 31, 3388-9 | 1.1 | 1 |
| 12 | Tumor markers in hemodialysis patients. <i>Transplantation Proceedings</i> , 1999 , 31, 3367-8 | 1.1 | 10 |
| 11 | Ambulatory blood pressure monitoring in potential renal transplant donors. <i>Transplantation Proceedings</i> , 1999 , 31, 3369-70 | 1.1 | 2 |
| 10 | Diastolic dysfunction increases the frequency of ventricular arrhythmia in hemodialysis patients. <i>Nephron</i> , 1999 , 82, 185-7 | 3.3 | 7 |
| 9 | Acetate hemodialysis does not increase the frequency of arrhythmia in hemodialysis patients. <i>Artificial Organs</i> , 1998 , 22, 781-4 | 2.6 | 7 |
| 8 | A case of Fabry disease with normal kidney function at 10 years after successful renal transplantation. <i>Transplantation Proceedings</i> , 1998 , 30, 842-3 | 1.1 | 9 |
| 7 | Comparison of panel reactive antibody levels with clinical and laboratory parameters in end-stage renal disease patients. <i>Transplantation Proceedings</i> , 1998 , 30, 844-5 | 1.1 | 6 |
| 6 | Tuberculosis remains an important factor in the morbidity and mortality of hemodialysis patients. <i>Transplantation Proceedings</i> , 1998 , 30, 846-7 | 1.1 | 9 |

| | | | |
|---|--|-----|----|
| 5 | Prevalence of serological markers of autoimmunity in hemodialysis patients with hepatitis C virus. <i>Transplantation Proceedings</i> , 1998 , 30, 848-9 | 1.1 | 4 |
| 4 | Zinc deficiency: prevalence and causes in hemodialysis patients and effect on cellular immune response. <i>Transplantation Proceedings</i> , 1998 , 30, 850-1 | 1.1 | 23 |
| 3 | Comparison of serum lipids, lipoproteins, and fibrinogen in patients with kidney transplantation and hemodialysis. <i>Transplantation Proceedings</i> , 1998 , 30, 2052-3 | 1.1 | 5 |
| 2 | Prevalence of latex sensitivity among patients with chronic renal failure - a new risk group?. <i>Nephrology Dialysis Transplantation</i> , 1998 , 13, 1900b-1901 | 4.3 | |
| 1 | QT interval lengthening during haemodialysis: is there a potential risk for torsade de pointes?. <i>Nephrology Dialysis Transplantation</i> , 1997 , 12, 365 | 4.3 | 3 |