

Won Ho Kim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5116173/won-ho-kim-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

289 papers	8,065 citations	46 h-index	76 g-index
313 ext. papers	9,438 ext. citations	3.9 avg, IF	5.62 L-index

#	Paper	IF	Citations
289	Association analyses identify 38 susceptibility loci for inflammatory bowel disease and highlight shared genetic risk across populations. <i>Nature Genetics</i> , 2015 , 47, 979-986	36.3	1278
288	Haplotype structure and association to Crohn's disease of CARD15 mutations in two ethnically divergent populations. <i>European Journal of Human Genetics</i> , 2003 , 11, 6-16	5.3	198
287	Factors affecting insertion time and patient discomfort during colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2000 , 52, 600-5	5.2	173
286	The effects of metformin on the survival of colorectal cancer patients with diabetes mellitus. <i>International Journal of Cancer</i> , 2012 , 131, 752-9	7.5	151
285	Genome-wide association study of Crohn's disease in Koreans revealed three new susceptibility loci and common attributes of genetic susceptibility across ethnic populations. <i>Gut</i> , 2014 , 63, 80-7	19.2	130
284	An adequate level of training for technical competence in screening and diagnostic colonoscopy: a prospective multicenter evaluation of the learning curve. <i>Gastrointestinal Endoscopy</i> , 2008 , 67, 683-9	5.2	117
283	Colorectal neoplasm in asymptomatic Asians: a prospective multinational multicenter colonoscopy survey. <i>Gastrointestinal Endoscopy</i> , 2007 , 65, 1015-22	5.2	116
282	Development and validation of novel diagnostic criteria for intestinal Behçet's disease in Korean patients with ileocolonic ulcers. <i>American Journal of Gastroenterology</i> , 2009 , 104, 2492-9	0.7	105
281	Long-term outcome of palliative therapy for malignant colorectal obstruction in patients with unresectable metastatic colorectal cancers: endoscopic stenting versus surgery. <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 535-42	5.2	102
280	Genetic polymorphisms of IL-23R and IL-17A and novel insights into their associations with inflammatory bowel disease. <i>Gut</i> , 2011 , 60, 1527-36	19.2	98
279	Colonoscopic findings in intestinal Behçet's disease. <i>Inflammatory Bowel Diseases</i> , 2001 , 7, 243-9	4.5	85
278	Clinical outcomes and risk factors for technical and clinical failures of self-expandable metal stent insertion for malignant colorectal obstruction. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 858-68	5.2	82
277	Epigenetic and genetic alterations in Netrin-1 receptors UNC5C and DCC in human colon cancer. <i>Gastroenterology</i> , 2007 , 133, 1849-57	13.3	82
276	Differential diagnosis of intestinal Behçet's disease and Crohn's disease by colonoscopic findings. <i>Endoscopy</i> , 2009 , 41, 9-16	3.4	81
275	Robotic total mesorectal excision for rectal cancer using four robotic arms. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 792-7	5.2	79
274	Clinical characteristics and treatment of inflammatory bowel disease: a comparison of Eastern and Western perspectives. <i>World Journal of Gastroenterology</i> , 2014 , 20, 11525-37	5.6	79
273	Bifidobacterium lactis inhibits NF-kappaB in intestinal epithelial cells and prevents acute colitis and colitis-associated colon cancer in mice. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1514-25	4.5	76

272	Clinical application of self-expandable metallic stent for treatment of colorectal obstruction caused by extrinsic invasive tumors. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 578-83	3.1	74
271	The prevalence and efficacy of ganciclovir on steroid-refractory ulcerative colitis with cytomegalovirus infection: a prospective multicenter study. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 51-6	3	71
270	Quality of life in Korean patients with inflammatory bowel diseases: ulcerative colitis, Crohn's disease and intestinal Behçet's disease. <i>International Journal of Colorectal Disease</i> , 1999 , 14, 52-7	3	70
269	Development, validation, and responsiveness of a novel disease activity index for intestinal Behçet's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 605-13	4.5	68
268	Influences of thiopurine methyltransferase genotype and activity on thiopurine-induced leukopenia in Korean patients with inflammatory bowel disease: a retrospective cohort study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, e242-8	3	67
267	Inflammatory bowel disease in Korea: epidemiological, genomic, clinical, and therapeutic characteristics. <i>Gut and Liver</i> , 2010 , 4, 1-14	4.8	67
266	Cancer Risk in the Early Stages of Inflammatory Bowel Disease in Korean Patients: A Nationwide Population-based Study. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 954-962	1.5	64
265	Comparison of efficacies between stents for malignant colorectal obstruction: a randomized, prospective study. <i>Gastrointestinal Endoscopy</i> , 2010 , 72, 304-10	5.2	64
264	The differential impact of microsatellite instability as a marker of prognosis and tumour response between colon cancer and rectal cancer. <i>European Journal of Cancer</i> , 2012 , 48, 1235-43	7.5	61
263	Accuracy in differentiation of mucinous and nonmucinous rectal carcinoma on MR imaging. <i>Journal of Computer Assisted Tomography</i> , 2003 , 27, 48-55	2.2	61
262	Prognostic factors and long-term clinical outcomes for surgical patients with intestinal Behçet's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1594-602	4.5	60
261	Efficacy of prepackaged, low residual test meals with 4L polyethylene glycol versus a clear liquid diet with 4L polyethylene glycol bowel preparation: a randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 988-91	4	60
260	Interleukin-33 regulates intestinal inflammation by modulating macrophages in inflammatory bowel disease. <i>Scientific Reports</i> , 2017 , 7, 851	4.9	58
259	Correlation of serum-soluble triggering receptor expressed on myeloid cells-1 with clinical disease activity in inflammatory bowel disease. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1525-31	4	58
258	Comparison of postpolypectomy bleeding between epinephrine and saline submucosal injection for large colon polyps by conventional polypectomy: a prospective randomized, multicenter study. <i>World Journal of Gastroenterology</i> , 2007 , 13, 2973-7	5.6	58
257	The role of myofibroblasts in upregulation of S100A8 and S100A9 and the differentiation of myeloid cells in the colorectal cancer microenvironment. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 423, 60-6	3.4	56
256	Negative capsule endoscopy without subsequent enteroscopy does not predict lower long-term rebleeding rates in patients with obscure GI bleeding. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 990-7	5.2	55
255	Capsaicin induces apoptosis by generating reactive oxygen species and disrupting mitochondrial transmembrane potential in human colon cancer cell lines. <i>Cellular and Molecular Biology Letters</i> , 2009 , 14, 497-510	8.1	55

254	Effects of metformin on colorectal cancer stem cells depend on alterations in glutamine metabolism. <i>Scientific Reports</i> , 2018 , 8, 409	4.9	54
253	Efficacy of infliximab in intestinal Behçet's disease: a Korean multicenter retrospective study. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 1833-8	4.5	52
252	Trends of ulcerative colitis-associated colorectal cancer in Korea: A KASID study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 667-71	4	52
251	Primary colon lymphoma in Korea: a KASID (Korean Association for the Study of Intestinal Diseases) Study. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 2243-7	4	52
250	An update on the diagnosis, treatment, and prognosis of intestinal Behçet's disease. <i>Current Opinion in Rheumatology</i> , 2015 , 27, 24-31	5.3	51
249	Effectiveness and safety of endovascular aneurysm treatment in patients with vasculo-Behçet disease. <i>Journal of Endovascular Therapy</i> , 2009 , 16, 631-6	2.5	51
248	Guggulsterone induces apoptosis in colon cancer cells and inhibits tumor growth in murine colorectal cancer xenografts. <i>Cancer Letters</i> , 2009 , 279, 93-100	9.9	51
247	Correlations of C-reactive protein levels and erythrocyte sedimentation rates with endoscopic activity indices in patients with ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 829-37	4	48
246	Interactions between IL17A, IL23R, and STAT4 polymorphisms confer susceptibility to intestinal Behcet's disease in Korean population. <i>Life Sciences</i> , 2012 , 90, 740-6	6.8	48
245	Incidence and Clinical Outcomes of Inflammatory Bowel Disease in South Korea, 2011-2014: A Nationwide Population-Based Study. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2102-2112	4	47
244	Long-term clinical outcomes and factors predictive of relapse after 5-aminosalicylate or sulfasalazine therapy in patients with intestinal Behcet disease. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, e38-45	3	47
243	Colorectal Neoplasm in Asymptomatic Average-risk Koreans: The KASID Prospective Multicenter Colonoscopy Survey. <i>Gut and Liver</i> , 2009 , 3, 35-40	4.8	45
242	ImmunoChip analysis identification of 6 additional susceptibility loci for Crohn's disease in Koreans. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 1-7	4.5	43
241	Clinical course of intestinal Behcet's disease during the first five years. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 496-503	4	41
240	Metformin use is associated with a decreased incidence of colorectal adenomas in diabetic patients with previous colorectal cancer. <i>Digestive and Liver Disease</i> , 2012 , 44, 1042-7	3.3	41
239	Abrogation of galectin-4 expression promotes tumorigenesis in colorectal cancer. <i>Cellular Oncology (Dordrecht)</i> , 2013 , 36, 169-78	7.2	41
238	Clinicopathologic characteristics and malignant potential of colorectal flat neoplasia compared with that of polypoid neoplasia. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 43-9; discussion 49	3.1	41
237	Cellular differentiation-induced attenuation of LPS response in HT-29 cells is related to the down-regulation of TLR4 expression. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 337, 457-63	3.4	41

236	Effect of probiotic Lactobacillus (Lacidofil [®] cap) for the prevention of antibiotic-associated diarrhea: a prospective, randomized, double-blind, multicenter study. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1784-91	4.7	40
235	Do patients with ulcerative colitis diagnosed at a young age have more severe disease activity than patients diagnosed when older?. <i>Digestion</i> , 2010 , 81, 237-43	3.6	40
234	Allogeneic adipose-derived stem cells for the treatment of perianal fistula in Crohn's disease: a pilot clinical trial. <i>Colorectal Disease</i> , 2016 , 18, 468-76	2.1	40
233	Long-term clinical outcomes of Crohn's disease and intestinal Behcet's disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 99-105	4.5	39
232	Prediction of free bowel perforation in patients with intestinal Behçet's disease using clinical and colonoscopic findings. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2904-11	4	38
231	Associations between genetic variants in the IRGM gene and inflammatory bowel diseases in the Korean population. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 106-14	4.5	37
230	Anti-Saccharomyces cerevisiae antibody in intestinal Behçet's disease patients: relation to clinical course. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 1849-59	3.1	37
229	Preoperative MRI of rectal cancer with and without rectal water filling: an intraindividual comparison. <i>American Journal of Roentgenology</i> , 2004 , 182, 1469-76	5.4	37
228	Proximal disease extension and related predicting factors in ulcerative proctitis. <i>Scandinavian Journal of Gastroenterology</i> , 2014 , 49, 177-83	2.4	36
227	The prevalence and clinical characteristics of esophageal involvement in patients with Behçet's disease: a single center experience in Korea. <i>Journal of Korean Medical Science</i> , 2009 , 24, 52-6	4.7	36
226	Advanced synchronous adenoma but not simple adenoma predicts the future development of metachronous neoplasia in patients with resected colorectal cancer. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 495-501	3	36
225	Impact of prior abdominal or pelvic surgery on colonoscopy outcomes. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40, 711-6	3	35
224	Chromosomal imbalances in the colorectal carcinomas with microsatellite instability. <i>American Journal of Pathology</i> , 2003 , 163, 1429-36	5.8	35
223	Lactobacillus acidophilus suppresses intestinal inflammation by inhibiting endoplasmic reticulum stress. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 178-185	4	34
222	Endoscopic stenting is not as effective for palliation of colorectal obstruction in patients with advanced gastric cancer as emergency surgery. <i>Gastrointestinal Endoscopy</i> , 2012 , 75, 294-301	5.2	34
221	Clinical outcomes and prognostic factors for thiopurine maintenance therapy in patients with intestinal Behcet's disease. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 750-7	4.5	34
220	Outcome predictors for intestinal Behçet's disease. <i>Yonsei Medical Journal</i> , 2013 , 54, 1084-90	3	34
219	Bovine colostrum inhibits nuclear factor kappaB-mediated proinflammatory cytokine expression in intestinal epithelial cells. <i>Nutrition Research</i> , 2009 , 29, 275-80	4	32

218	The role of capsule endoscopy after negative CT enterography in patients with obscure gastrointestinal bleeding. <i>European Radiology</i> , 2012 , 22, 1159-66	8	31
217	Sex-dependent difference in the effect of metformin on colorectal cancer-specific mortality of diabetic colorectal cancer patients. <i>World Journal of Gastroenterology</i> , 2017 , 23, 5196-5205	5.6	30
216	Risk Factors for Treatment Failure and Recurrence after Metronidazole Treatment for Clostridium difficile-associated Diarrhea. <i>Gut and Liver</i> , 2010 , 4, 332-7	4.8	30
215	Long-Term Effects of Bone Marrow-Derived Mesenchymal Stem Cells in Dextran Sulfate Sodium-Induced Murine Chronic Colitis. <i>Gut and Liver</i> , 2016 , 10, 412-9	4.8	30
214	Outcomes of secondary stent-in-stent self-expandable metal stent insertion for malignant colorectal obstruction. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 625-33	5.2	29
213	Prospective evaluation of the clinical utility of interferon- γ assay in the differential diagnosis of intestinal tuberculosis and Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1308-13	4.5	29
212	Response rates to medical treatments and long-term clinical outcomes of nonsurgical patients with intestinal Behçet disease. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, e116-22	3	29
211	Long-term outcomes of cytomegalovirus reactivation in patients with moderate to severe ulcerative colitis: a multicenter study. <i>Gut and Liver</i> , 2014 , 8, 643-7	4.8	29
210	Clinical outcomes and factors related to resectability and curability of EMR for early colorectal cancer. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 1337-46	5.2	28
209	Thalidomide suppresses the interleukin 1 β -induced NF κ B signaling pathway in colon cancer cells. <i>Annals of the New York Academy of Sciences</i> , 2002 , 973, 414-8	6.5	28
208	Clinical outcomes and factors related to colonic perforations in patients receiving self-expandable metal stent insertion for malignant colorectal obstruction. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1548-1557.e1	5.2	27
207	Effectiveness of radical surgery after incomplete endoscopic mucosal resection for early colorectal cancers: a clinical study investigating risk factors of residual cancer. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 2941-6	4	27
206	Tailgut cyst: multilocular cystic appearance on MRI. <i>Journal of Computer Assisted Tomography</i> , 1997 , 21, 731-2	2.2	27
205	The risk of lymph node metastasis makes it unsafe to expand the conventional indications for endoscopic treatment of T1 colorectal cancer: A retrospective study of 428 patients. <i>Medicine (United States)</i> , 2016 , 95, e4373	1.8	25
204	Correlations of dynamic contrast-enhanced magnetic resonance imaging with morphologic, angiogenic, and molecular prognostic factors in rectal cancer. <i>Yonsei Medical Journal</i> , 2013 , 54, 123-30	3	25
203	Recent advances of endoscopy in inflammatory bowel diseases. <i>Gut and Liver</i> , 2007 , 1, 118-25	4.8	25
202	Expression of a soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) correlates with clinical disease activity in intestinal Behçet's disease. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 2130-7	4.5	24
201	Efficacy of chromoendoscopy with indigocarmine for the detection of ascending colon and cecum lesions. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 878-85	2.4	24

200	Thalidomide destabilizes cyclooxygenase-2 mRNA by inhibiting p38 mitogen-activated protein kinase and cytoplasmic shuttling of HuR. <i>European Journal of Pharmacology</i> , 2007 , 558, 14-20	5.3	24
199	The learning curve for colorectal stent insertion for the treatment of malignant colorectal obstruction. <i>Gut and Liver</i> , 2012 , 6, 328-33	4.8	24
198	The effect of the menstrual cycle on inflammatory bowel disease: a prospective study. <i>Gut and Liver</i> , 2013 , 7, 51-7	4.8	24
197	Effect of mucosal healing (Mayo 0) on clinical relapse in patients with ulcerative colitis in clinical remission. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1069-74	2.4	23
196	Outcomes of secondary self-expandable metal stents versus surgery after delayed initial palliative stent failure in malignant colorectal obstruction. <i>Digestion</i> , 2013 , 88, 46-55	3.6	23
195	A coding variant in confers susceptibility to thiopurine-induced leukopenia in East Asian patients with IBD. <i>Gut</i> , 2017 , 66, 1926-1935	19.2	22
194	Leukopenia predicts remission in patients with inflammatory bowel disease and Behcet's disease on thiopurine maintenance. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 195-204	4	22
193	Diagnostic role of computed tomographic enterography differentiating crohn disease from intestinal tuberculosis. <i>Journal of Computer Assisted Tomography</i> , 2013 , 37, 834-9	2.2	22
192	Crohn's Disease Clinical Network and Cohort (CONNECT) Study: The First Step Toward Nationwide Multicenter Research of Crohn's Disease in Korea. <i>Intestinal Research</i> , 2014 , 12, 173-5	4.1	22
191	High-Definition Chromoendoscopy Versus High-Definition White Light Colonoscopy for Neoplasia Surveillance in Ulcerative Colitis: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1642-1648	0.7	22
190	Influence of age at diagnosis and sex on clinical course and long-term prognosis of intestinal Behcet's disease. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 1064-71	4.5	21
189	Anti-alpha-enolase antibody as a serologic marker and its correlation with disease severity in intestinal Behçet's disease. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 812-8	4	21
188	Colonoscopy as an adjunctive method for the diagnosis of irritable bowel syndrome: focus on pain perception. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1232-8	4	21
187	Association of signal transducer and activator of transcription 4 genetic variants with extra-intestinal manifestations in inflammatory bowel disease. <i>Life Sciences</i> , 2010 , 86, 661-7	6.8	21
186	Correlations between endoscopic and clinical disease activity indices in intestinal Behcet's disease. <i>World Journal of Gastroenterology</i> , 2012 , 18, 5771-8	5.6	21
185	Fecal calprotectin as a non-invasive biomarker for intestinal involvement of Behçet's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 595-601	4	20
184	Abnormal genetic and epigenetic changes in signal transducer and activator of transcription 4 in the pathogenesis of inflammatory bowel diseases. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 2600-7	4	20
183	Feasibility of salvage endoscopic mucosal resection by using a cap for remnant rectal carcinoids after primary EMR. <i>Gastrointestinal Endoscopy</i> , 2011 , 73, 1009-14	5.2	20

- 182 Diagnostic utility of anti-Saccharomyces cerevisiae antibody (ASCA) and Interferon- γ assay in the differential diagnosis of Crohn's disease and intestinal tuberculosis. *Clinica Chimica Acta*, **2011**, 412, 1527-32 6.3 19
- 181 Comparison of the clinicopathologic features between flat and polypoid adenoma. *Scandinavian Journal of Gastroenterology*, **2008**, 43, 1116-21 2.4 19
- 180 Clinicopathologic findings of colorectal traditional and sessile serrated adenomas in Korea: a multicenter study. *Digestion*, **2008**, 77, 178-83 3.6 19
- 179 Helicobacter pylori eradication therapy may facilitate gastric ulcer healing after endoscopic mucosal resection: a prospective randomized study. *Helicobacter*, **2008**, 13, 564-71 4.9 19
- 178 Effect of anticancer drugs and desferrioxamine in combination with radiation on hepatoma cell lines. *Yonsei Medical Journal*, **1993**, 34, 45-56 3 19
- 177 Development of a Novel Predictive Model for the Clinical Course of Crohn's Disease: Results from the CONNECT Study. *Inflammatory Bowel Diseases*, **2017**, 23, 1071-1079 4.5 18
- 176 Predictive capability of anorectal physiologic tests for unfavorable outcomes following biofeedback therapy in dyssynergic defecation. *Journal of Korean Medical Science*, **2010**, 25, 1060-5 4.7 18
- 175 Correlation of genotypes for thiopurine methyltransferase and inosine triphosphate pyrophosphatase with long-term clinical outcomes in Korean patients with inflammatory bowel diseases during treatment with thiopurine drugs. *Journal of Human Genetics*, **2010**, 55, 121-3 4.3 18
- 174 Influence of the insertion time and number of polyps on miss rate in colonoscopy. *Scandinavian Journal of Gastroenterology*, **2011**, 46, 634-9 2.4 18
- 173 Clinicopathologic characteristics of early gastric cancer in Korea. *Yonsei Medical Journal*, **2000**, 41, 607-14 3 18
- 172 The clinical characteristics of patients with free perforation in Korean Crohn's disease: results from the CONNECT study. *BMC Gastroenterology*, **2015**, 15, 31 3 17
- 171 Risk Factors for Recurrent High-Risk Polyps after the Removal of High-Risk Polyps at Initial Colonoscopy. *Yonsei Medical Journal*, **2015**, 56, 1559-65 3 17
- 170 Effect of Lactobacillus GG and conditioned media on IL-1 β -induced IL-8 production in Caco-2 cells. *Scandinavian Journal of Gastroenterology*, **2008**, 43, 938-47 2.4 17
- 169 Colorectal mucinous carcinoma: findings on MRI. *Journal of Computer Assisted Tomography*, **1999**, 23, 291-6 2.2 17
- 168 Genotype-based Treatment With Thiopurine Reduces Incidence of Myelosuppression in Patients With Inflammatory Bowel Diseases. *Clinical Gastroenterology and Hepatology*, **2020**, 18, 2010-2018.e2 6.9 17
- 167 Identification of genetic susceptibility loci for intestinal Behçet's disease. *Scientific Reports*, **2017**, 7, 39850 4.9 16
- 166 The changing patterns of liver abscess during the past 20 years--a study of 482 cases. *Yonsei Medical Journal*, **1993**, 34, 340-51 3 16
- 165 The effect of metformin on the recurrence of colorectal adenoma in diabetic patients with previous colorectal adenoma. *International Journal of Colorectal Disease*, **2017**, 32, 1223-1226 3 15

164	Does magnifying narrow-band imaging or magnifying chromoendoscopy help experienced endoscopists assess invasion depth of large sessile and flat polyps?. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 1520-8	4	15
163	The role of primary colectomy after successful endoscopic stenting in patients with obstructive metastatic colorectal cancer. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 694-9	3.1	15
162	Relationships between genetic polymorphisms of triggering receptor expressed on myeloid cells-1 and inflammatory bowel diseases in the Korean population. <i>Life Sciences</i> , 2011 , 89, 289-94	6.8	15
161	Long-term outcomes of obscure gastrointestinal bleeding after CT enterography: does negative CT enterography predict lower long-term rebleeding rate?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 901-7	4	15
160	Clinical outcomes and factors for response prediction after the first course of corticosteroid therapy in patients with active ulcerative colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 1114-22	4	15
159	Efficacy and Safety of Infliximab Therapy and Predictors of Response in Korean Patients with Crohn's Disease: A Nationwide, Multicenter Study. <i>Yonsei Medical Journal</i> , 2016 , 57, 1376-85	3	15
158	Lactobacillus plantarum CBT LP3 ameliorates colitis via modulating T cells in mice. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 151391	3.7	14
157	Resting heart rate is an independent predictor of advanced colorectal adenoma recurrence. <i>PLoS ONE</i> , 2018 , 13, e0193753	3.7	14
156	Efficacy of early immunomodulator therapy on the outcomes of Crohn's disease. <i>BMC Gastroenterology</i> , 2014 , 14, 85	3	14
155	Genetic variants in the IL12B gene are associated with inflammatory bowel diseases in the Korean population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1588-94	4	14
154	Clinical outcomes and predictive factors in oral corticosteroid-refractory active ulcerative colitis. <i>World Journal of Gastroenterology</i> , 2013 , 19, 265-73	5.6	14
153	Accuracy of three different fecal calprotectin tests in the diagnosis of inflammatory bowel disease. <i>Intestinal Research</i> , 2016 , 14, 305-313	4.1	14
152	HLA-C*01 is a Risk Factor for Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 796-806	4.5	14
151	Probe-based confocal laser endomicroscopy for evaluating the submucosal invasion of colorectal neoplasms. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 594-601	5.2	13
150	Postoperative Effects of Thiopurines in Patients with Intestinal Behçet's Disease. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 3721-7	4	13
149	Mucosal healing predicts the long-term prognosis of intestinal Behçet's disease. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 2529-35	4	13
148	Comparison of clipping with and without epinephrine injection for the prevention of post-polypectomy bleeding in pedunculated colon polyps. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1499-506	4	13
147	Severe hypothyroidism induced by thyroid metastasis of colon adenocarcinoma: a case report and review of the literature. <i>Endocrine Journal</i> , 2006 , 53, 339-43	2.9	13

146	The role of mitogen-activated protein kinases and their relationship with NF-kappaB and PPARgamma in indomethacin-Induced apoptosis of colon cancer cells. <i>Annals of the New York Academy of Sciences</i> , 2002 , 973, 241-5	6.5	13
145	Conventional endoscopic features are not sufficient to differentiate small, early colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014 , 20, 6586-93	5.6	13
144	Long-term clinical outcomes and factors predictive of relapse after 5-aminosalicylate or sulfasalazine therapy in patients with mild-to-moderate ulcerative colitis. <i>Hepato-Gastroenterology</i> , 2012 , 59, 1415-20		13
143	Protective effects of guggulsterone against colitis are associated with the suppression of TREM-1 and modulation of macrophages. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, G128-G139	5.1	12
142	Impact and outcomes of nutritional support team intervention in patients with gastrointestinal disease in the intensive care unit. <i>Medicine (United States)</i> , 2017 , 96, e8776	1.8	12
141	Child-Pugh score is an independent risk factor for immediate bleeding after colonoscopic polypectomy in liver cirrhosis. <i>Yonsei Medical Journal</i> , 2014 , 55, 1281-8	3	12
140	Correlation between soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) expression and endoscopic activity in inflammatory bowel diseases. <i>Digestive and Liver Disease</i> , 2012 , 44, 897-903	3.3	12
139	The prevalence and clinical significance of perinuclear anti-neutrophil cytoplasmic antibody in Korean patients with ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 1406-12	4	12
138	Colorectal flat neoplasia. <i>Digestive and Liver Disease</i> , 2003 , 35, 165-71	3.3	12
137	Similar clinical characteristics of familial and sporadic inflammatory bowel disease in South Korea. <i>World Journal of Gastroenterology</i> , 2014 , 20, 17120-6	5.6	12
136	Infliximab versus Cyclosporine Treatment for Severe Corticosteroid-Refractory Ulcerative Colitis: A Korean, Retrospective, Single Center Study. <i>Gut and Liver</i> , 2015 , 9, 601-6	4.8	12
135	The Medical Treatments of Intestinal Behçet's Disease: An Update. <i>Intestinal Research</i> , 2013 , 11, 155	4.1	12
134	Crohn's disease prognosis and early immunomodulator therapy: Results from the CONNECT study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 126-32	4	12
133	Long-term outcomes according to additional treatments after endoscopic resection for rectal small neuroendocrine tumors. <i>Scientific Reports</i> , 2019 , 9, 4911	4.9	11
132	Surveillance strategy for rectal neuroendocrine tumors according to recurrence risk stratification. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 850-6	4	11
131	Assessment of the prognostic factors for a local recurrence of rectal cancer: the utility of preoperative MR imaging. <i>Korean Journal of Radiology</i> , 2005 , 6, 8-16	6.9	11
130	Clinical Characteristics of Microscopic Colitis in Korea: Prospective Multicenter Study by KASID. <i>Gut and Liver</i> , 2011 , 5, 181-6	4.8	11
129	Clinical efficacy of endoscopic treatment for benign colorectal stricture: balloon dilatation versus stenting. <i>Gut and Liver</i> , 2015 , 9, 73-9	4.8	11

128	Real-World National Colonoscopy Volume in Korea: A Nationwide Population-Based Study over 12 Years. <i>Gut and Liver</i> , 2020 , 14, 338-346	4.8	11
127	Cytomegalovirus infection in patients with new onset ulcerative colitis: a prospective study. <i>Hepato-Gastroenterology</i> , 2012 , 59, 1098-101		11
126	Metformin Suppresses Cancer Stem Cells through AMPK Activation and Inhibition of Protein Prenylation of the Mevalonate Pathway in Colorectal Cancer. <i>Cancers</i> , 2020 , 12,	6.6	11
125	Proteomic Analysis of Serum Amyloid A as a Potential Marker in Intestinal Behçet's Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 1953-1962	4	10
124	What is the necessity of endoscopist for successful endoscopic stenting in patients with malignant colorectal obstruction?. <i>International Journal of Colorectal Disease</i> , 2015 , 30, 119-25	3	10
123	Seasonal Variation in Flares of Intestinal Behçet's Disease. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 3373-8	4.8	10
122	The Correlation of Serum IL-12B Expression With Disease Activity in Patients With Inflammatory Bowel Disease. <i>Medicine (United States)</i> , 2016 , 95, e3772	1.8	10
121	Differential expression of CD133 based on microsatellite instability status in human colorectal cancer. <i>Molecular Carcinogenesis</i> , 2014 , 53 Suppl 1, E1-10	5	10
120	Successful carotid stenting for chronic total occlusion of the internal carotid artery. <i>Korean Circulation Journal</i> , 2010 , 40, 288-91	2.2	10
119	Disease Phenotype, Activity and Clinical Course Prediction Based on C-Reactive Protein Levels at Diagnosis in Patients with Crohn's Disease: Results from the CONNECT Study. <i>Gut and Liver</i> , 2016 , 10, 595-603	4.8	10
118	Long-Term Outcomes of Endoscopic Balloon Dilation for Benign Strictures in Patients with Inflammatory Bowel Disease. <i>Gut and Liver</i> , 2018 , 12, 530-536	4.8	10
117	Outcomes of stent insertion and mortality in obstructive stage IV colorectal cancer patients through 10-year duration. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 1225-1234	5.2	10
116	Impact of peritoneal carcinomatosis on clinical outcomes of patients receiving self-expandable metal stents for malignant colorectal obstruction. <i>Endoscopy</i> , 2018 , 50, 1163-1174	3.4	10
115	Postoperative adjuvant chemotherapy is associated with a lower incidence of colorectal adenomas in patients with previous colorectal cancer. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 688-694.e2	5.2	9
114	Vaccination and complementary and alternative medicine in patients with inflammatory bowel disease. <i>Intestinal Research</i> , 2014 , 12, 124-30	4.1	9
113	Early versus late surgery in patients with intestinal Behçet disease. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 65-71	3.1	9
112	Induction of apoptosis in colon cancer cells by nonsteroidal anti-inflammatory drugs. <i>Yonsei Medical Journal</i> , 1998 , 39, 287-95	3	9
111	Clinical meaning of BRAF mutation in Korean patients with advanced colorectal cancer. <i>World Journal of Gastroenterology</i> , 2014 , 20, 4370-6	5.6	9

110	Guidelines for the Management of Ulcerative Colitis. <i>Intestinal Research</i> , 2012 , 10, 1	4.1	9
109	Clinical Outcomes of Self-Expandable Metal Stents for Malignant Rectal Obstruction. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 43-50	3.1	9
108	Allele frequency of thiopurine methyltransferase and inosine triphosphate pyrophosphatase gene polymorphisms in Korean patients with inflammatory bowel diseases. <i>Hepato-Gastroenterology</i> , 2009 , 56, 421-3		9
107	Influence of age at diagnosis on the clinical characteristics of Crohn's disease in Korea: Results from the CONNECT study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1716-1722	4	8
106	Incidence and clinical outcomes of intestinal Behçet's disease in Korea, 2011-2014: a nationwide population-based study. <i>Journal of Gastroenterology</i> , 2017 , 52, 920-928	6.9	8
105	Risk factors and outcomes of acute lower gastrointestinal bleeding in intestinal Behçet's disease. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 745-751	3	8
104	Survival Benefit for Metformin Through Better Tumor Response by Neoadjuvant Concurrent Chemoradiotherapy in Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 758-768	3.1	8
103	Features of Postcolonoscopy Colorectal Cancer and Survival Times of Patients in Korea. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 786-788	6.9	8
102	Outcome predictors for thiopurine maintenance therapy in patients with Crohn's disease. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 133-41	4	8
101	Metabolic syndrome is an independent risk factor for synchronous colorectal neoplasm in patients with gastric neoplasm. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1490-7	4	8
100	The Effects of Physical Activity and Body Fat Mass on Colorectal Polyp Recurrence in Patients with Previous Colorectal Cancer. <i>Cancer Prevention Research</i> , 2017 , 10, 478-484	3.2	8
99	Overlooked Management and Risk Factors for Anemia in Patients with Intestinal Behçet's Disease in Actual Clinical Practice. <i>Gut and Liver</i> , 2015 , 9, 750-5	4.8	8
98	Efficacy of Adalimumab in Korean Patients with Crohn's Disease. <i>Gut and Liver</i> , 2016 , 10, 255-61	4.8	8
97	Effects of Perianal Involvement on Clinical Outcomes in Crohn's Disease over 10 Years. <i>Gut and Liver</i> , 2018 , 12, 297-305	4.8	8
96	Association of Perianal Fistulas with Clinical Features and Prognosis of Crohn's Disease in Korea: Results from the CONNECT Study. <i>Gut and Liver</i> , 2018 , 12, 544-554	4.8	8
95	Clinical Experience of Thalidomide in the Treatment of Korean Patients with Intestinal Behçet's Disease: Pilot Experience in a Single Center. <i>Intestinal Research</i> , 2010 , 8, 63	4.1	8
94	Behçet's Disease: Gastrointestinal Involvement 2010 , 165-188		8
93	Tumor characteristics associated with malignant large bowel obstruction in stage IV colorectal cancer patients undergoing chemotherapy. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 1767-1774	3.74	7

92	Efficacy and tolerability of methotrexate therapy for refractory intestinal Behçet's disease: a single center experience. <i>Intestinal Research</i> , 2018 , 16, 315-318	4.1	7
91	Triton X-100 induces apoptosis in human hepatoma cell lines. <i>Yonsei Medical Journal</i> , 1997 , 38, 52-9	3	7
90	Solitary rectal ulcer syndrome. <i>Yonsei Medical Journal</i> , 1994 , 35, 223-30	3	7
89	Efficacy of polyadenylic.polyuridylic acid in the treatment of chronic active hepatitis B. <i>International Journal of Immunopharmacology</i> , 1994 , 16, 217-25		7
88	Usefulness of Measuring Serum Procalcitonin Levels in Patients with Inflammatory Bowel Disease. <i>Gut and Liver</i> , 2016 , 10, 574-80	4.8	7
87	Effect of Earyophyllene from Cloves Extract on Eradication in Mouse Model. <i>Nutrients</i> , 2020 , 12,	6.7	7
86	Bibliographical Characteristics of North Korean Medical Journals and Articles. <i>Journal of Korean Medical Science</i> , 2018 , 33, e185	4.7	7
85	The outcomes and risk factors of early reoperation after initial intestinal resective surgery in patients with intestinal Behçet's disease. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 591-594	3	6
84	Magnetic resonance enterography predicts the prognosis of Crohn's disease. <i>Intestinal Research</i> , 2018 , 16, 445-457	4.1	6
83	Clinical differences in Clostridium difficile infection based on age: a multicenter study. <i>Scandinavian Journal of Infectious Diseases</i> , 2014 , 46, 46-51		6
82	Adherens junction-dependent PI3K/Akt activation induces resistance to genotoxin-induced cell death in differentiated intestinal epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 378, 738-43	3.4	6
81	Squamous cell carcinoma of the anus in a patient with perianal Crohn's disease. <i>International Journal of Colorectal Disease</i> , 2010 , 25, 411-3	3	6
80	Chronological changes in the systemic manifestations of intestinal Behcet's disease and their significance in diagnosis. <i>International Journal of Colorectal Disease</i> , 2010 , 25, 1371-6	3	6
79	Clinical outcomes and predictive factors for response after the first course of corticosteroid therapy in patients with Crohn's disease. <i>Gut and Liver</i> , 2013 , 7, 58-65	4.8	6
78	Radiation exposure from abdominal imaging studies in patients with intestinal Behçet disease. <i>Gut and Liver</i> , 2014 , 8, 380-7	4.8	6
77	A look into the small bowel in Crohn's disease. <i>Clinical Endoscopy</i> , 2012 , 45, 263-8	2.5	6
76	Long-Term Outcome and Surveillance Colonoscopy after Successful Endoscopic Treatment of Large Sessile Colorectal Polyps. <i>Yonsei Medical Journal</i> , 2016 , 57, 1106-14	3	6
75	IL-6 and IL-8, secreted by myofibroblasts in the tumor microenvironment, activate HES1 to expand the cancer stem cell population in early colorectal tumor. <i>Molecular Carcinogenesis</i> , 2021 , 60, 188-200	5	6

74	Proteomics-based functional studies reveal that galectin-3 plays a protective role in the pathogenesis of intestinal Behçet's disease. <i>Scientific Reports</i> , 2019 , 9, 11716	4.9	5
73	Association of Family History With Cancer Recurrence, Survival, and the Incidence of Colorectal Adenoma in Patients With Colorectal Cancer. <i>Journal of Cancer Prevention</i> , 2019 , 24, 1-10	3	5
72	Long-term outcomes after stenting as a bridge to surgery in patients with obstructing left-sided colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2018 , 33, 799-807	3	5
71	Effect of follow-up endoscopy on the outcomes of patients with inflammatory bowel disease. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 2514-22	4	5
70	Factors predictive of high-risk adenomas at the third colonoscopy after initial adenoma removal. <i>Journal of Korean Medical Science</i> , 2013 , 28, 1345-50	4.7	5
69	Factors affecting insertion time for colonoscopy performed under intramuscular analgesia in patients with history of colorectal resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 2316-22	5.2	5
68	Shell-grinder's asthma. <i>Yonsei Medical Journal</i> , 1982 , 23, 123-30	3	5
67	Comparison of Colonoscopy Surveillance Outcomes Between Young and Older Colorectal Cancer Patients. <i>Journal of Cancer Prevention</i> , 2017 , 22, 159-165	3	5
66	A comprehensive review of inflammatory bowel disease focusing on surgical management. <i>Journal of the Korean Society of Coloproctology</i> , 2012 , 28, 121-31		5
65	Intestinal Behçet's disease appearing during treatment with adalimumab in a patient with ankylosing spondylitis. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5389-92	5.6	5
64	Is fasting beneficial for hospitalized patients with inflammatory bowel diseases?. <i>Intestinal Research</i> , 2020 , 18, 85-95	4.1	5
63	Glutathione S-transferase theta 1 protects against colitis through goblet cell differentiation via interleukin-22. <i>FASEB Journal</i> , 2020 , 34, 3289-3304	0.9	5
62	Incidence and risk factors of micronutrient deficiency in patients with IBD and intestinal Behçet's disease: folate, vitamin B12, 25-OH-vitamin D, and ferritin. <i>BMC Gastroenterology</i> , 2021 , 21, 32	3	5
61	Comparison of the diagnostic yield of "MiroCam" and "PillCam SB" capsule endoscopy. <i>Hepato-Gastroenterology</i> , 2012 , 59, 778-81		5
60	Deep Resequencing of Ulcerative Colitis-Associated Genes Identifies Novel Variants in Candidate Genes in the Korean Population. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 1706-1717	4.5	4
59	Correlation between soluble triggering receptor expressed on myeloid cells-1 and endoscopic activity in intestinal Behçet's disease. <i>Yonsei Medical Journal</i> , 2014 , 55, 960-6	3	4
58	Twenty cases of restorative proctocolectomy for ulcerative colitis of Asian patients: analysis of operative safety and functional outcomes in single institution experience. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 131-2	3	4
57	Significance of rectosigmoid polyp as a predictor of proximal colonic polyp. <i>Yonsei Medical Journal</i> , 2000 , 41, 98-106	3	4

56	Restoration of P-glycoprotein function is involved in the increase of natural killer activity with exogenous interleukin-15 in human immunodeficiency virus-infected individuals. <i>Yonsei Medical Journal</i> , 2000 , 41, 600-6	3	4
55	mTOR Signaling Combined with Cancer Stem Cell Markers as a Survival Predictor in Stage II Colorectal Cancer. <i>Yonsei Medical Journal</i> , 2020 , 61, 572-578	3	4
54	Cytokine expression of microscopic colitis including interleukin-17. <i>Gut and Liver</i> , 2015 , 9, 381-7	4.8	4
53	Cancer Risk in Patients with Intestinal Behçet's Disease: A Nationwide Population-Based Study. <i>Gut and Liver</i> , 2018 , 12, 433-439	4.8	4
52	The Influence of Disease Activity on Pregnancy Outcomes in Women With Inflammatory Bowel Disease: A Systematic Review and Meta-Analysis. <i>Journal of Crohn's and Colitis</i> , 2021 , 15, 719-732	1.5	4
51	The outcomes and risk factors of early readmission in patients with intestinal Behçet's disease. <i>Clinical Rheumatology</i> , 2018 , 37, 1913-1920	3.9	4
50	Compound heterozygous mutations in IL10RA combined with a complement factor properdin mutation in infantile-onset inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 1491-1496	2.2	4
49	Association between the National Cancer Screening Programme (NSCP) for gastric cancer and oesophageal cancer mortality. <i>British Journal of Cancer</i> , 2020 , 123, 480-486	8.7	3
48	Clinical Efficacy of Beclomethasone Dipropionate in Korean Patients with Ulcerative Colitis. <i>Yonsei Medical Journal</i> , 2017 , 58, 144-149	3	3
47	Risk factors and clinical courses of concomitant primary sclerosing cholangitis and ulcerative colitis: a Korean multicenter study. <i>International Journal of Colorectal Disease</i> , 2018 , 33, 1497-1500	3	3
46	Extensive Disease Subtypes in Adult Patients with Ulcerative Colitis: Non-pancolitis Versus Pancolitis. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 3097-3104	4	3
45	Risk Factors and Outcomes of Emergency Room Visits in Intestinal Behçet's Disease. <i>Digestion</i> , 2017 , 96, 231-238	3.6	3
44	Should a colonoscopy be recommended for healthy individuals with increased carcinoembryonic antigen levels? A case-control study. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 2396-403	4	3
43	W1321 Long-Term Clinical Outcomes After the First Course of Corticosteroid Therapy in Patients With Moderate to Severe Intestinal Behçet's Disease. <i>Gastroenterology</i> , 2010 , 138, S-698-S-699	13.3	3
42	Needle knife-assisted endoscopic polypectomy for a large inflammatory fibroid colon polyp by making its stalk into an omega shape using an endoloop. <i>Yonsei Medical Journal</i> , 2008 , 49, 680-6	3	3
41	Follow-up result after negative findings on unenhanced hepatic MR imaging for hepatic metastasis from rectal cancer. <i>Korean Journal of Radiology</i> , 2004 , 5, 225-30	6.9	3
40	Adjuvant effect of polyadenylic-polyuridylic acid on antibody production of recombinant hepatitis B surface antigen in mice. <i>International Journal of Immunopharmacology</i> , 1995 , 17, 513-6		3
39	Patterns of Recurrence and Prognosis in Patients with Intestinal Behçet's Disease Who Underwent a Bowel Resection. <i>Journal of the Korean Society of Coloproctology</i> , 2008 , 24, 166		3

38	Comparison of double pants with single pants on satisfaction with colonoscopy. <i>World Journal of Gastroenterology</i> , 2013 , 19, 4177-84	5.6	3
37	Institutional Board Review for Clinical Investigations on Inflammatory Bowel Diseases: A Single-Center Study. <i>Intestinal Research</i> , 2015 , 13, 274-81	4.1	3
36	Triggering Receptor Expressed on Myeloid Cells-1 Agonist Regulates Intestinal Inflammation via Cd177 Neutrophils. <i>Frontiers in Immunology</i> , 2021 , 12, 650864	8.4	3
35	Impact of Visceral Fat on Survival and Metastasis of Stage III Colorectal Cancer. <i>Gut and Liver</i> , 2021 ,	4.8	3
34	Combination of Corticosteroids with 5-Aminosalicylic Acids Compared to Corticosteroids Alone for Hospitalized Patients with Active Ulcerative Colitis. <i>Israel Medical Association Journal</i> , 2016 , 18, 613-618	0.9	3
33	Factors affecting colonoscope insertion time in patients with or without a colostomy after left-sided colorectal resection. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 3219-25	4	2
32	Crohn's duodeno-colonic fistula preoperatively closed using a detachable endoloop and hemoclips: a case report. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2013 , 61, 97-102	0.6	2
31	Depressed-type of early colon cancer with extensive lymph node metastasis. <i>Yonsei Medical Journal</i> , 2007 , 48, 135-8	3	2
30	Minimally invasive treatment of obscure gastrointestinal bleeding using laparoscopic ultrasonography. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2007 , 17, 325-7	1.3	2
29	The Prognostic Significance of ST Segment Depression Score in Acute Non ST Elevation Myocardial Infarction. <i>Sunhwanji</i> , 2004 , 34, 1182		2
28	Does a Pre-Training Program Influence Colonoscopy Proficiency during Fellowship?. <i>PLoS ONE</i> , 2016 , 11, e0164360	3.7	2
27	The Early Diagnostic Accuracy for Gastrointestinal T-cell Lymphoma from a Perspective of Gastroenterologists. <i>Intestinal Research</i> , 2011 , 9, 19	4.1	2
26	Development of a Novel Endoscopic Scoring System to Predict Relapse after Surgery in Intestinal Behçet's Disease. <i>Gut and Liver</i> , 2018 , 12, 674-681	4.8	2
25	Comparison of Long-Term Outcomes of Infliximab versus Adalimumab Treatment in Biologic-Naïve Patients with Ulcerative Colitis. <i>Gut and Liver</i> , 2021 , 15, 232-242	4.8	2
24	Physical activity and quality of life of patients with inflammatory bowel disease. <i>Medicine (United States)</i> , 2021 , 100, e26290	1.8	2
23	An Escherichia coli strain with extra catalase activity protects against murine colitis by scavenging hydrogen peroxide and regulating regulatory t cell/interleukin-17 pathways. <i>Free Radical Biology and Medicine</i> , 2021 , 174, 110-120	7.8	2
22	Comparative effectiveness of second-line biological therapies for ulcerative colitis and Crohn's disease in patients with prior failure of anti-tumour necrosis factor treatment.. <i>BMC Gastroenterology</i> , 2022 , 22, 143	3	2
21	The relationship between diverticulosis and colorectal neoplasia: A meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0216380	3.7	1

20	Rediscover the clinical value of small intestinal bacterial overgrowth in patients with intestinal Behçet's disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 375-379	4	1
19	Clinical outcomes following secondary self-expandable metal stent (SEMS) insertion due to previous stent migration in malignant colorectal obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 3288-96	5.2	1
18	Effect of polyadenylic.polyuridylic acid on cellular responses of peripheral blood mononuclear cells from patients with chronic active hepatitis B. <i>Yonsei Medical Journal</i> , 1993 , 34, 258-65	3	1
17	Gastric varices: diagnosis with duplex Doppler ultrasonography--a case report. <i>Yonsei Medical Journal</i> , 1992 , 33, 189-93	3	1
16	The Rebleeding Risk and Prognostic Factors of Acute Hemorrhagic Rectal Ulcer. <i>Intestinal Research</i> , 2012 , 10, 343	4.1	1
15	Is Long-Term Therapy With Thiopurines Effective for Maintaining Remission in Patients With Moderate-To-Severe Ulcerative Colitis?. <i>Intestinal Research</i> , 2015 , 13, 191-2	4.1	1
14	Clinical Features of Intra-Abdominal Abscess and Intestinal Free-Wall Perforation in Korean Patients with Crohn's Disease: Results from the CONNECT Study. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	1
13	Effect of Thiopurine on Potential Surgical Intervention in Crohn's Disease in Korea: Results from the CONNECT Study. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	1
12	Prognostic Value of Terminal Ileal Inflammation in Patients with Ulcerative Colitis. <i>Gut and Liver</i> , 2021 , 15, 858-866	4.8	0
11	The Effect of Metformin in Treatment of Adenomas in Patients with Familial Adenomatous Polyposis. <i>Cancer Prevention Research</i> , 2021 , 14, 563-572	3.2	0
10	Clinical outcomes and factors for response prediction after the first course of corticosteroid therapy in patients with active ulcerative colitisP-126.. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, S49-S50	4.5	
9	Clinical significance of distal colon polyps for the prediction of an advanced proximal neoplasm: the KASID prospective multicenter study. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 171-6	3	
8	The Impact of Apolipoprotein A-I Polymorphisms on the Lipid Profiles in Middle Aged Healthy Men and Women. <i>Sunhwanji</i> , 2004 , 34, 1158		
7	C-reactive protein is associated with postoperative outcomes in patients with intestinal Behçet's disease. <i>BMC Gastroenterology</i> , 2021 , 21, 362	3	
6	Differential Diagnosis: Intestinal Behçet's Disease 2015 , 53-69		
5	Ileocolonoscopy in Inflammatory Bowel Diseases 2015 , 1-29		
4	Postradiation Malignant Fibrous Histiocytoma of the Colon: A Case Report. <i>Intestinal Research</i> , 2010 , 8, 75	4.1	
3	Colitis Cystica Profunda Masquerading as a Pneumatosis Cystoides Intestinalis: A Case Report. <i>Intestinal Research</i> , 2010 , 8, 187	4.1	

- 2 Recurrent Acute Pericarditis Induced by 5-aminosalicylates in a Patient with Inflammatory Bowel Disease. *Intestinal Research*, **2012**, 10, 289 4.1
- 1 Diagnostic utility of computer tomographic enterography for patients presenting with unexplained gastrointestinal symptoms. *Hepato-Gastroenterology*, **2012**, 59, 1869-73