## Jan Ivar Martinsen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5116768/publications.pdf

Version: 2024-02-01

448610 325983 73 1,821 19 40 citations g-index h-index papers 73 73 73 2535 docs citations times ranked citing authors all docs

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Socioeconomic status and risk of lung cancer by histological subtype in the Nordic countries. Cancer Medicine, 2022, 11, 1850-1859.   | 1.3 | 11        |
| 2  | Comparison of cancer incidence and mortality in the Norwegian Fire Departments Cohort, 1960–2018.<br>Occupational and Environmental Medicine, 2022, 79, 736-743.  | 1.3 | 4         |
| 3  | Occupation and cutaneous melanoma: a 45â€year historical cohort study of 14·9 million people in five<br>Nordic countries*. British Journal of Dermatology, 2021, 184, 672-680.                                    | 1.4 | 8         |
| 4  | Cancer incidence among musicians: 45 years of follow-up in four Nordic countries. Acta Oncol $\tilde{A}^3$ gica, 2021, 60, 835-841.   | 0.8 | 1         |
| 5  | Smoking-adjusted risk of renal pelvis cancer by occupation: a population-based cohort study of Nordic men. Acta Oncol $	ilde{A}^3$ gica, 2020, 59, 112-115.   | 0.8 | 1         |
| 6  | Cancer incidence among Swedish firefighters: an extended follow-up of the NOCCA study. International Archives of Occupational and Environmental Health, 2020, 93, 197-204.  | 1.1 | 12        |
| 7  | Occupational Noise Exposure and Vestibular Schwannoma: A Case-Control Study in Sweden. American Journal of Epidemiology, 2020, 189, 1342-1347.  | 1.6 | 7         |
| 8  | Temporal trends in the healthy soldier effect in a cohort of Royal Norwegian Navy servicemen followed for 67 years. Occupational and Environmental Medicine, 2020, 77, 775-781.                                   | 1.3 | 5         |
| 9  | Smoking-adjusted risk of kidney cancer by occupation: a population-based cohort study of Nordic men. Acta OncolA <sup>3</sup> gica, 2020, 59, 582-587.  | 0.8 | 1         |
| 10 | Cancer incidence among seafarers and fishermen in the Nordic countries. Scandinavian Journal of Work, Environment and Health, 2020, 46, 461-468.  | 1.7 | 15        |
| 11 | A 5-Year Continued Follow-up of Cancer Risk and All-Cause Mortality Among Norwegian Military Peacekeepers Deployed to Kosovo During 1999–2016. Military Medicine, 2019, 185, e239-e243.                           | 0.4 | 5         |
| 12 | Occupational exposures and male breast cancer: A nested case-control study in the Nordic countries. Breast, 2019, 48, 65-72.  | 0.9 | 12        |
| 13 | Workplace Diesel Exhausts and Gasoline Exposure and Risk of Colorectal Cancer in Four Nordic Countries. Safety and Health at Work, 2019, 10, 141-150.   | 0.3 | 5         |
| 14 | Heavy metals, welding fumes, and other occupational exposures, and the risk of kidney cancer: A population-based nested case-control study in three Nordic countries. Environmental Research, 2019, 173, 117-123. | 3.7 | 24        |
| 15 | Identification of potential carcinogenic and chemopreventive effects of prescription drugs: a protocol for a Norwegian registry-based study. BMJ Open, 2019, 9, e028504.  | 0.8 | 7         |
| 16 | Occupation and Risk of Kidney Cancer in Nordic Countries. Journal of Occupational and Environmental Medicine, 2019, 61, 41-46.  | 0.9 | 4         |
| 17 | Occupation and risk of cancer of the renal pelvis in Nordic countries. BJU International, 2019, 123, 233-238.   | 1.3 | 7         |
| 18 | Occupational variation in bladder cancer in Nordic males adjusted with approximated smoking prevalence. Acta Oncol $\tilde{A}^3$ gica, 2019, 58, 29-37.   | 0.8 | 9         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Occupation and Bladder Cancer Phenotype: Identification of Workplace Patterns That Increase the Risk of Advanced Disease Beyond Overall Incidence. European Urology Focus, 2018, 4, 725-730.   | 1.6 | 16        |
| 20 | Occupational exposure to asbestos and risk of cholangiocarcinoma: a population-based case–control study in four Nordic countries. Occupational and Environmental Medicine, 2018, 75, 191-198.  | 1.3 | 31        |
| 21 | Variation in Nordic Work-Related Cancer Risks after Adjustment for Alcohol and Tobacco.<br>International Journal of Environmental Research and Public Health, 2018, 15, 2760.  | 1.2 | 9         |
| 22 | Cancer incidence and all-cause mortality among civilian men and women employed by the Royal Norwegian Navy between 1950 and 2005. Cancer Epidemiology, 2018, 57, 1-6.  | 0.8 | 1         |
| 23 | Occupational variation in the risk of female breast cancer in the Nordic countries. Cancer Causes and Control, 2018, 29, 1027-1038.  | 0.8 | 14        |
| 24 | Mesothelioma in Sweden: Dose–Response Analysis for Exposure to 29 Potential Occupational Carcinogenic Agents. Safety and Health at Work, 2018, 9, 290-295.   | 0.3 | 3         |
| 25 | Benzene exposure at workplace and risk of colorectal cancer in four Nordic countries. Cancer Epidemiology, 2018, 55, 156-161.  | 0.8 | 31        |
| 26 | Perceived Physical Strain at Work and Incidence of Prostate Cancer – a Case-Control Study in Sweden and Finland. Asian Pacific Journal of Cancer Prevention, 2018, 19, 2331-2335.  | 0.5 | 3         |
| 27 | Night-shift work and hematological cancers: a population based case–control study in three Nordic countries. Scandinavian Journal of Work, Environment and Health, 2018, 44, 258-264.  | 1.7 | 8         |
| 28 | Cohort Profile: The Janus Serum Bank Cohort in Norway. International Journal of Epidemiology, 2017, 46, dyw027.  | 0.9 | 55        |
| 29 | Incidence and occupational variation of ovarian granulosa cell tumours in Finland, Iceland, Norway and Sweden during 1953-2012: a longitudinal cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 143-149. | 1.1 | 22        |
| 30 | Occupational solvent exposure and adult chronic lymphocytic leukemia: No risk in a population-based case-control study in four Nordic countries. International Journal of Cancer, 2017, 141, 1140-1147.  | 2.3 | 14        |
| 31 | Occupational exposure to solvents and bladder cancer: A populationâ€based case control study in Nordic countries. International Journal of Cancer, 2017, 140, 1736-1746.   | 2.3 | 29        |
| 32 | Risk of early-onset prostate cancer associated with occupation in the Nordic countries. European Journal of Cancer, 2017, 87, 92-100.  | 1.3 | 18        |
| 33 | Adjustment for tobacco smoking and alcohol consumption by simultaneous analysis of several types of cancer. Cancer Causes and Control, 2017, 28, 155-165.  | 0.8 | 13        |
| 34 | External-cause mortality among 21 609 Norwegian male military peacekeepers deployed to Lebanon between 1978 and 1998. Occupational and Environmental Medicine, 2017, 74, 573-577.  | 1.3 | 4         |
| 35 | Occupational exposure to wood dust and risk of nasal and nasopharyngeal cancer: A caseâ€control study among men in four nordic countriesâ€"With an emphasis on nasal adenocarcinoma. International Journal of Cancer, 2017, 141, 2430-2436.    | 2.3 | 25        |
| 36 | Occupational variation in incidence of bladder cancer: a comparison of population-representative cohorts from Nordic countries and Canada. BMJ Open, 2017, 7, e016538.   | 0.8 | 12        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 37 | Occupational Risk for Oral Cancer in Nordic Countries. Anticancer Research, 2017, 37, 3221-3228.   | 0.5 | 9         |
| 38 | Disease-related mortality among 21,609 Norwegian male military peacekeepers deployed to Lebanon between 1978 and 1998. Annals of Epidemiology, 2016, 26, 693-697.  | 0.9 | 5         |
| 39 | Occupation and relative risk of cutaneous squamous cell carcinoma (cSCC): A 45-year follow-up study in 4 Nordic countries. Journal of the American Academy of Dermatology, 2016, 75, 548-555.                              | 0.6 | 17        |
| 40 | Perceived physical strain at work and incidence of colorectal cancer: A nested case–control study. Cancer Epidemiology, 2016, 43, 100-104.   | 0.8 | 9         |
| 41 | Occupation and Risk of Bladder Cancer in Nordic Countries. Journal of Occupational and Environmental Medicine, 2016, 58, e301-e307.  | 0.9 | 20        |
| 42 | Occupation and mesothelioma in Sweden: updated incidence in men and women in the 27 years after the asbestos ban. Epidemiology and Health, 2016, 38, e2016039.   | 0.8 | 34        |
| 43 | Abstract 3431: Occupation and the risk of early- and later-onset prostate cancer in five Nordic countries., 2016,,.  |     | 0         |
| 44 | Occupation and risk of oesophageal adenocarcinoma and squamous-cell carcinoma: The Nordic Occupational Cancer Study. International Journal of Cancer, 2015, 137, 590-597.  | 2.3 | 5         |
| 45 | Occupational exposure to extremely low-frequency magnetic fields and electrical shocks and acute myeloid leukemia in four Nordic countries. Cancer Causes and Control, 2015, 26, 1079-1085.                                | 0.8 | 6         |
| 46 | Cancer incidence and all-cause mortality in a cohort of 21582 Norwegian military peacekeepers deployed to Lebanon during 1978–1998. Cancer Epidemiology, 2015, 39, 571-577.  | 0.8 | 15        |
| 47 | Cancer incidence among waiters: 45 years of follow-up in five Nordic countries. Scandinavian Journal of Public Health, 2015, 43, 204-211.  | 1.2 | 10        |
| 48 | Colon cancer trends in Norway and Denmark by socio-economic group: A cohort study. Scandinavian Journal of Public Health, 2015, 43, 890-898.   | 1.2 | 7         |
| 49 | Cancer risk and all-cause mortality among Norwegian military United Nations peacekeepers deployed to Kosovo between 1999 and 2011. Cancer Epidemiology, 2014, 38, 364-368.   | 0.8 | 20        |
| 50 | Cancer incidence among firefighters: 45â€years of follow-up in five Nordic countries. Occupational and Environmental Medicine, 2014, 71, 398-404.  | 1.3 | 127       |
| 51 | Occupational exposure to solvents and acute myeloid leukemia: a population-based, case–control study in four Nordic countries. Scandinavian Journal of Work, Environment and Health, 2014, 40, 511-517.                    | 1.7 | 12        |
| 52 | Cholangiocarcinoma among workers in the printing industry: using the NOCCA database to elucidate the generalisability of a cluster report from Japan: TableÂ1. Occupational and Environmental Medicine, 2013, 70, 828-830. | 1.3 | 18        |
| 53 | Occupational exposure to trichloroethylene and perchloroethylene and the risk of lymphoma, liver, and kidney cancer in four Nordic countries. Occupational and Environmental Medicine, 2013, 70, 393-401.                  | 1.3 | 44        |
| 54 | Occupation and Leukemia in Nordic Countries. Journal of Occupational and Environmental Medicine, 2012, 54, 1527-1532.  | 0.9 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Incidence of uterine leiomyosarcoma and endometrial stromal sarcoma in Nordic countries: Results from NORDCAN and NOCCA databases. Maturitas, 2012, 72, 56-60.  | 1.0 | 70        |
| 56 | Occupation and risk of primary Fallopian tube carcinoma in Nordic countries. International Journal of Cancer, 2012, 131, 186-192.   | 2.3 | 14        |
| 57 | Cancer incidence among priests: 45Âyears of follow-up in four Nordic countries. European Journal of Epidemiology, 2012, 27, 101-108.  | 2.5 | 7         |
| 58 | Scientific scope of integrating research activities in the Janus Serum Bank and Cancer Registry of Norway. Norsk Epidemiologi, 2012, 21, .  | 0.2 | 2         |
| 59 | Occupation and scrotal cancer: Results of the NOCCA study. Acta Oncol $	ilde{A}^3$ gica, 2011, 50, 1244-1246.   | 0.8 | 5         |
| 60 | Cancer incidence among Nordic firefighters. Occupational and Environmental Medicine, 2011, 68, A19-A20.   | 1.3 | 0         |
| 61 | Mortality from non-malignant respiratory diseases among workers in the Norwegian silicon carbide industry: associations with dust exposure. Occupational and Environmental Medicine, 2011, 68, 863-869. | 1.3 | 17        |
| 62 | Cause-specific mortality and cancer incidence among 28 300 Royal Norwegian Navy servicemen followed for more than 50 years. Scandinavian Journal of Work, Environment and Health, 2011, 37, 307-315.    | 1.7 | 16        |
| 63 | Asbestosâ€related cancers among 28,300 military servicemen in the Royal Norwegian Navy. American<br>Journal of Industrial Medicine, 2010, 53, 64-71.  | 1.0 | 22        |
| 64 | Effects of occupation on risks of avoidable cancers in the Nordic countries. European Journal of Cancer, 2010, 46, 2545-2554.   | 1.3 | 17        |
| 65 | Cancer incidence among short- and long-term workers in the Norwegian silicon carbide industry.<br>Scandinavian Journal of Work, Environment and Health, 2010, 36, 71-79.                                | 1.7 | 10        |
| 66 | Occupation and cancer – follow-up of 15 million people in five Nordic countries. Acta Oncológica, 2009, 48, 646-790.  | 0.8 | 562       |
| 67 | Cancer of the gastrointestinal tract and exposure to asbestos in drinking water among lighthouse keepers (Norway). Cancer Causes and Control, 2005, 16, 593-598.  | 0.8 | 42        |
| 68 | Cancer Incidence Among Members of the Norwegian Trade Union of Insulation Workers. Journal of Occupational and Environmental Medicine, 2004, 46, 84-89.   | 0.9 | 21        |
| 69 | Mortality from non-malignant diseases among male Norwegian asphalt workers. American Journal of Industrial Medicine, 2003, 43, 96-103.  | 1.0 | 20        |
| 70 | Cancer incidence among male Norwegian asphalt workers. American Journal of Industrial Medicine, 2003, 43, 88-95.  | 1.0 | 23        |
| 71 | Lung cancer incidence among Norwegian nickel-refinery workers 1953–2000. Journal of Environmental Monitoring, 2003, 5, 190-197.   | 2.1 | 100       |
| 72 | Cancer incidence among workers in the asbestos-cement producing industry in Norway. Scandinavian Journal of Work, Environment and Health, 2002, 28, 411-417.  | 1.7 | 48        |

# ARTICLE IF CITATIONS

73 Incidence of breast cancer in a Norwegian cohort of women with potential workplace exposure to 50
Hz magnetic fields., 1999, 36, 147-154.