
## David Mazurais

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5117719/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	CO2 induced seawater acidification impacts survival and development of European eel embryos. PLoS ONE, 2022, 17, e0267228.	2.5	2
2	The extensive transgenerational transcriptomic effects of ocean acidification on the olfactory epithelium of a marine fish are associated with a better viral resistance. BMC Genomics, 2022, 23, .	2.8	6
3	Balancing between Artemia and microdiet usage for normal skeletal development in zebrafish ( Danio) Tj ETQq1	1 0.78431 1.9	4 rgBT /Ove
4	Effect of long-term intergenerational exposure to ocean acidification on ompa and ompb transcripts expression in European seabass (Dicentrarchus labrax). Marine Environmental Research, 2021, 170, 105438.	2.5	0
5	Long-term exposure to near-future ocean acidification does not affect the expression of neurogenesis- and synaptic transmission-related genes in the olfactory bulb of European sea bass (Dicentrarchus labrax). Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2020, 190, 161-167.	1.5	10
6	An Irgafos® 168 story: When the ubiquity of an additive prevents studying its leaching from plastics. Science of the Total Environment, 2020, 749, 141651.	8.0	27
7	Effect of thermal and nutritional conditions on fatty acid metabolism and oxidative stress response in juvenile European sea bass (Dicentrarchus labrax). Marine Biology, 2020, 167, 1.	1.5	2
8	Transgenerational regulation of cbln11 gene expression in the olfactory rosette of the European sea bass (Dicentrarchus labrax) exposed to ocean acidification. Marine Environmental Research, 2020, 159, 105022.	2.5	13
9	Fish facing global change: are early stages the lifeline?. Marine Environmental Research, 2019, 147, 159-178.	2.5	24
10	Nutritional programming by dietary carbohydrates in European sea bass larvae: Not always what expected at juvenile stage. Aquaculture, 2019, 501, 441-447.	3.5	22
11	Moderate hypoxia but not warming conditions at larval stage induces adverse carry-over effects on hypoxia tolerance of European sea bass ( Dicentrarchus labrax ) juveniles. Marine Environmental Research, 2018, 138, 28-35.	2.5	18
12	Metabolic response to hypoxia in European sea bass ( Dicentrarchus labrax ) displays developmental plasticity. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2018, 215, 1-9.	1.6	31
13	Temperature induced variation in gene expression of thyroid hormone receptors and deiodinases of European eel (Anguilla anguilla) larvae. General and Comparative Endocrinology, 2018, 259, 54-65.	1.8	24
14	Molecular Ontogeny of First-Feeding European Eel Larvae. Frontiers in Physiology, 2018, 9, 1477.	2.8	31
15	Constraints and Priorities for Conducting Experimental Exposures of Marine Organisms to Microplastics. Frontiers in Marine Science, 2018, 5, .	2.5	178
16	Salinity reduction benefits European eel larvae: Insights at the morphological and molecular level. PLoS ONE, 2018, 13, e0198294.	2.5	23
17	Detection of new pathways involved in the acceptance and the utilisation of a plant-based diet in isogenic lines of rainbow trout fry. PLoS ONE, 2018, 13, e0201462.	2.5	11
18	An early-life hypoxia event has a long-term impact on protein digestion and growth in European sea bass juvenile. Journal of Experimental Biology, 2017, 220, 1846-1851.	1.7	18

DAVID MAZURAIS

#	Article	IF	CITATIONS
19	Genomic organization and spatio-temporal expression of the hemoglobin genes in European sea bass (Dicentrarchus labrax). Marine Biology, 2017, 164, 1.	1.5	26
20	Early exposure to chronic hypoxia induces short and long-term regulation of hemoglobin gene expression in European sea bass (Dicentrarchus labrax). Journal of Experimental Biology, 2017, 220, 3119-3126.	1.7	20
21	The development of contemporary European sea bass larvae (Dicentrarchus labrax) is not affected by projected ocean acidification scenarios. Marine Biology, 2017, 164, 155.	1.5	29
22	Temperature effects on gene expression and morphological development of European eel, Anguilla anguilla larvae. PLoS ONE, 2017, 12, e0182726.	2.5	70
23	Interactions between candidate probiotics and the immune and antioxidative responses of European sea bass ( <i>Dicentrarchus labrax</i> ) larvae. Journal of Fish Diseases, 2016, 39, 1421-1432.	1.9	21
24	Abundance of specific mRNA transcripts impacts hatching success in European eel, Anguilla anguilla L. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2016, 191, 59-65.	1.8	16
25	Does broodstock nutritional history affect the response of progeny to different first-feeding diets? A whole-body transcriptomic study of rainbow trout alevins. British Journal of Nutrition, 2016, 115, 2079-2092.	2.3	48
26	The highly variable microbiota associated to intestinal mucosa correlates with growth and hypoxia resistance of sea bass, Dicentrarchus labrax, submitted to different nutritional histories. BMC Microbiology, 2016, 16, 266.	3.3	43
27	The effects of dietary marine protein hydrolysates on the development of sea bass larvae, <i>Dicentrarchus labrax</i> , and associated microbiota. Aquaculture Nutrition, 2015, 21, 98-104.	2.7	37
28	Hypoxic episode during the larval period has long-term effects on European sea bass juveniles (Dicentrarchus labrax). Marine Biology, 2015, 162, 367-376.	1.5	33
29	Does the chronic chemical contamination of a European flounder population decrease its thermal tolerance?. Marine Pollution Bulletin, 2015, 95, 658-664.	5.0	15
30	Evaluation of the impact of polyethylene microbeads ingestion in European sea bass (Dicentrarchus) Tj ETQq0 (	) 0 rgBT /O	verlock 10 Tf 289
31	Exposure to chronic moderate hypoxia impacts physiological and developmental traits of European sea bass (Dicentrarchus labrax) larvae. Fish Physiology and Biochemistry, 2015, 41, 233-242.	2.3	20
32	Gene expression pattern of digestive and antioxidant enzymes during the larval development of reared Atlantic bluefin tuna (ABFT),Thunnus thynnusL Aquaculture Research, 2015, 46, 2323-2331.	1.8	12
33	Depletion of Essential Fatty Acids in the Food Source Affects Aerobic Capacities of the Golden Grey Mullet Liza aurata in a Warming Seawater Context. PLoS ONE, 2015, 10, e0126489.	2.5	17
34	High or low dietary carbohydrate:protein ratios during first-feeding affect glucose metabolism and intestinal microbiota in juvenile rainbow trout. Journal of Experimental Biology, 2014, 217, 3396-3406.	1.7	107
35	De novo assembly, characterization and functional annotation of Senegalese sole (Solea) Tj ETQq1 1 0.784314 microarray. BMC Genomics, 2014, 15, 952.	rgBT /Ove 2.8	rlock 10 Tf 50 83
36	Chronic dietary exposure to pyrolytic and petrogenic mixtures of PAHs causes physiological disruption in zebrafish - part I: Survival and growth. Environmental Science and Pollution Research, 2014, 21, 13804-13817.	5.3	43

DAVID MAZURAIS

#	Article	IF	CITATIONS
37	Reduced n-3 highly unsaturated fatty acids dietary content expected with global change reduces the metabolic capacity of the golden grey mullet. Marine Biology, 2014, 161, 2547-2562.	1.5	13
38	Identification of Hypoxia-Regulated Genes in the Liver of Common Sole (Solea solea) Fed Different Dietary Lipid Contents. Marine Biotechnology, 2014, 16, 277-288.	2.4	23
39	The effects of dietary carbohydrate sources and forms on metabolic response and intestinal microbiota in sea bass juveniles, Dicentrarchus labrax. Aquaculture, 2014, 422-423, 47-53.	3.5	60
40	Comparison of the effects of the dietary addition of two lactic acid bacteria on the development and conformation of sea bass larvae, Dicentrarchus labrax, and the influence on associated microbiota. Aquaculture, 2013, 376-379, 137-145.	3.5	46
41	Hypoxia tolerance of common sole juveniles depends on dietary regime and temperature at the larval stage: evidence for environmental conditioning. Proceedings of the Royal Society B: Biological Sciences, 2013, 280, 20123022.	2.6	28
42	Characteristics of fads2 gene expression and putative promoter in European sea bass (Dicentrarchus) Tj ETQq0 0 ( 7-13.	) rgBT /O 1.1	verlock 10 Tf 42
43	Transcriptomics for understanding marine fish larval development <sup>1</sup> This review is part of a virtual symposium on current topics in aquaculture of marine fish and shellfish Canadian Journal of Zoology, 2011, 89, 599-611.	1.0	45
44	Overview of vitamin D and C requirements in fish and their influence on the skeletal system. Aquaculture, 2011, 315, 49-60.	3.5	109
45	In vivo effects of the soluble fraction of light cycle oil on immune functions in the European sea bass, Dicentrarchus labrax (Linné). Ecotoxicology and Environmental Safety, 2011, 74, 1896-1904.	6.0	23
46	A first insight into genotype × diet interactions in European sea bass (Dicentrarchus labrax L. 1756) in the context of plant-based diet use. Aquaculture Research, 2011, 42, 583-592.	1.8	31
47	Effect of vitamin A on the skeletal morphogenesis of European sea bass, Dicentrarchus labrax (Linnaeus, 1758). Aquaculture Research, 2011, 42, 684-692.	1.8	17
48	Imbalanced dietary ascorbic acid alters molecular pathways involved in skeletogenesis of developing European sea bass (Dicentrarchus labrax). Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2011, 159, 46-55.	1.8	29
49	Cloning, Tissue Expression Analysis, and Functional Characterization of Two Δ6-Desaturase Variants of Sea Bass (Dicentrarchus labrax L.). Marine Biotechnology, 2011, 13, 22-31.	2.4	31
50	Coordinated gene expression during gilthead sea bream skeletogenesis and its disruption by nutritional hypervitaminosis A. BMC Developmental Biology, 2011, 11, 7.	2.1	39
51	Effects of the total replacement of fish-based diet with plant-based diet on the hepatic transcriptome of two European sea bass (Dicentrarchus labrax) half-sibfamilies showing different growth rates with the plant-based diet. BMC Genomics, 2011, 12, 522.	2.8	140
52	Dietary Cholecalciferol Regulates the Recruitment and Growth of Skeletal Muscle Fibers and the Expressions of Myogenic Regulatory Factors and the Myosin Heavy Chain in European Sea Bass Larvae2. Journal of Nutrition, 2011, 141, 2146-2151.	2.9	22
53	Microarray-Based Identification of Gonad Transcripts Differentially Expressed Between Lines of Pacific Oyster Selected to Be Resistant or Susceptible to Summer Mortality. Marine Biotechnology, 2010, 12, 326-339.	2.4	53
54	A moderate threonine deficiency affects gene expression profile, paracellular permeability and glucose absorption capacity in the ileum of pigletsâ~†â~†â~†. Journal of Nutritional Biochemistry, 2010, 21, 914-921.	4.2	54

DAVID MAZURAIS

#	Article	IF	CITATIONS
55	Double staining protocol for developing European sea bass ( <i>Dicentrarchus labrax</i> ) larvae. Journal of Applied Ichthyology, 2010, 26, 280-285.	0.7	50
56	Regulation of FADS2 expression and activity in European sea bass (Dicentrarchus labrax, L.) fed a vegetable diet. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2010, 156, 237-243.	1.6	68
57	Dietary vitamin D3 affects digestive system ontogenesis and ossification in European sea bass (Dicentrachus labrax, Linnaeus, 1758). Aquaculture, 2010, 298, 300-307.	3.5	65
58	Dietary probiotic live yeast modulates antioxidant enzyme activities and gene expression of sea bass (Dicentrarchus labrax) larvae. Aquaculture, 2010, 300, 142-147.	3.5	162
59	Cloning of endothelin-1 (ET-1) from European sea bass (Dicentrarchus labrax) and its gene expression analysis in larvae with retinoic acid-induced malformations. Aquaculture, 2009, 287, 169-173.	3.5	6
60	Optimal levels of dietary vitamin A for reduced deformity incidence during development of European sea bass larvae (Dicentrarchus labrax) depend on malformation type. Aquaculture, 2009, 294, 262-270.	3.5	91
61	Gene Expression Patterns During the Larval Development of European Sea Bass (Dicentrarchus Labrax) by Microarray Analysis. Marine Biotechnology, 2008, 10, 416-428.	2.4	76
62	Effects of light cycle oils on immune parameters and on the expression of related genes in the European sea bass, Dicentrarchus labrax. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2008, 150, S102.	1.8	0
63	Dietary vitamin mix levels influence the ossification process in European sea bass ( <i>Dicentrarchus) Tj ETQq1 Physiology, 2008, 294, R520-R527.</i>	1 0.784314 1.8	rgBT /Overlo 48
64	In Situ Hybridization. Methods in Molecular Biology, 2007, 366, 159-180.	0.9	5
65	Expression of human ERG K channels in the mouse heart exerts anti-arrhythmic activity. Cardiovascular Research, 2005, 65, 128-137.	3.8	19
66	Dysregulation of connexins and inactivation of NFATc1 in the cardiovascular system of Nkx2?5 null mutants. Journal of Molecular and Cellular Cardiology, 2005, 38, 787-798.	1.9	40
67	Genomic organization and alternative transcripts of the human Connexin40 gene. Gene, 2003, 305, 79-90.	2.2	39
68	Cell Type-specific Localization of Human Cardiac S1P Receptors. Journal of Histochemistry and Cytochemistry, 2002, 50, 661-669.	2.5	114
69	Human p63RhoCEF, a novel RhoA-specific guanine nucleotide exchange factor, is localized in cardiac sarcomere. Journal of Cell Science, 2002, 115, 629-640.	2.0	55
70	Expression ofclock gene in the brain of rainbow trout: Comparison with the distribution of melatonin receptors. Journal of Comparative Neurology, 2000, 422, 612-620.	1.6	20
71	Effects of Melatonin on Liver Estrogen Receptor and Vitellogenin Expression in Rainbow Trout: An in Vitro and in Vivo Study. General and Comparative Endocrinology, 2000, 118, 344-353.	1.8	22
72	Characterization of neuropeptide Y expression in the brain of a perciform fish, the sea bass (Dicentrarchus labrax). Journal of Chemical Neuroanatomy, 2000, 19, 197-210.	2.1	80

#	Article	IF	CITATIONS
73	Central melatonin receptors in the rainbow trout: Comparative distribution of ligand binding and gene expression. , 1999, 409, 313-324.		83
74	Distribution of glutamic acid decarboxylase mRNA in the forebrain of the rainbow trout as studied by in situ hybridization. Journal of Comparative Neurology, 1999, 410, 277-289.	1.6	49