

Daniela Massi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5118830/publications.pdf>

Version: 2024-02-01

116
papers

3,320
citations

147566

31
h-index

168136

53
g-index

119
all docs

119
docs citations

119
times ranked

5984
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Disseminated Talaromyces infection in an AIDS patient. <i>Clinical Microbiology and Infection</i> , 2022, 28, 64-65. | 2.8 | 2 |
| 2 | Overexpression of helper T cell type 2-related molecules in the skin of patients with eosinophilic dermatosis of hematologic malignancy. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 761-770. | 0.6 | 9 |
| 3 | The Multidisciplinary Management of Cutaneous Squamous Cell Carcinoma: A Comprehensive Review and Clinical Recommendations by a Panel of Experts. <i>Cancers</i> , 2022, 14, 377. | 1.7 | 17 |
| 4 | Atypical Spitz Tumors: An epidemiological, clinical and dermoscopic multicenter study with 16-year follow-up. <i>Clinical and Experimental Dermatology</i> , 2022, , . | 0.6 | 4 |
| 5 | Porocarcinoma: an epidemiological, clinical, and dermoscopic 20-year study. <i>International Journal of Dermatology</i> , 2022, 61, 1098-1105. | 0.5 | 4 |
| 6 | NTRK Fusions Detection in Paediatric Sarcomas to Expand the Morphological Spectrum and Clinical Relevance of Selected Entities. <i>Pathology and Oncology Research</i> , 2022, 28, 1610237. | 0.9 | 2 |
| 7 | Tumors carrying BRAF-mutations over-express NAMPT that is genetically amplified and possesses oncogenic properties. <i>Journal of Translational Medicine</i> , 2022, 20, 118. | 1.8 | 3 |
| 8 | Molecular Profiling and Novel Therapeutic Strategies for Mucosal Melanoma: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2022, 23, 147. | 1.8 | 8 |
| 9 | Conceptual Evolution and Current Approach to Spitz Tumors. <i>Dermatopathology (Basel, Switzerland)</i> , 2022, 9, 136-142. | 0.7 | 2 |
| 10 | Folliculotropism in head and neck lentigo maligna and lentigo maligna melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 223-229. | 0.4 | 5 |
| 11 | Germline <i>MC1R</i> variants and frequency of somatic <i>BRAF</i> , <i>NRAS</i> , and <i>TERT</i> mutations in melanoma: Literature review and meta-analysis. <i>Molecular Carcinogenesis</i> , 2021, 60, 167-171. | 1.3 | 5 |
| 12 | ESP, EORTC, and EURACAN Expert Opinion: practical recommendations for the pathological diagnosis and clinical management of intermediate melanocytic tumors and rare related melanoma variants. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 3-11. | 1.4 | 26 |
| 13 | Multitarget fluorescence in situ hybridization diagnostic applications in solid and hematological tumors. <i>Expert Review of Molecular Diagnostics</i> , 2021, 21, 161-173. | 1.5 | 2 |
| 14 | Clinical and dermoscopic polymorphisms in agminated Spitz nevi: Ugly presentation but benign behavior. <i>Pediatric Dermatology</i> , 2021, 38, 461-463. | 0.5 | 1 |
| 15 | Digital Immunophenotyping Predicts Disease Free and Overall Survival in Early Stage Melanoma Patients. <i>Cells</i> , 2021, 10, 422. | 1.8 | 6 |
| 16 | Impact of Circulating and Tissue Biomarkers in Adjuvant and Neoadjuvant Therapy for High-Risk Melanoma: Ready for Prime Time?. <i>American Journal of Clinical Dermatology</i> , 2021, 22, 511-522. | 3.3 | 6 |
| 17 | NGS-Based Analysis of Atypical Deep Penetrating Nevi. <i>Cancers</i> , 2021, 13, 3066. | 1.7 | 10 |
| 18 | An Upgrade of Apparatus and Measurement Systems for Generation of Gaseous Formaldehyde: A Review. <i>Critical Reviews in Analytical Chemistry</i> , 2021, , 1-15. | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Formalin safety in anatomic pathology workflow and integrated air monitoring systems for the formaldehyde occupational exposure assessment. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2021, 34, 319-338. | 0.6 | 6 |
| 20 | Videodermoscopic folliculotropism as a sign of lentigo maligna in the fluorescence-activated videodermoscopy (FAV). <i>Skin Research and Technology</i> , 2021, 27, 1172-1173. | 0.8 | 0 |
| 21 | Impact of Next-generation Sequencing on Interobserver Agreement and Diagnosis of Spitzoid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1597-1605. | 2.1 | 16 |
| 22 | Sigurnost rada u anatomskom laboratoriju s formalinom i inovativno praćenje procjene profesionalne izloženosti formaldehydu. <i>Sigurnost</i> , 2021, 63, 165-180. | 0.0 | 0 |
| 23 | Editorial: Advancements in Molecular Diagnosis and Treatment of Melanoma. <i>Frontiers in Oncology</i> , 2021, 11, 728113. | 1.3 | 1 |
| 24 | Treatment of periocular advanced basal cell carcinoma with Hedgehog pathway inhibitors: a single-center study and a new dedicated therapeutic protocol. <i>Dermatology Reports</i> , 2021, 13, 9240. | 0.4 | 3 |
| 25 | Sweet Syndrome Following SARS-CoV2 Vaccination. <i>Vaccines</i> , 2021, 9, 1212. | 2.1 | 16 |
| 26 | Fluorescence-activated videodermoscopy (FAV) for the differential diagnosis of suspicious facial lesions: a single-centre experience with pattern analysis and histopathological correlation. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2021, . . | 0.7 | 0 |
| 27 | NTRK Gene Fusion Detection in Atypical Spitz Tumors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12332. | 1.8 | 12 |
| 28 | Nevi and Breslow thickness in melanoma: sex differences?. <i>Melanoma Research</i> , 2020, 30, 179-184. | 0.6 | 2 |
| 29 | Eyelid skin metastasis as first sign of breast cancer recurrence. <i>Breast Journal</i> , 2020, 26, 2416-2417. | 0.4 | 1 |
| 30 | BRAF as a positive predictive biomarker: Focus on lung cancer and melanoma patients. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 156, 103118. | 2.0 | 17 |
| 31 | SOX10 is as specific as S100 protein in detecting metastases of melanoma in lymph nodes and is recommended for sentinel lymph node assessment. <i>European Journal of Cancer</i> , 2020, 137, 175-182. | 1.3 | 27 |
| 32 | Clinical and Dermoscopic Features of Vulvar Melanosis Over the Last 20 Years. <i>JAMA Dermatology</i> , 2020, 156, 1185. | 2.0 | 15 |
| 33 | TRPA1 Expression in Synovial Sarcoma May Support Neural Origin. <i>Biomolecules</i> , 2020, 10, 1446. | 1.8 | 6 |
| 34 | Granulomatous Dermatitis and Systemic Disease: An Association to Consider. <i>BioMed Research International</i> , 2020, 2020, 1-6. | 0.9 | 3 |
| 35 | Scalp spiradenocylindroma: A challenging dermoscopic diagnosis. <i>Dermatologic Therapy</i> , 2020, 33, e14307. | 0.8 | 0 |
| 36 | Recognition of Cutaneous Melanoma on Digitized Histopathological Slides via Artificial Intelligence Algorithm. <i>Frontiers in Oncology</i> , 2020, 10, 1559. | 1.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Re-irradiation for oligoprogression under Nivolumab in recurrent head and neck squamous cell carcinoma: A case report. <i>Clinical and Translational Radiation Oncology</i> , 2020, 23, 16-19. | 0.9 | 6 |
| 38 | TRK fusion positive cancers: From first clinical data of a TRK inhibitor to future directions. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 152, 103011. | 2.0 | 12 |
| 39 | Melanoma brain metastases: review of histopathological features and immune-molecular aspects. <i>Melanoma Management</i> , 2020, 7, MMT44. | 0.1 | 8 |
| 40 | Congenital circumscribed plantar hypokeratosis. <i>International Journal of Dermatology</i> , 2020, 59, e367-e369. | 0.5 | 7 |
| 41 | Dedifferentiated melanomas: Morpho-phenotypic profile, genetic reprogramming and clinical implications. <i>Cancer Treatment Reviews</i> , 2020, 88, 102060. | 3.4 | 27 |
| 42 | The 2018 World Health Organization Classification of Cutaneous, Mucosal, and Uveal Melanoma: Detailed Analysis of 9 Distinct Subtypes Defined by Their Evolutionary Pathway. <i>Archives of Pathology and Laboratory Medicine</i> , 2020, 144, 500-522. | 1.2 | 239 |
| 43 | Tumor CD155 Expression Is Associated with Resistance to Anti-PD1 Immunotherapy in Metastatic Melanoma. <i>Clinical Cancer Research</i> , 2020, 26, 3671-3681. | 3.2 | 53 |
| 44 | Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504. | 9.4 | 138 |
| 45 | Histologic features of melanoma associated with germline mutations of CDKN2A, CDK4, and POT1 in melanoma-prone families from the United States, Italy, and Spain. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 860-869. | 0.6 | 5 |
| 46 | How improvements in monitoring and safety practices lowered airborne formaldehyde concentrations at an Italian university hospital: a summary of 20 years of experience. <i>Arhiv Za Higijenu Rada I Toksikologiju</i> , 2020, 71, 178-189. | 0.4 | 2 |
| 47 | The density and spatial tissue distribution of CD8+ and CD163+ immune cells predict response and outcome in melanoma patients receiving MAPK inhibitors. , 2019, 7, 308. | | 51 |
| 48 | Evaluation of the liquid biopsy for the detection of BRAFV600E mutation in metastatic melanoma patients. <i>Cancer Biomarkers</i> , 2019, 26, 271-279. | 0.8 | 7 |
| 49 | Machine versus man in skin cancer diagnosis. <i>Lancet Oncology</i> , The, 2019, 20, 891-892. | 5.1 | 3 |
| 50 | An updated European Organisation for Research and Treatment of Cancer (EORTC) protocol for pathological evaluation of sentinel lymph nodes for melanoma. <i>European Journal of Cancer</i> , 2019, 114, 1-7. | 1.3 | 38 |
| 51 | MC1R variants in childhood and adolescent melanoma: a retrospective pooled analysis of a multicentre cohort. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 332-342. | 2.7 | 16 |
| 52 | Fluorescence-advanced videodermatoscopy: A promising and potential technique for the in vivo evaluation of vitiligo. <i>Dermatologic Therapy</i> , 2019, 32, e12863. | 0.8 | 4 |
| 53 | Prognostic impact of regression in patients with primary cutaneous melanoma >1mm in thickness. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 99-105.e5. | 0.6 | 19 |
| 54 | Melanoma types by in vivo reflectance confocal microscopy correlated with protein and molecular genetic alterations: A pilot study. <i>Experimental Dermatology</i> , 2019, 28, 254-260. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Critical Reappraisal of Primary and Recurrent Advanced Laryngeal Cancer Staging. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2019, 128, 36-43. | 0.6 | 12 |
| 56 | Eosinophilic dermatosis of hematologic malignancy: A retrospective cohort of 37 patients from an Italian center. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 246-249. | 0.6 | 28 |
| 57 | ECCO essential requirements for quality cancer care: Melanoma. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 122, 164-178. | 2.0 | 41 |
| 58 | Venous outlet syndrome caused by capillary hemangioma of the subclavian vein. <i>Asian Cardiovascular and Thoracic Annals</i> , 2018, 26, 224-226. | 0.2 | 0 |
| 59 | Nicotinamide Phosphoribosyltransferase (NAMPT) as a Therapeutic Target in BRAF-Mutated Metastatic Melanoma. <i>Journal of the National Cancer Institute</i> , 2018, 110, 290-303. | 3.0 | 32 |
| 60 | Multimodal image analysis in tissue diagnostics for skin melanoma. <i>Journal of Chemometrics</i> , 2018, 32, e2963. | 0.7 | 14 |
| 61 | Improved label-free diagnostics and pathological assessment of atherosclerotic plaques through nonlinear microscopy. <i>Journal of Biophotonics</i> , 2018, 11, e201800106. | 1.1 | 6 |
| 62 | Clinical and Dermoscopic Features of Lichenoid Keratosis: A Retrospective Case Study. <i>Journal of Cutaneous Medicine and Surgery</i> , 2018, 22, 561-566. | 0.6 | 9 |
| 63 | At the Root: Cutaneous Langerhans Cell Histiocytosis. <i>American Journal of Medicine</i> , 2018, 131, 922-926. | 0.6 | 3 |
| 64 | MelaNostrum: a consensus questionnaire of standardized epidemiologic and clinical variables for melanoma risk assessment by the melanostrum consortium. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 2134-2141. | 1.3 | 9 |
| 65 | Extracellular nicotinamide phosphoribosyltransferase (eNAMPT) is a novel marker for patients with BRAF-mutated metastatic melanoma. <i>Oncotarget</i> , 2018, 9, 18997-19005. | 0.8 | 25 |
| 66 | Immunotolerance as a Mechanism of Resistance to Targeted Therapies in Melanoma. <i>Handbook of Experimental Pharmacology</i> , 2017, 249, 129-143. | 0.9 | 3 |
| 67 | Droplet digital PCR (ddPCR) vs quantitative real-time PCR (qPCR) approach for detection and quantification of Merkel cell polyomavirus (MCPyV) DNA in formalin fixed paraffin embedded (FFPE) cutaneous biopsies. <i>Journal of Virological Methods</i> , 2017, 246, 15-20. | 1.0 | 41 |
| 68 | Rationale for New Checkpoint Inhibitor Combinations in Melanoma Therapy. <i>American Journal of Clinical Dermatology</i> , 2017, 18, 597-611. | 3.3 | 11 |
| 69 | Baseline β -catenin, programmed death-ligand 1 expression and tumour-infiltrating lymphocytes predict response and poor prognosis in BRAF inhibitor-treated melanoma patients. <i>European Journal of Cancer</i> , 2017, 78, 70-81. | 1.3 | 42 |
| 70 | Virchows Archiv – an update, and plans for the future. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 3-4. | 1.4 | 2 |
| 71 | Role of BMI and hormone therapy in melanoma risk: a case-control study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1191-1197. | 1.2 | 18 |
| 72 | Immunomodulating property of MAPK inhibitors: from translational knowledge to clinical implementation. <i>Laboratory Investigation</i> , 2017, 97, 166-175. | 1.7 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Bullous eruption in a patient with B-cell chronic lymphocytic leukemia: a diagnostic challenge. <i>International Journal of Dermatology</i> , 2017, 56, 1445-1447. | 0.5 | 11 |
| 74 | Mitotic rate correlates with sentinel lymph node status and outcome in cutaneous melanoma greater than 1 millimeter in thickness: A multi-institutional study of 1524 cases. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 264-273.e2. | 0.6 | 41 |
| 75 | PD-L1 up-regulation in melanoma increases disease aggressiveness and is mediated through miR-17-5p. <i>Oncotarget</i> , 2017, 8, 15894-15911. | 0.8 | 84 |
| 76 | Clinicopathological predictors of recurrence in nodular and superficial spreading cutaneous melanoma: a multivariate analysis of 214 cases. <i>Journal of Translational Medicine</i> , 2017, 15, 227. | 1.8 | 10 |
| 77 | mTORC1/autophagy-regulated MerTK in mutant BRAFV600 melanoma with acquired resistance to BRAF inhibition. <i>Oncotarget</i> , 2017, 8, 69204-69218. | 0.8 | 21 |
| 78 | Teledermoscopy in doubtful melanocytic lesions: is it really useful?. <i>International Journal of Dermatology</i> , 2016, 55, 1119-1123. | 0.5 | 12 |
| 79 | Wnt/ β -catenin signaling in melanoma: Preclinical rationale and novel therapeutic insights. <i>Cancer Treatment Reviews</i> , 2016, 49, 1-12. | 3.4 | 85 |
| 80 | Acquired Resistance to Clinical Cancer Therapy: A Twist in Physiological Signaling. <i>Physiological Reviews</i> , 2016, 96, 805-829. | 13.1 | 49 |
| 81 | Thrombophilic status may predict prognosis in patients with metastatic BRAFV600-mutated melanoma who are receiving BRAF inhibitors. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1254-1256.e4. | 0.6 | 9 |
| 82 | Estrogen receptor (ER) β expression and worse outcome from melanoma in pregnant and perimenopausal women. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, e117. | 0.6 | 6 |
| 83 | PD-L1 in melanoma: facts and myths. <i>Melanoma Management</i> , 2016, 3, 187-194. | 0.1 | 11 |
| 84 | The complex management of atypical Spitz tumours. <i>Pathology</i> , 2016, 48, 132-141. | 0.3 | 15 |
| 85 | Detection of Merkel cell polyomavirus and human papillomavirus DNA in porocarcinoma. <i>Journal of Clinical Virology</i> , 2016, 78, 71-73. | 1.6 | 14 |
| 86 | PD-L1 expression in cancer patients receiving anti PD-1/PD-L1 antibodies: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 100, 88-98. | 2.0 | 316 |
| 87 | Plasma cells in primary melanoma. Prognostic significance and possible role of IgA. <i>Modern Pathology</i> , 2016, 29, 347-358. | 2.9 | 43 |
| 88 | AKT-ions with a TWIST between EMT and MET. <i>Oncotarget</i> , 2016, 7, 62767-62777. | 0.8 | 71 |
| 89 | Epidemiological features and prognostic parameters of multiple primary melanomas in CDKN2A-mutations patients. <i>Pigment Cell and Melanoma Research</i> , 2015, 28, 747-751. | 1.5 | 2 |
| 90 | Immunohistochemistry is highly sensitive and specific for the detection of NRASQ61R mutation in melanoma. <i>Modern Pathology</i> , 2015, 28, 487-497. | 2.9 | 59 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Integrated Akt/PKB Signaling in Immunomodulation and Its Potential Role in Cancer Immunotherapy. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv171-djv171. | 3.0 | 78 |
| 92 | KIT genetic alterations in anorectal melanomas. <i>Journal of Clinical Pathology</i> , 2015, 68, 130-134. | 1.0 | 27 |
| 93 | Atypical Spitz tumors in patients younger than 18 years. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 37-46. | 0.6 | 77 |
| 94 | Tumor-Related Methylated Cell-Free DNA and Circulating Tumor Cells in Melanoma. <i>Frontiers in Molecular Biosciences</i> , 2015, 2, 76. | 1.6 | 28 |
| 95 | Circulating Tumor Cells Detection and Counting in Uveal Melanomas by a Filtration-Based Method. <i>Cancers</i> , 2014, 6, 323-332. | 1.7 | 54 |
| 96 | In-vivo imaging of psoriatic lesions with polarization multispectral dermoscopy and multiphoton microscopy. <i>Biomedical Optics Express</i> , 2014, 5, 2405. | 1.5 | 31 |
| 97 | Targeting the PD1/PD-L1 axis in melanoma: Biological rationale, clinical challenges and opportunities. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 89, 140-165. | 2.0 | 148 |
| 98 | Nras in melanoma: Targeting the undruggable target. <i>Critical Reviews in Oncology/Hematology</i> , 2014, 92, 107-122. | 2.0 | 67 |
| 99 | Transient Receptor Potential Vanilloid 4 (TRPV4) Is Downregulated in Keratinocytes in Human Non-Melanoma Skin Cancer. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2408-2417. | 0.3 | 63 |
| 100 | Impact of low-thermal-injury devices on margin status in laryngeal cancer. An experimental ex vivo study. <i>Oral Oncology</i> , 2014, 50, 32-39. | 0.8 | 21 |
| 101 | Hapten-Specific Th17 Cells in the Peripheral Blood of $\hat{\text{I}}^2$ -Lactam-Induced AGEF. <i>Allergology International</i> , 2014, 63, 129-131. | 1.4 | 7 |
| 102 | BRAF and KIT somatic mutations are present in amelanotic melanoma. <i>Melanoma Research</i> , 2013, 23, 414-419. | 0.6 | 20 |
| 103 | Different prevalence of <i>BRAF</i> and <i>NRAS</i> somatic mutations in melanomas according to the patients' origin. <i>Journal of Clinical Oncology</i> , 2013, 31, e20013-e20013. | 0.8 | 0 |
| 104 | Atypical Spitzoid melanocytic tumors: A morphological, mutational, and FISH analysis. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 919-935. | 0.6 | 66 |
| 105 | The impact of histopathologic examination of graft-versus-host disease in the era of reduced-intensity conditioning regimen: a study from the Gruppo Italiano Trapianto di Midollo Osseo. <i>Human Pathology</i> , 2011, 42, 254-268. | 1.1 | 17 |
| 106 | Primary cutaneous leiomyosarcoma: clinicopathological analysis of 36 cases. <i>Histopathology</i> , 2010, 56, 251-262. | 1.6 | 106 |
| 107 | S100A13 is a new angiogenic marker in human melanoma. <i>Modern Pathology</i> , 2010, 23, 804-813. | 2.9 | 61 |
| 108 | Acetaminophen, via its reactive metabolite <i>N</i> -acetyl- <i>p</i> -benzoquinoneimine and transient receptor potential ankyrin-1 stimulation, causes neurogenic inflammation in the airways and other tissues in rodents. <i>FASEB Journal</i> , 2010, 24, 4904-4916. | 0.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Inducible nitric oxide synthase expression in melanoma: implications in lymphangiogenesis. <i>Modern Pathology</i> , 2009, 22, 21-30. | 2.9 | 38 |
| 110 | Primary cutaneous osteosarcoma of the scalp: a case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2007, 34, 61-64. | 0.7 | 33 |
| 111 | Evidence for differential expression of Notch receptors and their ligands in melanocytic nevi and cutaneous malignant melanoma. <i>Modern Pathology</i> , 2006, 19, 246-254. | 2.9 | 97 |
| 112 | Expression of protease-activated receptors 1 and 2 in melanocytic nevi and malignant melanoma. <i>Human Pathology</i> , 2005, 36, 676-685. | 1.1 | 67 |
| 113 | Vasculogenic mimicry has no prognostic significance in pT3 and pT4 cutaneous melanoma. <i>Human Pathology</i> , 2004, 35, 496-502. | 1.1 | 31 |
| 114 | Expression and prognostic significance of matrix metalloproteinases and their tissue inhibitors in primary neuroendocrine carcinoma of the skin. <i>Human Pathology</i> , 2003, 34, 80-88. | 1.1 | 39 |
| 115 | Simultaneous occurrence of multiple melanoma in situ on sun-damaged skin (lentigo maligna), solar lentigo and labial melanosis: the value of dermoscopy in diagnosis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1999, 13, 193-197. | 1.3 | 12 |
| 116 | Clinical diagnosis and therapy of cutaneous melanoma in situ. , 1996, 78, 1140-1141. | | 0 |