

Miranda Nabben

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5120020/miranda-nabben-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

788
citations

17
h-index

27
g-index

45
ext. papers

1,014
ext. citations

6
avg, IF

4.04
L-index

#	Paper	IF	Citations
38	Comparison of human and rodent cell models to study myocardial lipid-induced insulin resistance. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021 , 167, 102267	2.8	0
37	CD36 as a target for metabolic modulation therapy in cardiac disease. <i>Expert Opinion on Therapeutic Targets</i> , 2021 , 25, 393-400	6.4	3
36	Multiview deconvolution approximation multiphoton microscopy of tissues and zebrafish larvae. <i>Scientific Reports</i> , 2021 , 11, 10160	4.9	2
35	Specific amino acid supplementation rescues the heart from lipid overload-induced insulin resistance and contractile dysfunction by targeting the endosomal mTOR-v-ATPase axis. <i>Molecular Metabolism</i> , 2021 , 53, 101293	8.8	3
34	Augmenting Vacuolar H-ATPase Function Prevents Cardiomyocytes from Lipid-Overload Induced Dysfunction. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
33	Understanding the distinct subcellular trafficking of CD36 and GLUT4 during the development of myocardial insulin resistance. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165778	6.9	12
32	CD36 (SR-B2) as a Target to Treat Lipid Overload-Induced Cardiac Dysfunction. <i>Journal of Lipid and Atherosclerosis</i> , 2020 , 9, 66-78	3	7
31	Re-balancing cellular energy substrate metabolism to mend the failing heart. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165579	6.9	24
30	Putative Role of Protein Palmitoylation in Cardiac Lipid-Induced Insulin Resistance. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
29	Pivotal role of membrane substrate transporters on the metabolic alterations in the pressure-overloaded heart. <i>Cardiovascular Research</i> , 2019 , 115, 1000-1012	9.9	13
28	Microbial-Driven Butyrate Regulates Jejunal Homeostasis in Piglets During the Weaning Stage. <i>Frontiers in Microbiology</i> , 2018 , 9, 3335	5.7	20
27	Increased cardiac fatty acid oxidation in a mouse model with decreased malonyl-CoA sensitivity of CPT1B. <i>Cardiovascular Research</i> , 2018 , 114, 1324-1334	9.9	18
26	Human embryonic stem cell-derived cardiomyocytes as an in vitro model to study cardiac insulin resistance. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 1960-1967	6.9	10
25	Acute and Chronic Effects of Protein Kinase-D Signaling on Cardiac Energy Metabolism. <i>Frontiers in Cardiovascular Medicine</i> , 2018 , 5, 65	5.4	11
24	Assessment of AMPK-Stimulated Cellular Long-Chain Fatty Acid and Glucose Uptake. <i>Methods in Molecular Biology</i> , 2018 , 1732, 343-361	1.4	
23	Statins Promote Cardiac Infarct Healing by Modulating Endothelial Barrier Function Revealed by Contrast-Enhanced Magnetic Resonance Imaging. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 186-194	9.4	17
22	Metabolic remodelling in heart failure revisited. <i>Nature Reviews Cardiology</i> , 2018 , 15, 780	14.8	7

21	Diabetic db/db mice do not develop heart failure upon pressure overload: a longitudinal in vivo PET, MRI, and MRS study on cardiac metabolic, structural, and functional adaptations. <i>Cardiovascular Research</i> , 2017 , 113, 1148-1160	9.9	25
20	Dietary nitrate does not reduce oxygen cost of exercise or improve muscle mitochondrial function in patients with mitochondrial myopathy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 312, R689-R701	3.2	5
19	Palmitate-Induced Vacuolar-Type H-ATPase Inhibition Feeds Forward Into Insulin Resistance and Contractile Dysfunction. <i>Diabetes</i> , 2017 , 66, 1521-1534	0.9	32
18	2-Arachidonoylglycerol ameliorates inflammatory stress-induced insulin resistance in cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2017 , 292, 7105-7114	5.4	19
17	A new leptin-mediated mechanism for stimulating fatty acid oxidation: a pivotal role for sarcolemmal FAT/CD36. <i>Biochemical Journal</i> , 2017 , 474, 149-162	3.8	14
16	Post-translational modifications of CD36 (SR-B2): Implications for regulation of myocellular fatty acid uptake. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 2253-2258	6.9	37
15	A genistein-enriched diet neither improves skeletal muscle oxidative capacity nor prevents the transition towards advanced insulin resistance in ZDF rats. <i>Scientific Reports</i> , 2016 , 6, 22854	4.9	7
14	Regulation of the subcellular trafficking of CD36, a major determinant of cardiac fatty acid utilization. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 1461-71	5	30
13	Preservation of myocardial fatty acid oxidation prevents diastolic dysfunction in mice subjected to angiotensin II infusion. <i>Journal of Molecular and Cellular Cardiology</i> , 2016 , 100, 64-71	5.8	41
12	Good and bad consequences of altered fatty acid metabolism in heart failure: evidence from mouse models. <i>Cardiovascular Research</i> , 2015 , 106, 194-205	9.9	60
11	Letter by Neumann et al regarding article, "Myostatin regulates energy homeostasis in the heart and prevents heart failure". <i>Circulation Research</i> , 2015 , 116, e95-6	15.7	1
10	Cardiac diastolic dysfunction in high-fat diet fed mice is associated with lipotoxicity without impairment of cardiac energetics in vivo. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1842, 1525-37	5	42
9	Lack of UCP3 does not affect skeletal muscle mitochondrial function under lipid-challenged conditions, but leads to sudden cardiac death. <i>Basic Research in Cardiology</i> , 2014 , 109, 447	11.8	10
8	Augmenting muscle diacylglycerol and triacylglycerol content by blocking fatty acid oxidation does not impede insulin sensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 11711-6	11.5	63
7	Significance of uncoupling protein 3 in mitochondrial function upon mid- and long-term dietary high-fat exposure. <i>FEBS Letters</i> , 2011 , 585, 4010-7	3.8	16
6	Uncoupled respiration, ROS production, acute lipotoxicity and oxidative damage in isolated skeletal muscle mitochondria from UCP3-ablated mice. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2011 , 1807, 1095-105	4.6	32
5	Adaptations in mitochondrial function parallel, but fail to rescue, the transition to severe hyperglycemia and hyperinsulinemia: a study in Zucker diabetic fatty rats. <i>Obesity</i> , 2010 , 18, 1100-7	8	23
4	High levels of whole-body energy expenditure are associated with a lower coupling of skeletal muscle mitochondria in C57Bl/6 mice. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 1612-8	12.7	10

3	Mitochondrial function, content and ROS production in rat skeletal muscle: effect of high-fat feeding. <i>FEBS Letters</i> , 2008 , 582, 510-6	3.8	46
2	The effect of UCP3 overexpression on mitochondrial ROS production in skeletal muscle of young versus aged mice. <i>FEBS Letters</i> , 2008 , 582, 4147-52	3.8	62
1	Mitochondrial uncoupling protein 3 and its role in cardiac- and skeletal muscle metabolism. <i>Physiology and Behavior</i> , 2008 , 94, 259-69	3.5	48