

# Edwin C M Mariman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5120357/publications.pdf>

Version: 2024-02-01

64  
papers

1,997  
citations

257450

24  
h-index

254184

43  
g-index

65  
all docs

65  
docs citations

65  
times ranked

3748  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma levels of triglycerides and IL6 are associated with weight regain and fat mass expansion. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	3.6	9
2	Diet Composition, Glucose Homeostasis, and Weight Regain in the YoYo Study. <i>Nutrients</i> , 2021, 13, 2257.	4.1	2
3	The Effects of Mild Intermittent Hypoxia Exposure on the Abdominal Subcutaneous Adipose Tissue Proteome in Overweight and Obese Men: A First-in-Human Randomized, Single-Blind, and Cross-Over Study. <i>Frontiers in Physiology</i> , 2021, 12, 791588.	2.8	2
4	Cathepsin gene expression in abdominal subcutaneous adipose tissue of obese/overweight humans. <i>Adipocyte</i> , 2020, 9, 246-252.	2.8	6
5	An in vitro model for hypertrophic adipocytes: Timeâ€dependent adipocyte proteome and secretome changes under high glucose and high insulin conditions. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 8662-8673.	3.6	7
6	Stratifying cellular metabolism during weight loss: an interplay of metabolism, metabolic flexibility and inflammation. <i>Scientific Reports</i> , 2020, 10, 1651.	3.3	8
7	Dietary Strategies for Weight Loss Maintenance. <i>Nutrients</i> , 2019, 11, 1916.	4.1	32
8	Association of FTO and ADRB2 gene variation with energy restriction induced adaptations in resting energy expenditure and physical activity. <i>Gene: X</i> , 2019, 3, 100019.	2.3	1
9	Glucose Restriction Plus Refeeding in Vitro Induce Changes of the Human Adipocyte Secretome with an Impact on Complement Factors and Cathepsins. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4055.	4.1	9
10	Molecular adaptation in adipose tissue in response to overfeeding with a high-fat diet under sedentary conditions in South Asian and Caucasian men. <i>British Journal of Nutrition</i> , 2019, 122, 241-251.	2.3	2
11	A computational model of postprandial adipose tissue lipid metabolism derived using human arteriovenous stable isotope tracer data. <i>PLoS Computational Biology</i> , 2019, 15, e1007400.	3.2	11
12	Adipocyte abundances of CES1, CRYAB, ENO1 and GANAB are modified in-vitro by glucose restriction and are associated with cellular remodelling during weight regain. <i>Adipocyte</i> , 2019, 8, 190-200.	2.8	5
13	Proteomic analysis reveals procoagulant properties of cigarette smoke-induced extracellular vesicles. <i>Journal of Extracellular Vesicles</i> , 2019, 8, 1585163.	12.2	33
14	Dietary Inflammatory Index Score and Its Association with Body Weight, Blood Pressure, Lipid Profile, and Leptin in Indonesian Adults. <i>Nutrients</i> , 2019, 11, 148.	4.1	24
15	Mechanisms of weight regain after weight loss â€” the role of adipose tissue. <i>Nature Reviews Endocrinology</i> , 2019, 15, 274-287.	9.6	107
16	Adipose tissue autophagy related gene expression is associated with glucometabolic status in human obesity. <i>Adipocyte</i> , 2018, 7, 12-19.	2.8	31
17	Combined Analysis of Stressâ€and ECMâ€Related Genes in Their Effect on Weight Regain. <i>Obesity</i> , 2018, 26, 492-498.	3.0	11
18	Paternal Exposure to Environmental Chemical Stress Affects Male Offspringâ€™s Hepatic Mitochondria. <i>Toxicological Sciences</i> , 2018, 162, 241-250.	3.1	15

#	ARTICLE	IF	CITATIONS
19	Mass Spectrometric Identification of Cardiac Troponin T in Urine of Patients Suffering from Acute Myocardial Infarction. <i>Journal of applied laboratory medicine</i> , The, 2018, 2, 857-867.	1.3	4
20	Profiling Cellular Processes in Adipose Tissue during Weight Loss Using Time Series Gene Expression. <i>Genes</i> , 2018, 9, 525.	2.4	4
21	Exploring the cellular network of metabolic flexibility in the adipose tissue. <i>Genes and Nutrition</i> , 2018, 13, 17.	2.5	12
22	Differential protein expression of hippocampal cells associated with heavy metals (Pb, As, and MeHg) neurotoxicity: Deepening into the molecular mechanism of neurodegenerative diseases. <i>Journal of Proteomics</i> , 2018, 187, 106-125.	2.4	38
23	Identification and Characterization of Cardiac Troponin T Fragments in Serum of Patients Suffering from Acute Myocardial Infarction. <i>Clinical Chemistry</i> , 2017, 63, 563-572.	3.2	29
24	Rutin protects against H <sub>2</sub> O <sub>2</sub> -triggered impaired relaxation of placental arterioles and induces Nrf2-mediated adaptation in Human Umbilical Vein Endothelial Cells exposed to oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 1177-1189.	2.4	38
25	Genetic Predictors of ~5% Weight Loss by Multidisciplinary Advice to Severely Obese Subjects. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2017, 10, 32-42.	1.3	8
26	Dietary weight loss-induced changes in <scp>RBP</scp>4, <scp>FFA</scp>, and <scp>ACE</scp> predict weight regain in people with overweight and obesity. <i>Physiological Reports</i> , 2017, 5, e13450.	1.7	26
27	Ultrafiltration combined with size exclusion chromatography efficiently isolates extracellular vesicles from cell culture media for compositional and functional studies. <i>Scientific Reports</i> , 2017, 7, 15297.	3.3	193
28	Adipose Tissue Meal-Derived Fatty Acid Uptake Before and After Diet-Induced Weight Loss in Adults with Overweight and Obesity. <i>Obesity</i> , 2017, 25, 1391-1399.	3.0	9
29	Dietary Intake after Weight Loss and the Risk of Weight Regain: Macronutrient Composition and Inflammatory Properties of the Diet. <i>Nutrients</i> , 2017, 9, 1205.	4.1	15
30	Estimating real cell size distribution from cross-section microscopy imaging. <i>Bioinformatics</i> , 2016, 32, i396-i404.	4.1	20
31	The cilium: a cellular antenna with an influence on obesity risk. <i>British Journal of Nutrition</i> , 2016, 116, 576-592.	2.3	37
32	Weight loss-induced stress in subcutaneous adipose tissue is related to weight regain. <i>British Journal of Nutrition</i> , 2016, 115, 913-920.	2.3	13
33	The effect of rate of weight loss on long-term weight regain in adults with overweight and obesity. <i>Obesity</i> , 2016, 24, 321-327.	3.0	92
34	Validation, optimisation, and application data in support of the development of a targeted selected ion monitoring assay for degraded cardiac troponin T. <i>Data in Brief</i> , 2016, 7, 397-405.	1.0	4
35	Development of a targeted selected ion monitoring assay for the elucidation of protease induced structural changes in cardiac troponin T. <i>Journal of Proteomics</i> , 2016, 136, 123-132.	2.4	26
36	Variation in extracellular matrix genes is associated with weight regain after weight loss in a sex-specific manner. <i>Genes and Nutrition</i> , 2015, 10, 56.	2.5	19

#	ARTICLE	IF	CITATIONS
37	Extreme obesity is associated with variation in genes related to the circadian rhythm of food intake and hypothalamic signaling. <i>Physiological Genomics</i> , 2015, 47, 225-231.	2.3	31
38	Olfactory receptor genes cooperate with protocadherin genes in human extreme obesity. <i>Genes and Nutrition</i> , 2015, 10, 465.	2.5	20
39	Weight loss-induced changes in adipose tissue proteins associated with fatty acid and glucose metabolism correlate with adaptations in energy expenditure. <i>Nutrition and Metabolism</i> , 2015, 12, 37.	3.0	9
40	The Role of Catechol-O-Methyl Transferase Val(108/158)Met Polymorphism (rs4680) in the Effect of Green Tea on Resting Energy Expenditure and Fat Oxidation: A Pilot Study. <i>PLoS ONE</i> , 2014, 9, e106220.	2.5	19
41	Genetic predisposition, dietary restraint and disinhibition in relation to short and long-term weight loss. <i>Physiology and Behavior</i> , 2014, 128, 247-251.	2.1	25
42	Calorie restriction-induced changes in the secretome of human adipocytes, comparison with resveratrol-induced secretome effects. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 1511-1522.	2.3	20
43	Gender-specific genetic associations of polymorphisms in ACE, AKR1C2, FTO and MMP2 with weight gain over a 10-year period. <i>Genes and Nutrition</i> , 2014, 9, 434.	2.5	13
44	High frequency of rare variants with a moderate-to-high predicted biological effect in protocadherin genes of extremely obese. <i>Genes and Nutrition</i> , 2014, 9, 399.	2.5	11
45	Increased $\beta$ -oxidation with improved glucose uptake capacity in adipose tissue from obese after weight loss and maintenance. <i>Obesity</i> , 2014, 22, 819-827.	3.0	21
46	Integrated visualization of a multi-omics study of starvation in mouse intestine. <i>Journal of Integrative Bioinformatics</i> , 2014, 11, 235.	1.5	6
47	Application of proteomics technology in adipocyte biology. <i>Molecular BioSystems</i> , 2013, 9, 1076.	2.9	21
48	Metabolic syndrome, circulating RBP4, testosterone, and SHBG predict weight regain at 6 months after weight loss in men. <i>Obesity</i> , 2013, 21, 1997-2006.	3.0	23
49	PS1 - 4. Adipose tissue blood flow (ATBF) changes in overweight and obese subjects following rapid and slow weight loss. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013, 11, 135-135.	0.0	0
50	Physiological Response of Adipocytes to Weight Loss and Maintenance. <i>PLoS ONE</i> , 2013, 8, e58011.	2.5	20
51	Blood profiling of proteins and steroids during weight maintenance with manipulation of dietary protein level and glycaemic index. <i>British Journal of Nutrition</i> , 2012, 107, 106-119.	2.3	22
52	Human Biology of Weight Maintenance after Weight Loss. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2012, 5, 13-25.	1.3	37
53	Resveratrol-Induced Changes of the Human Adipocyte Secretion Profile. <i>Journal of Proteome Research</i> , 2012, 11, 4733-4743.	3.7	32
54	Blood Profile of Proteins and Steroid Hormones Predicts Weight Change after Weight Loss with Interactions of Dietary Protein Level and Glycemic Index. <i>PLoS ONE</i> , 2011, 6, e16773.	2.5	38

#	ARTICLE	IF	CITATIONS
55	Protein kinase D increases maximal Ca <sup>2+</sup> activated tension of cardiomyocyte contraction by selective phosphorylation of cMyBP <sub>2</sub> Ser315. <i>FASEB Journal</i> , 2011, 25, .	0.5	0
56	Adipocyte extracellular matrix composition, dynamics and role in obesity. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 1277-1292.	5.4	416
57	Identification of Novel Human Adipocyte Secreted Proteins by Using SGBS Cells. <i>Journal of Proteome Research</i> , 2010, 9, 5389-5401.	3.7	52
58	The Physiologic Effects of Caloric Restriction Are Reflected in the in Vivo Adipocyte-Enriched Proteome of Overweight/Obese Subjects. <i>Journal of Proteome Research</i> , 2009, 8, 5532-5540.	3.7	48
59	Relationship between perilipin gene polymorphisms and body weight and body composition during weight loss and weight maintenance. <i>Physiology and Behavior</i> , 2009, 96, 723-728.	2.1	37
60	Future Nutrigenetics: In Search of the Missing Genetic Variation. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2009, 2, 257-262.	1.3	3
61	Arginine deficiency in preconfluent intestinal Caco-2 cells modulates expression of proteins involved in proliferation, apoptosis, and heat shock response. <i>Proteomics</i> , 2007, 7, 565-577.	2.2	28
62	Nutrigenomics and nutrigenetics: the "omics" revolution in nutritional science. <i>Biotechnology and Applied Biochemistry</i> , 2006, 44, 119.	3.1	45
63	Relation of weight maintenance and dietary restraint to peroxisome proliferator-activated receptor $\beta$ , glucocorticoid receptor, and ciliary neurotrophic factor polymorphisms. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 740-746.	4.7	46
64	A combination of protein profiling and isotopomer analysis using matrix-assisted laser desorption/ionization-time of flight mass spectrometry reveals an active metabolism of the extracellular matrix of 3T3-L1 adipocytes. <i>Proteomics</i> , 2004, 4, 3855-3863.	2.2	52