
Hadi Tabani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5121102/publications.pdf Version: 2024-02-01



ΗλΟΙ ΤΑΒΑΝΙ

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Evaluation of complexing agents in the gel electro-membrane extraction: An efficient approach for the quantification of zinc (II) ions in water samples. Talanta, 2022, 238, 123031. | 2.9 | 16 |
| 2 | Liquid-Phase Microextraction Approaches for Preconcentration and Analysis of Chiral Compounds: A Review on Current Advances Critical Reviews in Analytical Chemistry, 2022, , 1-15. | 1.8 | 0 |
| 3 | Gel electro-membrane extraction of propranolol and atenolol from blood serum samples: Effect of graphene-based nanomaterials on extraction efficiency of gel membrane. Talanta, 2021, 222, 121557. | 2.9 | 12 |
| 4 | An overview on the recent applications of agarose as a green biopolymer in micro-extraction-based sample preparation techniques. Talanta, 2021, 224, 121892. | 2.9 | 51 |
| 5 | Simultaneous separation and quantification of acidic and basic dye specimens via a dual gel electro-membrane extraction from real environmental samples. Journal of the Iranian Chemical Society, 2021, 18, 2091. | 1.2 | 9 |
| 6 | Two-phase agarose gel-electromembrane extraction: Effect of organic solvent as an acceptor phase in electroendosmosis flow phenomenon. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113862. | 1.4 | 10 |
| 7 | A low-voltage electro-membrane extraction for quantification of imatinib and sunitinib in biological fluids. Bioanalysis, 2021, 13, 1401-1413. | 0.6 | 10 |
| 8 | Introduction of nitrogen doped graphene nanosheets as efficient adsorbents for nitrate removal from aqueous samples. Journal of Environmental Health Science & Engineering, 2021, 19, 1875-1886. | 1.4 | 2 |
| 9 | Gel electromembrane microextraction followed by ion chromatography for direct determination of iodine in supplements and fortified food samples: Green chemistry for food analysis. Food Chemistry, 2021, 358, 129857. | 4.2 | 22 |
| 10 | Determination of Cr(III) and Cr(VI) in water by dual-gel electromembrane extraction and a microfluidic paper-based device. Environmental Chemistry Letters, 2020, 18, 187-196. | 8.3 | 46 |
| 11 | Gel electromembrane extraction: Study of various gel types and compositions toward diminishing the electroendosmosis flow. Microchemical Journal, 2020, 153, 104520. | 2.3 | 36 |
| 12 | Gel electromembrane extraction using rotating electrode: A new strategy for mass transfer enhancement of basic drugs from real human urine samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122258. | 1.2 | 23 |
| 13 | Inside gel electromembrane extraction: A novel green methodology for the extraction of morphine and codeine from human biological fluids. Journal of Pharmaceutical and Biomedical Analysis, 2020, 184, 113175. | 1.4 | 30 |
| 14 | Recent advances in robotic protein sample preparation for clinical analysis and other biomedical applications. Clinica Chimica Acta, 2020, 507, 104-116. | 0.5 | 54 |
| 15 | Evaluation of dispersive liquid–liquid microextraction by coupling with green-based agarose gel-electromembrane extraction: An efficient method to the tandem extraction of basic drugs from biological fluids. Talanta, 2019, 199, 329-335. | 2.9 | 40 |
| 16 | Introduction of graphene-periodic mesoporous silica as a new sorbent for removal: experiment and simulation. Research on Chemical Intermediates, 2019, 45, 1795-1813. | 1.3 | 10 |
| 17 | Recent Advances in Membrane Extraction Techniques for Environmental Samples Analysis. , 2019, , 1209-1241. | | 1 |
| 18 | Separation of enantiomers of selected chiral sulfoxides with cellulose tris(4-chloro-3-methylphenylcarbamate)-based chiral columns in high-performance liquid chromatography with very high separation factor. Journal of Chromatography A, 2018, 1545, 59-66. | 1.8 | 32 |

Hadi Tabani

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Application of polyacrylamide gel as a new membrane in electromembrane extraction for the quantification of basic drugs in breast milk and wastewater samples. Journal of Pharmaceutical and Biomedical Analysis, 2018, 151, 178-185. | 1.4 | 50 |
| 20 | Electro-driven extraction of polar compounds using agarose gel as a new membrane: Determination of amino acids in fruit juice and human plasma samples. Talanta, 2018, 179, 318-325. | 2.9 | 45 |
| 21 | Recent developments in green membrane-based extraction techniques for pharmaceutical and biomedical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2018, 160, 244-267. | 1.4 | 65 |
| 22 | Recent Advances in Membrane Extraction Techniques for Environmental Samples Analysis. , 2018, , 1-33. | | 1 |
| 23 | Introduction of Fullerene as a New Carrier in Electromembrane Extraction for the Determination of Ibuprofen and Sodium Diclofenac as Model Acidic Drugs in Real Urine Samples. Chromatographia, 2017, 80, 881-890. | 0.7 | 16 |
| 24 | Introduction of agarose gel as a green membrane in electromembrane extraction: An efficient procedure for the extraction of basic drugs with a wide range of polarities. Journal of Chromatography A, 2017, 1497, 47-55. | 1.8 | 68 |
| 25 | Introduction of high nitrogen doped graphene as a new cationic carrier in electromembrane extraction. Electrophoresis, 2016, 37, 1191-1200. | 1.3 | 17 |
| 26 | Rotating electrode in electro membrane extraction: a new and efficient methodology to increase analyte mass transfer. RSC Advances, 2016, 6, 101869-101879. | 1.7 | 27 |
| 27 | Evaluation of three dimensional high nitrogen doped graphene as an efficient sorbent for the preconcentration of BTEX compounds in environmental samples. RSC Advances, 2016, 6, 7198-7211. | 1.7 | 13 |
| 28 | A novel platform sensing based on combination of electromembrane-assisted solid phase microextraction with linear sweep voltammetry for the determination of tramadol. Journal of Electroanalytical Chemistry, 2015, 747, 12-19. | 1.9 | 32 |
| 29 | Application of pH-sensitive magnetic nanoparticles microgel as a sorbent for the preconcentration of phenoxy acid herbicides in water samples. Journal of Chromatography A, 2015, 1407, 21-29. | 1.8 | 29 |
| 30 | Evaluation of sulfated maltodextrin as a novel anionic chiral selector for the enantioseparation of basic chiral drugs by capillary electrophoresis. Electrophoresis, 2015, 36, 305-311. | 1.3 | 27 |
| 31 | A new platform for sensing urinary morphine based on carrier assisted electromembrane extraction followed by adsorptive stripping voltammetric detection on screen-printed electrode. Biosensors and Bioelectronics, 2014, 54, 189-194. | 5.3 | 53 |
| 32 | Synthesis, characterization and analytical application of Zn(II)-imprinted polymer as an efficient solid-phase extraction technique for trace determination of zinc ions in food samples. Journal of Food Composition and Analysis, 2014, 34, 81-89. | 1.9 | 71 |
| 33 | Electrically Assisted Liquidâ€Phase Microextraction Combined With Capillary Electrophoresis for Quantification of Propranolol Enantiomers in Human Body Fluids. Chirality, 2014, 26, 260-267. | 1.3 | 35 |
| 34 | Maltodextrins as Chiral Selectors in CE: Molecular Structure Effect of Basic Chiral Compounds on the Enantioseparation. Chirality, 2014, 26, 620-628. | 1.3 | 12 |
| 35 | An all-in-one electro-membrane extraction: Development of an electro-membrane extraction method for the simultaneous extraction of acidic and basic drugs with a wide range of polarities. Journal of Chromatography A, 2014, 1361, 95-99. | 1.8 | 48 |
| 36 | Miniaturized hollow fibre assisted liquidâ€phase microextraction and gas chromatography for determination of trace concentration of sufentanil and alfentanil in biological samples. Drug Testing and Analysis, 2013, 5, 589-595. | 1.6 | 15 |

Hadi Tabani

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Low-voltage electromembrane extraction combined with cyclodextrin modified capillary electrophoresis for the determination of phenoxy acid herbicides in environmental samples. Analytical Methods, 2013, 5, 1548. | 1.3 | 37 |
| 38 | Simultaneous determination of acidic and basic drugs using dual hollow fibre electromembrane extraction combined with CE. Electrophoresis, 2013, 34, 269-276. | 1.3 | 58 |
| 39 | Combination of graphene oxide-based solid phase extraction and electro membrane extraction for the preconcentration of chlorophenoxy acid herbicides in environmental samples. Journal of Chromatography A, 2013, 1300, 227-235. | 1.8 | 100 |
| 40 | Optimization of electromembrane extraction combined with differential pulse voltammetry using modified screen-printed electrode for the determination of sufentanil. Electrochimica Acta, 2013, 96, 117-123. | 2.6 | 38 |
| 41 | Electrically-enhanced microextraction combined with maltodextrin-modified capillary electrophoresis for quantification of tolterodine enantiomers in biological samples. Microchemical Journal, 2013, 106, 186-193. | 2.3 | 46 |
| 42 | Electromembrane extraction combined with cyclodextrinâ€modified capillary electrophoresis for the quantification of trimipramine enantiomers. Electrophoresis, 2012, 33, 506-515. | 1.3 | 65 |
| 43 | Immersed single-drop microextraction combined with gas chromatography for the determination of sufentanil and alfentanil in urine and wastewater samples. Analytical Methods, 2011, 3, 951. | 1.3 | 23 |
| 44 | Investigation of Cracking by Cylindrical Dielectric Barrier Discharge Reactor on the n-Hexadecane as a Model Compound. IEEE Transactions on Plasma Science, 2011, 39, 1807-1813. | 0.6 | 29 |