

# Marco Bo Hansen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5122163/publications.pdf>

Version: 2024-02-01

21  
papers

404  
citations

932766

10  
h-index

794141

19  
g-index

21  
all docs

21  
docs citations

21  
times ranked

491  
citing authors

#	ARTICLE	IF	CITATIONS
1	Patientâ€™s characteristics and outcomes in necrotising soft-tissue infections: results from a Scandinavian, multicentre, prospective cohort study. <i>Intensive Care Medicine</i> , 2019, 45, 1241-1251.	3.9	82
2	Public Access Defibrillation: Great benefit and potential but infrequently used. <i>Resuscitation</i> , 2015, 96, 53-58.	1.3	69
3	Association between cytokine response, the LRINEC score and outcome in patients with necrotising soft tissue infection: a multicentre, prospective study. <i>Scientific Reports</i> , 2017, 7, 42179.	1.6	44
4	Pentraxin-3 as a marker of disease severity and risk of death in patients with necrotizing soft tissue infections: a nationwide, prospective, observational study. <i>Critical Care</i> , 2016, 20, 40.	2.5	37
5	Clinical experiences with a new system for automated hand hygiene monitoring: A prospective observational study. <i>American Journal of Infection Control</i> , 2020, 48, 527-533.	1.1	33
6	Light-guided nudging and data-driven performance feedback improve hand hygiene compliance among nurses and doctors. <i>American Journal of Infection Control</i> , 2021, 49, 733-739.	1.1	26
7	Integrated Univariate, Multivariate, and Correlation-Based Network Analyses Reveal Metabolite-Specific Effects on Bacterial Growth and Biofilm Formation in Necrotizing Soft Tissue Infections. <i>Journal of Proteome Research</i> , 2020, 19, 688-698.	1.8	16
8	Assessing the clinical accuracy of a hand hygiene system: Learnings from a validation study. <i>American Journal of Infection Control</i> , 2021, 49, 963-965.	1.1	16
9	Systematic downloading and analysis of data from automated external defibrillators used in out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014, 85, 1681-1685.	1.3	13
10	Biomarkers of necrotising soft tissue infections: aspects of the innate immune response and effects of hyperbaric oxygenation--the protocol of the prospective cohort BIONEC study. <i>BMJ Open</i> , 2015, 5, e006995-e006995.	0.8	11
11	Clinical evaluation of an electronic hand hygiene monitoring system. <i>American Journal of Infection Control</i> , 2023, 51, 376-379.	1.1	9
12	Complement Activation Is Associated With Mortality in Patients With Necrotizing Soft-Tissue Infectionsâ€™A Prospective Observational Study. <i>Frontiers in Immunology</i> , 2020, 11, 17.	2.2	8
13	Cerebral proton magnetic resonance spectroscopy demonstrates reversibility of N-acetylaspartate/creatinine in gray matter after delayed encephalopathy due to carbon monoxide intoxication: a case report. <i>Journal of Medical Case Reports</i> , 2014, 8, 211.	0.4	7
14	Discriminatory plasma biomarkers predict specific clinical phenotypes of necrotizing soft-tissue infections. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	7
15	Diagnostic accuracy of pace spikes in the electrocardiogram to diagnose paced rhythm. <i>Journal of Electrocardiology</i> , 2015, 48, 834-839.	0.4	6
16	Treatment with 24â€™delayed normo- and hyperbaric oxygenation in severe sepsis induced by cecal ligation and puncture in rats. <i>Journal of Inflammation</i> , 2017, 14, 27.	1.5	6
17	Analysis of social interactions and risk factors relevant to the spread of infectious diseases at hospitals and nursing homes. <i>PLoS ONE</i> , 2021, 16, e0257684.	1.1	6
18	Associations between YKL-40 and markers of disease severity and death in patients with necrotizing soft-tissue infection. <i>BMC Infectious Diseases</i> , 2021, 21, 1046.	1.3	5

#	ARTICLE	IF	CITATIONS
19	ECGs from deployed AEDs: A neglected resource?. Resuscitation, 2014, 85, e79-e80.	1.3	3
20	Authors'™ response. American Journal of Infection Control, 2021, 49, 856.	1.1	0
21	Hyperbaric oxygen therapy may overcome nitric oxide blockage during cyanide intoxication. Undersea and Hyperbaric Medicine, 2017, 44, 221-234.	0.1	0