## Ewa Giå,,dzieå,ska-Sieå,kiewicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5123297/publications.pdf

Version: 2024-02-01

23 papers

1,118 citations

1040018 9 h-index 18 g-index

24 all docs

24 docs citations

times ranked

24

1973 citing authors

#	Article	IF	CITATIONS
1	Expression of LIGHT/TNFSF14 and Its Receptors, HVEM and LT $\hat{I}^2$ R, Correlates with the Severity of Fibrosis in Lacrimal Sacs from Patients with Lacrimal Duct Obstruction. Ophthalmology and Therapy, 2021, 10, 63-74.	2.3	3
2	Assessment of Lacrimal Duct Patency in Patients Undergoing Endoscopic Medial Maxillectomy. Journal of Clinical Medicine, 2021, 10, 245.	2.4	0
3	Comparison of hyaluronic acid in patients with rheumatoid arthritis, systemic sclerosis and systemic lupus erythematosus. Biochemia Medica, 2021, 31, 240-249.	2.7	3
4	Diagnostic Power of Galectin-3 in Rheumatic Diseases. Journal of Clinical Medicine, 2020, 9, 3312.	2.4	12
5	Transferrin isoforms analysis by capillary electrophoresis in systemic lupus erythematosus and systemic sclerosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 567-570.	1.2	2
6	The Profile of Serum Transferrin Isoforms in Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2019, 25, 159-162.	0.9	10
7	Serum profile of transferrin isoforms in rheumatoid arthritis treated with biological drugs. Clinical Biochemistry, 2019, 74, 31-35.	1.9	5
8	Increased expression of the TNF superfamily member LIGHT/TNFSF14 and its receptors (HVEM and LTßR) in patients with systemic sclerosis. Rheumatology, 2019, 58, 502-510.	1.9	7
9	Plasma lipidomic profile signature of rheumatoid arthritis versus Lyme arthritis patients. Archives of Biochemistry and Biophysics, 2018, 654, 105-114.	3.0	20
10	Independence of carbohydrate-deficient isoforms of transferrin and cyclic citrullinated peptides in rheumatoid arthritis. Revista Brasileira De Reumatologia, 2017, 57, 185-189.	0.7	0
11	Update of EULAR recommendations for the treatment of systemic sclerosis. Annals of the Rheumatic Diseases, 2017, 76, 1327-1339.	0.9	794
12	AB0642â€Thickness of the intima-media complex and doppler velocity parameters in scleroderma patients. , 2017, , .		0
13	The onset of lipid peroxidation in rheumatoid arthritis: consequences and monitoring. Free Radical Research, 2016, 50, 304-313.	<b>3.</b> 3	66
14	Changes of glycosylation of IgG in rheumatoid arthritis patients treated with methotrexate. Advances in Medical Sciences, 2016, 61, 193-197.	2.1	41
15	Chryseobacterium indologenes carrying bla IND-1 isolated from blood obtained from a patient with adenocarcinoma. Reviews in Medical Microbiology, 2015, 26, 119-124.	0.9	O
16	Sialic acid level reflects the disturbances of glycosylation and acute-phase reaction in rheumatic diseases. Rheumatology International, 2014, 34, 393-399.	3.0	20
17	Salivary antioxidants in patients with systemic sclerosis. Journal of Oral Pathology and Medicine, 2014, 43, 61-68.	2.7	39
18	AB0121â€Changes of Glycosylation of Immunoglobulin G in Rheumatoid Arthritis Patients Treated with Methotrexate. Annals of the Rheumatic Diseases, 2014, 73, 844.1-844.	0.9	0

#	Article	IF	CITATIONS
19	Carbohydrate-deficient transferrin depends on disease activity in rheumatoid arthritis and systemic sclerosis. Scandinavian Journal of Rheumatology, 2013, 42, 203-206.	1.1	7
20	Evaluation of skin thickness lesions in patients with Lyme disease measured by modified Rodnan total skin score. Rheumatology International, 2012, 32, 3189-3191.	3.0	3
21	Relationship between CDT and disease activity in rheumatoid arthritis. Zeitschrift Fur Rheumatologie, 2012, 71, 220-223.	1.0	4
22	Relationship between serum acute-phase proteins and high disease activity in patients with rheumatoid arthritis. Advances in Medical Sciences, 2010, 55, 80-85.	2.1	40
23	The changes in monosaccharide composition of immunoglobulin G in the course of rheumatoid arthritis. Clinical Rheumatology, 2007, 26, 685-690.	2.2	42