

# Laurence Foix-L'HÃ©lias

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5123976/publications.pdf>

Version: 2024-02-01

34  
papers

2,199  
citations

430754

18  
h-index

377752

34  
g-index

35  
all docs

35  
docs citations

35  
times ranked

2421  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perinatal outcome and need of care for term asphyxiated newborns without moderate or severe hypoxic-ischemic encephalopathy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2022, 111, 576-583.	0.7	2
2	Antibiotic prophylaxis in preterm premature rupture of membranes at 24-31 weeks' gestation: Perinatal and 2-year outcomes in the EIPAGE-2 cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1560-1573.	1.1	8
3	Risk factors for hypoxic-ischemic encephalopathy in cases of severe acidosis: A case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 471-478.	1.3	4
4	Cause of preterm birth and late-onset sepsis in very preterm infants: the EIPAGE-2 cohort study. <i>Pediatric Research</i> , 2021, 90, 584-592.	1.1	18
5	Birth outcomes between 22 and 26 weeks' gestation in national population-based cohorts from Sweden, England and France. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	0.7	17
6	Intensity of perinatal care for extremely preterm babies and outcomes at a higher gestational age: evidence from the EIPAGE-2 cohort study. <i>BMC Pediatrics</i> , 2020, 20, 8.	0.7	5
7	Association of early antibiotic exposure and necrotizing enterocolitis: causality or confounding bias?. <i>Journal of Pediatrics</i> , 2020, 226, 315-316.	0.9	2
8	Association of Chorioamnionitis with Cerebral Palsy at Two Years after Spontaneous Very Preterm Birth: The EIPAGE-2 Cohort Study. <i>Journal of Pediatrics</i> , 2020, 222, 71-78.e6.	0.9	21
9	Prenatal parental involvement in decision for delivery room management at 22-26 weeks of gestation in France - The EIPAGE-2 Cohort Study. <i>PLoS ONE</i> , 2019, 14, e0221859.	1.1	3
10	Intensity of perinatal care, extreme prematurity and sensorimotor outcome at 2 years corrected age: evidence from the EIPAGE-2 cohort study. <i>BMC Medicine</i> , 2018, 16, 227.	2.3	13
11	Neonatal Outcomes in Extremely Preterm Newborns Admitted to Intensive Care after No Active Antenatal Management: A Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2018, 203, 150-155.	0.9	18
12	Impact de l'enquête EIPAGE 2 sur la prise en charge anténatale et postnatale entre 22 et 26 SA dans trois maternités de type III de la région Île-de-France. <i>Revue Sage - Femme</i> , 2018, 17, 169-177.	0.1	0
13	Preterm premature rupture of membranes at 22-25 weeks' gestation: perinatal and 2-year outcomes within a national population-based study (EIPAGE-2). <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 298.e1-298.e14.	0.7	62
14	Impact of Latency Duration on the Prognosis of Preterm Infants after Preterm Premature Rupture of Membranes at 24 to 32 Weeks' Gestation: A National Population-Based Cohort Study. <i>Journal of Pediatrics</i> , 2017, 182, 47-52.e2.	0.9	57
15	Delivery room deaths of extremely preterm babies: an observational study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F98-F103.	1.4	17
16	Providing active antenatal care depends on the place of birth for extremely preterm births: the EIPAGE 2 cohort study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2017, 102, F476-F482.	1.4	29
17	Effect of maternal obesity on birthweight and neonatal fat mass: A prospective clinical trial. <i>PLoS ONE</i> , 2017, 12, e0181307.	1.1	34
18	Cause of Preterm Birth as a Prognostic Factor for Mortality. <i>Obstetrics and Gynecology</i> , 2016, 127, 40-48.	1.2	64

#	ARTICLE	IF	CITATIONS
19	Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeks of Gestation in France in 2011. <i>JAMA Pediatrics</i> , 2015, 169, 230.	3.3	576
20	Population Approach To Analyze the Pharmacokinetics of Free and Total Lopinavir in HIV-Infected Pregnant Women and Consequences for Dose Adjustment. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5727-5735.	1.4	12
21	EPIPAGE 2: a preterm birth cohort in France in 2011. <i>BMC Pediatrics</i> , 2014, 14, 97.	0.7	123
22	Growth Development of French Children Born after In Vitro Maturation. <i>PLoS ONE</i> , 2014, 9, e89713.	1.1	21
23	Neonatal Infection and 5-year Neurodevelopmental Outcome of Very Preterm Infants. <i>Pediatrics</i> , 2013, 132, e372-e380.	1.0	170
24	Prediction of Moderate and High Grade Vesicoureteral Reflux After a First Febrile Urinary Tract Infection in Children: Construction and Internal Validation of a Clinical Decision Rule. <i>Journal of Urology</i> , 2012, 187, 265-271.	0.2	15
25	Ages and stages questionnaires: Feasibility of postal surveys for child follow-up. <i>Early Human Development</i> , 2011, 87, 671-676.	0.8	26
26	Physiological Partial Aldosterone Resistance in Human Newborns. <i>Pediatric Research</i> , 2009, 66, 323-328.	1.1	95
27	Perinatal factors reported by mothers: do they agree with medical records?. <i>European Journal of Epidemiology</i> , 2008, 23, 557-564.	2.5	58
28	Apgar scores reported in personal child health records: Validity for epidemiological studies?. <i>Journal of Paediatrics and Child Health</i> , 2008, 44, 665-669.	0.4	5
29	Neonatal and 5-Year Outcomes After Birth at 30 to 34 Weeks of Gestation. <i>Obstetrics and Gynecology</i> , 2007, 110, 72-80.	1.2	138
30	Procalcitonin to Reduce the Number of Unnecessary Cystographies in Children with a Urinary Tract Infection: A European Validation Study. <i>Journal of Pediatrics</i> , 2007, 150, 89-95.	0.9	57
31	Caesarean before labour between 34 and 37 weeks: What are the risk factors of severe neonatal respiratory distress?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 127, 56-60.	0.5	11
32	Recurring acute abdominal pains in an adolescent as the presenting manifestations of hereditary angioneurotic oedema. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005, 94, 1158-1161.	0.7	4
33	Rib fractures after chest physiotherapy for bronchiolitis or pneumonia in infants. <i>Pediatric Radiology</i> , 2002, 32, 644-647.	1.1	86
34	Antenatal Glucocorticoid Treatment and Cystic Periventricular Leukomalacia in Very Premature Infants. <i>New England Journal of Medicine</i> , 1999, 341, 1190-1196.	13.9	401