## Alfons Navarro

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/512420/alfons-navarro-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112<br/>papers3,609<br/>citations32<br/>h-index59<br/>g-index122<br/>ext. papers3,929<br/>ext. citations4<br/>avg, IF4.74<br/>L-index

#	Paper	IF	Citations
112	Human embryonic mesenchymal lung-conditioned medium promotes differentiation to myofibroblast and loss of stemness phenotype in lung adenocarcinoma cell lines <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2022</b> , 41, 37	12.8	O
111	Screening for Prognostic microRNAs Associated with Treatment Failure in Diffuse Large B Cell Lymphoma <i>Cancers</i> , <b>2022</b> , 14,	6.6	1
110	Octogenarians may benefit from stage-specific small cell lung cancer treatment. <i>Translational Lung Cancer Research</i> , <b>2021</b> , 10, 3973-3982	4.4	O
109	circFBXW7 attenuates malignant progression in lung adenocarcinoma by sponging miR-942-5p. <i>Translational Lung Cancer Research</i> , <b>2021</b> , 10, 1457-1473	4.4	12
108	Role of the epithelial-mesenchymal transition-related circular RNA, circ-10720, in non-small-cell lung cancer. <i>Translational Lung Cancer Research</i> , <b>2021</b> , 10, 1804-1818	4.4	1
107	Lincp21-RNA as Predictive Response Marker for Preoperative Chemoradiotherapy in Rectal Cancer. Journal of Personalized Medicine, 2021, 11,	3.6	1
106	LincRNA-p21 as predictive response marker for preoperative chemoradiotherapy in rectal cancer <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, e15534-e15534	2.2	
105	LncRNA Quantification from Extracellular Vesicles Isolated from Blood Plasma or Conditioned Media. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2348, 285-304	1.4	1
104	Monitoring HOTTIP levels on extracellular vesicles for predicting recurrence in surgical non-small cell lung cancer patients. <i>Translational Oncology</i> , <b>2021</b> , 14, 101144	4.9	O
103	The DNA damage repair-related gene is a potential biomarker in various malignancies <i>Translational Lung Cancer Research</i> , <b>2021</b> , 10, 4600-4616	4.4	0
102	Extracellular Vesicle lincRNA-p21 Expression in Tumor-Draining Pulmonary Vein Defines Prognosis in NSCLC and Modulates Endothelial Cell Behavior. <i>Cancers</i> , <b>2020</b> , 12,	6.6	22
101	KRAS mutations by digital PCR in circulating tumor cells isolated from the mesenteric vein are associated with residual disease and overall survival in resected colorectal cancer patients. <i>International Journal of Colorectal Disease</i> , <b>2020</b> , 35, 805-813	3	1
100	Long Non-Coding RNA NANCI/NKX2-1 Duplex Impacts Prognosis in Stage I Non-Small-Cell Lung Cancer <b>2020</b> , 56, 630-630		
99	Long Non-Coding RNA NANCI/NKX2-1 Duplex Impacts Prognosis in Stage I Non-Small-Cell Lung Cancer. <i>Archivos De Bronconeumologia</i> , <b>2020</b> , 56, 630-636	0.7	3
98	Can long non-coding RNAs reveal the hidden code of lung cancer?. <i>Non-coding RNA Investigation</i> , <b>2020</b> , 4, 6-6	0.6	
97	LincRNA-p21 Levels Relates to Survival and Post-Operative Radiotherapy Benefit in Rectal Cancer Patients. <i>Life</i> , <b>2020</b> , 10,	3	2
96	The Os Peroneum incidence - A cadaveric study. Foot and Ankle Surgery, 2020, 26, 325-327	3.1	1

## (2016-2019)

95	Clinical significance of long non-coding RNA HOTTIP in early-stage non-small-cell lung cancer. <i>BMC Pulmonary Medicine</i> , <b>2019</b> , 19, 55	3.5	17
94	Exosome Analysis in Tumor-Draining Pulmonary Vein Identifies NSCLC Patients with Higher Risk of Relapse after Curative Surgery. <i>Cancers</i> , <b>2019</b> , 11,	6.6	18
93	Insertional anatomy of peroneal brevis and longus tendon - A cadaveric study. <i>Foot and Ankle Surgery</i> , <b>2019</b> , 25, 636-639	3.1	9
92	Peri-prosthetic bone cysts after total ankle replacement. A systematic review and meta-analysis. <i>Foot and Ankle Surgery</i> , <b>2019</b> , 25, 96-105	3.1	18
91	Proteomic Analysis of Liquid Biopsy from Tumor-Draining Vein Indicates that High Expression of Exosomal ECM1 Is Associated with Relapse in Stage I-III Colon Cancer. <i>Translational Oncology</i> , <b>2018</b> , 11, 715-721	4.9	15
90	A 4-gene expression prognostic signature might guide post-remission therapy in patients with intermediate-risk cytogenetic acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , <b>2018</b> , 59, 2394-2404	1.9	13
89	miR-328 mediates a metabolic shift in colon cancer cells by targeting SLC2A1/GLUT1. <i>Clinical and Translational Oncology</i> , <b>2018</b> , 20, 1161-1167	3.6	29
88	Prognostic Impact of miR-200 Family Members in Plasma and Exosomes from Tumor-Draining versus Peripheral Veins of Colon Cancer Patients. <i>Oncology</i> , <b>2018</b> , 95, 309-318	3.6	26
87	miR-21, miR-99b and miR-375 combination as predictive response signature for preoperative chemoradiotherapy in rectal cancer. <i>PLoS ONE</i> , <b>2018</b> , 13, e0206542	3.7	23
86	Midface Advancement in a Simple Approach. <i>Journal of Craniofacial Surgery</i> , <b>2017</b> , 28, 108-112	1.2	2
85	NKX2-1 expression as a prognostic marker in early-stage non-small-cell lung cancer. <i>BMC Pulmonary Medicine</i> , <b>2017</b> , 17, 197	3.5	8
84	Exosomal microRNAs isolated from plasma of mesenteric veins linked to liver metastases in resected patients with colon cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 30859-30869	3.3	27
83	Epigenetic regulation mechanisms of microRNA expression. <i>Biomolecular Concepts</i> , <b>2017</b> , 8, 203-212	3.7	78
82	Non-Coding RNAs in Hodgkin Lymphoma. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	10
81	MicroRNAs 142-3p, miR-155 and miR-203 Are Deregulated in Gastric MALT Lymphomas Compared to Chronic Gastritis. <i>Cancer Genomics and Proteomics</i> , <b>2017</b> , 14, 75-82	3.3	17
80	Anti-tumor activity of the combination of bendamustine with vorinostat in diffuse large B-cell lymphoma cells. <i>Leukemia and Lymphoma</i> , <b>2016</b> , 57, 692-9	1.9	10
79	LincRNA-p21 Impacts Prognosis in Resected Non-Small Cell Lung Cancer Patients through Angiogenesis Regulation. <i>Journal of Thoracic Oncology</i> , <b>2016</b> , 11, 2173-2182	8.9	65
78	miR-203 and miR-221 regulate SOCS1 and SOCS3 in essential thrombocythemia. <i>Blood Cancer Journal</i> , <b>2016</b> , 6, e406	7	16

77	Immunophenotypic analysis and quantification of B-1 and B-2 B cells during human fetal hematopoietic development. <i>Leukemia</i> , <b>2016</b> , 30, 1603-6	10.7	14
76	PiwiRNA-651 as marker of treatment response and survival in classical Hodgkin lymphoma. <i>Oncotarget</i> , <b>2016</b> , 7, 46002-46013	3.3	32
75	YKT6 expression, exosome release, and survival in non-small cell lung cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 515	15 <sub>3</sub> 5 <sub>3</sub> 157	<b>24</b> 66
74	Identifying High-Risk Stage II Colon Cancer Patients: A Three-MicroRNA-Based Score as a Prognostic Biomarker. <i>Clinical Colorectal Cancer</i> , <b>2016</b> , 15, e175-e182	3.8	31
73	Differential MIR-21 expression in plasma from mesenteric versus peripheral veins: an observational study of disease-free survival in surgically resected colon cancer patients. <i>Medicine (United States)</i> , <b>2015</b> , 94, e145	1.8	10
72	The expression level of BAALC-associated microRNA miR-3151 is an independent prognostic factor in younger patients with cytogenetic intermediate-risk acute myeloid leukemia. <i>Blood Cancer Journal</i> , <b>2015</b> , 5, e352	7	15
71	The significance of PIWI family expression in human lung embryogenesis and non-small cell lung cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 31544-56	3.3	37
7°	Epigenetic regulation of microRNA expression in Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , <b>2015</b> , 56, 2683-9	1.9	11
69	Exploring the Expression Profile of Long Non-Coding RNA (lncRNA) in Different Acute Myeloid Leukemia (AML) Subtypes: t(8;16)(p11;p13)/MYST3-Crebbp AML Harbors a Distinctive Lncrna Signature. <i>Blood</i> , <b>2015</b> , 126, 1397-1397	2.2	2
68	piRNA-651 as a prognostic marker in surgically resected non-small-cell lung cancer <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 11043-11043	2.2	1
67	A serum microRNA signature associated with complete remission and progression after autologous stem-cell transplantation in patients with multiple myeloma. <i>Oncotarget</i> , <b>2015</b> , 6, 1874-83	3.3	36
66	The lincRNA HOTAIRM1, located in the HOXA genomic region, is expressed in acute myeloid leukemia, impacts prognosis in patients in the intermediate-risk cytogenetic category, and is associated with a distinctive microRNA signature. <i>Oncotarget</i> , <b>2015</b> , 6, 31613-27	3.3	69
65	miR-141 and miR-200c as markers of overall survival in early stage non-small cell lung cancer adenocarcinoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e101899	3.7	103
64	MicroRNA expression at diagnosis adds relevant prognostic information to molecular categorization in patients with intermediate-risk cytogenetic acute myeloid leukemia. <i>Leukemia</i> , <b>2014</b> , 28, 804-12	10.7	51
63	Role of miR-200 family members in survival of colorectal cancer patients treated with fluoropyrimidines. <i>Journal of Surgical Oncology</i> , <b>2014</b> , 109, 676-83	2.8	55
62	High levels of global DNA methylation are an independent adverse prognostic factor in a series of 90 patients with de novo myelodysplastic syndrome. <i>Leukemia Research</i> , <b>2014</b> , 38, 874-81	2.7	15
61	Piwirna-651 Expression Influences Treatment Response and Impacts Survival in Classical Hodgkin Lymphoma Patients through Regulation of ABCC5. <i>Blood</i> , <b>2014</b> , 124, 134-134	2.2	2
60	Salvage Therapy for Multiple Myeloma with Lenalidomide-Based Regimens: Impact of Single Nucleotide Polymorphisms Related to miRNA Pathways. <i>Blood</i> , <b>2014</b> , 124, 2045-2045	2.2	1

The LincRNA HOTAIRM1, Located in the HOXA genomic Region, impacts Prognosis in Acute 59 Myeloid Leukemia and Is Associated with a Distinctive microRNA Signature. *Blood*, **2014**, 124, 1003-1003<sup>2.2</sup> Acute myeloid leukemia with translocation (8;16)(p11;p13) and MYST3-CREBBP rearrangement 58 10.7 39 harbors a distinctive microRNA signature targeting RET proto-oncogene. Leukemia, 2013, 27, 595-603 Impact of global and gene-specific DNA methylation pattern in relapsed multiple myeloma patients 2.7 10 57 treated with bortezomib. Leukemia Research, 2013, 37, 641-6 Low miR-145 and high miR-367 are associated with unfavourable prognosis in resected nonsmall 56 13.6 61 cell lung cancer. European Respiratory Journal, 2013, 41, 1172-8 Pint lincRNA connects the p53 pathway with epigenetic silencing by the Polycomb repressive 18.3 182 55 complex 2. Genome Biology, 2013, 14, R104 MicroRNA expression in chronic lymphocytic leukemia developing autoimmune hemolytic anemia. 54 1.9 24 Leukemia and Lymphoma, **2013**, 54, 2016-22 MiR-SNPs as markers of toxicity and clinical outcome in Hodgkin lymphoma patients. PLoS ONE, 21 53 3.7 **2013**, 8, e64716 Prognostic Significance Of a 4-Microrna Signature Targeting JAK2 In Classical Hodgkin Lymphoma. 52 2.2 Blood, 2013, 122, 629-629 Association of miR-141 and miR-200c with time to recurrence (TTR) and overall survival (OS) in resected non-small-cell lung cancer (NSCLC) adenocarcinoma (ADC) patients (p).. Journal of Clinical 2.2 51 Oncology, **2013**, 31, 7547-7547 BAALC-Associated Mir-3151 Is An Independent Prognostic Factor In Younger Patients With 2.2 50 Intermediate-Risk Cytogenetic Acute Myeloid Leukemia. Blood, 2013, 122, 2577-2577 Impact of MiRSNPs on survival and progression in patients with multiple myeloma undergoing 49 12.9 49 autologous stem cell transplantation. Clinical Cancer Research, 2012, 18, 3697-704 Impact of Single Nucleotide Polymorphisms in Genes Involved in DNA Repair and Drug Metabolism On Survival After Autologous Stem Cell Transplantation in Patients with Multiple Myeloma.. Blood, 48 2.2 2012, 120, 2934-2934 Overall Hydroxymethylation Levels As an Independent Prognostic Marker in 2.2 47 Intermediate-Cytogenetic Risk Acute Myeloid Leukemia. Blood, 2012, 120, 1375-1375 Global Methylation Provides Independent Prognostic Information in Chronic Lymphocytic Leukemia 46 2.2 and Is Associated with a Microrna Signature. Blood, 2012, 120, 3873-3873 Single nucleotide polymorphisms in tobacco metabolism and DNA repair genes and prognosis in 6 2.5 45 resected non-small-cell lung cancer. Journal of Surgical Research, 2011, 167, e5-12 Lestaurtinib inhibition of the Jak/STAT signaling pathway in hodgkin lymphoma inhibits 44 3.7 53 proliferation and induces apoptosis. PLoS ONE, 2011, 6, e18856 Impact on response and survival of DNA repair single nucleotide polymorphisms in relapsed or 43 2.7 19 refractory multiple myeloma patients treated with thalidomide. Leukemia Research, 2011, 35, 1178-83 Prognostic implications of miR-16 expression levels in resected non-small-cell lung cancer. Journal 2.8 48 of Surgical Oncology, **2011**, 103, 411-5

41	Ultrastructural and immunohistochemical analysis of intestinal myofibroblasts during the early organogenesis of the human small intestine. <i>Anatomical Record</i> , <b>2011</b> , 294, 462-71	2.1	13
40	A dual role for KRT81: a miR-SNP associated with recurrence in non-small-cell lung cancer and a novel marker of squamous cell lung carcinoma. <i>PLoS ONE</i> , <b>2011</b> , 6, e22509	3.7	45
39	Mir-SNP Haplotype in the MicroRNA Maturation Pathway As a Marker of Clinical Outcome in Hodgkin Lymphoma (HL). <i>Blood</i> , <b>2011</b> , 118, 1561-1561	2.2	
38	MicroRNAs in Intermediate Risk Cytogenetic Acute Myeloid Leukemia Add Relevant Prognostic Information to Molecular Categorization. <i>Blood</i> , <b>2011</b> , 118, 235-235	2.2	
37	Impact of Global and Gene-Specific DNA Methylation Pattern in Relapsed Multiple Myeloma Patients Treated with Bortezomib. <i>Blood</i> , <b>2011</b> , 118, 132-132	2.2	
36	Chronic Lymphocytic Leukemia Associated with Autoimmune Hemolytic Anemia Is Characterized by a Distinctive miRNA Signature,. <i>Blood</i> , <b>2011</b> , 118, 3897-3897	2.2	
35	The Distinctive MicroRNA Signature of Acute Myeloid Leukemia with Translocation t(8;16)(p11;p13)/MYST3-CREBBP Is Responsible for RET Overexpression and Is Regulated by Epigenetic Mechanisms. <i>Blood</i> , <b>2011</b> , 118, 2434-2434	2.2	
34	Impact of Single Nucleotide Polymorphisms in Genes Involved in miRNA Network on Survival and Progression After Autologous Stem Cell Transplantation in Patients with Multiple Myeloma,. <i>Blood</i> , <b>2011</b> , 118, 3945-3945	2.2	
33	MicroRNAs in human embryonic and cancer stem cells. Yonsei Medical Journal, 2010, 51, 622-32	3	33
32	Tumour CD133 mRNA expression and clinical outcome in surgically resected colorectal cancer patients. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 642-9	7.5	62
31	A Distinctive MicroRNA Signature Characterizes Acute Myeloid Leukemia with Translocation (8;16)(p11;p13) and MYST3-CREBBP Rearrangement. <i>Blood</i> , <b>2010</b> , 116, 230-230	2.2	0
30	Regulation of Endrenoceptor gene expression by chronic lithium treatment in rat brain. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , <b>2010</b> , 32, 721-5		8
29	Impact on Response and Survival of DNA Repair Single Nucleotide Polymorphisms In Relapsed or Refractory Multiple Myeloma Patients Treated with Thalidomide. <i>Blood</i> , <b>2010</b> , 116, 4041-4041	2.2	
28	Epigenetic Regulation of MicroRNA Expression In Hodgkin Lymphoma. <i>Blood</i> , <b>2010</b> , 116, 3885-3885	2.2	
27	Lestaurtinib (CEP701) Inhibits Proliferation and Activates Apoptosis In Hodgkin Lymphoma Cells through Inhibition of the JAK/STAT Signaling Pathway. <i>Blood</i> , <b>2010</b> , 116, 3919-3919	2.2	
26	MicroRNAs expressed during lung cancer development are expressed in human pseudoglandular lung embryogenesis. <i>Oncology</i> , <b>2009</b> , 76, 162-9	3.6	47
25	Regulation of JAK2 by miR-135a: prognostic impact in classic Hodgkin lymphoma. <i>Blood</i> , <b>2009</b> , 114, 29	45 <u>25</u> 1	141
24	miR-34a as a prognostic marker of relapse in surgically resected non-small-cell lung cancer. <i>Carcinogenesis</i> , <b>2009</b> , 30, 1903-9	4.6	282

## (2006-2009)

23	Hematopoiesis-related microRNA expression in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , <b>2009</b> , 50, 1854-9	1.9	74
22	Overlapping expression of microRNAs in human embryonic colon and colorectal cancer. <i>Cell Research</i> , <b>2008</b> , 18, 823-33	24.7	159
21	Common variants in NLRP2 and NLRP3 genes are strong prognostic factors for the outcome of HLA-identical sibling allogeneic stem cell transplantation. <i>Blood</i> , <b>2008</b> , 112, 4337-42	2.2	30
20	Epigenetic events in normal colonic mucosa surrounding colorectal cancer lesions. <i>European Journal of Cancer</i> , <b>2008</b> , 44, 2689-95	7.5	25
19	MicroRNA expression profiling in classic Hodgkin lymphoma. <i>Blood</i> , <b>2008</b> , 111, 2825-32	2.2	148
18	Pharmacogenomics: a tool for improving cancer chemotherapy. <i>Clinical and Translational Oncology</i> , <b>2008</b> , 10, 628-37	3.6	6
17	Dihydropyrimidine dehydrogenases and cytidine-deaminase gene polymorphisms as outcome predictors in resected gastric cancer patients treated with fluoropyrimidine adjuvant chemotherapy. <i>Journal of Surgical Oncology</i> , <b>2008</b> , 98, 130-4	2.8	15
16	Regulation of Jak2 Kinase Gene by the Mir-135 Family in Classical Hodgkin Lymphoma. <i>Blood</i> , <b>2008</b> , 112, 518-518	2.2	
15	Single nucleotide polymorphisms in nucleotide excision repair genes XPA, XPD, XPG and ERCC1 in advanced colorectal cancer patients treated with first-line oxaliplatin/fluoropyrimidine. <i>Oncology</i> , <b>2007</b> , 72, 364-70	3.6	51
14	Hematopoietic miRNAs Expression in Myelodysplastic Syndromes <i>Blood</i> , <b>2007</b> , 110, 2422-2422	2.2	
13	Genetic Polymorphisms in the Inflammasomes Are Associated with Relapse and Survival in HLA-Identical Sibling Donor Allogeneic Stem Cell Transplantation <i>Blood</i> , <b>2007</b> , 110, 1075-1075	2.2	
12	Mir-135a Expression Is Associated with Relapse in Hodgkin Lymphoma <i>Blood</i> , <b>2007</b> , 110, 2270-2270	2.2	
11	MicroRNA Analysis by In Situ Hibridization in Hodgkin Lymphoma <i>Blood</i> , <b>2007</b> , 110, 2271-2271	2.2	
10	Mannan-binding lectin pathway deficiencies and invasive fungal infections following allogeneic stem cell transplantation. <i>Experimental Hematology</i> , <b>2006</b> , 34, 1435-41	3.1	81
9	Genomic polymorphisms provide prognostic information in intermediate-risk acute myeloblastic leukemia. <i>Blood</i> , <b>2006</b> , 107, 4871-9	2.2	58
8	Identification by Real-time PCR of 13 mature microRNAs differentially expressed in colorectal cancer and non-tumoral tissues. <i>Molecular Cancer</i> , <b>2006</b> , 5, 29	42.1	668
7	Sonic hedgehog mRNA expression by real-time quantitative PCR in normal and tumor tissues from colorectal cancer patients. <i>Cancer Letters</i> , <b>2006</b> , 233, 117-23	9.9	33
6	Single-nucleotide polymorphisms in base excision repair, nucleotide excision repair, and double strand break genes as markers for response to radiotherapy in patients with Stage I to II head-and-neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2006</b> , 66, 1022-30	4	68

5	Effect of Germline Polymorphisms on Clinical Outcome in Hodgkin Lymphoma (HL) <i>Blood</i> , <b>2006</b> , 108, 2267-2267	2.2	
4	Analysis of microRNA Patterns in Hodgkin Lymphoma (HL) Blood, <b>2006</b> , 108, 474-474	2.2	
3	Effect of NOD2/CARD15 variants in T-cell depleted allogeneic stem cell transplantation. <i>Haematologica</i> , <b>2006</b> , 91, 1372-6	6.6	47
2	Polymorphisms of NOD2/CARD15 Are Associated with Clinical Outcome in T-Cell Depleted HLA-Identical Sibling Allogeneic Stem Cell Transplantation <i>Blood</i> , <b>2005</b> , 106, 1408-1408	2.2	
1	Germline Polymorphisms Provide Strong Prognostic Information in Intermediate Risk Acute Myeloblastic Leukemia (AML) <i>Blood</i> , <b>2004</b> , 104, 398-398	2.2	