

Hans Ulrich Scherer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5124478/hans-ulrich-scherer-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

2,463
citations

22
h-index

49
g-index

65
ext. papers

3,414
ext. citations

6
avg, IF

4.8
L-index

#	Paper	IF	Citations
56	Surface Ig variable domain glycosylation affects autoantigen binding and acts as threshold for human autoreactive B cell activation.. <i>Science Advances</i> , 2022 , 8, eabm1759	14.3	4
55	Long-term effects of combined B-cell immunomodulation with rituximab and belimumab in severe, refractory systemic lupus erythematosus: 2-year results. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 1474-1483	4.3	17
54	Guidelines for the use of flow cytometry and cell sorting in immunological studies (third edition).. <i>European Journal of Immunology</i> , 2021 , 51, 2708-3145	6.1	12
53	Light chain skewing in autoantibodies and B-cell receptors of the citrullinated antigen-binding B-cell response in rheumatoid arthritis. <i>PLoS ONE</i> , 2021 , 16, e0247847	3.7	0
52	Anticentromere Antibody Levels and Isotypes and the Development of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 2338-2347	9.5	0
51	Autologous stem cell transplantation for progressive systemic sclerosis: a prospective non-interventional study from the European Society for Blood and Marrow Transplantation Autoimmune Disease Working Party. <i>Haematologica</i> , 2021 , 106, 375-383	6.6	19
50	Association Between Centromere- and Topoisomerase-specific Immune Responses and the Degree of Microangiopathy in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2021 , 48, 402-409	4.1	1
49	Genetic predisposition (HLA-SE) is associated with ACPA-IgG variable domain glycosylation in the predisease phase of RA. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	3
48	Cross-reactivity of IgM anti-modified protein antibodies in rheumatoid arthritis despite limited mutational load. <i>Arthritis Research and Therapy</i> , 2021 , 23, 230	5.7	2
47	Association of Anti-Topoisomerase I Antibodies of the IgM Isotype With Disease Progression in Anti-Topoisomerase I-Positive Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1897-1904	9.5	2
46	A Comparison of Immunoglobulin Variable Region N-Linked Glycosylation in Healthy Donors, Autoimmune Disease and Lymphoma. <i>Frontiers in Immunology</i> , 2020 , 11, 241	8.4	14
45	A reverse translational study on the effect of rituximab, rituximab plus belimumab, or bortezomib on the humoral autoimmune response in SLE. <i>Rheumatology</i> , 2020 , 59, 2734-2745	3.9	13
44	The etiology of rheumatoid arthritis. <i>Journal of Autoimmunity</i> , 2020 , 110, 102400	15.5	87
43	Persistently activated, proliferative memory autoreactive B cells promote inflammation in rheumatoid arthritis. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	22
42	Templated insertions at VD and DJ junctions create unique B-cell receptors in the healthy B-cell repertoire. <i>European Journal of Immunology</i> , 2020 , 50, 2099-2101	6.1	2
41	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485
40	On the presence of HLA-SE alleles and ACPA-IgG variable domain glycosylation in the phase preceding the development of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1616-1620	2.4	21

39	-Glycosylation Site Analysis of Citrullinated Antigen-Specific B-Cell Receptors Indicates Alternative Selection Pathways During Autoreactive B-Cell Development. <i>Frontiers in Immunology</i> , 2019 , 10, 2092	8.4	10
38	Prognostic properties of anti-topoisomerase antibodies in patients identified by the ACR/EULAR 2013 systemic sclerosis criteria. <i>Rheumatology</i> , 2019 , 58, 730-732	3.9	2
37	N-Linked Glycans in the Variable Domain of IgG Anti-Citrullinated Protein Antibodies Predict the Development of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1626-1633	9.5	49
36	Intrinsically Distinct Role of Neutrophil Extracellular Trap Formation in Antineutrophil Cytoplasmic Antibody-Associated Vasculitis Compared to Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2019 , 71, 2047-2058	9.5	32
35	Fra1 Controls Rheumatoid Factor Autoantibody Production by Bone Marrow Plasma Cells and the Development of Autoimmune Bone Loss. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1352-1365	6.3	4
34	Generation and Characterization of Anti-Citrullinated Protein Antibody-Producing B Cell Clones From Rheumatoid Arthritis Patients. <i>Arthritis and Rheumatology</i> , 2019 , 71, 340-350	9.5	16
33	The NET-effect of combining rituximab with belimumab in severe systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2018 , 91, 45-54	15.5	77
32	The B cell response to citrullinated antigens in the development of rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2018 , 14, 157-169	8.1	52
31	Excessive neutrophil extracellular trap formation in ANCA-associated vasculitis is independent of ANCA. <i>Kidney International</i> , 2018 , 94, 139-149	9.9	47
30	The extensive glycosylation of the ACPA variable domain observed for ACPA-IgG is absent from ACPA-IgM. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1087-1088	2.4	11
29	Variable domain glycosylation of ACPA-IgG: A missing link in the maturation of the ACPA response?. <i>Clinical Immunology</i> , 2018 , 186, 34-37	9	12
28	Estrogen induces St6gal1 expression and increases IgG sialylation in mice and patients with rheumatoid arthritis: a potential explanation for the increased risk of rheumatoid arthritis in postmenopausal women. <i>Arthritis Research and Therapy</i> , 2018 , 20, 84	5.7	47
27	B-cell receptor sequencing of anti-citrullinated protein antibody (ACPA) IgG-expressing B cells indicates a selective advantage for the introduction of -glycosylation sites during somatic hypermutation. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 956-958	2.4	32
26	Improving Treatment Related Mortality over Time - Data from the Non-Observational Trial on Autologous Stem Cell Transplantation in Systemic Sclerosis By the EBMT Autoimmune Diseases Working Party (ADWP). <i>Blood</i> , 2018 , 132, 3431-3431	2.2	
25	Response to: Acquiring new glycosylation sites in variable regions of immunoglobulin genes by somatic hypermutation is a common feature of autoimmune diseases by Visser. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, e70	2.4	8
24	Sequential Prodrug Strategy To Target and Eliminate ACPA-Selective Autoreactive B Cells. <i>Molecular Pharmaceutics</i> , 2018 , 15, 5565-5573	5.6	4
23	Fc gamma receptor binding profile of anti-citrullinated protein antibodies in immune complexes suggests a role for FcRI in the pathogenesis of synovial inflammation. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 284-293	2.2	6
22	To what extent do autoantibodies help to identify high-risk patients in systemic sclerosis?. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 113, 109-117	2.2	4

21	Structural Analysis of Variable Domain Glycosylation of Anti-Citrullinated Protein Antibodies in Rheumatoid Arthritis Reveals the Presence of Highly Sialylated Glycans. <i>Molecular and Cellular Proteomics</i> , 2017 , 16, 278-287	7.6	61
20	Rituximab in early systemic sclerosis. <i>RMD Open</i> , 2017 , 3, e000384	5.9	23
19	Rheumatoid factors do not preferentially bind to ACPA-IgG or IgG with altered galactosylation. <i>Rheumatology</i> , 2017 , 56, 2025-2030	3.9	11
18	Regulation of autoantibody activity by the IL-23-T17 axis determines the onset of autoimmune disease. <i>Nature Immunology</i> , 2017 , 18, 104-113	19.1	187
17	Identification and characterisation of citrullinated antigen-specific B cells in peripheral blood of patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1170-6	2.4	54
16	Impact of pulmonary fibrosis and elevated pulmonary pressures on right ventricular function in patients with systemic sclerosis. <i>Rheumatology</i> , 2016 , 55, 504-12	3.9	1
15	Extensive glycosylation of ACPA-IgG variable domains modulates binding to citrullinated antigens in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 578-85	2.4	119
14	Synovial fluid mononuclear cells provide an environment for long-term survival of antibody-secreting cells and promote the spontaneous production of anti-citrullinated protein antibodies. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 2201-2207	2.4	20
13	Defining conditions where long-term glucocorticoid treatment has an acceptably low level of harm to facilitate implementation of existing recommendations: viewpoints from an EULAR task force. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 952-7	2.4	153
12	Glycosylation of immunoglobulin G determines osteoclast differentiation and bone loss. <i>Nature Communications</i> , 2015 , 6, 6651	17.4	165
11	Anti-citrullinated protein antibodies acquire a pro-inflammatory Fc glycosylation phenotype prior to the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 234-41	2.4	174
10	Does Ex Vivo CD34+ Cell Selection Change the Outcome of Systemic Sclerosis Patients Treated with Autologous Hematopoietic Stem Cell Transplantation (AHSCT), an Adwp EBMT Study?. <i>Blood</i> , 2014 , 124, 2517-2517	2.2	
9	Circulating plasmablasts/plasmacells as a source of anticitrullinated protein antibodies in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1259-63	2.4	54
8	Adaptive immunity in rheumatic diseases: bystander or pathogenic player?. <i>Best Practice and Research in Clinical Rheumatology</i> , 2011 , 25, 785-800	5.3	4
7	Fc-glycosylation of IgG1 is modulated by B cell Stimuli. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A61-A64		
6	Distinct ACPA fine-specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A5-A5	2.4	
5	Anti-cyclic citrullinated peptide antibodies are a collection of anti-citrullinated protein antibodies and contain overlapping and non-overlapping reactivities. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 188-93	2.4	100
4	Distinct ACPA fine specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1461-4	2.4	39

3	Association of the 6q23 region with the rate of joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 567-70	2.4	26
2	Glycan profiling of anti-citrullinated protein antibodies isolated from human serum and synovial fluid. <i>Arthritis and Rheumatism</i> , 2010 , 62, 1620-9		148
1	From risk to chronicity: evolution of autoreactive B cell and antibody responses in rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> ,	8.1	2