

# Masayoshi Shichiri

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5126203/publications.pdf>

Version: 2024-02-01

163  
papers

7,381  
citations

50170

46  
h-index

64668

79  
g-index

166  
all docs

166  
docs citations

166  
times ranked

6895  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic and epigenetic inactivation of mitotic checkpoint genes hBUB1 and hBUBR1 and their relationship to survival. <i>Cancer Research</i> , 2002, 62, 13-7.	0.4	418
2	Secretory mechanism of immunoreactive endothelin in cultured bovine endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 1989, 160, 93-100.	1.0	325
3	Effect of an intensified multifactorial intervention on cardiovascular outcomes and mortality in type 2 diabetes (J-DOIT3): an open-label, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 951-964.	5.5	228
4	Co-expression of urotensin II and its receptor (GPR14) in human cardiovascular and renal tissues. <i>Journal of Hypertension</i> , 2001, 19, 2185-2190.	0.3	216
5	Adrenomedullin as an Autocrine/Paracrine Apoptosis Survival Factor for Rat Endothelial Cells*. <i>Endocrinology</i> , 1997, 138, 2615-2620.	1.4	213
6	Antiangiogenesis signals by endostatin. <i>FASEB Journal</i> , 2001, 15, 1044-1053.	0.2	190
7	NO Inhibits Cytokine-Induced iNOS Expression and NF- $\kappa$ B Activation by Interfering With Phosphorylation and Degradation of I $\kappa$ B- $\beta$ . <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1796-1802.	1.1	166
8	Salusins: newly identified bioactive peptides with hemodynamic and mitogenic activities. <i>Nature Medicine</i> , 2003, 9, 1166-1172.	15.2	166
9	Th2-predominant inflammation and blockade of IFN- $\gamma$ signaling induce aneurysms in allografted aortas. <i>Journal of Clinical Investigation</i> , 2004, 114, 300-308.	3.9	166
10	Endothelin-1 as an Autocrine/Paracrine Apoptosis Survival Factor for Endothelial Cells. <i>Hypertension</i> , 1997, 30, 1198-1203.	1.3	148
11	Urinary excretion of endothelin-1 in normal subjects and patients with renal disease. <i>Kidney International</i> , 1991, 39, 307-311.	2.6	138
12	Cytokine-induced release of endothelin-1 from porcine renal epithelial cell line. <i>Biochemical and Biophysical Research Communications</i> , 1990, 169, 578-584.	1.0	123
13	Impact of Salusin- $\beta$ and - $\alpha$ on Human Macrophage Foam Cell Formation and Coronary Atherosclerosis. <i>Circulation</i> , 2008, 117, 638-648.	1.6	121
14	The (pro)renin receptor is cleaved by ADAM19 in the Golgi leading to its secretion into extracellular space. <i>Hypertension Research</i> , 2011, 34, 599-605.	1.5	111
15	Suppressed recruitment of alternatively activated macrophages reduces TGF- $\beta$ 1 and impairs wound healing in streptozotocin-induced diabetic mice. <i>Biomedicine and Pharmacotherapy</i> , 2015, 70, 317-325.	2.5	108
16	Th2-predominant inflammation and blockade of IFN- $\gamma$ signaling induce aneurysms in allografted aortas. <i>Journal of Clinical Investigation</i> , 2004, 114, 300-308.	3.9	107
17	Effect of endothelin-1 on release of arginine-vasopressin from perfused rat hypothalamus. <i>Biochemical and Biophysical Research Communications</i> , 1989, 163, 1332-1337.	1.0	103
18	Natriuretic Peptides and Nitric Oxide Induce Endothelial Apoptosis via a cGMP-Dependent Mechanism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 140-146.	1.1	102

#	ARTICLE	IF	CITATIONS
19	Angiotensin II Receptor Type 1-Mediated Vascular Oxidative Stress and Proinflammatory Gene Expression in Aldosterone-Induced Hypertension: The Possible Role of Local Renin-Angiotensin System. <i>Endocrinology</i> , 2007, 148, 1688-1696.	1.4	100
20	Transfection of Inducible Nitric Oxide Synthase Gene Causes Apoptosis in Vascular Smooth Muscle Cells. <i>Circulation</i> , 1998, 98, 1212-1218.	1.6	97
21	Adrenomedullin as a Novel Growth-Promoting Factor for Cultured Vascular Smooth Muscle Cells: Role of Tyrosine Kinase-Mediated Mitogen-Activated Protein Kinase Activation1. <i>Endocrinology</i> , 1998, 139, 3432-3441.	1.4	97
22	Endothelin-1 Inhibits Apoptosis of Vascular Smooth Muscle Cells Induced by Nitric Oxide and Serum Deprivation via MAP Kinase Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 989-997.	1.1	90
23	Aldosterone Induces Angiotensin Converting Enzyme Gene Expression via a JAK2-Dependent Pathway in Rat Endothelial Cells. <i>Endocrinology</i> , 2005, 146, 3900-3906.	1.4	88
24	Induction of Max by Adrenomedullin and Calcitonin Gene-Related Peptide Antagonizes Endothelial Apoptosis. <i>Molecular Endocrinology</i> , 1999, 13, 1353-1363.	3.7	87
25	Differential gene expression in ACTH -secreting and non-functioning pituitary tumors. <i>European Journal of Endocrinology</i> , 2007, 157, 717-724.	1.9	83
26	Specific receptor for endothelin in cultured rat cardiocytes. <i>Biochemical and Biophysical Research Communications</i> , 1989, 160, 1438-1444.	1.0	82
27	New Indices for Predicting Glycaemic Variability. <i>PLoS ONE</i> , 2012, 7, e46517.	1.1	76
28	Antioxidant Effect of Adrenomedullin on Angiotensin II-Induced Reactive Oxygen Species Generation in Vascular Smooth Muscle Cells. <i>Endocrinology</i> , 2004, 145, 3331-3337.	1.4	75
29	Adrenomedullin as an Autocrine/Paracrine Apoptosis Survival Factor for Rat Endothelial Cells. , 0, .		73
30	Glomerular hyperfiltration and increased glomerular filtration surface are associated with renal function decline in normo- and microalbuminuric type 2 diabetes. <i>Kidney International</i> , 2012, 81, 486-493.	2.6	72
31	Late escape from the antiproteinuric effect of ACE inhibitors in nondiabetic renal disease. <i>American Journal of Kidney Diseases</i> , 2001, 37, 477-483.	2.1	70
32	Chronic Blockade of Nitric Oxide Synthesis Reduces Adiposity and Improves Insulin Resistance in High Fat-Induced Obese Mice. <i>Endocrinology</i> , 2007, 148, 4548-4556.	1.4	70
33	Effects of canagliflozin on body composition and hepatic fat content in type 2 diabetes patients with nonalcoholic fatty liver disease. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1004-1011.	1.1	69
34	Synthetic Salusins as Cardiac Depressors in Rat. <i>Hypertension</i> , 2005, 45, 419-425.	1.3	68
35	Endothelin-1 Is a Potent Survival Factor for c-Myc-Dependent Apoptosis. <i>Molecular Endocrinology</i> , 1998, 12, 172-180.	3.7	66
36	Differential expression of genes related to drug responsiveness between sparsely and densely granulated somatotroph adenomas. <i>Endocrine Journal</i> , 2012, 59, 221-228.	0.7	65

#	ARTICLE	IF	CITATIONS
37	Increased production of endothelin-1 in patients with inflammatory arthritides. <i>Arthritis and Rheumatism</i> , 1992, 35, 397-400.	6.7	63
38	Adrenomedullin Inhibits Angiotensin II-Induced Oxidative Stress and Gene Expression in Rat Endothelial Cells. <i>Hypertension Research</i> , 2005, 28, 165-172.	1.5	61
39	Methionine sulfoxides in serum proteins as potential clinical biomarkers of oxidative stress. <i>Scientific Reports</i> , 2016, 6, 38299.	1.6	61
40	Systemic Distribution of Salusin Expression in the Rat. <i>Hypertension Research</i> , 2007, 30, 1255-1262.	1.5	59
41	Urotensin II is an Autocrine/Paracrine Growth Factor for the Porcine Renal Epithelial Cell Line, LLCPK1. <i>Endocrinology</i> , 2003, 144, 1825-1831.	1.4	57
42	Serum Salusin-ALPHA. Levels Are Decreased and Correlated Negatively with Carotid Atherosclerosis in Essential Hypertensive Patients. <i>Hypertension Research</i> , 2008, 31, 463-468.	1.5	56
43	Chronic infusion of salusin- $\hat{1}\pm$ and - $\hat{1}^2$ exerts opposite effects on atherosclerotic lesion development in apolipoprotein E-deficient mice. <i>Atherosclerosis</i> , 2010, 212, 70-77.	0.4	56
44	Concomitant secretion of big endothelin and its C-terminal fragment from human and bovine endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 1989, 162, 217-223.	1.0	53
45	Salusin- $\hat{1}^2$ accelerates inflammatory responses in vascular endothelial cells via NF- $\hat{1}^{\text{B}}$ signaling in LDL receptor-deficient mice in vivo and HUVECs in vitro. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 303, H96-H105.	1.5	52
46	Presence of immunoreactive salusin- $\hat{1}\pm$ in human serum and urine. <i>Peptides</i> , 2006, 27, 2561-2566.	1.2	49
47	Vascular Endothelial Growth Factor Receptor Type-1 Signaling Prevents Delayed Wound Healing in Diabetes by Attenuating the Production of IL-1 $\hat{2}$ by Recruited Macrophages. <i>American Journal of Pathology</i> , 2016, 186, 1481-1498.	1.9	49
48	RED-CELL-VOLUME DISTRIBUTION CURVES IN DIAGNOSIS OF GLOMERULAR AND NON-GLOMERULAR HAEMATURIA. <i>Lancet, The</i> , 1988, 331, 908-911.	6.3	48
49	Role of Nuclear Factor- $\hat{1}^{\text{B}}$ Activation in Cytokine- and Sphingomyelinase-Stimulated Inducible Nitric Oxide Synthase Gene Expression in Vascular Smooth Muscle Cells**This work was supported in part by grants-in-aid from the Ministry of Education, Science, and Culture and the Ministry of Health and Welfare of Japan. <i>Endocrinology</i> , 1998, 139, 4506-4512.	1.4	47
50	The roles of salusins in atherosclerosis and related cardiovascular diseases. <i>Journal of the American Society of Hypertension</i> , 2011, 5, 359-365.	2.3	47
51	Differential Inhibitory Actions by Glucocorticoid and Aspirin on Cytokine-Induced Nitric Oxide Production in Vascular Smooth Muscle Cells*. <i>Endocrinology</i> , 1999, 140, 2183-2190.	1.4	46
52	Endothelin-3 stimulates production of endothelium-derived nitric oxide via phosphoinositide breakdown. <i>Biochemical and Biophysical Research Communications</i> , 1991, 174, 228-235.	1.0	44
53	USE OF AUTOANALYSER TO EXAMINE URINARY-RED-CELL MORPHOLOGY IN THE DIAGNOSIS OF GLOMERULAR HAEMATURIA. <i>Lancet, The</i> , 1986, 328, 781-782.	6.3	43
54	Salusins: Potential Use as a Biomarker for Atherosclerotic Cardiovascular Diseases. <i>International Journal of Hypertension</i> , 2013, 2013, 1-8.	0.5	43

#	ARTICLE	IF	CITATIONS
55	Antiangiogenesis signals by endostatin. <i>FASEB Journal</i> , 2001, 15, 1044-1053.	0.2	43
56	Adrenomedullin Stimulates Proline-Rich Tyrosine Kinase 2 in Vascular Smooth Muscle Cells. <i>Endocrinology</i> , 2001, 142, 564-572.	1.4	42
57	Presence of immunoreactive salusin- $\hat{1}^2$ in human plasma and urine. <i>Regulatory Peptides</i> , 2009, 158, 63-67.	1.9	39
58	Laminar Shear Stress Up-Regulates Inducible Nitric Oxide Synthase in the Endothelium. <i>Hypertension Research</i> , 2004, 27, 93-99.	1.5	38
59	Distinct systemic distribution of salusin- $\hat{1}\pm$ and salusin- $\hat{1}^2$ in the rat. <i>Peptides</i> , 2011, 32, 805-810.	1.2	38
60	Molecular form and concentration of serum $\hat{1}\pm$ 2-macroglobulin in diabetes. <i>Scientific Reports</i> , 2019, 9, 12927.	1.6	38
61	Concomitant expression of adrenomedullin and its receptor components in rat adipose tissues. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 288, E56-E62.	1.8	37
62	Adrenomedullin is an autocrine/paracrine growth factor for rat vascular smooth muscle cells. <i>Regulatory Peptides</i> , 2003, 112, 167-173.	1.9	36
63	Plasma Endothelin-1 Levels in Patients with Diabetes Mellitus With or Without Vascular Complication. <i>Journal of Cardiovascular Pharmacology</i> , 1991, 17, S475-476.	0.8	35
64	Circulating Levels of Human salusin- $\hat{1}^2$ , a Potent Hemodynamic and Atherogenesis Regulator. <i>PLoS ONE</i> , 2013, 8, e76714.	1.1	35
65	Brain natriuretic peptide interacts with atrial natriuretic peptide receptor in cultured rat vascular smooth muscle cells. <i>FEBS Letters</i> , 1988, 238, 415-418.	1.3	34
66	Postural Change and Volume Expansion Affect Plasma Endothelin Levels. <i>JAMA - Journal of the American Medical Association</i> , 1990, 263, 661.	3.8	34
67	Coexistence of salusin and vasopressin in the rat hypothalamo-hypophyseal system. <i>Neuroscience Letters</i> , 2005, 385, 110-113.	1.0	34
68	Salusin $\hat{1}^2$ is a surrogate ligand of the mas-like G protein-coupled receptor MrgA1. <i>European Journal of Pharmacology</i> , 2006, 539, 145-150.	1.7	34
69	Diabetic Renal Hypouricemia. <i>Archives of Internal Medicine</i> , 1987, 147, 225.	4.3	33
70	Rifampicin as an Oral Angiogenesis Inhibitor Targeting Hepatic Cancers. <i>Cancer Research</i> , 2009, 69, 4760-4768.	0.4	33
71	Distinct biomarker roles for HbA 1c and glycated albumin in patients with type 2 diabetes on hemodialysis. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1494-1499.	1.2	33
72	Basal glucagon hypersecretion and response to oral glucose load in prediabetes and mild type 2 diabetes. <i>Endocrine Journal</i> , 2019, 66, 663-675.	0.7	33

#	ARTICLE	IF	CITATIONS
73	Regulation of Cell Growth and Apoptosis by Adrenomedullin. <i>Hypertension Research</i> , 2003, 26, S9-S14.	1.5	32
74	Induction of Max by Adrenomedullin and Calcitonin Gene-Related Peptide Antagonizes Endothelial Apoptosis. , 0, .		32
75	Diabetic Hypouricemia as an Indicator of Clinical Nephropathy. <i>American Journal of Nephrology</i> , 1990, 10, 115-122.	1.4	31
76	Role of Endothelin-1/Endothelin Receptor System in Endotoxic Shock Rats.. <i>Hypertension Research</i> , 2001, 24, 119-126.	1.5	31
77	Release of salusin- $\hat{1}^2$ from human monocytes/macrophages. <i>Regulatory Peptides</i> , 2010, 162, 68-72.	1.9	31
78	Endothelin and raynaud's phenomenon. <i>American Journal of Medicine</i> , 1991, 90, 130-132.	0.6	30
79	Expression of prosalusin in human neuroblastoma cells. <i>Peptides</i> , 2009, 30, 1362-1367.	1.2	28
80	Endothelin-B Receptor-Mediated Suppression of Endothelial Apoptosis. <i>Journal of Cardiovascular Pharmacology</i> , 1998, 31, S138-S141.	0.8	28
81	Atrial Natriuretic Peptide in the Pericardial Fluid of Patients with Heart Disease. <i>Clinical Science</i> , 1993, 85, 165-168.	1.8	26
82	Adrenomedullin Receptor Antagonism by Calcitonin Gene-Related Peptide(8-37) Inhibits Carotid Artery Neointimal Hyperplasia After Balloon Injury. <i>Circulation Research</i> , 1999, 85, 1199-1205.	2.0	24
83	Nitric Oxide Upregulates Dimethylarginine Dimethylaminohydrolase-2 via Cyclic GMP Induction in Endothelial Cells. <i>Hypertension</i> , 2008, 52, 903-909.	1.3	24
84	Upregulation of CDKN2A and suppression of cyclin D1 gene expressions in ACTH-secreting pituitary adenomas. <i>European Journal of Endocrinology</i> , 2010, 163, 523-529.	1.9	24
85	Serum levels and urinary excretion of salusin- $\hat{1}\pm$ in renal insufficiency. <i>Regulatory Peptides</i> , 2010, 162, 129-132.	1.9	24
86	Hypouricemia due to an Increment in Renal Tubular Urate Secretion. <i>Archives of Internal Medicine</i> , 1982, 142, 1855.	4.3	23
87	Vasoconstrictor-induced heterologous down-regulation of vascular atrial natriuretic peptide receptor. <i>European Journal of Pharmacology</i> , 1989, 164, 603-606.	1.7	23
88	Effect of Low-Protein, Very-Low-Phosphorus Diet on Diabetic Renal Insufficiency With Proteinuria. <i>American Journal of Kidney Diseases</i> , 1991, 18, 26-32.	2.1	23
89	Cytokine-activated Jak-2 is involved in inducible nitric oxide synthase expression independent from NF- $\hat{1}^B$ activation in vascular smooth muscle cells. <i>Atherosclerosis</i> , 2002, 160, 123-132.	0.4	23
90	Endogenous Bioactive Peptides as Potential Biomarkers for Atherosclerotic Coronary Heart Disease. <i>Sensors</i> , 2012, 12, 4974-4985.	2.1	23

#	ARTICLE	IF	CITATIONS
91	Diffuse Intrapulmonary Hemorrhage and Renal Failure in Adult Henoch-Sch&ouml;nlein Purpura. American Journal of Nephrology, 1987, 7, 140-142.	1.4	22
92	Decreased Fractional Excretion of Urate as an Indicator of Prerenal Azotemia. American Journal of Nephrology, 1990, 10, 489-494.	1.4	22
93	Down-regulation of adenylate cyclase coupled to adrenomedullin receptor in vascular smooth muscle cells. European Journal of Pharmacology, 1998, 352, 131-134.	1.7	22
94	Coexpression of Calcitonin Receptor-Like Receptor and Receptor Activity-Modifying Protein 2 or 3 Mediates the Antimigratory Effect of Adrenomedullin. Endocrinology, 2003, 144, 447-453.	1.4	21
95	Octreotide-Sensitive Ectopic ACTH Production by Islet Cell Carcinoma with Multiple Liver Metastases. Endocrine Journal, 2003, 50, 135-143.	0.7	20
96	Serum monomeric $\hat{\pm}$ 2-macroglobulin as a clinical biomarker in $\hat{\Delta}$ diabetes. Atherosclerosis, 2013, 228, 270-276.	0.4	20
97	Reply to 'Salusins: newly identified bioactive peptides with hemodynamic and mitogenic activities'. Nature Medicine, 2007, 13, 661-662.	15.2	19
98	Levels of albuminuria and risk of developing macroalbuminuria in type 2 diabetes: historical cohort study. Scientific Reports, 2016, 6, 26380.	1.6	19
99	Regulation of Adrenomedullin Gene Transcription and Degradation by the c-mycGene. Endocrinology, 2004, 145, 4244-4250.	1.4	18
100	Oxidised Met147 of human serum albumin is a biomarker of oxidative stress, reflecting glycaemic fluctuations and hypoglycaemia in diabetes. Scientific Reports, 2020, 10, 268.	1.6	18
101	Cytokine-Activated p42/p44 MAP Kinase Is Involved in Inducible Nitric Oxide Synthase Gene Expression Independent from NF- $\hat{\Delta}$ .KAPPA.B Activation in Vascular Smooth Muscle Cells.. Hypertension Research, 2000, 23, 659-667.	1.5	17
102	A Patient with Type 1 Diabetes Mellitus and Cerebellar Ataxia Associated with High Titer of Circulating Anti-Glutamic Acid Decarboxylase Antibodies.. Endocrine Journal, 2001, 48, 261-268.	0.7	17
103	Biosynthesis and secretion of salusin- $\hat{\pm}$ from human cells. Peptides, 2008, 29, 2203-2207.	1.2	17
104	Anti-salusin- $\hat{\pm}$ 2 antibody enhances angiogenesis after myocardial ischemia reperfusion injury. Expert Opinion on Therapeutic Targets, 2013, 17, 1003-1009.	1.5	17
105	Inhibition of cancer progression by rifampicin: Involvement of antiangiogenic and anti-tumor effects. Cell Cycle, 2010, 9, 64-68.	1.3	16
106	Distinct clinical characteristics and therapeutic modalities for diabetic ketoacidosis in type 1 and type 2 diabetes mellitus. Journal of Diabetes and Its Complications, 2017, 31, 468-472.	1.2	16
107	Emerging Roles for Vasoactive Peptides in Diagnostic and Therapeutic Strategies Against Atherosclerotic Cardiovascular Diseases. Current Protein and Peptide Science, 2013, 14, 472-480.	0.7	16
108	Thymic Hyperplasia as a Source of Ectopic ACTH Production.. Endocrine Journal, 2000, 47, 487-492.	0.7	15

#	ARTICLE	IF	CITATIONS
109	Endothelin-1 Induces Cyclooxygenase-2 Expression and Generation of Reactive Oxygen Species in Endothelial Cells. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 44, S332-S335.	0.8	15
110	Regulation of growth hormone secretion by (pro)renin receptor. <i>Scientific Reports</i> , 2015, 5, 10878.	1.6	15
111	Hemodialysis-Related Glycemic Disarray Proven by Continuous Glucose Monitoring; Glycemic Markers and Hypoglycemia. <i>Diabetes Care</i> , 2021, 44, 1647-1656.	4.3	15
112	Adrenomedullin Stimulates Proline-Rich Tyrosine Kinase 2 in Vascular Smooth Muscle Cells. , 0, .		15
113	Hypouricemia due to Increased Tubular Urate Secretion. <i>Nephron</i> , 1987, 45, 31-34.	0.9	14
114	Renal Handling of Urate in the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. <i>Archives of Internal Medicine</i> , 1985, 145, 2045.	4.3	13
115	Biphasic Regulation of the Preproendothelin-1 Gene by c-myc*. <i>Endocrinology</i> , 1997, 138, 4584-4590.	1.4	13
116	Downregulation of the proangiogenic prostaglandin E receptor EP3 and reduced angiogenesis in a mouse model of diabetes mellitus. <i>Biomedicine and Pharmacotherapy</i> , 2014, 68, 1125-1133.	2.5	13
117	Tolvaptan alleviates excessive fluid retention of nephrotic diabetic renal failure unresponsive to furosemide. <i>Nephrology</i> , 2018, 23, 883-886.	0.7	13
118	Comparison of accuracy between flash glucose monitoring and continuous glucose monitoring in patients with type 2 diabetes mellitus undergoing hemodialysis. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107680.	1.2	13
119	Suppression of Integrin $\alpha_v$ Expression by Endothelin-1 in Vascular Smooth Muscle Cells.. <i>Hypertension Research</i> , 2000, 23, 643-649.	1.5	12
120	Degradation of atrial natriuretic peptide in dogs. <i>European Journal of Endocrinology</i> , 1989, 120, 170-174.	1.9	11
121	Attenuation of atrial natriuretic peptide response to sodium loading after cardiac operation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1995, 110, 75-80.	0.4	11
122	Salusin- $\beta^2$ as a powerful endogenous antidipsogenic neuropeptide. <i>Scientific Reports</i> , 2016, 6, 20988.	1.6	11
123	SGLT2 inhibitors provide an effective therapeutic option for diabetes complicated with insulin antibodies. <i>Endocrine Journal</i> , 2016, 63, 187-191.	0.7	11
124	Non-viral in vivo thrombomodulin gene transfer prevents early loss of thromboresistance of grafted veins. <i>European Journal of Cardio-thoracic Surgery</i> , 2004, 26, 995-1001.	0.6	10
125	Contrasting effects of stanniocalcin-related polypeptides on macrophage foam cell formation and vascular smooth muscle cell migration. <i>Peptides</i> , 2016, 82, 120-127.	1.2	10
126	Prolonged effects of intracerebroventricular angiotensin II on drinking, eating and locomotor behavior in mice. <i>Regulatory Peptides</i> , 2012, 173, 86-92.	1.9	9



#	ARTICLE	IF	CITATIONS
127	Identification and quantification of plasma free salusin- $\hat{1}^2$ , an endogenous parasympathomimetic peptide. <i>Scientific Reports</i> , 2017, 7, 8275.	1.6	9
128	Increased Urinary Kallikrein-Like Activity in the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. <i>Nephron</i> , 1983, 35, 39-48.	0.9	8
129	Secondary polycythemia associated with multiple myeloma.. <i>Japanese Journal of Medicine</i> , 1989, 28, 396-398.	0.1	8
130	Abnormal FSH Hypersecretion as an Endocrinological Manifestation of POEMS Syndrome.. <i>Endocrine Journal</i> , 1998, 45, 131-134.	0.7	8
131	High Molecular Weight Form Insulin-like Growth Factor II-producing Mesenteric Sarcoma Causing Hypoglycemia. <i>Internal Medicine</i> , 2004, 43, 967-971.	0.3	8
132	Identification of the salusin- $\hat{1}^2$ receptor using proteoliposomes embedded with endogenous membrane proteins. <i>Scientific Reports</i> , 2018, 8, 17865.	1.6	8
133	Suprabasin-derived bioactive peptides identified by plasma peptidomics. <i>Scientific Reports</i> , 2021, 11, 1047.	1.6	8
134	Low-protein diet and progression of renal disease in diabetic nephropathy. <i>Lancet</i> , The, 1990, 335, 411-412.	6.3	7
135	Endothelin-1 as an Autocrine/Paracrine Factor for Human Tumor Cell Lines. <i>Journal of Cardiovascular Pharmacology</i> , 1991, 17, S76-78.	0.8	7
136	Effects of dietary protein restriction on hemodynamics in chronic renal failure. <i>Kidney International</i> , 1993, 43, 443-447.	2.6	7
137	A Woman with Salt-wasting Congenital Adrenal Hyperplasia Presenting with a Mucinous Ovarian Cystadenoma during Pregnancy. <i>Internal Medicine</i> , 2011, 50, 1981-1985.	0.3	7
138	Hepatocyte-protective and anti-oxidant effects of rifampicin on human chronic hepatitis C and murine acute hepatocyte disorder. <i>Experimental and Therapeutic Medicine</i> , 2010, 1, 1041-1047.	0.8	6
139	Salusins. , 2013, , 1423-1427.		5
140	Circulating prorenin: its molecular forms and plasma concentrations. <i>Hypertension Research</i> , 2021, 44, 674-684.	1.5	5
141	GIP_HUMAN[22â€“51] is a new proatherogenic peptide identified by native plasma peptidomics. <i>Scientific Reports</i> , 2021, 11, 14470.	1.6	5
142	Short-term Change in Resting Energy Expenditure and Body Compositions in Therapeutic Process for Graves' Disease. <i>Internal Medicine</i> , 2020, 59, 1827-1833.	0.3	5
143	Physiological fluctuations of human plasma total salusin- $\hat{1}^2$ , an endogenous parasympathomimetic/proatherosclerotic peptide. <i>Peptides</i> , 2014, 59, 83-88.	1.2	4
144	Randomized study of prevention of gastrointestinal toxicities by nutritional support using an amino acid-rich elemental diet during chemotherapy in patients with esophageal cancer (KDOG 1101). <i>Esophagus</i> , 2021, 18, 296-305.	1.0	4

#	ARTICLE	IF	CITATIONS
145	The effectiveness of growth hormone replacement on energy expenditure and body composition in patients with adult growth hormone deficiency. <i>Endocrine Journal</i> , 2021, 68, 469-475.	0.7	4
146	Effects of luseogliflozin on the secretion of islet hormones and incretins in patients with type 2 diabetes. <i>Endocrine Journal</i> , 2022, 69, 681-687.	0.7	4
147	Hypouricemia in the Syndrome of Inappropriate Secretion of Antidiuretic Hormone. <i>Nephron</i> , 1986, 42, 183-184.	0.9	3
148	Pathophysiological Role of Magnesium in Familial Bartter's Syndrome.. <i>Internal Medicine</i> , 1994, 33, 1-5.	0.3	3
149	Identification of plasma binding proteins for glucose-dependent insulinotropic polypeptide. <i>Endocrine Journal</i> , 2019, 66, 621-628.	0.7	3
150	Use of Noncontact Infrared Skin Thermometer for Peripheral Arterial Disease Screening in Patients With and Without Diabetes. <i>Angiology</i> , 2020, 71, 650-657.	0.8	3
151	Relationship between Autonomic Nervous System Activity during Sleep and Fasting Glucose in Japanese Workers. <i>Industrial Health</i> , 2011, 49, 427-433.	0.4	3
152	Plasma and serum prorenin concentrations in diabetes, hypertension, and renal disease. <i>Hypertension Research</i> , 2022, 45, 1977-1985.	1.5	3
153	DIFFERENTIATING GLOMERULAR AND NON-GLOMERULAR HAEMATURIA. <i>Lancet, The</i> , 1988, 332, 446-447.	6.3	2
154	Atrial Natriuretic Peptide Response to Unilateral Pulmonary Artery Occlusion. <i>Chest</i> , 1994, 106, 1381-1386.	0.4	2
155	A Critical Role of Salusin-beta in Myocardial Ischemia. <i>Journal of Cardiac Failure</i> , 2009, 15, S172.	0.7	1
156	A novel strategy to identify autoantigens by proteomic analysis of plasma IgG-bound proteins. <i>Journal of Electrophoresis</i> , 2019, 63, 15-24.	0.2	1
157	Protein arginine N-methyltransferase 1 gene polymorphism is associated with proliferative diabetic retinopathy in a Japanese population. <i>Acta Diabetologica</i> , 2021, , 1.	1.2	1
158	Th2-predominant inflammation and blockade of IFN- $\gamma$ signaling induce aneurysms in allografted aortas. <i>Journal of Clinical Investigation</i> , 2004, 114, 739-739.	3.9	1
159	Clinical feasibility of remote intermittently scanned continuous glucose monitoring in coronavirus disease 2019 patients with and without diabetes during dexamethasone therapy. <i>Endocrine Journal</i> , 2022, 69, 597-604.	0.7	1
160	ANGT_HUMAN[448â€“462], an Anorexigenic Peptide Identified using Plasma Peptidomics. <i>Journal of the Endocrine Society</i> , 0, , .	0.1	1
161	Discordance in the reduction rate between glycosylated albumin and glycosylated hemoglobin levels in type 2 diabetes patients receiving SGLT2 inhibitors. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108225.	1.2	1
162	Hypouricemia and Renal Tubular Urate Secretion-Reply. <i>Archives of Internal Medicine</i> , 1983, 143, 1634.	4.3	0

#	ARTICLE	IF	CITATIONS
163	Tolvaptan alleviates excessive fluid retention of nephrotic diabetic renal failure unresponsive to furosemide. <i>Nephrology</i> , 0, , .	0.7	0