Isabel Sola

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5126228/isabel-sola-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72	7,560	35	75
papers	citations	h-index	g-index
75 ext. papers	9,561 ext. citations	8.4 avg, IF	8.55 L-index

#	Paper	IF	Citations
7 2	Preclinical and randomized phase I studies of plitidepsin in adults hospitalized with COVID-19 <i>Life Science Alliance</i> , 2022 , 5,	5.8	6
71	Eicosanoid signaling blockade protects middle-aged mice from severe COVID-19 Nature, 2022,	50.4	9
70	Suitability of transiently expressed antibodies for clinical studies: product quality consistency at different production scales <i>MAbs</i> , 2022 , 14, 2052228	6.6	O
69	Contribution of Host miRNA-223-3p to SARS-CoV-Induced Lung Inflammatory Pathology <i>MBio</i> , 2022 , e0313521	7.8	1
68	An ACE2-blocking antibody confers broad neutralization and protection against Omicron and other SARS-CoV-2 variants of concern <i>Science Immunology</i> , 2022 , eabp9312	28	5
67	Middle East respiratory syndrome coronavirus vaccine based on a propagation-defective RNA replicon elicited sterilizing immunity in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1
66	Development of a Single-cycle Infectious SARS-CoV-2 Virus Replicon Particle System for use in BSL2 Laboratories. <i>Journal of Virology</i> , 2021 , JVI0183721	6.6	2
65	A conserved immunogenic and vulnerable site on the coronavirus spike protein delineated by cross-reactive monoclonal antibodies. <i>Nature Communications</i> , 2021 , 12, 1715	17.4	60
64	Genetically Engineered Live-Attenuated Middle East Respiratory Syndrome Coronavirus Viruses Confer Full Protection against Lethal Infection. <i>MBio</i> , 2021 , 12,	7.8	3
63	Viral PDZ Binding Motifs Influence Cell Behavior Through the Interaction with Cellular Proteins Containing PDZ Domains. <i>Methods in Molecular Biology</i> , 2021 , 2256, 217-236	1.4	2
62	Middle East Respiratory Syndrome Coronavirus Gene 5 Modulates Pathogenesis in Mice. <i>Journal of Virology</i> , 2021 , 95,	6.6	4
61	MOV10 Helicase Interacts with Coronavirus Nucleocapsid Protein and Has Antiviral Activity. <i>MBio</i> , 2021 , 12, e0131621	7.8	2
60	Canonical and Noncanonical Autophagy as Potential Targets for COVID-19. <i>Cells</i> , 2020 , 9,	7.9	34
59	The species Severe acute respiratory syndrome-related coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2. <i>Nature Microbiology</i> , 2020 , 5, 536-544	26.6	3797
58	Cross-neutralization activity against SARS-CoV-2 is present in currently available intravenous immunoglobulins. <i>Immunotherapy</i> , 2020 , 12, 1247-1255	3.8	18
57	Recombinant Chimeric Transmissible Gastroenteritis Virus (TGEV) - Porcine Epidemic Diarrhea Virus (PEDV) Virus Provides Protection against Virulent PEDV. <i>Viruses</i> , 2019 , 11,	6.2	13
56	Minimum Determinants of Transmissible Gastroenteritis Virus Enteric Tropism Are Located in the N-Terminus of Spike Protein. <i>Pathogens</i> , 2019 , 9,	4.5	7

55	Adaptive Evolution of MERS-CoV to Species Variation in DPP4. Cell Reports, 2018, 24, 1730-1737	10.6	82
54	Chimeric camel/human heavy-chain antibodies protect against MERS-CoV infection. <i>Science Advances</i> , 2018 , 4, eaas9667	14.3	55
53	MERS-CoV 4b protein interferes with the NF- B -dependent innate immune response during infection. <i>PLoS Pathogens</i> , 2018 , 14, e1006838	7.6	82
52	Role of Severe Acute Respiratory Syndrome Coronavirus Viroporins E, 3a, and 8a in Replication and Pathogenesis. <i>MBio</i> , 2018 , 9,	7.8	167
51	SARS-CoV-Encoded Small RNAs Contribute to Infection-Associated Lung Pathology. <i>Cell Host and Microbe</i> , 2017 , 21, 344-355	23.4	57
50	Role of transcription regulatory sequence in regulation of gene expression and replication of porcine reproductive and respiratory syndrome virus. <i>Veterinary Research</i> , 2017 , 48, 41	3.8	5
49	Middle East Respiratory Coronavirus Accessory Protein 4a Inhibits PKR-Mediated Antiviral Stress Responses. <i>PLoS Pathogens</i> , 2016 , 12, e1005982	7.6	111
48	Virulence factors in porcine coronaviruses and vaccine design. <i>Virus Research</i> , 2016 , 226, 142-151	6.4	23
47	Molecular Basis of Coronavirus Virulence and Vaccine Development. <i>Advances in Virus Research</i> , 2016 , 96, 245-286	10.7	90
46	Mutagenesis of Coronavirus nsp14 Reveals Its Potential Role in Modulation of the Innate Immune Response. <i>Journal of Virology</i> , 2016 , 90, 5399-5414	6.6	84
45	Continuous and Discontinuous RNA Synthesis in Coronaviruses. Annual Review of Virology, 2015, 2, 265-	-818 4.6	336
44	Antigenic structures stably expressed by recombinant TGEV-derived vectors. <i>Virology</i> , 2014 , 464-465, 274-286	3.6	4
43	Coronavirus reverse genetic systems: infectious clones and replicons. <i>Virus Research</i> , 2014 , 189, 262-70	6.4	71
42	Reprint of: Coronavirus reverse genetic systems: infectious clones and replicons. <i>Virus Research</i> , 2014 , 194, 67-75	6.4	3
41	Long-distance RNA-RNA interactions in the coronavirus genome form high-order structures promoting discontinuous RNA synthesis during transcription. <i>Journal of Virology</i> , 2013 , 87, 177-86	6.6	24
40	Transmissible gastroenteritis coronavirus genome packaging signal is located at the 5\texture nd of the genome and promotes viral RNA incorporation into virions in a replication-independent process. Journal of Virology, 2013, 87, 11579-90	6.6	20
39	Engineering a replication-competent, propagation-defective Middle East respiratory syndrome coronavirus as a vaccine candidate. <i>MBio</i> , 2013 , 4, e00650-13	7.8	185
38	Alphacoronavirus protein 7 modulates host innate immune response. <i>Journal of Virology</i> , 2013 , 87, 975	4667	31

37	The polypyrimidine tract-binding protein affects coronavirus RNA accumulation levels and relocalizes viral RNAs to novel cytoplasmic domains different from replication-transcription sites. <i>Journal of Virology</i> , 2011 , 85, 5136-49	6.6	53
36	Structure and functional relevance of a transcription-regulating sequence involved in coronavirus discontinuous RNA synthesis. <i>Journal of Virology</i> , 2011 , 85, 4963-73	6.6	27
35	RNA-RNA and RNA-protein interactions in coronavirus replication and transcription. <i>RNA Biology</i> , 2011 , 8, 237-48	4.8	88
34	Gene N proximal and distal RNA motifs regulate coronavirus nucleocapsid mRNA transcription. <i>Journal of Virology</i> , 2011 , 85, 8968-80	6.6	15
33	Coronavirus gene 7 counteracts host defenses and modulates virus virulence. <i>PLoS Pathogens</i> , 2011 , 7, e1002090	7.6	89
32	Coronavirus nucleocapsid protein facilitates template switching and is required for efficient transcription. <i>Journal of Virology</i> , 2010 , 84, 2169-75	6.6	124
31	Vectored vaccines to protect against PRRSV. Virus Research, 2010, 154, 150-60	6.4	33
30	Host cell proteins interacting with the 3\texture nd of TGEV coronavirus genome influence virus replication. <i>Virology</i> , 2009 , 391, 304-14	3.6	53
29	Role of RNA chaperones in virus replication. Virus Research, 2009, 139, 253-66	6.4	45
28	Gene expression, virulence and vaccine development in coronaviruses. <i>Journal of Biotechnology</i> , 2008 , 136, S212-S213	3.7	78
27	Identification of a coronavirus transcription enhancer. <i>Journal of Virology</i> , 2008 , 82, 3882-93	6.6	54
26	Coronavirus nucleocapsid protein is an RNA chaperone. <i>Virology</i> , 2007 , 357, 215-27	3.6	101
25	Recombinant dimeric small immunoproteins neutralize transmissible gastroenteritis virus infectivity efficiently in vitro and confer passive immunity in vivo. <i>Journal of General Virology</i> , 2007 , 88, 187-195	4.9	10
24	Construction of a severe acute respiratory syndrome coronavirus infectious cDNA clone and a replicon to study coronavirus RNA synthesis. <i>Journal of Virology</i> , 2006 , 80, 10900-6	6.6	153
23	Biochemical aspects of coronavirus replication. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 581, 13-24	3.6	6
22	Biochemical aspects of coronavirus replication and virus-host interaction. <i>Annual Review of Microbiology</i> , 2006 , 60, 211-30	17.5	153
21	An antibody derivative expressed from viral vectors passively immunizes pigs against transmissible gastroenteritis virus infection when supplied orally in crude plant extracts. <i>Plant Biotechnology Journal</i> , 2006 , 4, 623-31	11.6	35
20	Use of virus vectors for the expression in plants of active full-length and single chain anti-coronavirus antibodies. <i>Biotechnology Journal</i> , 2006 , 1, 1103-11	5.6	24

19	Regulation of coronavirus transcription: viral and cellular proteins interacting with transcription-regulating sequences. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 581, 31-5	3.6	2
18	Role of nucleotides immediately flanking the transcription-regulating sequence core in coronavirus subgenomic mRNA synthesis. <i>Journal of Virology</i> , 2005 , 79, 2506-16	6.6	94
17	Sequence motifs involved in the regulation of discontinuous coronavirus subgenomic RNA synthesis. <i>Journal of Virology</i> , 2004 , 78, 980-94	6.6	179
16	Effects of infection with transmissible gastroenteritis virus on concomitant immune responses to dietary and injected antigens. <i>Vaccine Journal</i> , 2004 , 11, 337-43		17
15	Engineering the transmissible gastroenteritis virus genome as an expression vector inducing lactogenic immunity. <i>Journal of Virology</i> , 2003 , 77, 4357-69	6.6	80
14	Transmissible gastroenteritis coronavirus gene 7 is not essential but influences in vivo virus replication and virulence. <i>Virology</i> , 2003 , 308, 13-22	3.6	92
13	Transcription regulatory sequences and mRNA expression levels in the coronavirus transmissible gastroenteritis virus. <i>Journal of Virology</i> , 2002 , 76, 1293-308	6.6	76
12	In vitro and in vivo expression of foreign genes by transmissible gastroenteritis coronavirus-derived minigenomes. <i>Journal of General Virology</i> , 2002 , 83, 567-579	4.9	19
11	Complete genome sequence of transmissible gastroenteritis coronavirus PUR46-MAD clone and evolution of the purdue virus cluster. <i>Virus Genes</i> , 2001 , 23, 105-18	2.3	67
10	Coronavirus derived expression systems. <i>Journal of Biotechnology</i> , 2001 , 88, 183-204	3.7	36
9	Expression of transcriptional units using transmissible gastroenteritis coronavirus derived minigenomes and full-length cDNA clones. <i>Advances in Experimental Medicine and Biology</i> , 2001 , 494, 447-51	3.6	3
8	Specific secretion of active single-chain Fv antibodies into the supernatants of Escherichia coli cultures by use of the hemolysin system. <i>Applied and Environmental Microbiology</i> , 2000 , 66, 5024-9	4.8	65
7	Targeted recombination demonstrates that the spike gene of transmissible gastroenteritis coronavirus is a determinant of its enteric tropism and virulence. <i>Journal of Virology</i> , 1999 , 73, 7607-18	6.6	176
6	Engineering passive immunity in transgenic mice secreting virus-neutralizing antibodies in milk. <i>Nature Biotechnology</i> , 1998 , 16, 349-54	44.5	63
5	Transgenic mice secreting coronavirus neutralizing antibodies into the milk. <i>Journal of Virology</i> , 1998 , 72, 3762-72	6.6	42
4	Interference of coronavirus infection by expression of IgG or IgA virus neutralizing antibodies. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 440, 665-74	3.6	
3	Cross-neutralization activity against SARS-CoV-2 is present in currently available intravenous immunogl	obulin	S 2
2	Isolation of cross-reactive monoclonal antibodies against divergent human coronaviruses that delineate a conserved and vulnerable site on the spike protein		9

The deubiquitinating activity of Middle East respiratory syndrome coronavirus papain-like protease delays the innate immune response and enhances virulence in a mouse model

3