
## Maria João Rosa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5126755/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The role of membrane charge on nanofiltration performance. Journal of Membrane Science, 2005, 265, 160-166.	4.1	262
2	Comparing dissolved air flotation and conventional sedimentation to remove cyanobacterial cells of Microcystis aeruginosa. Separation and Purification Technology, 2006, 52, 84-94.	3.9	150
3	Assessing PAC contribution to the NOM fouling control in PAC/UF systems. Water Research, 2010, 44, 1636-1644.	5.3	140
4	How do the HSDM and Boyd's model compare for estimating intraparticle diffusion coefficients in adsorption processes. Adsorption, 2014, 20, 737-746.	1.4	137
5	Comparing dissolved air flotation and conventional sedimentation to remove cyanobacterial cells of Microcystis aeruginosaPart II. The effect of water background organics. Separation and Purification Technology, 2007, 53, 126-134.	3.9	95
6	The ionic strength effect on microcystin and natural organic matter surrogate adsorption onto PAC. Journal of Colloid and Interface Science, 2006, 299, 520-529.	5.0	80
7	Evaluation of cyanobacterial cells removal and lysis by ultrafiltration. Separation and Purification Technology, 2010, 70, 345-353.	3.9	74
8	Structure of water in asymmetric cellulose ester membranes — and ATR-FTIR study. Journal of Membrane Science, 1998, 138, 259-267.	4.1	64
9	Removal of microcystins by PAC/UF. Separation and Purification Technology, 2010, 71, 114-120.	3.9	64
10	Investigating dissolved air flotation performance with cyanobacterial cells and filaments. Water Research, 2010, 44, 3337-3344.	5.3	64
11	Membrane surface characterisation by contact angle measurements using the immersed method. Journal of Membrane Science, 1997, 131, 167-180.	4.1	63
12	Microcystins removal by nanofiltration membranes. Separation and Purification Technology, 2005, 46, 192-201.	3.9	61
13	Energy performance indicators of wastewater treatment: a field study with 17 Portuguese plants. Water Science and Technology, 2015, 72, 510-519.	1.2	59
14	Investigating PPCP Removal from Wastewater by Powdered Activated Carbon/Ultrafiltration. Water, Air, and Soil Pollution, 2016, 227, 1.	1.1	59
15	Concentration Polarization in Ultrafiltration/Nanofiltration for the Recovery of Polyphenols from Winery Wastewaters. Membranes, 2018, 8, 46.	1.4	46
16	Neurotoxic and hepatotoxic cyanotoxins removal by nanofiltration. Water Research, 2006, 40, 2837-2846.	5.3	42
17	A performance indicators system for urban wastewater treatment plants. Water Science and Technology, 2010, 62, 2398-2407.	1.2	41
18	pH adjustment for seasonal control of UF fouling by natural waters. Desalination, 2003, 151, 165-175.	4.0	38

Maria João Rosa

#	Article	IF	CITATIONS
19	Separation of organic solutes by membrane pressure-driven processes. Journal of Membrane Science, 1994, 89, 235-243.	4.1	37
20	Modelling and understanding the competitive adsorption of microcystins and tannic acid. Water Research, 2013, 47, 5690-5699.	5.3	36
21	The role of ultrafiltration and nanofiltration on the minimisation of the environmental impact of bleached pulp effluents. Journal of Membrane Science, 1995, 102, 155-161.	4.1	35
22	Nanofiltration removal of chlorinated organic compounds from alkaline bleaching effluents in a pulp and paper plant. Water Research, 1992, 26, 1639-1643.	5.3	33
23	The impact of the water background inorganic matrix on the natural organic matter removal by nanofiltration. Journal of Membrane Science, 2006, 279, 513-520.	4.1	32
24	Integration of dissolved gas flotation and nanofiltration for M. aeruginosa and associated microcystins removal. Water Research, 2006, 40, 3612-3620.	5.3	29
25	Assessing the applicability of a new carob waste-derived powdered activated carbon to control pharmaceutical compounds in wastewater treatment. Science of the Total Environment, 2020, 743, 140791.	3.9	29
26	Translating removal efficiencies into operational performance indices of wastewater treatment plants. Water Research, 2014, 57, 202-214.	5.3	26
27	Pilot Studies and Cost Analysis of Hybrid Powdered Activated Carbon/Ceramic Microfiltration for Controlling Pharmaceutical Compounds and Organic Matter in Water Reclamation. Water (Switzerland), 2020, 12, 33.	1.2	21
28	A tool for a comprehensive assessment of treated wastewater quality. Journal of Environmental Management, 2014, 146, 400-406.	3.8	19
29	Performance indicators and indices of sludge management in urban wastewater treatment plants. Journal of Environmental Management, 2016, 184, 307-317.	3.8	16
30	Adsorption/Coagulation/Ceramic Microfiltration for Treating Challenging Waters for Drinking Water Production. Membranes, 2021, 11, 91.	1.4	14
31	To what extent may pharmaceuticals and pesticides be removed by PAC conventional addition to low-turbidity surface waters and what are the potential bottlenecks?. Journal of Water Process Engineering, 2021, 40, 101833.	2.6	14
32	Key Factors for Activated Carbon Adsorption of Pharmaceutical Compounds from Wastewaters: A Multivariate Modelling Approach. Water (Switzerland), 2022, 14, 166.	1.2	14
33	Understanding the bioaccumulation of pharmaceutical active compounds by clams Ruditapes decussatus exposed to a UWWTP discharge. Environmental Research, 2022, 208, 112632.	3.7	13
34	Atenolol removal by nanofiltration: a case-specific mass transfer correlation. Water Science and Technology, 2020, 81, 210-216.	1.2	12
35	The Development of a Framework for Assessing the Energy Efficiency in Urban Water Systems and Its Demonstration in the Portuguese Water Sector. Water (Switzerland), 2020, 12, 134.	1.2	12
36	Results of â€~PASt21' – the Portuguese initiative for performance assessment of water and wastewater treatment plants. Water Science and Technology: Water Supply, 2012, 12, 372-386.	1.0	11

Maria João Rosa

#	Article	IF	CITATIONS
37	Performance assessment of 23 wastewater treatment plants - a case study. Urban Water Journal, 2020, 17, 78-85.	1.0	11
38	Occurrence and seasonality of pharmaceutical compounds in urban wastewaters in two Portuguese regions. Urban Water Journal, 2021, 18, 465-478.	1.0	11
39	Solar Light-Induced Methylene Blue Removal over TiO2/AC Composites and Photocatalytic Regeneration. Nanomaterials, 2021, 11, 3016.	1.9	11
40	Engineered pine nut shell derived activated carbons for improved removal of recalcitrant pharmaceuticals in urban wastewater treatment. Journal of Hazardous Materials, 2022, 437, 129319.	6.5	11
41	An Update on Wastewater Multi-Resistant Bacteria: Identification of Clinical Pathogens Such as Escherichia coli O25b:H4-B2-ST131-Producing CTX-M-15 ESBL and KPC-3 Carbapenemase-Producing Klebsiella oxytoca. Microorganisms, 2021, 9, 576.	1.6	10
42	A comprehensive approach for diagnosing opportunities for improving the performance of a WWTP. Water Science and Technology, 2016, 74, 2935-2945.	1.2	9
43	Powdered activated carbon full-scale addition to the activated sludge reactor of a municipal wastewater treatment plant: Pharmaceutical compounds control and overall impact on the process. Journal of Water Process Engineering, 2022, 49, 102975.	2.6	9
44	Water reclamation with hybrid coagulation–ceramic microfiltration: first part of a long-term pilot study in Portugal. Journal of Water Reuse and Desalination, 2015, 5, 550-556.	1.2	8
45	Operational performance and cost analysis of PAC/ceramic MF for drinking water production: Exploring treatment capacity as a new indicator for performance assessment and optimization. Separation and Purification Technology, 2021, 255, 117443.	3.9	8
46	Comparing PAC/UF and conventional clarification with PAC for removing microcystins from natural waters. Desalination and Water Treatment, 2010, 16, 120-128.	1.0	7
47	A Comprehensive Derivation and Application of Reference Values for Benchmarking the Energy Performance of Activated Sludge Wastewater Treatment. Water (Switzerland), 2022, 14, 1620.	1.2	6
48	Hybrid Process of Adsorption/Coagulation/Ceramic MF for Removing Pesticides in Drinking Water Treatment—Inline vs. Contact Tank PAC Dosing. Membranes, 2021, 11, 72.	1.4	5
49	Optical Polarizing Studies of Cellulose Acetate Membranes Prepared by Phase-Inversion. Molecular Crystals and Liquid Crystals, 1995, 258, 163-171.	0.3	4
50	A Treatment Reliability-Based Method for Supporting Infrastructure Asset Management of Wastewater Treatment Plants. Water (Switzerland), 2022, 14, 1106.	1.2	4
51	How does the adsorption of microcystins and anatoxin-a on nanofiltration membranes depend on their co-existence and on the water background matrix. Water Science and Technology, 2012, 66, 976-982.	1.2	3
52	A Practical Methodology for Forecasting the Impact of Changes in Influent Loads and Discharge Consents on Average Energy Consumption and Sludge Production by Activated Sludge Wastewater Treatment. Sustainability, 2021, 13, 12293.	1.6	2
53	Identification and Modelling of Chlorine Decay Mechanisms in Reclaimed Water Containing Ammonia. Sustainability, 2021, 13, 13548.	1.6	2
54	Activated carbons in full-scale advanced wastewater treatment. , 2022, , 433-475.		2

#	Article	IF	CITATIONS
55	Estratégia para recuperação de fósforo de águas residuais urbanas. Ãguas E ResÃduos, 2017, , 38-50.	0.0	0
56	Tratamento de Ãigua com carvão ativado em pó/microfiltração cerâmica (PAC/MF) – quando e onde?. Ãguas E ResÃduos, 2017, , 17-29.	0.0	0
57	Consumo de energia nos serviços urbanos de água em Portugal Continental. Resultados 2004-2017. Ãguas E ResÃduos, 2020, , 5-16.	0.1	0