

# Erminia Manfrin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5127071/publications.pdf>

Version: 2024-02-01

81  
papers

2,497  
citations

172443

29  
h-index

214788

47  
g-index

81  
all docs

81  
docs citations

81  
times ranked

3005  
citing authors

#	ARTICLE	IF	CITATIONS
1	Apparent Renal Cell Carcinomas in Tuberous Sclerosis Are Heterogeneous. <i>American Journal of Surgical Pathology</i> , 1998, 22, 180-187.	3.7	250
2	Abdominopelvic Sarcoma of Perivascular Epithelioid Cells. Report of Four Cases in Young Women, One with Tuberous Sclerosis. <i>Modern Pathology</i> , 2001, 14, 563-568.	5.5	191
3	Renal Angiomyolipoma With Epithelioid Sarcomatous Transformation and Metastases. <i>American Journal of Surgical Pathology</i> , 2000, 24, 889-894.	3.7	123
4	Genotypic Intratumoral Heterogeneity in Breast Carcinoma With HER2/ <i>neu</i> Amplification. <i>American Journal of Clinical Pathology</i> , 2009, 131, 678-682.	0.7	101
5	Endoscopic Ultrasound-guided Fine-needle Biopsy With or Without Rapid On-site Evaluation for Diagnosis of Solid Pancreatic Lesions: A Randomized Controlled Non-Inferiority Trial. <i>Gastroenterology</i> , 2021, 161, 899-909.e5.	1.3	99
6	Immune Escape Mechanisms in Colorectal Cancer Pathogenesis and Liver Metastasis. <i>Journal of Immunology Research</i> , 2014, 2014, 1-11.	2.2	86
7	Comparison between EUS-guided fine-needle aspiration cytology and EUS-guided fine-needle biopsy histology for the evaluation of pancreatic neuroendocrine tumors. <i>Pancreatology</i> , 2021, 21, 443-450.	1.1	67
8	Breast Carcinoma with Positive Results for Melanoma Marker (HMB-45): HMB-45 Immunoreactivity in Normal and Neoplastic Breast. <i>American Journal of Clinical Pathology</i> , 1989, 92, 491-495.	0.7	66
9	Endoscopic ultrasound through-the-needle biopsy in pancreatic cystic lesions: A multicenter study. <i>Digestive Endoscopy</i> , 2018, 30, 760-770.	2.3	63
10	Prognostic significance of estrogen receptors in 405 primary breast cancers: a comparison of immunohistochemical and biochemical methods. <i>Breast Cancer Research and Treatment</i> , 1997, 45, 241-249.	2.5	55
11	Comparison of hormonal receptor and HER-2 status between breast primary tumours and relapsing tumours: clinical implications of progesterone receptor loss. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 1-10.	2.8	55
12	Cancer-related CD15/FUT4 overexpression decreases benefit to agents targeting EGFR or VEGF acting as a novel RAF-MEK-ERK kinase downstream regulator in metastatic colorectal cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015, 34, 108.	8.6	54
13	Association between macroscopically visible tissue samples and diagnostic accuracy of EUS-guided through-the-needle microforceps biopsy sampling of pancreatic cystic lesions. <i>Gastrointestinal Endoscopy</i> , 2019, 90, 933-943.	1.0	52
14	Randomized trial comparing fork-tip and side-fenestrated needles for EUS-guided fine-needle biopsy of solid pancreatic lesions. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 648-658.e2.	1.0	51
15	Patterns of Recurrence after Resection for Pancreatic Neuroendocrine Tumors: Who, When, and Where?. <i>Neuroendocrinology</i> , 2019, 108, 161-171.	2.5	50
16	HER-2/ <i>neu</i> Assessment in Breast Cancer Using the Original FDA and New ASCO/CAP Guideline Recommendations. <i>American Journal of Clinical Pathology</i> , 2008, 129, 907-911.	0.7	48
17	Perfusion CT can predict tumoral grading of pancreatic adenocarcinoma. <i>European Journal of Radiology</i> , 2013, 82, 227-233.	2.6	44
18	Risk of neoplastic transformation in asymptomatic radial scar. Analysis of 117 cases. <i>Breast Cancer Research and Treatment</i> , 2008, 107, 371-377.	2.5	43

#	ARTICLE	IF	CITATIONS
19	Histologic retrieval rate of a newly designed side-bevelled 20G needle for EUS-guided tissue acquisition of solid pancreatic lesions. <i>United European Gastroenterology Journal</i> , 2019, 7, 96-104.	3.8	42
20	Ultrasound-guided percutaneous fine-needle aspiration of solid pancreatic neoplasms: 10-year experience with more than 2,000 cases and a review of the literature. <i>European Radiology</i> , 2016, 26, 1801-1807.	4.5	40
21	Systems biology analysis reveals NFAT5 as a novel biomarker and master regulator of inflammatory breast cancer. <i>Journal of Translational Medicine</i> , 2015, 13, 138.	4.4	38
22	Diagnostic yield of EUS-FNA of small ( $\leq 15$ mm) solid pancreatic lesions using a 25-gauge needle. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 70-74.	1.3	38
23	Ultrasound-Guided Percutaneous Fine-Needle Aspiration of 545 Focal Pancreatic Lesions. <i>American Journal of Roentgenology</i> , 2009, 193, 1691-1695.	2.2	37
24	FGFR-1 amplification in metastatic lymph-nodal and haematogenous lobular breast carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012, 31, 103.	8.6	37
25	Touch imprint cytology on endoscopic ultrasound fine-needle biopsy provides comparable sample quality and diagnostic yield to standard endoscopic ultrasound fine-needle aspiration specimens in the evaluation of solid pancreatic lesions. <i>Cytopathology</i> , 2019, 30, 179-186.	0.7	37
26	Estrogen receptors in 699 primary breast cancers: A comparison of immunohistochemical and biochemical methods. <i>Breast Cancer Research and Treatment</i> , 1995, 34, 221-228.	2.5	34
27	Ensemble of Gene Signatures Identifies Novel Biomarkers in Colorectal Cancer Activated through PPAR $\beta$ and TNF $\alpha$ Signaling. <i>PLoS ONE</i> , 2013, 8, e72638.	2.5	33
28	Expression of proliferating cell nuclear antigen, Ki-67 antigen, estrogen receptor protein, and tumor suppressor p53 gene in cytologic samples of breast cancer: An immunochemical study with clinical, pathobiological, and histologic correlations. <i>Diagnostic Cytopathology</i> , 1994, 11, 131-140.	1.0	32
29	Interobserver agreement among expert pathologists on through-the-needle microforceps biopsy samples for evaluation of pancreatic cystic lesions. <i>Gastrointestinal Endoscopy</i> , 2019, 90, 784-792.e4.	1.0	31
30	Beyond Pancreatic Cyst Epithelium: Evidence of Ovarian-Like Stroma in EUS-Guided Through-the-Needle Micro-Forceps Biopsy Specimens. <i>American Journal of Gastroenterology</i> , 2018, 113, 1059-1060.	0.4	29
31	Is there still a role for fine-needle aspiration cytology in breast cancer screening?. <i>Cancer</i> , 2008, 114, 74-82.	4.1	28
32	Endoscopic Ultrasound Features Associated with Malignancy and Aggressiveness of Nonhypovascular Solid Pancreatic Lesions: Results from a Prospective Observational Study. <i>Ultraschall in Der Medizin</i> , 2021, 42, 167-177.	1.5	28
33	Endoscopic ultrasound features of pancreatic schwannoma. <i>Endoscopic Ultrasound</i> , 2016, 5, 396.	1.5	28
34	Rhabdoid Carcinoma of the Colon: A Distinct Entity With A Very Aggressive Behavior. <i>International Journal of Surgical Pathology</i> , 2012, 20, 183-188.	0.8	25
35	JAK/Stat5-mediated subtype-specific lymphocyte antigen 6 complex, locus G6D (LY6G6D) expression drives mismatch repair proficient colorectal cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 28.	8.6	24
36	CD71 in Gestational Pathology. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, 215-220.	1.2	23

#	ARTICLE	IF	CITATIONS
37	Cancer size, histotype, and cellular grade may limit the success of fine-needle aspiration cytology for screen-detected breast carcinoma. <i>Cancer Cytopathology</i> , 2009, 117, 491-499.	2.4	22
38	The chromatin remodelling component SMARCB1/INI1 influences the metastatic behavior of colorectal cancer through a gene signature mapping to chromosome 22. <i>Journal of Translational Medicine</i> , 2013, 11, 297.	4.4	22
39	Improvement of maternal and fetal outcomes in women with sickle cell disease treated with early prophylactic erythrocytapheresis. <i>Transfusion</i> , 2018, 58, 2192-2201.	1.6	22
40	Primary pancreatic lymphoma: Clinical presentation, diagnosis, treatment, and outcome. <i>European Journal of Haematology</i> , 2020, 105, 468-475.	2.2	21
41	Right-sided rhabdoid colorectal tumors might be related to the Serrated Pathway. <i>Diagnostic Pathology</i> , 2013, 8, 31.	2.0	19
42	Specific expression patterns of epithelial to mesenchymal transition factors in gestational molar disease. <i>Placenta</i> , 2015, 36, 1318-1324.	1.5	18
43	Ultrasonography of the pancreas. 5. Interventional procedures. <i>Abdominal Imaging</i> , 2007, 32, 182-190.	2.0	17
44	Benign breast lesions at risk of developing cancer—A challenging problem in breast cancer screening programs. <i>Cancer</i> , 2009, 115, 499-507.	4.1	17
45	p16 Expression in Prostate Cancer and Nonmalignant Lesions. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, 201-206.	1.2	17
46	Aberrant BLM cytoplasmic expression associates with DNA damage stress and hypersensitivity to DNA-damaging agents in colorectal cancer. <i>Journal of Gastroenterology</i> , 2017, 52, 327-340.	5.1	16
47	Prognostic impact of proliferation for resected early stage “pure” invasive lobular breast cancer: Cut-off analysis of Ki67 according to histology and clinical validation. <i>Breast</i> , 2017, 35, 21-26.	2.2	16
48	Fischer’s score criteria correlating with histopathological prognostic factors in invasive breast cancer. <i>Radiologia Medica</i> , 2010, 115, 421-433.	7.7	14
49	Inflammatory breast carcinoma and locally advanced breast carcinoma: characterisation with MR imaging. <i>Radiologia Medica</i> , 2011, 116, 71-83.	7.7	14
50	Immunohistochemical differentiation of follicular lymphoma from florid reactive follicular hyperplasia with monoclonal antibodies reactive on paraffin sections. <i>Cancer</i> , 1990, 65, 1562-1569.	4.1	13
51	B3 breast lesions determined by vacuum-assisted biopsy: how to reduce the frequency of benign excision biopsies. <i>Radiologia Medica</i> , 2010, 115, 1246-1257.	7.7	13
52	Centrosome Linker-induced Tetraploid Segregation Errors Link Rhabdoid Phenotypes and Lethal Colorectal Cancers. <i>Molecular Cancer Research</i> , 2018, 16, 1385-1395.	3.4	13
53	Oral Lichen Planus: risk factors of malignant transformation and follow up. Ten years retrospective study. <i>Journal of Clinical and Experimental Dentistry</i> , 2021, 13, 0-0.	1.2	13
54	Real-time reading in mammography breast screening. <i>Radiologia Medica</i> , 2007, 112, 287-303.	7.7	11

#	ARTICLE	IF	CITATIONS
55	Classical lobular breast carcinoma consistently lacks <i>topoisomerase II-<math>\beta</math></i> gene amplification: implications for the tailored use of anthracycline-based chemotherapies. <i>Histopathology</i> , 2012, 60, 482-488.	2.9	11
56	Comparison Between Invasive Breast Cancer With Extensive Peritumoral Vascular Invasion and Inflammatory Breast Carcinoma. <i>American Journal of Clinical Pathology</i> , 2014, 142, 299-306.	0.7	11
57	Her2/neu evaluation in Sister Mary Joseph's nodule from breast carcinoma: a case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2009, 36, 702-705.	1.3	9
58	Prognostic model for advanced breast carcinoma with luminal subtype and impact of hormonal maintenance: Implications for post-progression and conditional survival. <i>Breast</i> , 2016, 29, 24-30.	2.2	9
59	Bcl-10, trypsin and synaptophysin helps recognize acinar cell and mixed acinar neuroendocrine cell carcinoma of the pancreas on both preoperative cytological samples and needle biopsy specimens. <i>Pathology Research and Practice</i> , 2021, 226, 153593.	2.3	9
60	A Rare Case of Pancreatic Head Splenosis Diagnosed by Contrast-Enhanced Ultrasound. <i>Ultraschall in Der Medizin</i> , 2014, 35, 72-74.	1.5	7
61	Impact of biliary stents on the diagnostic accuracy of EUS-guided fine-needle biopsy of solid pancreatic head lesions: A multicenter study. <i>Endoscopic Ultrasound</i> , 2021, 10, 440.	1.5	7
62	Suitability of infiltrative lobular breast carcinoma for anti-human epidermal growth factor receptor 2 treatment after the ASCO/CAP and 2009 St Gallen International Expert Consensus meeting. <i>Histopathology</i> , 2010, 57, 935-940.	2.9	6
63	Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer: Heat Shock Protein 90 Overexpression, Ki67 Proliferative Index, and Topoisomerase II- $\beta$ Co-amplification as Predictors of Pathologic Complete Response to Neoadjuvant Chemotherapy With Trastuzumab and Docetaxel. <i>Clinical Breast Cancer</i> , 2015, 15, 16-23.	2.4	6
64	Case Report of a Well-Differentiated Papillary Mesothelioma of the Tunica Vaginalis in an Undescended Testis With Review of Literature. <i>International Journal of Surgical Pathology</i> , 2016, 24, 443-447.	0.8	6
65	The identification of a small but significant subset of patients still targetable with anti-HER2 inhibitors when affected by triple negative breast carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1563-1568.	2.5	4
66	Subpopulation Treatment Effect Pattern Plot (STEPP) analysis of Ki67 assay according to histology: prognostic relevance for resected early stage "pure" and "mixed" lobular breast cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 50.	8.6	4
67	Targeted next-generation sequencing identifies genomic abnormalities potentially driving the prognosis of early-stage invasive lobular breast carcinoma patients stratified according to a validated clinico-pathological model. <i>Breast</i> , 2020, 50, 56-63.	2.2	4
68	CT Simplified Radiomic Approach to Assess the Metastatic Ductal Adenocarcinoma of the Pancreas. <i>Cancers</i> , 2021, 13, 1843.	3.7	4
69	Endoscopic Ultrasound Through-the-Needle Biopsy for the Diagnosis of an Abdominal Bronchogenic Cyst. <i>Clinical Endoscopy</i> , 2021, 54, 767-770.	1.5	4
70	Methodological aspects of the immunostaining of proliferating cell nuclear antigen (PCNA) in cytospin preparations of MCF-7 cell line. <i>Diagnostic Cytopathology</i> , 1994, 10, 82-85.	1.0	3
71	Keratocystoma of the parotid gland is rare and requires an integrated multidisciplinary approach: Report of a case and a literature review. <i>Diagnostic Cytopathology</i> , 2019, 47, 614-616.	1.0	3
72	Diagnostic yield of endoscopic ultrasound-guided tissue acquisition of solid pancreatic lesions after inconclusive percutaneous ultrasound-guided tissue acquisition. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1108-1113.	1.5	3

#	ARTICLE	IF	CITATIONS
73	Molecular and Clinical Insights in Malignant Brenner Tumor of the Testis With Liver Metastases:A Case Report. <i>Frontiers in Oncology</i> , 2021, 11, 663489.	2.8	3
74	HER2/neu gene determination in women screened for breast carcinoma: how screening programs reduce the skyrocketing cost of targeted therapy. <i>Anticancer Research</i> , 2013, 33, 3705-10.	1.1	2
75	3B circumscribed masses: to assess or not to assess?. <i>British Journal of Cancer</i> , 2008, 99, 675-676.	6.4	1
76	Diagnostic management of occult nodal lymphangiomyomatosis detected during pelvic cancer staging. Localized finding or systemic disease?. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2019, 36, 33-38.	0.2	1
77	A Method for Detection of Human Papillomavirus DNA in Stored Slides of Stained Cervical Smears. <i>Pathology Research and Practice</i> , 1990, 186, 666-667.	2.3	0
78	Real time reading in mammography breast screening. <i>Radiologia Medica</i> , 2007, 112, 1262-1266.	7.7	0
79	Systems biology analysis of gene expression data and gene network reverse-engineering approaches reveal NFAT5 as a candidate biomarker in Inflammatory Breast Cancer. , 2015, 3, P6.		0
80	Usefulness of breast cytology after lipofilling. <i>Pathology</i> , 2016, 48, 746-747.	0.6	0
81	Pathological Analysis of Abdominal Neuroendocrine Tumors. <i>Updates in Surgery Series</i> , 2018, , 123-135.	0.1	0