

Jun-Hang Luo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5127119/publications.pdf>

Version: 2024-02-01

67
papers

3,029
citations

279798

23
h-index

175258

52
g-index

75
all docs

75
docs citations

75
times ranked

4775
citing authors

#	ARTICLE	IF	CITATIONS
1	What Happens to the Preserved Renal Parenchyma After Clamped Partial Nephrectomy?. <i>European Urology</i> , 2022, 81, 492-500.	1.9	19
2	Single-cell transcriptomics reveals a low CD8 ⁺ T cell infiltrating state mediated by fibroblasts in recurrent renal cell carcinoma. , 2022, 10, e004206.		27
3	The impact of tumor size on the survival of patients with small renal masses: A population-based study. <i>Cancer Medicine</i> , 2022, , .	2.8	11
4	TP53/BRAF mutation as an aid in predicting response to immune-checkpoint inhibitor across multiple cancer types. <i>Aging</i> , 2022, 14, 2868-2879.	3.1	0
5	A deep learning model and human-machine fusion for prediction of EBV-associated gastric cancer from histopathology. <i>Nature Communications</i> , 2022, 13, 2790.	12.8	31
6	CircME1 promotes aerobic glycolysis and sunitinib resistance of clear cell renal cell carcinoma through cis-regulation of ME1. <i>Oncogene</i> , 2022, 41, 3979-3990.	5.9	19
7	SPARC is a key mediator of TGF β -induced renal cancer metastasis. <i>Journal of Cellular Physiology</i> , 2021, 236, 1926-1938.	4.1	29
8	A rare rhabdomyolysis appears after transrectal ultrasound guided prostate biopsy. <i>Asian Journal of Urology</i> , 2021, 8, 137-139.	1.2	0
9	A panel of eight autophagy-related long non-coding RNAs is a good predictive parameter for clear cell renal cell carcinoma. <i>Genomics</i> , 2021, 113, 740-754.	2.9	7
10	Identification of an Immune-Related Risk Signature Correlates With Immunophenotype and Predicts Anti-PD-L1 Efficacy of Urothelial Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 646982.	3.7	7
11	Development and validation of the prognostic value of the immune-related genes in clear cell renal cell carcinoma. <i>Translational Andrology and Urology</i> , 2021, 10, 1607-1619.	1.4	10
12	A new thinking: extended application of genomic selection to screen multiomics data for development of novel hypoxia-immune biomarkers and target therapy of clear cell renal cell carcinoma. <i>Briefings in Bioinformatics</i> , 2021, 22, .	6.5	36
13	N6-Methyladenosine Modification of LncRNA DUXAP9 Promotes Renal Cancer Cells Proliferation and Motility by Activating the PI3K/AKT Signaling Pathway. <i>Frontiers in Oncology</i> , 2021, 11, 641833.	2.8	24
14	Predictive Model for Systemic Infection After Percutaneous Nephrolithotomy and Related Factors Analysis. <i>Frontiers in Surgery</i> , 2021, 8, 696463.	1.4	15
15	Positive feedback regulation of lncRNA PVT1 and HIF2 α contributes to clear cell renal cell carcinoma tumorigenesis and metastasis. <i>Oncogene</i> , 2021, 40, 5639-5650.	5.9	27
16	DDX39B Predicts Poor Survival and Associated with Clinical Benefit of Anti-PD-L1 Therapy in ccRCC. <i>Current Cancer Drug Targets</i> , 2021, 21, 849-859.	1.6	4
17	Predictive Value of the TP53/PIK3CA/ATM Mutation Classifier for Patients With Bladder Cancer Responding to Immune Checkpoint Inhibitor Therapy. <i>Frontiers in Immunology</i> , 2021, 12, 643282.	4.8	17
18	Circular RNA circSDHC serves as a sponge for miR-127-3p to promote the proliferation and metastasis of renal cell carcinoma via the CDKN3/E2F1 axis. <i>Molecular Cancer</i> , 2021, 20, 19.	19.2	70

#	ARTICLE	IF	CITATIONS
19	Circular RNA circSNX6 promotes sunitinib resistance in renal cell carcinoma through the miR-1184/GPCPD1/ lysophosphatidic acid axis. <i>Cancer Letters</i> , 2021, 523, 121-134.	7.2	23
20	Localization of external urethral orifice in coronary sulcus during urethroplasty in case of severe hypospadias accompanied by prostatic utricle cyst. <i>BMC Urology</i> , 2021, 21, 149.	1.4	2
21	METTL1 ⁷ EGFR/EFEMP1 axis promotes the bladder cancer development. <i>Clinical and Translational Medicine</i> , 2021, 11, e675.	4.0	87
22	Genome-Wide Profiling Reveals HPV Integration Pattern and Activated Carcinogenic Pathways in Penile Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 6104.	3.7	9
23	circCHST15 is a novel prognostic biomarker that promotes clear cell renal cell carcinoma cell proliferation and metastasis through the miR-125a-5p/EIF4EBP1 axis. <i>Molecular Cancer</i> , 2021, 20, 169.	19.2	30
24	Contrast-enhanced transrectal ultrasound can reduce collection of unnecessary biopsies when diagnosing prostate cancer and is predictive of biochemical recurrence following a radical prostatectomy in patients with localized prostate cancer. <i>BMC Urology</i> , 2020, 20, 100.	1.4	5
25	Programmable N6-methyladenosine modification of CDCP1 mRNA by RCas9-methyltransferase like 3 conjugates promotes bladder cancer development. <i>Molecular Cancer</i> , 2020, 19, 169.	19.2	24
26	A Feedback Circuitry between Polycomb Signaling and Fructose-1, 6-Bisphosphatase Enables Hepatic and Renal Tumorigenesis. <i>Cancer Research</i> , 2020, 80, 675-688.	0.9	25
27	High PRMT5 expression is associated with poor overall survival and tumor progression in bladder cancer. <i>Aging</i> , 2020, 12, 8728-8741.	3.1	15
28	SYNE1 mutation may enhance the response to immune checkpoint blockade therapy in clear cell renal cell carcinoma patients. <i>Aging</i> , 2020, 12, 19316-19324.	3.1	19
29	Integrated Treatment by an Ostomy Care Team of a Complicated Mucocutaneous Separation After Radical Cystectomy With Ileal Conduit Urinary Diversion: A Case Report. <i>Wound Management and Prevention</i> , 2020, 66, 22-25.	0.5	0
30	5-methylcytosine promotes pathogenesis of bladder cancer through stabilizing mRNAs. <i>Nature Cell Biology</i> , 2019, 21, 978-990.	10.3	410
31	Kinesin family member C1 accelerates bladder cancer cell proliferation and induces epithelial-mesenchymal transition via Akt/ GSK 3 β signaling. <i>Cancer Science</i> , 2019, 110, 2822-2833.	3.9	17
32	Histone lysine demethylase KDM4B regulates the alternative splicing of the androgen receptor in response to androgen deprivation. <i>Nucleic Acids Research</i> , 2019, 47, 11623-11636.	14.5	30
33	Genetic risk classifier to predict localised renal cell carcinoma recurrence – Authors' reply. <i>Lancet Oncology</i> , The, 2019, 20, e288.	10.7	0
34	Impact of AIB1 expression on the prognosis of upper tract urothelial carcinoma after radical nephroureterectomy. <i>Cancer Biomarkers</i> , 2019, 25, 151-160.	1.7	3
35	Radiomics analysis of multiparametric MRI for the preoperative evaluation of pathological grade in bladder cancer tumors. <i>European Radiology</i> , 2019, 29, 6182-6190.	4.5	59
36	Multiparametric MRI for Bladder Cancer: Validation of VI-RADS for the Detection of Detrusor Muscle Invasion. <i>Radiology</i> , 2019, 291, 668-674.	7.3	130

#	ARTICLE	IF	CITATIONS
37	Eukaryotic translation initiation factor 5A2 is highly expressed in prostate cancer and predicts poor prognosis. <i>Experimental and Therapeutic Medicine</i> , 2019, 17, 3741-3747.	1.8	13
38	A Comparison of Different Prophylactic Intravesical Chemotherapy Regimens for Bladder Cancer Recurrence After Nephroureterectomy for Primary Upper Tract Urothelial Carcinomas: A Retrospective 2-center Study. <i>Technology in Cancer Research and Treatment</i> , 2019, 18, 153303381984448.	1.9	10
39	Predictive value of single-nucleotide polymorphism signature for recurrence in localised renal cell carcinoma: a retrospective analysis and multicentre validation study. <i>Lancet Oncology</i> , The, 2019, 20, 591-600.	10.7	78
40	Unilateral congenital scrotal agenesis with ipsilateral cryptorchidism: A case report. <i>World Journal of Clinical Cases</i> , 2019, 7, 3807-3811.	0.8	1
41	Interferon-induced IFIT5 promotes epithelial-to-mesenchymal transition leading to renal cancer invasion. <i>American Journal of Clinical and Experimental Urology</i> , 2019, 7, 31-45.	0.4	11
42	Prognostic value of AIB1 and EIF5A2 in intravesical recurrence after surgery for upper tract urothelial carcinoma. <i>Cancer Management and Research</i> , 2018, Volume 10, 6997-7011.	1.9	12
43	PRMT5 Circular RNA Promotes Metastasis of Urothelial Carcinoma of the Bladder through Sponging miR-30c to Induce Epithelial-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2018, 24, 6319-6330.	7.0	262
44	TRIM65 supports bladder urothelial carcinoma cell aggressiveness by promoting ANXA2 ubiquitination and degradation. <i>Cancer Letters</i> , 2018, 435, 10-22.	7.2	56
45	CSTF2-Induced Shortening of the RAC1 3'UTR Promotes the Pathogenesis of Urothelial Carcinoma of the Bladder. <i>Cancer Research</i> , 2018, 78, 5848-5862.	0.9	47
46	A modified clinicopathological tumor staging system for survival prediction of patients with penile cancer. <i>Cancer Communications</i> , 2018, 38, 1-10.	9.2	15
47	Primary renal synovial sarcoma: A case report and literature review. <i>Journal of Cancer Research and Therapeutics</i> , 2018, 14, 267.	0.9	7
48	CpG Methylation Signature Predicts Recurrence in Early-Stage Hepatocellular Carcinoma: Results From a Multicenter Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 734-742.	1.6	148
49	The putative tumor suppressor microRNA-30a-5p modulates clear cell renal cell carcinoma aggressiveness through repression of ZEB2. <i>Cell Death and Disease</i> , 2017, 8, e2859-e2859.	6.3	54
50	RIN1 promotes renal cell carcinoma malignancy by activating EGFR signaling through Rab25. <i>Cancer Science</i> , 2017, 108, 1620-1627.	3.9	20
51	miR-106b-5p promotes renal cell carcinoma aggressiveness and stem-cell-like phenotype by activating Wnt/ β -catenin signalling. <i>Oncotarget</i> , 2017, 8, 21461-21471.	1.8	43
52	Does chromophobe renal cell carcinoma have better survival than clear cell renal cell carcinoma? A clinical-based cohort study and meta-analysis. <i>International Urology and Nephrology</i> , 2016, 48, 191-199.	1.4	17
53	Mg(II)-Catechin nanoparticles delivering siRNA targeting EIF5A2 inhibit bladder cancer cell growth in vitro and in vivo. <i>Biomaterials</i> , 2016, 81, 125-134.	11.4	43
54	Validation of DAB2IP methylation and its relative significance in predicting outcome in renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 31508-31519.	1.8	22

#	ARTICLE	IF	CITATIONS
55	CaCO ₃ /CalP6 composite nanoparticles effectively deliver AKT1 small interfering RNA to inhibit human breast cancer growth. <i>International Journal of Nanomedicine</i> , 2015, 10, 4255.	6.7	14
56	A CpG-methylation-based assay to predict survival in clear cell renal cell carcinoma. <i>Nature Communications</i> , 2015, 6, 8699.	12.8	99
57	Bifunctional pH-sensitive Zn(ii)-curcumin nanoparticles/siRNA effectively inhibit growth of human bladder cancer cells in vitro and in vivo. <i>Journal of Materials Chemistry B</i> , 2014, 2, 2714.	5.8	21
58	Prognostic and predictive value of a microRNA signature in stage II colon cancer: a microRNA expression analysis. <i>Lancet Oncology</i> , The, 2013, 14, 1295-1306.	10.7	514
59	The inhibition of human bladder cancer growth by calcium carbonate/CalP6 nanocomposite particles delivering AIB1 siRNA. <i>Biomaterials</i> , 2013, 34, 1246-1254.	11.4	53
60	Overexpression of Rab25 contributes to metastasis of bladder cancer through induction of epithelial-mesenchymal transition and activation of Akt/GSK-3 β /Snail signaling. <i>Carcinogenesis</i> , 2013, 34, 2401-2408.	2.8	63
61	Impact of Age on the Cancer-Specific Survival of Patients with Localized Renal Cell Carcinoma: Martingale Residual and Competing Risks Analysis. <i>PLoS ONE</i> , 2012, 7, e48489.	2.5	12
62	Analysis of long-term survival in patients with localized renal cell carcinoma: laparoscopic versus open radical nephrectomy. <i>World Journal of Urology</i> , 2010, 28, 289-293.	2.2	52
63	Overexpression of EIF-5A2 Is an Independent Predictor of Outcome in Patients of Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 400-408.	2.5	36
64	Large Müllerian Duct Remnant in an Adult. <i>Urology</i> , 2009, 73, 503-504.	1.0	5
65	Protein expression and amplification of AIB1 in human urothelial carcinoma of the bladder and overexpression of AIB1 is a new independent prognostic marker of patient survival. <i>International Journal of Cancer</i> , 2008, 122, 2554-2561.	5.1	37
66	Laparoscopic Management of Mullerian Duct Remnants: Four Case Reports and Review of the Literature. <i>Journal of Andrology</i> , 2008, 29, 638-642.	2.0	14
67	Identification and validation of AIB1 and EIF5A2 for noninvasive detection of bladder cancer in urine samples. <i>Oncotarget</i> , 0, 7, 41703-41714.	1.8	8