

John F Mcgilp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5127637/john-f-mcgilp-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

2,175
citations

26
h-index

42
g-index

107
ext. papers

2,254
ext. citations

2.8
avg, IF

4.65
L-index

#	Paper	IF	Citations
104	Electronic Properties of Ag Reconstructions on Si(111): Coulomb Blockade Behavior at Room Temperature. <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1700494	1.3	2
103	Group V adsorbate structures on vicinal Ge(001) surfaces determined from the optical spectrum. <i>Applied Physics Letters</i> , 2017 , 110, 233903	3.4	
102	Reflectance anisotropy spectroscopy of the Si(111)-(5 \times 1)Au surface. <i>Physical Review B</i> , 2016 , 94,	3.3	12
101	Temperature dependent studies of capped magnetic nanowires using XMCD. <i>Physica Status Solidi (B): Basic Research</i> , 2016 , 253, 241-246	1.3	
100	Optical characterisation of plasmonic nanostructures on planar substrates using second-harmonic generation. <i>Optics Express</i> , 2015 , 23, 26486-98	3.3	3
99	Probing chiral monolayers of cysteine on Au(110) using reflection anisotropy spectroscopy and second-harmonic generation. <i>Physica Status Solidi (B): Basic Research</i> , 2015 , 252, 95-99	1.3	1
98	Reflectance anisotropy spectroscopy of clean and Sb covered Ge(001) surfaces and comparison with clean Si(001) surfaces. <i>Physica Status Solidi (B): Basic Research</i> , 2015 , 252, 78-86	1.3	6
97	Reflectance anisotropy spectroscopy of magnetite (110) surfaces. <i>Physical Review B</i> , 2014 , 89,	3.3	6
96	An analytic approach to modeling the optical response of anisotropic nanoparticle arrays at surfaces and interfaces. <i>Journal of Physics Condensed Matter</i> , 2014 , 26, 145302	1.8	5
95	Manipulating and probing the growth of plasmonic nanoparticle arrays using light. <i>Nanoscale</i> , 2013 , 5, 4923-30	7.7	12
94	Reflectance anisotropy spectroscopy of Si(111)-(3 \times 1)Li and Ag surfaces. <i>Physical Review B</i> , 2013 , 87,	3.3	7
93	General approach to the analysis of plasmonic structures using spectroscopic ellipsometry. <i>Physical Review B</i> , 2013 , 87,	3.3	19
92	Optical fingerprints of Si honeycomb chains and atomic gold wires on the Si(111)-(5 \times 1)-Au surface. <i>Physical Review Letters</i> , 2013 , 111, 087401	7.4	26
91	Controlled in situ growth of tunable plasmonic self-assembled nanoparticle arrays. <i>Nanotechnology</i> , 2012 , 23, 035606	3.4	19
90	Anisotropic optical response of elongated Pb islands in the infrared spectral region. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 1105-1109	1.3	1
89	The linear and nonlinear optical response of native-oxide covered rippled Si templates with nanoscale periodicity. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 1173-1177	1.3	4
88	Chiral second-harmonic generation from small organic molecules at surfaces. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 1155-1159	1.3	5

87	Optical characterization of gold chains and steps on the vicinal Si(557) surface: Theory and experiment. <i>Physica Status Solidi (B): Basic Research</i> , 2012 , 249, 1095-1104	1.3	9
86	Optical and phonon excitations of modified Pandey chains at the Si(111)-2 \times 1 surface. <i>Physical Review B</i> , 2011 , 84,	3.3	11
85	Probing the out-of-plane optical response of plasmonic nanostructures using spectroscopic ellipsometry. <i>Physical Review B</i> , 2011 , 84,	3.3	24
84	In situ characterization of one-dimensional plasmonic Ag nanocluster arrays. <i>Physical Review B</i> , 2011 , 83,	3.3	21
83	New evidence for the influence of step morphology on the formation of Au atomic chains on vicinal Si(111) surfaces. <i>Europhysics Letters</i> , 2010 , 92, 67008	1.6	19
82	Probing surface and interface structure using optics. <i>Journal of Physics Condensed Matter</i> , 2010 , 22, 084018	1.8	19
81	Magnetic second-harmonic generation from interfaces and nanostructures. <i>Journal of Magnetism and Magnetic Materials</i> , 2010 , 322, 1488-1493	2.8	5
80	X-ray magnetic circular dichroism and reflection anisotropy spectroscopy Kerr effect studies of capped magnetic nanowires. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 2108-2112	1.3	4
79	Metal-insulator transition in Si(111)-(4 \times 1)/(8 \times 1)-In studied by optical spectroscopy. <i>Physica Status Solidi (B): Basic Research</i> , 2010 , 247, 2033-2039	1.3	11
78	Optical anisotropy of Si(111)-(4 \times 1)/(8 \times 1)-In nanowires calculated from first-principles. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2010 , 7, 133-136		1
77	Structure of si(111)-in nanowires determined from the midinfrared optical response. <i>Physical Review Letters</i> , 2009 , 102, 226805	7.4	41
76	Using surface and interface optics to probe the capping, with amorphous Si, of Au atom chains grown on vicinal Si(111). <i>Journal of Physics Condensed Matter</i> , 2009 , 21, 474208	1.8	6
75	Magnetic second-harmonic generation from the terraces and steps of aligned magnetic nanostructures grown on low symmetry interfaces. <i>Journal of Physics Condensed Matter</i> , 2008 , 20, 265002 ¹⁸		4
74	Using reflectance anisotropy spectroscopy to characterize capped silver nanostructures grown on silicon. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 2556-2560		6
73	Optimizing the magnetic contrast in the optical second-harmonic response of capped magnetic nanostructures grown on vicinal surfaces. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 2645-2648		0
72	Optical second-harmonic generation studies of Si(111)-BB-Ag and Si(111)-3 \times 1-Ag grown on vicinal Si(111). <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 2649-2652		4
71	Determining magnetization curves using optical second-harmonic generation. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 2653-2656		1
70	Reflectance anisotropy studies of 5 \times 1-Au structures grown on Si(111) surfaces with different step formations. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008 , 5, 2569-2572		3

69	Optical reflectance anisotropy of buried Fe nanostructures on vicinal W(110). <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 266003	1.8	9
68	Using steps at the SiBiO ₂ interface to test simple bond models of the optical second-harmonic response. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 016006	1.8	11
67	Extracting the hysteresis loops of magnetic interfaces from optical second-harmonic intensity measurements. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 396002	1.8	6
66	Surface phonons of the Si(111):In(4×1) and (8×8) phases. <i>Physical Review B</i> , 2007 , 76,	3.3	28
65	Optical and electronic properties of Ag nanodots on Si(111). <i>Journal of Physics Condensed Matter</i> , 2006 , 18, 6979-6986	1.8	9
64	Free-electron response in reflectance anisotropy spectra. <i>Physical Review B</i> , 2006 , 74,	3.3	8
63	Optical and magnetic properties of europium sulphide thin films grown by pulsed laser deposition. <i>Thin Solid Films</i> , 2005 , 488, 200-203	2.2	5
62	Optical reflectance anisotropy studies of Fe nanostructures grown on vicinal W(110). <i>Physica Status Solidi (B): Basic Research</i> , 2005 , 242, 2650-2654	1.3	2
61	Optical properties of indium nanowires in an adsorption study. <i>Physica Status Solidi (B): Basic Research</i> , 2005 , 242, 2655-2663	1.3	6
60	Optical response of Ag-induced reconstructions on vicinal Si(111). <i>Physica Status Solidi (B): Basic Research</i> , 2005 , 242, 3017-3021	1.3	3
59	Bulk and interface contributions to the optical second-harmonic response of native-oxide-covered vicinal Si(111). <i>Physica Status Solidi (B): Basic Research</i> , 2005 , 242, 3012-3016	1.3	
58	Atomic indium nanowires on Si(111): the (4×1) to (8×8) phase transition studied with reflectance anisotropy spectroscopy. <i>Applied Surface Science</i> , 2004 , 234, 302-306	6.7	15
57	Phenomenology of magnetic second harmonic generation from low symmetry surfaces and interfaces. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2003 , 3046-3049		5
56	Anisotropic second harmonic generation from Si(111)-4×1-In. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2003 , 3050-3054		
55	Bond hyperpolarizabilities in SHG simplified?. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2003 , 3060-6064		4
54	Phonon and polarized reflectance spectra from Si(111)-4×1-In: Evidence for a charge-density-wave driven phase transition. <i>Physical Review B</i> , 2003 , 67,	3.3	48
53	Spectroscopic Investigations of Borosilicate Glass and Its Application as a Dopant Source for Shallow Junctions. <i>Journal of the Electrochemical Society</i> , 2000 , 147, 3100	3.9	11
52	Optical Second-Harmonic Generation as a Semiconductor Surface and Interface Probe. <i>Physica Status Solidi A</i> , 1999 , 175, 153-167		65

51	Optical Second Harmonic Generation Studies of Indium Deposited on Vicinal Si(111). <i>Physica Status Solidi A</i> , 1999 , 175, 189-193		5
50	SECOND-HARMONIC GENERATION AT SEMICONDUCTOR AND METAL SURFACES. <i>Surface Review and Letters</i> , 1999 , 06, 529-558	1.1	29
49	Spontaneous emission of dye molecules, semiconductor nanocrystals, and rare-earth ions in opal-based photonic crystals. <i>Journal of Lightwave Technology</i> , 1999 , 17, 2128-2137	4	68
48	Erbium and Terbium Luminescence from Sol-Gel Derived In ₂ O ₃ Films on Porous Silicon. <i>Physica Status Solidi A</i> , 1998 , 165, 131-134		13
47	Epioptic studies of vicinal Si(001)-Ga. <i>Nuovo Cimento Della Societa Italiana Di Fisica D - Condensed Matter, Atomic, Molecular and Chemical Physics, Biophysics</i> , 1998 , 20, 1019-1024		5
46	A review of optical second-harmonic and sum-frequency generation at surfaces and interfaces. <i>Journal Physics D: Applied Physics</i> , 1996 , 29, 1812-1821	3	72
45	Effect of adlayer dimer orientation on the optical anisotropy of single domain Si(001). <i>Applied Physics Letters</i> , 1996 , 69, 176-178	3.4	16
44	Optical Techniques for Probing Semiconductor Surfaces and Interfaces 1996 , 163-167		1
43	Development of a LED-based phase fluorimetric oxygen sensor using evanescent wave excitation of a sol-gel immobilized dye. <i>Sensors and Actuators B: Chemical</i> , 1995 , 29, 226-230	8.5	65
42	Optical characterisation of semiconductor surfaces and interfaces. <i>Progress in Surface Science</i> , 1995 , 49, 1-106	6.6	156
41	Resonant optical second harmonic generation at the steps of vicinal Si(001). <i>Physical Review Letters</i> , 1995 , 75, 1138-1141	7.4	54
40	Angle-resolved photoemission from an unusual quasi-one-dimensional metallic system: a single domain Au-induced 5×2 reconstruction of Si(111). <i>Surface Science</i> , 1995 , 325, 45-49	1.8	56
39	Optical second-harmonic generation studies of the structure of porous silicon surfaces. <i>Thin Solid Films</i> , 1995 , 255, 146-148	2.2	10
38	Second Harmonic and Sum Frequency Generation 1995 , 183-206		1
37	Nucleation and evolution of the Au-induced 5×2 structure on vicinal Si(111). <i>Physical Review B</i> , 1994 , 49, 2527-2535	3.3	61
36	Spectroscopic optical second-harmonic generation from semiconductor interfaces. <i>Applied Physics A: Solids and Surfaces</i> , 1994 , 59, 401-405		14
35	Fibre optic chemical sensors based on evanescent wave interactions in sol-gel-derived porous coatings. <i>Journal of Sol-Gel Science and Technology</i> , 1994 , 2, 661-665	2.3	42
34	Probing semiconductor interfaces using nonlinear optical spectroscopy. <i>Optical Engineering</i> , 1994 , 33, 3895	1.1	18

33	Development of an intrinsic phase fluorimetric oxygen sensor using a high-intensity blue LED 1994 , 2360, 461		
32	Fibre optic oxygen sensor based on fluorescence quenching of evanescent-wave excited ruthenium complexes in sol-gel derived porous coatings. <i>Analyst, The</i> , 1993 , 118, 385-388	5	187
31	Resonance and local-field effects in the characterization of molecular monolayers by optical second-harmonic generation. <i>Synthetic Metals</i> , 1993 , 61, 181-184	3.6	6
30	The effect of the local field on the optical second-harmonic response of mixed liquid crystal-stearic acid monolayers. <i>Journal of Physics Condensed Matter</i> , 1993 , 5, 3791-3800	1.8	10
29	Control of terrace width and atomic step distribution on vicinal Si(111) surfaces by thermal processing. <i>Semiconductor Science and Technology</i> , 1993 , 8, 495-501	1.8	29
28	In situ optical spectroscopy of surfaces and interfaces with submonolayer resolution. <i>Applied Surface Science</i> , 1993 , 63, 99-105	6.7	6
27	Resonant optical second-harmonic generation from mixed liquid crystal-stearic acid monolayers. <i>Journal of Physics Condensed Matter</i> , 1992 , 4, 7965-7972	1.8	13
26	Bond calculation of optical second-harmonic generation at gallium- and arsenic-terminated Si(111) surfaces. <i>Journal of Physics Condensed Matter</i> , 1992 , 4, 4017-4037	1.8	26
25	N _{6,7} O _{4,5} O _{4,5} Auger spectrum of metallic Au. <i>Physical Review B</i> , 1991 , 43, 9550-9557	3.3	19
24	A structural study of the sol-gel process by optical fluorescence and decay time spectroscopy. <i>Journal of Non-Crystalline Solids</i> , 1991 , 135, 8-14	3.9	81
23	Characterization of the Si(111)-Ga interface using optical second-harmonic generation. <i>Journal of Physics Condensed Matter</i> , 1991 , 3, S193-S198	1.8	1
22	Simplification of the N _{6.7} O _{4.5} O _{4.5} Auger spectrum of Au. <i>Journal of Physics Condensed Matter</i> , 1990 , 2, 195-200	1.8	11
21	Epioptics: linear and non-linear optical spectroscopy of surfaces and interfaces. <i>Journal of Physics Condensed Matter</i> , 1990 , 2, 7985-8006	1.8	71
20	Optical second-harmonic generation for studying surfaces and interfaces. <i>Journal of Physics Condensed Matter</i> , 1989 , 1, SB85-SB92	1.8	24
19	The spatial distribution of flux produced by single capillary gas dosers. <i>Vacuum</i> , 1988 , 38, 341-344	3.7	10
18	The angular distribution of thermal molecular beams formed by single capillaries in the molecular flow regime. <i>Vacuum</i> , 1988 , 38, 463-467	3.7	10
17	Schottky contacts to cleaved GaAs (110) surfaces. II. Thermodynamic aspects. <i>Journal of Physics C: Solid State Physics</i> , 1988 , 21, 807-818		16
16	Metal adatoms on oxidised silicon surfaces. <i>Semiconductor Science and Technology</i> , 1988 , 3, 937-942	1.8	5

15	Alloying and entropy effects in predicting metal/compound semiconductor interface reactivity. <i>Journal of Materials Research</i> , 1987 , 2, 516-523	2.5	12
14	Determining metal-semiconductor interface structure by optical second-harmonic generation. <i>Semiconductor Science and Technology</i> , 1987 , 2, 102-107	1.8	14
13	Determining metal semiconductor interface structure by optical second-harmonic generation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1987 , 5, 1442-1446	2.9	23
12	Measurement of gas flux distributions from single capillaries using a modified, uhv-compatible ion gauge, and comparison with theory. <i>Vacuum</i> , 1986 , 36, 227-232	3.7	16
11	Probing the buried metal-semiconductor interface by optical second harmonic generation: Au on Si(1 1 1) and Si(1 0 0). <i>Solid State Communications</i> , 1986 , 59, 91-94	1.6	42
10	A simple semiquantitative model for classifying metal compound semiconductor interface reactivity. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 1985 , 3, 1641		18
9	On predicting the chemical reactivity of metal-semiconductor interfaces. <i>Journal of Physics C: Solid State Physics</i> , 1984 , 17, 2249-2254		48
8	Soft X-ray photoemission spectroscopy of chemical reactivity at metal-GaSe interfaces. <i>Vacuum</i> , 1983 , 33, 607-612	3.7	19
7	Calculation of the electron binding energies of atomic Zn, Cd and Hg: evidence of a many-electron shift in the gas phase X-ray photoemission spectra of core levels. <i>Journal of Physics B: Atomic and Molecular Physics</i> , 1980 , 13, 1953-1960		11
6	The L _{3M2,3M4,5} , L _{2,3M2,3M2,3} and L _{3M1M4,5} Auger spectra of Cu, Zn and Ge. <i>Journal of Physics C: Solid State Physics</i> , 1978 , 11, 643-650		28
5	The N _{6,7O4,5O4,5} Auger spectra of thallium, lead and bismuth. <i>Journal of Physics C: Solid State Physics</i> , 1977 , 10, 3445-3460		51
4	The L _{2,3M4,5M4,5} Auger and photoelectron spectra of germanium. <i>Journal of Physics C: Solid State Physics</i> , 1976 , 9, 3541-3555		36
3	Solid-state effects in the quasiautomatic L _{2,3M4,5M4,5} Auger spectra of zinc. <i>Journal of Physics C: Solid State Physics</i> , 1976 , 9, L585-L590		38
2	Electrical characteristics of an X-ray photoelectron spectrometer. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 1975 , 6, 397-409	1.7	19
1	Radiation damage in some platinum(IV) complexes produced during soft X-ray photoelectron spectroscopic studies. <i>Journal of the Chemical Society, Faraday Transactions 2</i> , 1975 , 71, 177		37