
Jaganathan Subramani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5127959/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Thioredoxin Decreases Anthracycline Cardiotoxicity, But Sensitizes Cancer Cell Apoptosis. Cardiovascular Toxicology, 2021, 21, 142-151.	1.1	9
2	Nrg1β Released in Remote Ischemic Preconditioning Improves Myocardial Perfusion and Decreases Ischemia/Reperfusion Injury via ErbB2-Mediated Rescue of Endothelial Nitric Oxide Synthase and Abrogation of Trx2 Autophagy. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 2293-2314.	1.1	11
3	Chaperone-Mediated Autophagy of eNOS in Myocardial Ischemia-Reperfusion Injury. Circulation Research, 2021, 129, 930-945.	2.0	14
4	Thioredoxin protects mitochondrial structure, function and biogenesis in myocardial ischemia-reperfusion via redox-dependent activation of AKT-CREB- PGC1α pathway in aged mice. Aging, 2020, 12, 19809-19827.	1.4	19
5	Short-duration hyperoxia causes genotoxicity in mouse lungs: protection by volatile anesthetic isoflurane. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2019, 316, L903-L917.	1.3	11
6	Role of Thioredoxin in Age-Related Hypertension. Current Hypertension Reports, 2018, 20, 6.	1.5	6
7	Thioredoxin reverses age-related hypertension by chronically improving vascular redox and restoring eNOS function. Science Translational Medicine, 2017, 9, .	5.8	45
8	Thioredoxin Uses a GSH-independent Route to Deglutathionylate Endothelial Nitric-oxide Synthase and Protect against Myocardial Infarction. Journal of Biological Chemistry, 2016, 291, 23374-23389.	1.6	32
9	Thioredoxin Activates MKK4-NFκB Pathway in a Redox-dependent Manner to Control Manganese Superoxide Dismutase Gene Expression in Endothelial Cells. Journal of Biological Chemistry, 2015, 290, 17505-17519.	1.6	15
10	CD13 Restricts TLR4 Endocytic Signal Transduction in Inflammation. Journal of Immunology, 2015, 194, 4466-4476.	0.4	51
11	Involvement of inducible nitric oxide synthase and dimethyl arginine dimethylaminohydrolase in Nï‰-Nitro-L-arginine methyl ester (L-NAME)-induced hypertension. Cardiovascular Pathology, 2015, 24, 49-55.	0.7	20
12	CD13 promotes mesenchymal stem cell-mediated regeneration of ischemic muscle. Frontiers in Physiology, 2014, 4, 402.	1.3	42
13	Molecular mechanisms regulating <scp>CD</scp> 13â€mediated adhesion. Immunology, 2014, 142, 636-647.	2.0	34
14	CD13 Regulates Anchorage and Differentiation of the Skeletal Muscle Satellite Stem Cell Population in Ischemic Injury. Stem Cells, 2014, 32, 1564-1577.	1.4	26
15	Involvement of inducible nitric oxide synthase and dimethylarginine dimethylaminohydrolase in Nï‰â€Nitroâ€Lâ€arginine methyl ester (Lâ€NAME)â€induced hypertension (LB676). FASEB Journal, 2014, 28, LB0	6 7 6 ²	0
16	Tyrosine Phosphorylation of CD13 Regulates Inflammatory Cell–Cell Adhesion and Monocyte Trafficking. Journal of Immunology, 2013, 191, 3905-3912.	0.4	47
17	CD13 is essential for inflammatory trafficking and infarct healing following permanent coronary artery occlusion in mice. Cardiovascular Research, 2013, 100, 74-83.	1.8	27
	Novel Interactions between NFATc1 (Nuclear Factor of Activated T Cells c1) and STAT-3 (Signal) Tj ETQq0 0 0 rgB1	[/Overloc	k 10 Tf 50 7
18	Thrombin-induced Biphasic Expression of Cyclin D1, with First Phase Influencing Cell Migration and Second Phase Directing Cell Proliferation. Journal of Biological Chemistry, 2012, 287, 22463-22482.	1.6	18

#	Article	IF	CITATIONS
19	CD13 Regulates Dendritic Cell Cross-Presentation and T Cell Responses by Inhibiting Receptor-Mediated Antigen Uptake. Journal of Immunology, 2012, 188, 5489-5499.	0.4	42
20	Interaction between NFATc1 and STAT3 is required for thrombinâ€induced cyclin D1 expression in vascular smooth muscle cells. FASEB Journal, 2012, 26, .	0.2	0
21	15(S)-hydroxyeicosatetraenoic acid–induced angiogenesis requires Src-mediated Egr-1–dependent rapid induction of FGF-2 expression. Blood, 2010, 115, 2105-2116.	0.6	34
22	Essential role of nitric oxide in sepsis-induced impairment of endothelium-derived hyperpolarizing factor-mediated relaxation in rat pulmonary artery. European Journal of Pharmacology, 2010, 630, 84-91.	1.7	12
23	Neuroprotective effect of s-methylisothiourea in transient focal cerebral ischemia in rat. Nitric Oxide - Biology and Chemistry, 2010, 22, 1-10.	1.2	33
24	15(S)â€Hydroxyeicosatetraenoic acidâ€induced angiogenesis requires Srcâ€mediated Egrâ€1â€dependent rapid induction of FGFâ€2 expression. FASEB Journal, 2010, 24, 1031.3.	0.2	0
25	Expression analysis of melatonin receptor subtypes in the ovary of domestic chicken. Veterinary Research Communications, 2009, 33, 49-56.	0.6	41
26	Anti-inflammatory effect of petroleum ether extract ofVitex negundoleaves in rat models of acute and subacute inflammation. Pharmaceutical Biology, 2009, 47, 335-339.	1.3	4
27	Atorvastatin Restores the Impaired Vascular Endothelium-dependent Relaxations Mediated by Nitric Oxide and Endothelium-derived Hyperpolarizing Factors but Not Hypotension in Sepsis. Journal of Cardiovascular Pharmacology, 2009, 54, 526-534.	0.8	29
28	High doses of dietary zinc induce cytokines, chemokines, and apoptosis in reproductive tissues during regression. Cell and Tissue Research, 2008, 332, 543-554.	1.5	35
29	Role of voltage-dependent potassium channels and myo-endothelial gap junctions in 4-aminopyridine-induced inhibition of acetylcholine relaxation in rat carotid artery. European Journal of Pharmacology, 2008, 591, 171-176.	1.7	13
30	Role of Protein Kinase G in Nitric Oxide Deficiency-induced Supersensitivity to Nitrovasodilator in Rat Pulmonary Artery. Journal of Cardiovascular Pharmacology, 2008, 51, 450-456.	0.8	11