Suprabhat Mukherjee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5128957/publications.pdf

Version: 2024-02-01

72 papers

2,268 citations

304701 22 h-index 243610 44 g-index

75 all docs

75 docs citations

75 times ranked

2605 citing authors

#	Article	IF	CITATIONS
1	<i>In-silico</i> evidences on filarial cystatin as a putative ligand of human TLR4. Journal of Biomolecular Structure and Dynamics, 2022, 40, 8808-8824.	3.5	11
2	In Silico Identification of New Anti-SARS-CoV-2 Agents from Bioactive Phytocompounds Targeting the Viral Spike Glycoprotein and Human TLR4. Letters in Drug Design and Discovery, 2022, 19, 175-191.	0.7	18
3	Perturbation of the Health of the Riverine Ecosystem and its Impact on the Biogeochemical, Ecological, and Molecular Perspectives., 2022,, 197-249.		O
4	Facets of nanoparticle-microbe interactions and their roles in nanobioremediation of environmental pollutants: Biochemical, molecular, and technological perspectives. , 2022, , 111-145.		0
5	Designing AbhiSCoVac - A single potential vaccine for all $\hat{a}\in \hat{c}$ corona culprits $\hat{a}\in \hat{c}$. Immunoinformatics and immune simulation approaches. Journal of Molecular Liquids, 2022, 351, 118633.	4.9	20
6	Designing efficient multi-epitope peptide-based vaccine by targeting the antioxidant thioredoxin of bancroftian filarial parasite. Infection, Genetics and Evolution, 2022, 98, 105237.	2.3	21
7	Toll-like receptorÂ4 in COVID-19: friend or foe?. Future Virology, 2022, 17, 415-417.	1.8	31
8	Prebiotics as Promising Therapeutics for Treating Gut-Related Disorders: Biochemical and Molecular Perspectives., 2022,, 133-154.		4
9	Probiotics as Efficacious Therapeutic Option for Treating Gut-Related Diseases: Molecular and Immunobiological Perspectives., 2022,, 69-93.		5
10	Andrographolide induces anti-SARS-CoV-2 response through host-directed mechanism: an <i>in silico</i> study. Future Virology, 2022, 17, 651-673.	1.8	13
11	Designing of a novel multi-epitope peptide based vaccine against Brugia malayi: An in silico approach. Infection, Genetics and Evolution, 2021, 87, 104633.	2.3	21
12	Targeting human TLRs to combat COVIDâ€19: A solution?. Journal of Medical Virology, 2021, 93, 615-617.	5.0	91
13	Applications of Artificial Intelligence (AI) Protecting from COVID-19 Pandemic: A Clinical and Socioeconomic Perspective. EAI/Springer Innovations in Communication and Computing, 2021, , 45-60.	1.1	3
14	In silico analyses on the comparative sensing of SARSâ€CoVâ€⊋ mRNA by the intracellular TLRs of humans. Journal of Medical Virology, 2021, 93, 2476-2486.	5.0	65
15	Current Developments in Diagnostic Biosensor Technology: Relevance to Therapeutic Intervention of Infectious and Inflammatory Diseases of Human. Studies in Systems, Decision and Control, 2021, , 1-36.	1.0	3
16	Emerging Threats of Microplastic Contaminant in Freshwater Environment. Environmental Challenges and Solutions, 2021, , 247-258.	0.9	2
17	IoT-Based Computational Frameworks in Disease Prediction and Healthcare Management: Strategies, Challenges, and Potential. Studies in Computational Intelligence, 2021, , 17-41.	0.9	7
18	Exploring the Differential Expression and Prognostic Significance of the COL11A1 Gene in Human Colorectal Carcinoma: An Integrated Bioinformatics Approach. Frontiers in Genetics, 2021, 12, 608313.	2.3	22

#	Article	IF	Citations
19	Magnetic Field-Dependent Photoluminescence of Tartrate-Functionalized Gadolinium-Doped Manganese Ferrite Nanoparticles: A Potential Therapeutic Agent for Hyperbilirubinemia Treatment. ACS Applied Nano Materials, 2021, 4, 4379-4387.	5.0	5
20	Exploring the binding efficacy of ivermectin against the key proteins of SARS-CoV-2 pathogenesis: an <i>in silico</i> approach. Future Virology, 2021, 16, 277-291.	1.8	45
21	Polymer Anchored Gold Nanoparticles: Synthesis, Characterization and Antimicrobial Activities. Nanoscience and Nanotechnology - Asia, 2021, 11, 119-131.	0.7	4
22	Taming the Storm in the Heart: Exploring Different Therapeutic Choices Against Myocardial Inflammation in COVID-19. Recent Advances in Anti-Infective Drug Discovery, 2021, 16, 89-93.	0.8	5
23	Chemotherapy vs. Immunotherapy in combating nCOVID19: An update. Human Immunology, 2021, 82, 649-658.	2.4	19
24	DNA mediated graphene oxide (GO)-nanosheets dispersed supramolecular GO-DNA hydrogel: An efficient soft-milieu for simplistic synthesis of Ag-NPs@GO-DNA and GramÂ+Âve/-ve bacteria-based Ag-NPs@GO-DNA-bacteria nano-bio composites. Journal of Molecular Liquids, 2021, 342, 117482.	4.9	13
25	Surface-Modified Noble Metal Nanoparticles as Antimicrobial Agents: Biochemical, Molecular and Therapeutic Perspectives. Environmental and Microbial Biotechnology, 2021, , 165-205.	0.7	4
26	COVID19 – Far from Over: Call for Urgent Novel and Advanced Measures. Coronaviruses, 2021, 02, .	0.3	0
27	In Silico Analyses on the Comparative Potential of Therapeutic Human Monoclonal Antibodies Against Newly Emerged SARS-CoV-2 Variants Bearing Mutant Spike Protein. Frontiers in Immunology, 2021, 12, 782506.	4.8	24
28	Toll-Like Receptors (TLRs) as Therapeutic Targets for Treating SARS-CoV-2: An Immunobiological Perspective. Advances in Experimental Medicine and Biology, 2021, 1352, 87-109.	1.6	11
29	Exploring the homolog of a novel proinflammatory microfilarial sheath protein (MfP) of Wuchereria bancrofti in the adult-stage bovine filarial parasite Setaria cervi. Journal of Helminthology, 2020, 94, e15.	1.0	4
30	Back Cover Image, Volume 92, Number 10, October 2020. Journal of Medical Virology, 2020, 92, ii.	5.0	O
31	In silico studies on the comparative characterization of the interactions of SARSâ€CoVâ€2 spike glycoprotein with ACEâ€2 receptor homologs and human TLRs. Journal of Medical Virology, 2020, 92, 2105-2113.	5.0	354
32	Synthesis of smart graphene quantum dots: A benign biomaterial for prominent intracellular imaging and improvement of drug efficacy. Applied Surface Science, 2019, 495, 143562.	6.1	27
33	Wuchereria bancrofti filaria activates human dendritic cells and polarizes T helper 1 andÂregulatory T cells via toll-like receptor 4. Communications Biology, 2019, 2, 169.	4.4	31
34	Tollâ€like receptor polymorphism in host immune response to infectious diseases: A review. Scandinavian Journal of Immunology, 2019, 90, e12771.	2.7	146
35	Effect of bovine serum albumin on tartrate-modified manganese ferrite nano hollow spheres: spectroscopic and toxicity study. Physical Chemistry Chemical Physics, 2019, 21, 10726-10737.	2.8	8
36	Aryl quinolinyl hydrazone derivatives as anti-inflammatory agents that inhibit TLR4 activation in the macrophages. European Journal of Pharmaceutical Sciences, 2019, 134, 102-115.	4.0	22

#	Article	IF	Citations
37	Graphene oxide dispersed supramolecular hydrogel capped benign green silver nanoparticles for anticancer, antimicrobial, cell attachment and intracellular imaging applications. Journal of Molecular Liquids, 2019, 282, 1-12.	4.9	35
38	Redox Regulatory Circuits as Targets for Therapeutic Intervention of Bancroftian Filariasis: Biochemical, Molecular, and Pharmacological Perspectives., 2019,, 185-208.		3
39	Polyphenol oxidase-based luminescent enzyme hydrogel: an efficient redox active immobilized scaffold. Bulletin of Materials Science, 2018, 41, 1.	1.7	10
40	Thioredoxin reductase from the bovine filarial parasite Setaria cervi: Studies on its localization and optimization of the extraction. International Journal of Biological Macromolecules, 2018, 107, 2375-2384.	7.5	19
41	Polyphenol enriched ethanolic extract of Cajanus scarabaeoides (L.) Thouars exerts potential antifilarial activity by inducing oxidative stress and programmed cell death. PLoS ONE, 2018, 13, e0208201.	2.5	15
42	Chitosan biopolymer functionalized gold nanoparticles with controlled cytotoxicity and improved antifilarial efficacy. Advanced Composites and Hybrid Materials, 2018, 1, 577-590.	21.1	30
43	Quinolone-fused cyclic sulfonamide as a novel benign antifilarial agent. Scientific Reports, 2018, 8, 12073.	3.3	26
44	Gut microbes as future therapeutics in treating inflammatory and infectious diseases: Lessons from recent findings. Journal of Nutritional Biochemistry, 2018, 61, 111-128.	4.2	66
45	Design and synthesis of reduced graphene oxide based supramolecular scaffold: A benign microbial resistant network for enzyme immobilization and cell growth. Materials Science and Engineering C, $2017, 75, 1168-1177$.	7.3	21
46	A Novel Ligand of Toll-like Receptor 4 From the Sheath of Wuchereria bancrofti Microfilaria Induces Proinflammatory Response in Macrophages. Journal of Infectious Diseases, 2017, 215, 954-965.	4.0	39
47	Surface proteins of <i>Setaria cervi</i> induce inflammation in macrophage through Tollâ€like receptor 4 (<scp>TLR</scp> 4)â€mediated signalling pathway. Parasite Immunology, 2017, 39, e12389.	1.5	23
48	Studying the Biological Activities and Molecular Docking of Some Novel Benzosultams and Benzosultones. Current Bioactive Compounds, 2017, 13, .	0.5	13
49	Green silver nanoparticles for drug transport, bioactivities and a bacterium (Bacillus) Tj ETQq $1\ 1\ 0.784314\ rgBT$ /	Overlock 3.6	10 Tf 50 262 21
50	Optimization of growth determinants of a potent cellulolytic bacterium isolated from lignocellulosic biomass for enhancing biogas production. Clean Technologies and Environmental Policy, 2016, 18, 1565-1583.	4.1	13
51	TLR2 and TLR4 mediated host immune responses in major infectious diseases: a review. Brazilian Journal of Infectious Diseases, 2016, 20, 193-204.	0.6	315
52	An approach toward optimization of the influential growth determinants of opportunistic yeast isolatePichia guilliermondii. Preparative Biochemistry and Biotechnology, 2016, 46, 440-445.	1.9	2
53	Metabolic Inhibitors as Antiparasitic Drugs: Pharmacological, Biochemical and Molecular Perspectives. Current Drug Metabolism, 2016, 17, 937-970.	1.2	20
54	Phenolics and Terpenoids; the Promising New Search for Anthelmintics: A Critical Review. Mini-Reviews in Medicinal Chemistry, 2016, 16, 1415-1441.	2.4	34

cervicins prospering enaction bark extract induced apoptosis in filarial parasite of Setaria cervicins through generation of reactive oxygen species. Pharmaceutical Biology, 2015, 53, 613-823. 2.9 7 Joseph Observation of external control and formation of a void in eogenerated distry plasma. Plasma Sources Science and Technology, 2015, 24, 035007. 3.1 10 Sources Science and Technology, 2015, 24, 035007. 3.2 A supramolecular hydrogel for generation of a benign DNA-hydrogel. RSC Advances, 2015, 5, 10-20 Sources Science and Characterization of Assenic Resistant Bacteria from Contaminated Water-Bodies in West Bengal, India. Geomicrobiology Journal, 2015, 32, 17-26. 3.2 Cinger extract ameliorates phosphamidon induced hepatotoxicity. Indian Journal of Experimental Biology, 2015, 53, 57-84. 4.0 An approach towards optimization of the extraction of polyphenolic antioxidants from ginger (Zingiber officinale). Journal of Food Science and Technology, 2014, 51, 3301-3308. 4.1 Antifiliral effects of polyphenol rice ethanolic extract from the leaves of Azadiracht andica through molecular and bochemical approaches describing reactive oxygen species (ROS) mediated apoptosis of Seterial cervic Experimental Parasitology, 2014, 136, 41-68. 4.2 In vital midial activity of Azadirachta indica aqueous extract through reactive oxygen species enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 7, 841-848. 4.3 Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifiliarial efficiency. RSC Advances, 2014, 97, 309-317. 4.5 Molecular evidence on the occurrence of confection with Pichas guilliarmondia and Wuchereria harmacelogical introducinal, 2014, 63, 717-728. 4.6 Parasitology international, 2014, 63, 717-728. 4.7 Vermicompositing of Tea Factory Coal Asia Metal accumulation and metallothlonein response in Event General Research in Veterinary Science, 2014, 97, 309-317. 4.7 Vermicompositing of Tea Factory Coal Asia Metal accumulation and metallothlonein respons	#	Article	IF	CITATIONS
Sources Science and Technology, 2015, 24, 035007. A supramolecular hydrogel for generation of a benign DNA hydrogel. RSC Advances, 2015, 5, 10596.1:105968. Isolation and Characterization of Arsenic-Resistant Bacteria from Contaminated Water-Bodies in West Bengal, India. Geomicrobiology Journal, 2015, 32, 17-26. Ginger extract ameliorates phosphamidon induced hepatotoxicity. Indian Journal of Experimental Biology, 2015, 53, 574-84. An approach towards optimization of the extraction of polyphenolic antioxidants from ginger (Zingliber officinale). Journal of Food Science and Technology, 2014, 51, 3301-3308. Antiflarial effects of polyphenol rich ethanolic extract from the leaves of Azadirachta indica through molecular and bochemical approaches describing neactive oxygen species (ROS) mediated apoptosis of Setaria cervi. Experimental Parasitology, 2014, 136, 41-58. In vitro antiflarial activity of Azadirachta indica aqueous extract through reactive oxygen species enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 77, 841-848. Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487. Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofft in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antiflarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. An Improved Method of Optimization of Physicochemical parameters for phenol biodegradation by vio Scandide.	55	<i>Diospyros perigrena</i> bark extract induced apoptosis in filarial parasite <i>Setaria cervi</i> through generation of reactive oxygen species. Pharmaceutical Biology, 2015, 53, 813-823.	2.9	7
lsolation and Characterization of Arsenic-Resistant Bacteria from Contaminated Water-Bodies in West Bengal, India. Geomicrobiology Journal, 2015, 32, 17-26. Cinger extract ameliorates phosphamidon induced hepatotoxicity. Indian Journal of Experimental Biology, 2015, 53, 574-84. An approach towards optimization of the extraction of polyphenolic antioxidants from ginger (Zingiber officinale). Journal of Food Science and Technology, 2014, 51, 3301-3308. Antifliarial effects of polyphenol rich ethanolic extract from the leaves of Azadirachta indica through molecular and biochemical approaches describing reactive oxygen species (ROS) mediated apoptosis of Setaria cervi. Experimental Parastology, 2014, 136, 41-58. In vitro antifliarial extractivity of Azadirachta indica aqueous extract through reactive oxygen species enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 7, 841-848. Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifliarial efficiency. RSC Advances, 2014, 43, 34487. Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of coinfection with Pichia guilliermondii and Wuchereria bancroft in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parastiology International, 2014, 63, 717-728. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2014, 166, 96-102. An Improved Method of Outimizing the Extraction of Boluphenol Oxidase from Potato (Solanum). IEEE/0600 0xt8L (Overlock in Dist.) 115.5.	56	Observation of external control and formation of a void in cogenerated dusty plasma. Plasma Sources Science and Technology, 2015, 24, 035007.	3.1	10
West Bengal, India. Geomicrobiology Journal, 2015, 32, 17-26. 2.0 21 Ginger extract ameliorates phosphamidon induced hepatotoxicity, Indian Journal of Experimental Biology, 2015, 53, 574-84. Cinger extract ameliorates phosphamidon induced hepatotoxicity, Indian Journal of Experimental Biology, 2015, 53, 574-84. An approach towards optimization of the extraction of polyphenolic antioxidants from ginger (Zingiber officinale). Journal of Food Science and Technology, 2014, 51, 3301-3308. 2.8 29 Antifilarial effects of polyphenol rich ethanolic extract from the leaves of Azadirachta indica through molecular and biochemical approaches describing reactive oxygen species (ROS) mediated approaches	57		3.6	26
810 Biology, 2015, 53, 574-84. An approach towards optimization of the extraction of polyphenolic antioxidants from ginger (Zingiber officinale). Journal of Food Science and Technology, 2014, 51, 3301-3308. Antifilarial effects of polyphenol rich ethanolic extract from the leaves of Azadirachta indica through molecular and biochemical approaches describing reactive oxygen species (ROS) mediated apoptosis of Setaria cervi. Experimental Parasitology, 2014, 136, 41-58. In vitro antifilarial activity of Azadirachta indica aqueous extract through reactive oxygen species enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 7, 841-848. Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487. Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immits microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampto mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Alamproved Method of Optimizing the Extraction of Polyphenol Oxidase from Patato (Sclavum) ILETOn 00 ref8t (Overlock) 10 IE 50.	58		2.0	21
Antifilarial effects of polyphenol rich ethanolic extract from the leaves of Azadirachta indica through molecular and biochemical approaches describing reactive oxygen species (ROS) mediated apoptosis of Setaria cervi. Experimental Parasitology, 2014, 136, 41-58. In vitro antifilarial activity of Azadirachta indica aqueous extract through reactive oxygen species enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 7, 841-848. Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487. Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum). It ELOO 0.0 cr881 (Overlock b. 10 TE 50 Control of Polyphenol Oxidase from Potato (Solanum). It ELOO 0.0 cr881 (Overlock b. 10 TE 50 Control of Polyphenol Oxidase from Potato (Solanum). It ELOO 0.0 cr881 (Overlock b. 10 TE 50 Control of Polyphenol Oxidase from Potato (Solanum). It ELOO 0.0 cr881 (Overlock b. 10 TE 50 Control of Polyphenol Oxidase from Potato (Solanum). It ELOO 0.0 cr881 (Overlock b. 10 TE 50 Control oxidase from Pota	59		0.0	10
through molecular and biochemical approaches describing reactive oxygen species (ROS) mediated apoptosis of Setaria cervi. Experimental Parasitology, 2014, 136, 41-58. In vitro antifilarial activity of Azadirachta indica aqueous extract through reactive oxygen species enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 7, 841-848. Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487. Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria limititis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. 1.3 27 Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) II ETO00 0.0 rgBI (Overlock 10 TE 50 Polyphenol Oxidase) (PPO) in the bioremediation and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) II ETO00 0.0 rgBI (Overlock 10 TE 50 Polyphenol Oxidase) (PPO) in the Displace of Polyphenol Oxidase from Potato (Solanum) II ETO00 0.0 rgBI (Overlock 10 TE 50 Polyphenol Oxidase from Potato (Solanum) II ETO00 0.0 rgBI (Overlock 10 TE 50 Polyphenol Oxidase from Potato (Solanum) II ETO00 0.0 rgBI (Overlo	60	An approach towards optimization of the extraction of polyphenolic antioxidants from ginger (Zingiber officinale). Journal of Food Science and Technology, 2014, 51, 3301-3308.	2.8	29
enhancement. Asian Pacific Journal of Tropical Medicine, 2014, 7, 841-848. Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487. 23.6 37 Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. Permicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Potential use of polyphenol oxidases (PPO) in the bioremediation by Octandida tropicalis (I) > PHB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum). Ti ETO(0.00 trgRI (Oxerlock 10.015) of Polyphenol Oxidase from Potato (Solanum).	61	through molecular and biochemical approaches describing reactive oxygen species (ROS) mediated	1.2	47
antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487. Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. 1.3 27 Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Optimization of physicochemical parameters for phenol biodegradation by (i) Candida tropicalis (I) PHB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) TieTOco 0.0 rgBT (Overlock 10 Tf Solanum) TieTOco 0.0 rgBT (62		0.8	9
immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317. Molecular evidence on the occurrence of co-infection with Pichia guilliermondii and Wuchereria bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. 1.3 27 Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Optimization of physicochemical parameters for phenol biodegradation by <i>Candida tropicalis < i>PHB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Ti FLOGO 0.0 rgRBI (Overlock 10.1f Solanum).</i>	63	Design and green synthesis of polymer inspired nanoparticles for the evaluation of their antimicrobial and antifilarial efficiency. RSC Advances, 2014, 4, 34487.	3.6	37
bancrofti in two filarial endemic districts of India. Infectious Diseases of Poverty, 2014, 3, 13. Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728. 1.3 27 Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Optimization of physicochemical parameters for phenol biodegradation by <i>Candida tropicalis </i> In 116 An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Ti ETOGO O 0 rg RT (Overlock 10 Tf 50)	64	Ethanolic extract of Azadirachta indica (A. Juss.) causing apoptosis by ROS upregulation in Dirofilaria immitis microfilaria. Research in Veterinary Science, 2014, 97, 309-317.	1.9	8
Parasitology International, 2014, 63, 717-728. Vermicomposting of Tea Factory Coal Ash: Metal accumulation and metallothionein response in Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Potimization of physicochemical parameters for phenol biodegradation by <i>Candida tropicalis </i> PhB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Ti FTO: 0.0 0 rgBT (Overlock 10 Tf 50).	65		3.7	17
Eisenia fetida (Savigny) and Lampito mauritii (Kinberg). Bioresource Technology, 2014, 166, 96-102. Potential use of polyphenol oxidases (PPO) in the bioremediation of phenolic contaminants containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. 8.1 116 Optimization of physicochemical parameters for phenol biodegradation by i>Candida tropicalis / i>PHB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Ti ETOgo 0.0 rgBT (Overlock 10 Tf 50).	66	Antifilarial effect of ursolic acid from Nyctanthes arbortristis: Molecular and biochemical evidences. Parasitology International, 2014, 63, 717-728.	1.3	27
containing industrial wastewater. Reviews in Environmental Science and Biotechnology, 2013, 12, 61-73. Optimization of physicochemical parameters for phenol biodegradation by <i>Candida tropicalis < /i> PHB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862. An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Ti ETOgo 0.0 rgBT (Overlock 10 Tf 50).</i>	67		9.6	80
tropicalis An Improved Method of Ontimizing the Extraction of Polyphenol Oxidese from Poteto (Solanum) Ti FTO:	68		8.1	116
An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Tj ETQq0 0 0 rgBT/Qverlock 10 Tf 50	69	Optimization of physicochemical parameters for phenol biodegradation by <i>Candida tropicalis</i> PHB5 using Taguchi Methodology. Desalination and Water Treatment, 2013, 51, 6846-6862.	1.0	29
	70	An Improved Method of Optimizing the Extraction of Polyphenol Oxidase from Potato (Solanum) Tj ETQq0 0 0 rg	gBT/Qverlo	ock 10 Tf 50

Anti-microfilarial Activities of Azadirachta indica (A. Juss.) Against Dirofilaria immitis in Dogs (Canis) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50

Bio-mimetic Behaviour of IPMC Artificial Muscle Using EMG Signal. , 2010, , .