## Gillian A Whalley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5130747/publications.pdf

Version: 2024-02-01

76196 62479 7,006 165 40 80 citations h-index g-index papers 167 167 167 9058 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Predicting survival in heart failure: a risk score based on 39 372 patients from 30 studies. European Heart Journal, 2013, 34, 1404-1413.	1.0	921
2	The survival of patients with heart failure with preserved or reduced left ventricular ejection fraction: an individual patient data meta-analysis. European Heart Journal, 2012, 33, 1750-1757.	1.0	652
3	Ischemic Heart Disease fn1fn1This study was funded by a grant from SmithKline Beecham; however, the study was initiated, conducted, analyzed and reported by the Australia–New Zealand Heart Failure Research Collaborative Group independently of the sponsor. The Clinical Trials Research Unit is supported by a programme grant from the Health Research Council of New Zealand lournal of the	1.2	387
4	American College of Cardiology, 1997, 29, 1060-1066. Effects of Carvedilol on Left Ventricular Remodeling After Acute Myocardial Infarction. Circulation, 2004, 109, 201-206.	1.6	287
5	Plasma amino-terminal pro-brain natriuretic peptide and accuracy of heart-failure diagnosis in primary care. Journal of the American College of Cardiology, 2003, 42, 1793-1800.	1.2	226
6	Randomized, controlled trial of integrated heart failure management. The Auckland Heart Failure Management Study. European Heart Journal, 2002, 23, 139-146.	1.0	217
7	Ethnic-Specific Normative Reference Values for Echocardiographic LAÂand LV Size, LV Mass, and Systolic Function. JACC: Cardiovascular Imaging, 2015, 8, 656-665.	2.3	182
8	Does a glass of red wine improve endothelial function?. European Heart Journal, 2000, 21, 74-78.	1.0	178
9	Gender and survival in patients with heart failure: interactions with diabetes and aetiology. Results from the MAGGIC individual patient metaâ€analysisâ€. European Journal of Heart Failure, 2012, 14, 473-479.	2.9	167
10	The obesity paradox in heart failure patients with preserved versus reduced ejection fraction: a meta-analysis of individual patient data. International Journal of Obesity, 2014, 38, 1110-1114.	1.6	155
11	Renal Dysfunction in Patients With Heart Failure With Preserved Versus Reduced Ejection Fraction. Circulation: Heart Failure, 2012, 5, 309-314.	1.6	152
12	Independent Prognostic Importance of a Restrictive Left Ventricular Filling Pattern After Myocardial Infarction. Circulation, 2008, 117, 2591-2598.	1.6	149
13	Independent relationship of left atrial size and mortality in patients with heart failure: an individual patient metaâ€analysis of longitudinal data (MeRGE Heart Failure). European Journal of Heart Failure, 2009, 11, 929-936.	2.9	146
14	Three-dimensional assessment of left ventricular systolic strain in patients with type 2 diabetes mellitus, diastolic dysfunction, and normal ejection fraction. American Journal of Cardiology, 2004, 94, 1391-1395.	0.7	117
15	Uptake of self-management strategies in a heart failure management programme. European Journal of Heart Failure, 2003, 5, 371-380.	2.9	114
16	The prognostic significance of heart failure with preserved left ventricular ejection fraction: a literatureâ€based metaâ€analysis. European Journal of Heart Failure, 2009, 11, 855-862.	2.9	114
17	Determinants of Left Ventricular Hypertrophy and Systolic Dysfunction in Chronic Renal Failure. American Journal of Kidney Diseases, 1994, 24, 768-776.	2.1	107
18	Relationship of serum sodium concentration to mortality in a wide spectrum of heart failure patients with preserved and with reduced ejection fraction: an individual patient data metaâ€analysisâ€. European Journal of Heart Failure, 2012, 14, 1139-1146.	2.9	100

#	Article	IF	Citations
19	Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure. Journal of the American College of Cardiology, 2002, 39, 1787-1795.	1.2	93
20	Understanding changing patterns of survival and hospitalization for heart failure over two decades in New Zealand: utility of †days alive and out of hospital' from epidemiological data. European Journal of Heart Failure, 2010, 12, 462-468.	2.9	74
21	Left ventricular systolic and diastolic function assessed by tissue Doppler imaging and outcome in asymptomatic aortic stenosis. European Heart Journal, 2010, 31, 2216-2222.	1.0	72
22	Heart failure in younger patients: the Meta-analysis Global Group in Chronic Heart Failure (MAGGIC). European Heart Journal, 2014, 35, 2714-2721.	1.0	71
23	Independence of restrictive filling pattern and LV ejection fraction with mortality in heart failure: An individual patient metaâ€analysis. European Journal of Heart Failure, 2008, 10, 786-792.	2.9	70
24	Doppler echocardiography and the early diagnosis of carditis in acute rheumatic fever. Australian and New Zealand Journal of Medicine, 1994, 24, 530-535.	0.5	61
25	Longitudinal left ventricular contractile dysfunction after exercise in aortic stenosis. Heart, 2007, 93, 732-738.	1.2	59
26	Screening for left ventricular hypertrophy in patients with type 2 diabetes mellitus in the community. Cardiovascular Diabetology, 2011, 10, 29.	2.7	56
27	Comparison of ultrasound assessment of flow-mediated dilatation in the radial and brachial artery with upper and forearm cuff positions. Clinical Physiology, 2001, 21, 9-14.	0.7	55
28	Progression of myocardial remodeling and mechanical dysfunction in the spontaneously hypertensive rat. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H1353-H1365.	1.5	54
29	Association of genetic variation in the natriuretic peptide system with cardiovascular outcomes. Journal of Molecular and Cellular Cardiology, 2011, 50, 695-701.	0.9	53
30	Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. European Heart Journal, 2015, 36, 1106-1114.	1.0	53
31	Left ventricular diastolic filling and systolic function of young and older trained and untrained men. Journal of Applied Physiology, 2003, 95, 2570-2575.	1.2	52
32	Bias associated with left ventricular quantification by multimodality imaging: a systematic review and meta-analysis. Open Heart, 2016, 3, e000388.	0.9	52
33	The Validity of Left Ventricular Mass as a Surrogate End Point for All-Cause and Cardiovascular Mortality Outcomes in People With CKD: A Systematic Review and Meta-analysis. American Journal of Kidney Diseases, 2016, 68, 554-563.	2.1	51
34	A community-based model of care improves blood pressure control and delays progression of proteinuria, left ventricular hypertrophy and diastolic dysfunction in Maori and Pacific patients with type 2 diabetes and chronic kidney disease: a randomized controlled trial. Nephrology Dialysis Transplantation, 2010, 25, 3260-3266.	0.4	49
35	Is heart rate a risk marker in patients with chronic heart failure and concomitant atrial fibrillation? Results from the <scp>MAGGIC</scp> metaâ€analysis. European Journal of Heart Failure, 2015, 17, 1182-1191.	2.9	48
36	Association of fat-free mass and training status with left ventricular size and mass in endurance-trained athletes. Journal of the American College of Cardiology, 2004, 44, 892-896.	1.2	46

3

#	Article	IF	Citations
37	Effect of Early Initiation of Dialysis on Cardiac Structure and Function: Results From the Echo Substudy of the IDEAL Trial. American Journal of Kidney Diseases, 2013, 61, 262-270.	2.1	45
38	A Common Variant at Chromosome 9P21.3 Is Associated With Age of Onset of Coronary Disease but Not Subsequent Mortality. Circulation: Cardiovascular Genetics, 2010, 3, 286-293.	5.1	44
39	Diastolic Dysfunction Assessed Using Contemporary Guidelines and Prognosis Following Myocardial Infarction. Journal of the American Society of Echocardiography, 2018, 31, 1127-1136.	1.2	44
40	Effects of improved glycaemic control on endothelial function in patients with type 2 diabetes. Internal Medicine Journal, 2001, 31, 322-328.	0.5	42
41	Restrictive Filling Pattern is a Powerful Predictor of Heart Failure Events Postacute Myocardial Infarction and in Established Heart Failure: A Literature-Based Meta-Analysis. Journal of Cardiac Failure, 2007, 13, 346-352.	0.7	40
42	Circulating miR-323-3p and miR-652: Candidate markers for the presence and progression of acute coronary syndromes. International Journal of Cardiology, 2014, 176, 375-385.	0.8	40
43	Restrictive diastolic filling predicts death after acute myocardial infarction: systematic review and meta-analysis of prospective studies. Heart, 2006, 92, 1588-1594.	1.2	39
44	A randomized trial of the aldosterone-receptor antagonist eplerenone in asymptomatic moderate-severe aortic stenosis. American Heart Journal, 2008, 156, 348-355.	1.2	37
45	Left ventricular mass correlates with fat-free mass but not fat mass in adults. Journal of Hypertension, 1999, 17, 569-574.	0.3	35
46	The prognostic significance of restrictive diastolic filling associated with heart failure: A meta-analysis. International Journal of Cardiology, 2007, 116, 70-77.	0.8	35
47	Elevated B-type natriuretic peptide despite normal left ventricular function on rest and exercise stress echocardiography in mitral regurgitation. European Heart Journal, 2008, 29, 363-370.	1.0	35
48	Atrial fibrillation and the risk of death in patients with heart failure: a literatureâ€based metaâ€analysis. Internal Medicine Journal, 2010, 40, 347-356.	0.5	35
49	Genomic Risk Variants at 1p13.3, 1q41, and 3q22.3 Are Associated With Subsequent Cardiovascular Outcomes in Healthy Controls and in Established Coronary Artery Disease. Circulation: Cardiovascular Genetics, 2011, 4, 636-646.	5.1	35
50	Massive Nitrogen Loss in Critical Surgical Illness. Annals of Surgery, 1997, 226, 191-197.	2.1	35
51	Prognostic role of echocardiography and brain natriuretic peptide in symptomatic breathless patients in the community. European Heart Journal, 2008, 29, 509-516.	1.0	34
52	Pseudonormal Mitral Filling Is Associated with Similarly Poor Prognosis as Restrictive Filling in Patients with Heart Failure and Coronary Heart Disease: A Systematic Review and Meta-analysis of Prospective Studies. Journal of the American Society of Echocardiography, 2009, 22, 494-498.	1.2	31
53	Effects of simvastatin and enalapril on serum lipoprotein concentrations and left ventricular mass in patients on dialysis. The Perfect Study Collaborative Group. Journal of Nephrology, 1997, 10, 33-40.	0.9	31
54	Structural and Functional Cardiac Abnormalities in Adolescent Girls with Poorly Controlled Type 2 Diabetes. Diabetes Care, 2009, 32, 883-888.	4.3	30

#	Article	IF	CITATIONS
55	Known and missing left ventricular ejection fraction and survival in patients with heart failure: a MAGGIC metaâ€analysis report. European Journal of Heart Failure, 2013, 15, 1220-1227.	2.9	28
56	Prognostic significance of anaemia in patients with heart failure with preserved and reduced ejection fraction: results from the MAGGIC individual patient data meta-analysis. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 377-382.	0.2	28
57	A cohort study comparing cardiovascular risk factors in rural MÄori, urban MÄori and non-MÄori communities in New Zealand. BMJ Open, 2012, 2, e000799.	0.8	27
58	Echo and natriuretic peptide guided therapy improves outcome and reduces worsening renal function in systolic heart failure: An observational study of 1137 outpatients. International Journal of Cardiology, 2016, 224, 416-423.	0.8	26
59	Myocardial tissue characterisation using echocardiographic deformation imaging. Cardiovascular Ultrasound, 2019, 17, 27.	0.5	26
60	Hyperuricaemia and gout in <scp>N</scp> ew <scp>Z</scp> ealand rural and urban <scp>M</scp> Äøri and nonâ€ <scp>M</scp> Äøri communities. Internal Medicine Journal, 2013, 43, 678-684.	0.5	25
61	C-Type Natriuretic Peptides in Coronary Disease. Clinical Chemistry, 2017, 63, 316-324.	1.5	25
62	The Effect of Type 2 Diabetes on Diastolic Function. Medicine and Science in Sports and Exercise, 2006, 38, 1384-1388.	0.2	24
63	Angiotensin-converting enzyme 2 A1075G polymorphism is associated with survival in an acute coronary syndromes cohort. American Heart Journal, 2008, 156, 752-758.	1.2	23
64	Geographic variation in left ventricular mass and mass index: a systematic review. Journal of Human Hypertension, 2012, 26, 420-429.	1.0	23
65	Redefining normal reference ranges for echocardiography: a major new individual person data meta-analysis. European Heart Journal Cardiovascular Imaging, 2013, 14, 347-348.	0.5	21
66	Atherosclerosis and left ventricular hypertrophy. Journal of Hypertension, 1998, 16, 1389-1395.	0.3	20
67	Effects of perindopril–indapamide on left ventricular diastolic function and mass in patients with type 2 diabetes: the ADVANCE Echocardiography Substudy. Journal of Hypertension, 2011, 29, 1439-1447.	0.3	20
68	Genetic variation in the renin–angiotensin–aldosterone system is associated with cardiovascular risk factors and early mortality in established coronary heart disease. Journal of Human Hypertension, 2013, 27, 237-244.	1.0	20
69	Individual patient meta-analyses of restrictive diastolic filling pattern and mortality in patients post acute myocardial infarction and in patients with chronic heart failure. International Journal of Cardiology, 2007, 122, 207-215.	0.8	19
70	Increased B-type natriuretic peptide is associated with an abnormal blood pressure response to exercise in asymptomatic aortic stenosis. International Journal of Cardiology, 2008, 127, 313-320.	0.8	19
71	Hyperendemic rheumatic heart disease in a remote Australian town identified by echocardiographic screening. Medical Journal of Australia, 2020, 213, 118-123.	0.8	19
72	A Kaupapa MÄori approach to a community cohort study of heart disease in New Zealand. Australian and New Zealand Journal of Public Health, 2011, 35, 249-255.	0.8	18

#	Article	IF	CITATIONS
73	Pseudonormal Diastolic Filling Unmasked With Glyceryl Trinitrate in Patients With Type 2 Diabetes With Poor Metabolic Control. Diabetes Care, 2001, 24, 1307-1308.	4.3	17
74	The larger exercise stroke volume in enduranceâ€trained men does not result from increased left ventricular early or late inflow or tissue velocities. Acta Physiologica, 2012, 205, 520-531.	1.8	17
75	New Diastology Guidelines: Evolution, Validation and Impact on Clinical Practice. Heart Lung and Circulation, 2019, 28, 1411-1420.	0.2	17
76	Comparison of Different Methods for Detection of Diastolic Filling Abnormalities. Journal of the American Society of Echocardiography, 2005, 18, 710-717.	1.2	16
77	Relation of Left Atrial Volumes in Patients With Myocardial Infarction to Left Ventricular Filling Pressures and Outcomes. American Journal of Cardiology, 2019, 124, 325-333.	0.7	16
78	Heart failure with preserved ejection fraction. Journal of Geriatric Cardiology, 2013, 10, 369-76.	0.2	16
79	Effects of carvedilol on left ventricular regional wall motion in patients with heart failure caused by ischemic heart disease. Journal of Cardiac Failure, 2000, 6, 11-18.	0.7	13
80	Effect of tissue harmonic imaging and contrast upon between observer and test-retest reproducibility of left ventricular ejection fraction measurement in patients with heart failure. European Journal of Heart Failure, 2004, 6, 85-93.	2.9	13
81	Early detection and significance of structural cardiovascular abnormalities in patients with Type 2 diabetes mellitus. Expert Review of Cardiovascular Therapy, 2008, 6, 109-125.	0.6	13
82	The prognostic impact of diastolic dysfunction in patients with chronic heart failure and post-acute myocardial infarction: Can age-stratified E/A ratio alone predict survival?. International Journal of Cardiology, 2015, 181, 362-368.	0.8	13
83	Left Ventricular Geometry and All-cause Mortality in Advanced Age. Heart Lung and Circulation, 2015, 24, 32-39.	0.2	13
84	Serum IGF-I levels are similar in Samoan, MÄori and European populations despite differences in body composition. Growth Hormone and IGF Research, 2006, 16, 57-60.	0.5	12
85	Community screening for cardiovascular risk factors and levels of treatment in a rural MÄori cohort. Australian and New Zealand Journal of Public Health, 2011, 35, 517-523.	0.8	12
86	KCNE5 Polymorphism rs697829 is Associated with QT Interval and Survival in Acute Coronary Syndromes Patients. Journal of Cardiovascular Electrophysiology, 2012, 23, 319-324.	0.8	12
87	Chronic measurement of left ventricular pressure in freely moving rats. Journal of Applied Physiology, 2013, 115, 1672-1682.	1.2	12
88	Plasma levels of soluble VEGF receptor isoforms, circulating pterins and VEGF system SNPs as prognostic biomarkers in patients with acute coronary syndromes. BMC Cardiovascular Disorders, 2018, 18, 169.	0.7	12
89	Assessment and impact of diastolic function by echocardiography in elderly patients. Journal of Geriatric Cardiology, 2016, 13, 252-60.	0.2	12
90	Genetic Polymorphism rs6922269 in the MTHFD1L Gene Is Associated with Survival and Baseline Active Vitamin B12 Levels in Post-Acute Coronary Syndromes Patients. PLoS ONE, 2014, 9, e89029.	1.1	12

#	Article	IF	Citations
91	The effect of acute hyperglycaemia on brachial artery flow mediated dilatation in normal volunteers. Australian and New Zealand Journal of Medicine, 2000, 30, 344-350.	0.5	11
92	Definition of physiological hypertrophy in ultramarathon athletes. Journal of the American College of Cardiology, 2004, 44, 469.	1.2	11
93	<i>CYP1A1 MSP</i> I (T6235C) gene polymorphism is associated with mortality in acute coronary syndrome patients. Clinical and Experimental Pharmacology and Physiology, 2010, 37, 193-198.	0.9	11
94	Convalescent troponin and cardiovascular death following acute coronary syndrome. Heart, 2019, 105, 1717-1724.	1.2	11
95	Single-View Echocardiography by Nonexpert Practitioners to Detect Rheumatic Heart Disease: A Prospective Study of Diagnostic Accuracy. Circulation: Cardiovascular Imaging, 2021, 14, e011790.	1.3	11
96	Genetic markers of repolarization and arrhythmic events after acute coronary syndromes. American Heart Journal, 2015, 169, 579-586.e3.	1.2	10
97	Selection Bias in Clinical Research When Subjects Are Excluded Because of Failure to Estimate Left Ventricular Mass by Echocardiography. Journal of the American Society of Echocardiography, 1998, 11, 1050-1055.	1.2	9
98	Does Rhythm Matter? The Prognostic Importance of Atrial Fibrillation in Heart Failure. Heart Lung and Circulation, 2006, 15, 353-357.	0.2	9
99	Role of echocardiography in the contemporary management of chronic heart failure. Expert Review of Cardiovascular Therapy, 2005, 3, 51-70.	0.6	6
100	Understanding differences in results from literature-based and individual patient meta-analyses: An example from meta-analyses of observational data. International Journal of Cardiology, 2011, 148, 209-213.	0.8	6
101	A comparison of the effects of indexation on standard echocardiographic measurements of the left heart in a healthy multi-racial population. International Journal of Cardiovascular Imaging, 2014, 30, 749-758.	0.7	6
102	Arterial baroreceptor reflex control of renal sympathetic nerve activity following chronic myocardial infarction in male, female, and ovariectomized female rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R169-R178.	0.9	6
103	Echocardiographic predictors of all-cause mortality in patients with left ventricular ejection fraction >35%: Value of guideline based assessment of diastolic dysfunction. IJC Heart and Vasculature, 2019, 24, 100407.	0.6	6
104	Hemodynamic Validation of the E/e' Ratio as a Measure of Left Ventricular Filling Pressure in Patients With Non-ST Elevation Myocardial Infarction. American Journal of Cardiology, 2020, 125, 507-512.	0.7	6
105	Review: Detection of patient foramen ovale using transcranial Doppler or standard echocardiography. Australasian Journal of Ultrasound in Medicine, 2020, 23, 210-219.	0.3	6
106	Diastolic Filling Response To Submaximal Exercise In Trained And Untrained Subjects. Medicine and Science in Sports and Exercise, 2006, 38, S115.	0.2	6
107	Estimating heart mass from heart volume as measured from post-mortem computed tomography. Forensic Science, Medicine, and Pathology, 2022, 18, 333-342.	0.6	6
108	Transmitral Flow Patterns and the Presence of Chronic Kidney Disease Provide Independent and Incremental Prognostic Information in Patients with Heart Failure and Systolic Dysfunction. Journal of the American Society of Echocardiography, 2007, 20, 989-997.	1.2	5

#	Article	IF	CITATIONS
109	The relationship between BNP and E/Ea in patients hospitalized with acute heart failure. International Journal of Cardiology, 2008, 125, 280-282.	0.8	5
110	Plasma Nâ€Terminal Protypeâ€B Natriuretic Peptide and Restrictive Mitral Flow to Riskâ€stratify Patients with Stage B Heart Failure. Clinical Cardiology, 2009, 32, 711-717.	0.7	5
111	Role of echocardiographic left ventricular mass and carotid intimaâ€media thickness in the cardiovascular risk assessment of asymptomatic patients with type 2 diabetes mellitus. Internal Medicine Journal, 2011, 41, 391-398.	0.5	5
112	Higher prevalence of left ventricular hypertrophy in two MÄori cohorts: findings from the Hauora Manawa/Community Heart Study. Australian and New Zealand Journal of Public Health, 2015, 39, 26-31.	0.8	5
113	The RECARDINA Study protocol: diagnostic utility of ultra-abbreviated echocardiographic protocol for handheld machines used by non-experts to detect rheumatic heart disease. BMJ Open, 2020, 10, e037609.	0.8	5
114	Correlation between epicardial adipose tissue and body mass index in New Zealand ethnic populations. New Zealand Medical Journal, 2020, 133, 22-32.	0.5	5
115	Surrogate Survival. JACC: Cardiovascular Imaging, 2018, 11, 1580-1582.	2.3	4
116	Quantitative evaluation of regional endocardial visualisation with second harmonic imaging and contrast left ventricular opacification in heart failure patients. European Journal of Echocardiography, 2005, 6, 134-143.	2.3	3
117	Echocardiographic Left Atrial Volumes are Optimally Indexed to Lean Body Mass to Adjust for Differences in Body Size. Heart Lung and Circulation, 2008, 17, S45.	0.2	3
118	Changes in Tissue-Doppler Echocardiographic Assessment of Left Ventricular Filling During NT-proBNP Guided Heart Failure Treatment Titration: A Pilot Study. Heart Lung and Circulation, 2009, 18, 38-44.	0.2	3
119	Prediction of ACC/AHA Stage B Heart Failure by Clinical and Neurohormonal Profiling Among Patients in the Community. Journal of Cardiac Failure, 2010, 16, 957-963.	0.7	3
120	The 21st Century Echocardiography Laboratory in Australia and New Zealand: Rapid Evolution of Training and Workforce, Practice and Technology. Heart Lung and Circulation, 2019, 28, 1421-1426.	0.2	3
121	Snack bar compositions and their acute glycaemic and satiety effects. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 624-629.	0.3	3
122	Survey of clinical echocardiography in New Zealand (SCANZ). New Zealand Medical Journal, 2008, 121, 34-44.	0.5	3
123	Correspondence. American Journal of Cardiology, 1998, 82, 704.	0.7	2
124	Coming of Age: Affiliate Member Profile and Participation in the Annual Scientific Meeting of the Cardiac Society of Australia and New Zealand. Heart Lung and Circulation, 2007, 16, 447-451.	0.2	2
125	Association between endothelin type A receptor haplotypes and mortality in coronary heart disease. Personalized Medicine, 2012, 9, 341-349.	0.8	2
126	The Impact of Beta-blockade on Right Ventricular Function in Mitral Regurgitation. Heart Lung and Circulation, 2014, 23, 378-380.	0.2	2

#	Article	IF	CITATIONS
127	Branding, Ingredients and Nutrition Information: Consumer Liking of a Healthier Snack. Journal of Food Research, 2015, 4, 64.	0.1	2
128	Effects of a healthier snack on snacking habits and glycated Hb (HbA1c): a 6-week intervention study. British Journal of Nutrition, 2016, 116, 2169-2174.	1.2	2
129	Echo and BNP serial assessment in ambulatory heart failure care: Data on loop diuretic use and renal function. Data in Brief, 2016, 9, 1074-1076.	0.5	2
130	Sex Disparity in Cardiovascular Disease Outcomes: Do Our Current Echocardiographic Reference Ranges Measure Up?. Heart Lung and Circulation, 2021, 30, e1-e5.	0.2	2
131	Interval imaging to guide treatment in constrictive pericarditis. Heart, 2021, 107, 781-782.	1.2	2
132	Predictors of quality of life after revascularization for ischemic heart disease: A systematic review. Health Sciences Review, 2022, 2, 100017.	0.6	2
133	Carvedilol reduces left ventricular volumes in patients with heart failure of ischemic etiology. Journal of the American College of Cardiology, 1996, 27, 169-170.	1.2	1
134	Brain natriuretic peptide in the contemporary management of congestive heart failure. Expert Review of Cardiovascular Therapy, 2005, 3, 71-84.	0.6	1
135	Mechanisms of benefit of sustained weight reduction in morbid obesity: beyond reduction in conventional cardiovascular risk factors. Journal of Hypertension, 2007, 25, 295-297.	0.3	1
136	N-terminal Pro Brain Natriuretic Peptide is More Useful than Electrocardiograms for Detecting Left Ventricular Hypertrophy in Asymptomatic Patients with Type 2 Diabetes Mellitus from Primary Care. Heart Lung and Circulation, 2008, 17, S136.	0.2	1
137	Prognostic Implications of Left Ventricular Dilation in Patients With Nonischemic Heart Failure: Interactions With Restrictive Filling Pattern and Mitral Regurgitation. Congestive Heart Failure, 2012, 18, 198-204.	2.0	1
138	Loose tobacco, ethnicity, income and rurality. Australian and New Zealand Journal of Public Health, 2012, 36, 291-292.	0.8	1
139	Longâ€ŧerm outcomes in patients with restrictive filling following <scp>ST</scp> â€segment elevation myocardial infarction. Internal Medicine Journal, 2014, 44, 291-294.	0.5	1
140	Which cardiovascular risk factors are associated with cardiovascular disease and predict future events in advanced age in New Zealand?. Australasian Journal on Ageing, 2014, 33, 14-21.	0.4	1
141	Is Australasia Ready for Sonographer-Led Stress Echocardiography?. Heart Lung and Circulation, 2021, 30, 626-628.	0.2	1
142	Integrated management program does not reduce death, but may improve quality of life for people with chronic heart failure. Evidence-based Cardiovascular Medicine, 2002, 6, 123-124.	0.0	0
143	Endothelium-dependent dilatation in patients with type 2 diabetes. American Journal of Cardiology, 2002, 90, 446.	0.7	0
144	Detection of Pathologic or Physiologic Left Ventricular Remodeling in Athletes. Journal of the American College of Cardiology, 2005, 45, 1731.	1.2	0

#	Article	IF	Citations
145	Restrictive Filling Pattern Is a Powerful Predictor of Progression of Heart Failure in Patients with Chronic Heart Failure and Post-Acute Myocardial Infarction: A Literature-Based Meta-Analysis. Journal of Cardiac Failure, 2006, 12, S102.	0.7	0
146	E/Ea Ratio Does Not Decrease during Treatment for Decompensated Heart Failure in Parallel to Decreasing Symptoms and BNP. Journal of Cardiac Failure, 2006, 12, S133.	0.7	0
147	The Prognostic Power of Mitral Filling Pattern: Is it the same in all Patients? Results From an Individual Patient Meta-Analysis (MeRGE). Heart Lung and Circulation, 2008, 17, S86.	0.2	0
148	Should Left Ventricular Hypertrophy Diagnosed by Echocardiography be Incorporated into Cardiovascular Risk Assessment among Patients with Type 2 Diabetes?. Heart Lung and Circulation, 2008, 17, S133-S134.	0.2	0
149	CD5-5 Delayed progression in left ventricular hypertrophy with intensive blood pressure control in Maori and Pacific patients with chronic diabetic kidney disease. Diabetes Research and Clinical Practice, 2008, 79, S39-S40.	1.1	0
150	P-98 A single albumin:creatinine predicts left ventricular hypertrophy better than ECG in primary care patients with Type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2008, 79, S91.	1.1	0
151	The Effect of Age and Endurance Training on Exercising Diastolic Function in Healthy Men. Medicine and Science in Sports and Exercise, 2010, 42, 5.	0.2	0
152	The cardiac sonography workforce in New Zealand. Australasian Journal of Ultrasound in Medicine, 2013, 16, 77-85.	0.3	0
153	The development and feasibility of a composite score of echocardiographic indices that may stratify outcome in patients with diabetes mellitus. International Journal of Cardiology, 2015, 182, 244-249.	0.8	0
154	A new approach to assessment of the left ventricle. MethodsX, 2016, 3, 274-278.	0.7	0
155	Identifying Patients at Risk Post-Infarct: Is it Time for Routine CMR?. Heart Lung and Circulation, 2019, 28, 354-357.	0.2	0
156	A COMPOSITE ECHOCARDIOGRAPHIC SCORE TO PREDICT LONG-TERM SURVIVAL FOLLOWING MYOCARDIAL INFARCTION. Journal of the American College of Cardiology, 2020, 75, 1668.	1.2	0
157	Hemodynamic and Prognostic Validation of Novel Combined Algorithm to Assess Diastolic Function and Filling Pressures. JACC: Cardiovascular Imaging, 2020, 13, 2275-2276.	2.3	0
158	Appropriate and early detection of rheumatic heart disease. Australasian Journal of Ultrasound in Medicine, 2020, 23, 3-4.	0.3	0
159	Forging an evidenceâ€based path forward. Australasian Journal of Ultrasound in Medicine, 2021, 24, 69-69.	0.3	0
160	Sonography – anyone, anytime, anywhere?. Australasian Journal of Ultrasound in Medicine, 2021, 24, 119-119.	0.3	0
161	The Effect of Type 2 Diabetes And Low Aerobic Fitness On Diastolic Function. Medicine and Science in Sports and Exercise, 2005, 37, S92-S93.	0.2	0
162	Collaboration in the time of COVID. Australasian Journal of Ultrasound in Medicine, 2021, 24, 185-186.	0.3	0

#	Article	IF	CITATIONS
163	Composite Echocardiographic Score to Predict Long-Term Survival Following Myocardial Infarction. Heart Lung and Circulation, 2022, , .	0.2	0
164	Quality and quantification: Is it time to rethink?. Australasian Journal of Ultrasound in Medicine, 2022, 25, 3-4.	0.3	0
165	Diversity in ultrasound practice and education. Australasian Journal of Ultrasound in Medicine, 2022, 25, 53-53.	0.3	0