

# Gillian A Whalley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5130747/publications.pdf>

Version: 2024-02-01

165  
papers

7,006  
citations

76196

40  
h-index

62479

80  
g-index

167  
all docs

167  
docs citations

167  
times ranked

9058  
citing authors

#	ARTICLE	IF	CITATIONS
1	Composite Echocardiographic Score to Predict Long-Term Survival Following Myocardial Infarction. Heart Lung and Circulation, 2022, , .	0.2	0
2	Quality and quantification: Is it time to rethink?. Australasian Journal of Ultrasound in Medicine, 2022, 25, 3-4.	0.3	0
3	Predictors of quality of life after revascularization for ischemic heart disease: A systematic review. Health Sciences Review, 2022, 2, 100017.	0.6	2
4	Estimating heart mass from heart volume as measured from post-mortem computed tomography. Forensic Science, Medicine, and Pathology, 2022, 18, 333-342.	0.6	6
5	Diversity in ultrasound practice and education. Australasian Journal of Ultrasound in Medicine, 2022, 25, 53-53.	0.3	0
6	Sex Disparity in Cardiovascular Disease Outcomes: Do Our Current Echocardiographic Reference Ranges Measure Up?. Heart Lung and Circulation, 2021, 30, e1-e5.	0.2	2
7	Interval imaging to guide treatment in constrictive pericarditis. Heart, 2021, 107, 781-782.	1.2	2
8	Is Australasia Ready for Sonographer-Led Stress Echocardiography?. Heart Lung and Circulation, 2021, 30, 626-628.	0.2	1
9	Forging an evidence-based path forward. Australasian Journal of Ultrasound in Medicine, 2021, 24, 69-69.	0.3	0
10	Sonography " anyone, anytime, anywhere?. Australasian Journal of Ultrasound in Medicine, 2021, 24, 119-119.	0.3	0
11	Single-View Echocardiography by Nonexpert Practitioners to Detect Rheumatic Heart Disease: A Prospective Study of Diagnostic Accuracy. Circulation: Cardiovascular Imaging, 2021, 14, e011790.	1.3	11
12	Collaboration in the time of COVID. Australasian Journal of Ultrasound in Medicine, 2021, 24, 185-186.	0.3	0
13	Hemodynamic Validation of the E/e <sup>TM</sup> Ratio as a Measure of Left Ventricular Filling Pressure in Patients With Non-ST Elevation Myocardial Infarction. American Journal of Cardiology, 2020, 125, 507-512.	0.7	6
14	Hyperendemic rheumatic heart disease in a remote Australian town identified by echocardiographic screening. Medical Journal of Australia, 2020, 213, 118-123.	0.8	19
15	A COMPOSITE ECHOCARDIOGRAPHIC SCORE TO PREDICT LONG-TERM SURVIVAL FOLLOWING MYOCARDIAL INFARCTION. Journal of the American College of Cardiology, 2020, 75, 1668.	1.2	0
16	Hemodynamic and Prognostic Validation of Novel Combined Algorithm to Assess Diastolic Function and Filling Pressures. JACC: Cardiovascular Imaging, 2020, 13, 2275-2276.	2.3	0
17	Review: Detection of patient foramen ovale using transcranial Doppler or standard echocardiography. Australasian Journal of Ultrasound in Medicine, 2020, 23, 210-219.	0.3	6
18	The RECARDINA Study protocol: diagnostic utility of ultra-abbreviated echocardiographic protocol for handheld machines used by non-experts to detect rheumatic heart disease. BMJ Open, 2020, 10, e037609.	0.8	5

#	ARTICLE	IF	CITATIONS
19	Appropriate and early detection of rheumatic heart disease. <i>Australasian Journal of Ultrasound in Medicine</i> , 2020, 23, 3-4.	0.3	0
20	Correlation between epicardial adipose tissue and body mass index in New Zealand ethnic populations. <i>New Zealand Medical Journal</i> , 2020, 133, 22-32.	0.5	5
21	Echocardiographic predictors of all-cause mortality in patients with left ventricular ejection fraction >35%: Value of guideline based assessment of diastolic dysfunction. <i>IJC Heart and Vasculature</i> , 2019, 24, 100407.	0.6	6
22	Identifying Patients at Risk Post-Infarct: Is it Time for Routine CMR?. <i>Heart Lung and Circulation</i> , 2019, 28, 354-357.	0.2	0
23	Relation of Left Atrial Volumes in Patients With Myocardial Infarction to Left Ventricular Filling Pressures and Outcomes. <i>American Journal of Cardiology</i> , 2019, 124, 325-333.	0.7	16
24	New Diastology Guidelines: Evolution, Validation and Impact on Clinical Practice. <i>Heart Lung and Circulation</i> , 2019, 28, 1411-1420.	0.2	17
25	The 21st Century Echocardiography Laboratory in Australia and New Zealand: Rapid Evolution of Training and Workforce, Practice and Technology. <i>Heart Lung and Circulation</i> , 2019, 28, 1421-1426.	0.2	3
26	Convalescent troponin and cardiovascular death following acute coronary syndrome. <i>Heart</i> , 2019, 105, 1717-1724.	1.2	11
27	Myocardial tissue characterisation using echocardiographic deformation imaging. <i>Cardiovascular Ultrasound</i> , 2019, 17, 27.	0.5	26
28	Surrogate Survival. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1580-1582.	2.3	4
29	Diastolic Dysfunction Assessed Using Contemporary Guidelines and Prognosis Following Myocardial Infarction. <i>Journal of the American Society of Echocardiography</i> , 2018, 31, 1127-1136.	1.2	44
30	Plasma levels of soluble VEGF receptor isoforms, circulating pterins and VEGF system SNPs as prognostic biomarkers in patients with acute coronary syndromes. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 169.	0.7	12
31	C-Type Natriuretic Peptides in Coronary Disease. <i>Clinical Chemistry</i> , 2017, 63, 316-324.	1.5	25
32	Snack bar compositions and their acute glycaemic and satiety effects. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017, 26, 624-629.	0.3	3
33	Effects of a healthier snack on snacking habits and glycated Hb (HbA1c): a 6-week intervention study. <i>British Journal of Nutrition</i> , 2016, 116, 2169-2174.	1.2	2
34	Echo and BNP serial assessment in ambulatory heart failure care: Data on loop diuretic use and renal function. <i>Data in Brief</i> , 2016, 9, 1074-1076.	0.5	2
35	A new approach to assessment of the left ventricle. <i>MethodsX</i> , 2016, 3, 274-278.	0.7	0
36	The Validity of Left Ventricular Mass as a Surrogate End Point for All-Cause and Cardiovascular Mortality Outcomes in People With CKD: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016, 68, 554-563.	2.1	51

#	ARTICLE	IF	CITATIONS
37	Echo and natriuretic peptide guided therapy improves outcome and reduces worsening renal function in systolic heart failure: An observational study of 1137 outpatients. <i>International Journal of Cardiology</i> , 2016, 224, 416-423.	0.8	26
38	Bias associated with left ventricular quantification by multimodality imaging: a systematic review and meta-analysis. <i>Open Heart</i> , 2016, 3, e000388.	0.9	52
39	Prognostic significance of anaemia in patients with heart failure with preserved and reduced ejection fraction: results from the MAGGIC individual patient data meta-analysis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 377-382.	0.2	28
40	Assessment and impact of diastolic function by echocardiography in elderly patients. <i>Journal of Geriatric Cardiology</i> , 2016, 13, 252-60.	0.2	12
41	Higher prevalence of left ventricular hypertrophy in two Māori cohorts: findings from the Hauora Manawa/Community Heart Study. <i>Australian and New Zealand Journal of Public Health</i> , 2015, 39, 26-31.	0.8	5
42	Is heart rate a risk marker in patients with chronic heart failure and concomitant atrial fibrillation? Results from the <sc>MAGGIC</sc> meta-analysis. <i>European Journal of Heart Failure</i> , 2015, 17, 1182-1191.	2.9	48
43	Branding, Ingredients and Nutrition Information: Consumer Liking of a Healthier Snack. <i>Journal of Food Research</i> , 2015, 4, 64.	0.1	2
44	Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. <i>European Heart Journal</i> , 2015, 36, 1106-1114.	1.0	53
45	Ethnic-Specific Normative Reference Values for Echocardiographic LA and LV Size, LV Mass, and Systolic Function. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 656-665.	2.3	182
46	The prognostic impact of diastolic dysfunction in patients with chronic heart failure and post-acute myocardial infarction: Can age-stratified E/A ratio alone predict survival?. <i>International Journal of Cardiology</i> , 2015, 181, 362-368.	0.8	13
47	The development and feasibility of a composite score of echocardiographic indices that may stratify outcome in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2015, 182, 244-249.	0.8	0
48	Genetic markers of repolarization and arrhythmic events after acute coronary syndromes. <i>American Heart Journal</i> , 2015, 169, 579-586.e3.	1.2	10
49	Arterial baroreceptor reflex control of renal sympathetic nerve activity following chronic myocardial infarction in male, female, and ovariectomized female rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R169-R178.	0.9	6
50	Left Ventricular Geometry and All-cause Mortality in Advanced Age. <i>Heart Lung and Circulation</i> , 2015, 24, 32-39.	0.2	13
51	The obesity paradox in heart failure patients with preserved versus reduced ejection fraction: a meta-analysis of individual patient data. <i>International Journal of Obesity</i> , 2014, 38, 1110-1114.	1.6	155
52	Long-term outcomes in patients with restrictive filling following <sc>ST</sc>-segment elevation myocardial infarction. <i>Internal Medicine Journal</i> , 2014, 44, 291-294.	0.5	1
53	Which cardiovascular risk factors are associated with cardiovascular disease and predict future events in advanced age in New Zealand?. <i>Australasian Journal on Ageing</i> , 2014, 33, 14-21.	0.4	1
54	Circulating miR-323-3p and miR-652: Candidate markers for the presence and progression of acute coronary syndromes. <i>International Journal of Cardiology</i> , 2014, 176, 375-385.	0.8	40

#	ARTICLE	IF	CITATIONS
55	A comparison of the effects of indexation on standard echocardiographic measurements of the left heart in a healthy multi-racial population. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 749-758.	0.7	6
56	The Impact of Beta-blockade on Right Ventricular Function in Mitral Regurgitation. <i>Heart Lung and Circulation</i> , 2014, 23, 378-380.	0.2	2
57	Heart failure in younger patients: the Meta-analysis Global Group in Chronic Heart Failure (MAGGIC). <i>European Heart Journal</i> , 2014, 35, 2714-2721.	1.0	71
58	Genetic Polymorphism rs6922269 in the MTHFD1L Gene Is Associated with Survival and Baseline Active Vitamin B12 Levels in Post-Acute Coronary Syndromes Patients. <i>PLoS ONE</i> , 2014, 9, e89029.	1.1	12
59	Known and missing left ventricular ejection fraction and survival in patients with heart failure: a MAGGIC meta-analysis report. <i>European Journal of Heart Failure</i> , 2013, 15, 1220-1227.	2.9	28
60	Effect of Early Initiation of Dialysis on Cardiac Structure and Function: Results From the Echo Substudy of the IDEAL Trial. <i>American Journal of Kidney Diseases</i> , 2013, 61, 262-270.	2.1	45
61	Redefining normal reference ranges for echocardiography: a major new individual person data meta-analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 347-348.	0.5	21
62	Predicting survival in heart failure: a risk score based on 39 372 patients from 30 studies. <i>European Heart Journal</i> , 2013, 34, 1404-1413.	1.0	921
63	Hyperuricaemia and gout in New Zealand rural and urban Māori and non-Māori communities. <i>Internal Medicine Journal</i> , 2013, 43, 678-684.	0.5	25
64	Genetic variation in the renin-angiotensin-aldosterone system is associated with cardiovascular risk factors and early mortality in established coronary heart disease. <i>Journal of Human Hypertension</i> , 2013, 27, 237-244.	1.0	20
65	The cardiac sonography workforce in New Zealand. <i>Australasian Journal of Ultrasound in Medicine</i> , 2013, 16, 77-85.	0.3	0
66	Chronic measurement of left ventricular pressure in freely moving rats. <i>Journal of Applied Physiology</i> , 2013, 115, 1672-1682.	1.2	12
67	Heart failure with preserved ejection fraction. <i>Journal of Geriatric Cardiology</i> , 2013, 10, 369-76.	0.2	16
68	Progression of myocardial remodeling and mechanical dysfunction in the spontaneously hypertensive rat. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 303, H1353-H1365.	1.5	54
69	Renal Dysfunction in Patients With Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2012, 5, 309-314.	1.6	152
70	Geographic variation in left ventricular mass and mass index: a systematic review. <i>Journal of Human Hypertension</i> , 2012, 26, 420-429.	1.0	23
71	The survival of patients with heart failure with preserved or reduced left ventricular ejection fraction: an individual patient data meta-analysis. <i>European Heart Journal</i> , 2012, 33, 1750-1757.	1.0	652
72	Association between endothelin type A receptor haplotypes and mortality in coronary heart disease. <i>Personalized Medicine</i> , 2012, 9, 341-349.	0.8	2

#	ARTICLE	IF	CITATIONS
73	A cohort study comparing cardiovascular risk factors in rural Māori, urban Māori and non-Māori communities in New Zealand. <i>BMJ Open</i> , 2012, 2, e000799.	0.8	27
74	Relationship of serum sodium concentration to mortality in a wide spectrum of heart failure patients with preserved and with reduced ejection fraction: an individual patient data meta-analysis. <i>European Journal of Heart Failure</i> , 2012, 14, 1139-1146.	2.9	100
75	Gender and survival in patients with heart failure: interactions with diabetes and aetiology. Results from the MAGGIC individual patient meta-analysis. <i>European Journal of Heart Failure</i> , 2012, 14, 473-479.	2.9	167
76	KCNE5 Polymorphism rs697829 is Associated with QT Interval and Survival in Acute Coronary Syndromes Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 319-324.	0.8	12
77	The larger exercise stroke volume in endurance-trained men does not result from increased left ventricular early or late inflow or tissue velocities. <i>Acta Physiologica</i> , 2012, 205, 520-531.	1.8	17
78	Prognostic Implications of Left Ventricular Dilation in Patients With Nonischemic Heart Failure: Interactions With Restrictive Filling Pattern and Mitral Regurgitation. <i>Congestive Heart Failure</i> , 2012, 18, 198-204.	2.0	1
79	Loose tobacco, ethnicity, income and rurality. <i>Australian and New Zealand Journal of Public Health</i> , 2012, 36, 291-292.	0.8	1
80	Understanding differences in results from literature-based and individual patient meta-analyses: An example from meta-analyses of observational data. <i>International Journal of Cardiology</i> , 2011, 148, 209-213.	0.8	6
81	Association of genetic variation in the natriuretic peptide system with cardiovascular outcomes. <i>Journal of Molecular and Cellular Cardiology</i> , 2011, 50, 695-701.	0.9	53
82	Effects of perindopril-indapamide on left ventricular diastolic function and mass in patients with type 2 diabetes: the ADVANCE Echocardiography Substudy. <i>Journal of Hypertension</i> , 2011, 29, 1439-1447.	0.3	20
83	Role of echocardiographic left ventricular mass and carotid intima-media thickness in the cardiovascular risk assessment of asymptomatic patients with type 2 diabetes mellitus. <i>Internal Medicine Journal</i> , 2011, 41, 391-398.	0.5	5
84	A Kaupapa Māori approach to a community cohort study of heart disease in New Zealand. <i>Australian and New Zealand Journal of Public Health</i> , 2011, 35, 249-255.	0.8	18
85	Community screening for cardiovascular risk factors and levels of treatment in a rural Māori cohort. <i>Australian and New Zealand Journal of Public Health</i> , 2011, 35, 517-523.	0.8	12
86	Screening for left ventricular hypertrophy in patients with type 2 diabetes mellitus in the community. <i>Cardiovascular Diabetology</i> , 2011, 10, 29.	2.7	56
87	Genomic Risk Variants at 1p13.3, 1q41, and 3q22.3 Are Associated With Subsequent Cardiovascular Outcomes in Healthy Controls and in Established Coronary Artery Disease. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 636-646.	5.1	35
88	Atrial fibrillation and the risk of death in patients with heart failure: a literature-based meta-analysis. <i>Internal Medicine Journal</i> , 2010, 40, 347-356.	0.5	35
89	Understanding changing patterns of survival and hospitalization for heart failure over two decades in New Zealand: utility of "days alive and out of hospital" from epidemiological data. <i>European Journal of Heart Failure</i> , 2010, 12, 462-468.	2.9	74
90	The Effect of Age and Endurance Training on Exercising Diastolic Function in Healthy Men. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 5.	0.2	0

#	ARTICLE	IF	CITATIONS
91	<i>CYP1A1</i> MSP (T6235C) gene polymorphism is associated with mortality in acute coronary syndrome patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 193-198.	0.9	11
92	Left ventricular systolic and diastolic function assessed by tissue Doppler imaging and outcome in asymptomatic aortic stenosis. <i>European Heart Journal</i> , 2010, 31, 2216-2222.	1.0	72
93	A community-based model of care improves blood pressure control and delays progression of proteinuria, left ventricular hypertrophy and diastolic dysfunction in Maori and Pacific patients with type 2 diabetes and chronic kidney disease: a randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3260-3266.	0.4	49
94	A Common Variant at Chromosome 9P21.3 Is Associated With Age of Onset of Coronary Disease but Not Subsequent Mortality. <i>Circulation: Cardiovascular Genetics</i> , 2010, 3, 286-293.	5.1	44
95	Prediction of ACC/AHA Stage B Heart Failure by Clinical and Neurohormonal Profiling Among Patients in the Community. <i>Journal of Cardiac Failure</i> , 2010, 16, 957-963.	0.7	3
96	The prognostic significance of heart failure with preserved left ventricular ejection fraction: a literature-based meta-analysis. <i>European Journal of Heart Failure</i> , 2009, 11, 855-862.	2.9	114
97	Independent relationship of left atrial size and mortality in patients with heart failure: an individual patient meta-analysis of longitudinal data (MERGE Heart Failure). <i>European Journal of Heart Failure</i> , 2009, 11, 929-936.	2.9	146
98	Structural and Functional Cardiac Abnormalities in Adolescent Girls with Poorly Controlled Type 2 Diabetes. <i>Diabetes Care</i> , 2009, 32, 883-888.	4.3	30
99	Plasma N-terminal Protype Natriuretic Peptide and Restrictive Mitral Flow to Risk-stratify Patients with Stage B Heart Failure. <i>Clinical Cardiology</i> , 2009, 32, 711-717.	0.7	5
100	Changes in Tissue-Doppler Echocardiographic Assessment of Left Ventricular Filling During NT-proBNP Guided Heart Failure Treatment Titration: A Pilot Study. <i>Heart Lung and Circulation</i> , 2009, 18, 38-44.	0.2	3
101	Pseudonormal Mitral Filling Is Associated with Similarly Poor Prognosis as Restrictive Filling in Patients with Heart Failure and Coronary Heart Disease: A Systematic Review and Meta-analysis of Prospective Studies. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 494-498.	1.2	31
102	Echocardiographic Left Atrial Volumes are Optimally Indexed to Lean Body Mass to Adjust for Differences in Body Size. <i>Heart Lung and Circulation</i> , 2008, 17, S45.	0.2	3
103	The Prognostic Power of Mitral Filling Pattern: Is it the same in all Patients? Results From an Individual Patient Meta-Analysis (MERGE). <i>Heart Lung and Circulation</i> , 2008, 17, S86.	0.2	0
104	Should Left Ventricular Hypertrophy Diagnosed by Echocardiography be Incorporated into Cardiovascular Risk Assessment among Patients with Type 2 Diabetes?. <i>Heart Lung and Circulation</i> , 2008, 17, S133-S134.	0.2	0
105	N-terminal Pro Brain Natriuretic Peptide is More Useful than Electrocardiograms for Detecting Left Ventricular Hypertrophy in Asymptomatic Patients with Type 2 Diabetes Mellitus from Primary Care. <i>Heart Lung and Circulation</i> , 2008, 17, S136.	0.2	1
106	The relationship between BNP and E/Ea in patients hospitalized with acute heart failure. <i>International Journal of Cardiology</i> , 2008, 125, 280-282.	0.8	5
107	Increased B-type natriuretic peptide is associated with an abnormal blood pressure response to exercise in asymptomatic aortic stenosis. <i>International Journal of Cardiology</i> , 2008, 127, 313-320.	0.8	19
108	A randomized trial of the aldosterone-receptor antagonist eplerenone in asymptomatic moderate-severe aortic stenosis. <i>American Heart Journal</i> , 2008, 156, 348-355.	1.2	37



#	ARTICLE	IF	CITATIONS
109	Angiotensin-converting enzyme 2 A1075G polymorphism is associated with survival in an acute coronary syndromes cohort. <i>American Heart Journal</i> , 2008, 156, 752-758.	1.2	23
110	CD5-5 Delayed progression in left ventricular hypertrophy with intensive blood pressure control in Maori and Pacific patients with chronic diabetic kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S39-S40.	1.1	0
111	P-98 A single albumin:creatinine predicts left ventricular hypertrophy better than ECG in primary care patients with Type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, S91.	1.1	0
112	Early detection and significance of structural cardiovascular abnormalities in patients with Type 2 diabetes mellitus. <i>Expert Review of Cardiovascular Therapy</i> , 2008, 6, 109-125.	0.6	13
113	Elevated B-type natriuretic peptide despite normal left ventricular function on rest and exercise stress echocardiography in mitral regurgitation. <i>European Heart Journal</i> , 2008, 29, 363-370.	1.0	35
114	Independence of restrictive filling pattern and LV ejection fraction with mortality in heart failure: An individual patient meta-analysis. <i>European Journal of Heart Failure</i> , 2008, 10, 786-792.	2.9	70
115	Independent Prognostic Importance of a Restrictive Left Ventricular Filling Pattern After Myocardial Infarction. <i>Circulation</i> , 2008, 117, 2591-2598.	1.6	149
116	Prognostic role of echocardiography and brain natriuretic peptide in symptomatic breathless patients in the community. <i>European Heart Journal</i> , 2008, 29, 509-516.	1.0	34
117	Survey of clinical echocardiography in New Zealand (SCANZ). <i>New Zealand Medical Journal</i> , 2008, 121, 34-44.	0.5	3
118	Longitudinal left ventricular contractile dysfunction after exercise in aortic stenosis. <i>Heart</i> , 2007, 93, 732-738.	1.2	59
119	Mechanisms of benefit of sustained weight reduction in morbid obesity: beyond reduction in conventional cardiovascular risk factors. <i>Journal of Hypertension</i> , 2007, 25, 295-297.	0.3	1
120	The prognostic significance of restrictive diastolic filling associated with heart failure: A meta-analysis. <i>International Journal of Cardiology</i> , 2007, 116, 70-77.	0.8	35
121	Individual patient meta-analyses of restrictive diastolic filling pattern and mortality in patients post acute myocardial infarction and in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2007, 122, 207-215.	0.8	19
122	Transmitral Flow Patterns and the Presence of Chronic Kidney Disease Provide Independent and Incremental Prognostic Information in Patients with Heart Failure and Systolic Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 989-997.	1.2	5
123	Coming of Age: Affiliate Member Profile and Participation in the Annual Scientific Meeting of the Cardiac Society of Australia and New Zealand. <i>Heart Lung and Circulation</i> , 2007, 16, 447-451.	0.2	2
124	Restrictive Filling Pattern is a Powerful Predictor of Heart Failure Events Postacute Myocardial Infarction and in Established Heart Failure: A Literature-Based Meta-Analysis. <i>Journal of Cardiac Failure</i> , 2007, 13, 346-352.	0.7	40
125	Restrictive Filling Pattern Is a Powerful Predictor of Progression of Heart Failure in Patients with Chronic Heart Failure and Post-Acute Myocardial Infarction: A Literature-Based Meta-Analysis. <i>Journal of Cardiac Failure</i> , 2006, 12, S102.	0.7	0
126	E/Ea Ratio Does Not Decrease during Treatment for Decompensated Heart Failure in Parallel to Decreasing Symptoms and BNP. <i>Journal of Cardiac Failure</i> , 2006, 12, S133.	0.7	0



#	ARTICLE	IF	CITATIONS
127	Does Rhythm Matter? The Prognostic Importance of Atrial Fibrillation in Heart Failure. <i>Heart Lung and Circulation</i> , 2006, 15, 353-357.	0.2	9
128	Restrictive diastolic filling predicts death after acute myocardial infarction: systematic review and meta-analysis of prospective studies. <i>Heart</i> , 2006, 92, 1588-1594.	1.2	39
129	Serum IGF-I levels are similar in Samoan, Māori and European populations despite differences in body composition. <i>Growth Hormone and IGF Research</i> , 2006, 16, 57-60.	0.5	12
130	The Effect of Type 2 Diabetes on Diastolic Function. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1384-1388.	0.2	24
131	Diastolic Filling Response To Submaximal Exercise In Trained And Untrained Subjects. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, S115.	0.2	6
132	Role of echocardiography in the contemporary management of chronic heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2005, 3, 51-70.	0.6	6
133	Quantitative evaluation of regional endocardial visualisation with second harmonic imaging and contrast left ventricular opacification in heart failure patients. <i>European Journal of Echocardiography</i> , 2005, 6, 134-143.	2.3	3
134	Comparison of Different Methods for Detection of Diastolic Filling Abnormalities. <i>Journal of the American Society of Echocardiography</i> , 2005, 18, 710-717.	1.2	16
135	Detection of Pathologic or Physiologic Left Ventricular Remodeling in Athletes. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1731.	1.2	0
136	Brain natriuretic peptide in the contemporary management of congestive heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2005, 3, 71-84.	0.6	1
137	The Effect of Type 2 Diabetes And Low Aerobic Fitness On Diastolic Function. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S92-S93.	0.2	0
138	Effects of Carvedilol on Left Ventricular Remodeling After Acute Myocardial Infarction. <i>Circulation</i> , 2004, 109, 201-206.	1.6	287
139	Effect of tissue harmonic imaging and contrast upon between observer and test-retest reproducibility of left ventricular ejection fraction measurement in patients with heart failure. <i>European Journal of Heart Failure</i> , 2004, 6, 85-93.	2.9	13
140	Three-dimensional assessment of left ventricular systolic strain in patients with type 2 diabetes mellitus, diastolic dysfunction, and normal ejection fraction. <i>American Journal of Cardiology</i> , 2004, 94, 1391-1395.	0.7	117
141	Definition of physiological hypertrophy in ultramarathon athletes. <i>Journal of the American College of Cardiology</i> , 2004, 44, 469.	1.2	11
142	Association of fat-free mass and training status with left ventricular size and mass in endurance-trained athletes. <i>Journal of the American College of Cardiology</i> , 2004, 44, 892-896.	1.2	46
143	Plasma amino-terminal pro-brain natriuretic peptide and accuracy of heart-failure diagnosis in primary care. <i>Journal of the American College of Cardiology</i> , 2003, 42, 1793-1800.	1.2	226
144	Uptake of self-management strategies in a heart failure management programme. <i>European Journal of Heart Failure</i> , 2003, 5, 371-380.	2.9	114

#	ARTICLE	IF	CITATIONS
145	Left ventricular diastolic filling and systolic function of young and older trained and untrained men. <i>Journal of Applied Physiology</i> , 2003, 95, 2570-2575.	1.2	52
146	Randomized, controlled trial of integrated heart failure management. The Auckland Heart Failure Management Study. <i>European Heart Journal</i> , 2002, 23, 139-146.	1.0	217
147	Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2002, 39, 1787-1795.	1.2	93
148	Integrated management program does not reduce death, but may improve quality of life for people with chronic heart failure. <i>Evidence-based Cardiovascular Medicine</i> , 2002, 6, 123-124.	0.0	0
149	Endothelium-dependent dilatation in patients with type 2 diabetes. <i>American Journal of Cardiology</i> , 2002, 90, 446.	0.7	0
150	Comparison of ultrasound assessment of flow-mediated dilatation in the radial and brachial artery with upper and forearm cuff positions. <i>Clinical Physiology</i> , 2001, 21, 9-14.	0.7	55
151	Effects of improved glycaemic control on endothelial function in patients with type 2 diabetes. <i>Internal Medicine Journal</i> , 2001, 31, 322-328.	0.5	42
152	Pseudonormal Diastolic Filling Unmasked With Glyceryl Trinitrate in Patients With Type 2 Diabetes With Poor Metabolic Control. <i>Diabetes Care</i> , 2001, 24, 1307-1308.	4.3	17
153	The effect of acute hyperglycaemia on brachial artery flow mediated dilatation in normal volunteers. <i>Australian and New Zealand Journal of Medicine</i> , 2000, 30, 344-350.	0.5	11
154	Does a glass of red wine improve endothelial function?. <i>European Heart Journal</i> , 2000, 21, 74-78.	1.0	178
155	Effects of carvedilol on left ventricular regional wall motion in patients with heart failure caused by ischemic heart disease. <i>Journal of Cardiac Failure</i> , 2000, 6, 11-18.	0.7	13
156	Left ventricular mass correlates with fat-free mass but not fat mass in adults. <i>Journal of Hypertension</i> , 1999, 17, 569-574.	0.3	35
157	Correspondence. <i>American Journal of Cardiology</i> , 1998, 82, 704.	0.7	2
158	Selection Bias in Clinical Research When Subjects Are Excluded Because of Failure to Estimate Left Ventricular Mass by Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 1050-1055.	1.2	9
159	Atherosclerosis and left ventricular hypertrophy. <i>Journal of Hypertension</i> , 1998, 16, 1389-1395.	0.3	20
160	Left Ventricular Remodeling With Carvedilol in Patients With Congestive Heart Failure Due to Ischemic Heart Disease This study was funded by a grant from SmithKline Beecham; however, the study was initiated, conducted, analyzed and reported by the Australiaâ€“New Zealand Heart Failure Research Collaborative Group independently of the sponsor. The Clinical Trials Research Unit is supported by a programme grant from the Health Research Council of New Zealand.. <i>Journal of the American College of Cardiology</i> , 1997, 29, 1060-1066.	1.2	387
161	Massive Nitrogen Loss in Critical Surgical Illness. <i>Annals of Surgery</i> , 1997, 226, 191-197.	2.1	35
162	Effects of simvastatin and enalapril on serum lipoprotein concentrations and left ventricular mass in patients on dialysis. The Perfect Study Collaborative Group. <i>Journal of Nephrology</i> , 1997, 10, 33-40.	0.9	31

#	ARTICLE	IF	CITATIONS
163	Carvedilol reduces left ventricular volumes in patients with heart failure of ischemic etiology. Journal of the American College of Cardiology, 1996, 27, 169-170.	1.2	1
164	Doppler echocardiography and the early diagnosis of carditis in acute rheumatic fever. Australian and New Zealand Journal of Medicine, 1994, 24, 530-535.	0.5	61
165	Determinants of Left Ventricular Hypertrophy and Systolic Dysfunction in Chronic Renal Failure. American Journal of Kidney Diseases, 1994, 24, 768-776.	2.1	107