
Mai-Britt Guldin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5132107/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Do we need to change our understanding of anticipatory grief in caregivers? A systematic review of caregiver studies during end-of-life caregiving and bereavement. Clinical Psychology Review, 2016, 44, 75-93.	6.0	142
2	Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 540-550.	0.6	140
3	Incidence of Suicide Among Persons Who Had a Parent Who Died During Their Childhood. JAMA Psychiatry, 2015, 72, 1227.	6.0	102
4	A confirmatory factor analysis of combined models of the Harvard Trauma Questionnaire and the Inventory of Complicated Grief-Revised: Are we measuring complicated grief or posttraumatic stress?. Journal of Anxiety Disorders, 2010, 24, 672-679.	1.5	76
5	Complicated grief and need for professional support in family caregivers of cancer patients in palliative care: a longitudinal cohort study. Supportive Care in Cancer, 2012, 20, 1679-1685.	1.0	70
6	Looking beyond the mean in grief trajectories: A prospective, population-based cohort study. Social Science and Medicine, 2019, 232, 460-469.	1.8	66
7	Preloss grief in family caregivers during endâ€ofâ€life cancer care: A nationwide populationâ€based cohort study. Psycho-Oncology, 2017, 26, 2048-2056.	1.0	58
8	Psychological distress, health, and socio-economic factors in caregivers of terminally ill patients: a nationwide population-based cohort study. Supportive Care in Cancer, 2016, 24, 3057-67.	1.0	53
9	Risk of suicide, deliberate selfâ€harm and psychiatric illness after the loss of a close relative: A nationwide cohort study. World Psychiatry, 2017, 16, 193-199.	4.8	50
10	Identifying bereaved subjects at risk of complicated grief: Predictive value of questionnaire items in a cohort study. BMC Palliative Care, 2011, 10, 9.	0.8	36
11	Effect of home-based specialised palliative care and dyadic psychological intervention on caregiver anxiety and depression: a randomised controlled trial. British Journal of Cancer, 2018, 119, 1307-1315.	2.9	36
12	Dyadic coping in specialized palliative care intervention for patients with advanced cancer and their caregivers: Effects and mediation in a randomized controlled trial. Psycho-Oncology, 2019, 28, 264-270.	1.0	30
13	Healthcare utilization of bereaved relatives of patients who died from cancer. A national populationâ€based study. Psycho-Oncology, 2013, 22, 1152-1158.	1.0	28
14	Bereavement care in general practice: a cluster-randomized clinical trial. Family Practice, 2013, 30, 134-141.	0.8	26
15	Dyadic psychological intervention for patients with cancer and caregivers in home-based specialized palliative care: The Domus model. Palliative and Supportive Care, 2018, 16, 189-197.	0.6	24
16	Mortality communication and post-bereavement depression among Danish family caregivers of terminal cancer patients. Supportive Care in Cancer, 2021, 29, 1951-1958.	1.0	14
17	A process evaluation of systematic risk and needs assessment for caregivers in specialised palliative care. BMC Palliative Care, 2017, 16, 23.	0.8	12
18	Exploring Functional Impairment in Light of Prolonged Grief Disorder: A Prospective, Population-Based Cohort Study. Frontiers in Psychiatry, 2020, 11, 537674.	1.3	11

#	Article	IF	CITATIONS
19	Translation, adaptation and data quality of a <scp>D</scp> anish version of the <scp>B</scp> urden <scp>S</scp> cale for <scp>F</scp> amily <scp>C</scp> aregivers. Scandinavian Journal of Caring Sciences, 2013, 27, 1018-1026.	1.0	10
20	Early treatment with talk therapy or antidepressants in severely bereaved people and risk of suicidal behavior and psychiatric illness: an instrumental variable analysis. Clinical Epidemiology, 2018, Volume 10, 1013-1026.	1.5	9
21	Poor physical and mental health predicts prolonged grief disorder: A prospective, population-based cohort study on caregivers of patients at the end of life. Palliative Medicine, 2020, 34, 1416-1424.	1.3	9
22	Using the Delphi technique to achieve consensus on bereavement care in palliative care in Europe: An EAPC White Paper. Palliative Medicine, 2021, 35, 1908-1922.	1.3	9
23	Increased utilisation of primary healthcare in persons exposed to severe stress in prenatal life: a national population-based study in Denmark. BMJ Open, 2015, 5, e005657-e005657.	0.8	8
24	Remaining Lifetime After Recognition of Terminal Illness Depends on Diagnosis: A Nationwide Population-Based Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 116-123.	0.6	8
25	Effect of the Carer Support Needs Assessment Tool intervention (CSNAT-I) in the Danish specialised palliative care setting: a stepped-wedge cluster randomised controlled trial. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002467.	0.8	8
26	Spousal bereavement after fibrotic interstitial lung disease: A qualitative study. Respiratory Medicine, 2019, 146, 129-136.	1.3	7
27	Grief symptoms and primary care use: a prospective study of family caregivers. BJGP Open, 2020, 4, bjgpopen20X101063.	0.9	5
28	Process, content, and experiences of delivering the Carer Support Needs Assessment Tool Intervention (CSNAT-I) in the Danish specialised palliative care setting. Supportive Care in Cancer, 2022, 30, 377-387.	1.0	4
29	Complicated grief – a challenge in bereavement support in palliative care: An update of the field. Progress in Palliative Care, 2014, 22, 136-142.	0.7	2
30	The First Steps Taken to Implement Palliative Care in Advanced Heart Disease: A Position Statement from Denmark. Journal of Palliative Medicine, 2020, 23, 1159-1166.	0.6	2
31	Psychotropic medication among children who experience parental death to cancer. European Child and Adolescent Psychiatry, 2021, , 1.	2.8	2
32	De store teoriers fald - Træk af sorgteori gennem tiden. Tidsskrift for Forskning I Sygdom Og Samfund, 2010, 7, .	0.1	2
33	FÃJelser i sundhed og sygdom - genbesÃ,gt. Tidsskrift for Forskning I Sygdom Og Samfund, 2016, 13, 5.	0.1	О