
Mai-Britt Guldin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5132107/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Process, content, and experiences of delivering the Carer Support Needs Assessment Tool Intervention (CSNAT-I) in the Danish specialised palliative care setting. Supportive Care in Cancer, 2022, 30, 377-387.	1.0	4
2	Mortality communication and post-bereavement depression among Danish family caregivers of terminal cancer patients. Supportive Care in Cancer, 2021, 29, 1951-1958.	1.0	14
3	Psychotropic medication among children who experience parental death to cancer. European Child and Adolescent Psychiatry, 2021, , 1.	2.8	2
4	Using the Delphi technique to achieve consensus on bereavement care in palliative care in Europe: An EAPC White Paper. Palliative Medicine, 2021, 35, 1908-1922.	1.3	9
5	Poor physical and mental health predicts prolonged grief disorder: A prospective, population-based cohort study on caregivers of patients at the end of life. Palliative Medicine, 2020, 34, 1416-1424.	1.3	9
6	Exploring Functional Impairment in Light of Prolonged Grief Disorder: A Prospective, Population-Based Cohort Study. Frontiers in Psychiatry, 2020, 11, 537674.	1.3	11
7	The First Steps Taken to Implement Palliative Care in Advanced Heart Disease: A Position Statement from Denmark. Journal of Palliative Medicine, 2020, 23, 1159-1166.	0.6	2
8	Effect of the Carer Support Needs Assessment Tool intervention (CSNAT-I) in the Danish specialised palliative care setting: a stepped-wedge cluster randomised controlled trial. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002467.	0.8	8
9	Grief symptoms and primary care use: a prospective study of family caregivers. BJGP Open, 2020, 4, bjgpopen20X101063.	0.9	5
10	Spousal bereavement after fibrotic interstitial lung disease: A qualitative study. Respiratory Medicine, 2019, 146, 129-136.	1.3	7
11	Dyadic coping in specialized palliative care intervention for patients with advanced cancer and their caregivers: Effects and mediation in a randomized controlled trial. Psycho-Oncology, 2019, 28, 264-270.	1.0	30
12	Looking beyond the mean in grief trajectories: A prospective, population-based cohort study. Social Science and Medicine, 2019, 232, 460-469.	1.8	66
13	Dyadic psychological intervention for patients with cancer and caregivers in home-based specialized palliative care: The Domus model. Palliative and Supportive Care, 2018, 16, 189-197.	0.6	24
14	Effect of home-based specialised palliative care and dyadic psychological intervention on caregiver anxiety and depression: a randomised controlled trial. British Journal of Cancer, 2018, 119, 1307-1315.	2.9	36
15	Early treatment with talk therapy or antidepressants in severely bereaved people and risk of suicidal behavior and psychiatric illness: an instrumental variable analysis. Clinical Epidemiology, 2018, Volume 10, 1013-1026.	1.5	9
16	Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 540-550.	0.6	140
17	Risk of suicide, deliberate selfâ€harm and psychiatric illness after the loss of a close relative: A nationwide cohort study. World Psychiatry, 2017, 16, 193-199.	4.8	50
18	Preloss grief in family caregivers during endâ€ofâ€life cancer care: A nationwide populationâ€based cohort study. Psycho-Oncology, 2017, 26, 2048-2056.	1.0	58

MAI-BRITT GULDIN

#	Article	IF	CITATIONS
19	A process evaluation of systematic risk and needs assessment for caregivers in specialised palliative care. BMC Palliative Care, 2017, 16, 23.	0.8	12
20	Remaining Lifetime After Recognition of Terminal Illness Depends on Diagnosis: A Nationwide Population-Based Cohort Study. Journal of Pain and Symptom Management, 2017, 53, 116-123.	0.6	8
21	Do we need to change our understanding of anticipatory grief in caregivers? A systematic review of caregiver studies during end-of-life caregiving and bereavement. Clinical Psychology Review, 2016, 44, 75-93.	6.0	142
22	Psychological distress, health, and socio-economic factors in caregivers of terminally ill patients: a nationwide population-based cohort study. Supportive Care in Cancer, 2016, 24, 3057-67.	1.0	53
23	FÃ,lelser i sundhed og sygdom - genbesÃ,gt. Tidsskrift for Forskning I Sygdom Og Samfund, 2016, 13, 5.	0.1	0
24	Increased utilisation of primary healthcare in persons exposed to severe stress in prenatal life: a national population-based study in Denmark. BMJ Open, 2015, 5, e005657-e005657.	0.8	8
25	Incidence of Suicide Among Persons Who Had a Parent Who Died During Their Childhood. JAMA Psychiatry, 2015, 72, 1227.	6.0	102
26	Complicated grief – a challenge in bereavement support in palliative care: An update of the field. Progress in Palliative Care, 2014, 22, 136-142.	0.7	2
27	Healthcare utilization of bereaved relatives of patients who died from cancer. A national populationâ€based study. Psycho-Oncology, 2013, 22, 1152-1158.	1.0	28
28	Bereavement care in general practice: a cluster-randomized clinical trial. Family Practice, 2013, 30, 134-141.	0.8	26
29	Translation, adaptation and data quality of a <scp>D</scp> anish version of the <scp>B</scp> urden <scp>S</scp> cale for <scp>F</scp> amily <scp>C</scp> aregivers. Scandinavian Journal of Caring Sciences, 2013, 27, 1018-1026.	1.0	10
30	Complicated grief and need for professional support in family caregivers of cancer patients in palliative care: a longitudinal cohort study. Supportive Care in Cancer, 2012, 20, 1679-1685.	1.0	70
31	Identifying bereaved subjects at risk of complicated grief: Predictive value of questionnaire items in a cohort study. BMC Palliative Care, 2011, 10, 9.	0.8	36
32	A confirmatory factor analysis of combined models of the Harvard Trauma Questionnaire and the Inventory of Complicated Grief-Revised: Are we measuring complicated grief or posttraumatic stress?. Journal of Anxiety Disorders, 2010, 24, 672-679.	1.5	76
33	De store teoriers fald - Træk af sorgteori gennem tiden. Tidsskrift for Forskning I Sygdom Og Samfund, 2010, 7, .	0.1	2