
Samel Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5132413/publications.pdf Version: 2024-02-01



SAMEL DADK

#	Article	IF	CITATIONS
1	Pericoronary fat attenuation index in computed tomography angiography is associated with mortality in end-stage renal disease. Kidney Research and Clinical Practice, 2022, 41, 66-76.	2.2	4
2	Prediction Model of Acute Respiratory Failure in Patients with Acute Pesticide Poisoning by Intentional Ingestion: Prediction of Respiratory Failure in Pesticide Intoxication (PREP) Scores in Cohort Study. Journal of Clinical Medicine, 2022, 11, 1048.	2.4	2
3	Clinical Safety of Expanded Hemodialysis Compared with Hemodialysis Using High-Flux Dialyzer during a Three-Year Cohort. Journal of Clinical Medicine, 2022, 11, 2261.	2.4	3
4	Transiently Observed Trace Albuminuria on Urine Dipstick Test Is Associated With All-Cause Death, Cardiovascular Death, and Incident Chronic Kidney Disease: A National Health Insurance Service-National Sample Cohort in Korea. Frontiers in Cardiovascular Medicine, 2022, 9, 882599.	2.4	1
5	Cognitive Sequelae and Hippocampal Dysfunction in Chronic Kidney Disease following 5/6 Nephrectomy. Brain Sciences, 2022, 12, 905.	2.3	2
6	New Model for Predicting the Presence of Coronary Artery Calcification. Journal of Clinical Medicine, 2021, 10, 457.	2.4	6
7	Impact of Acid-Base Status on Mortality in Patients with Acute Pesticide Poisoning. Toxics, 2021, 9, 22.	3.7	5
8	RIPK3 Contributes to Lyso-Gb3-Induced Podocyte Death. Cells, 2021, 10, 245.	4.1	8
9	Validation of an international prediction model including the Oxford classification in Korean patients with <scp>lgA</scp> nephropathy. Nephrology, 2021, 26, 594-602.	1.6	7
10	Urinary exosomal microRNA profiling in type 2 diabetes patients taking dipeptidyl peptidase-4 inhibitor compared with sulfonylurea. Kidney Research and Clinical Practice, 2021, 40, 383-391.	2.2	9
11	Psychological distress of patients with end-stage kidney disease undergoing dialysis during the 2019 coronavirus disease pandemic: A cross-sectional study in a University Hospital. PLoS ONE, 2021, 16, e0260929.	2.5	17
12	Decreased Glucose Utilization Contributes to Memory Impairment in Patients with Glufosinate Ammonium Intoxication. Journal of Clinical Medicine, 2020, 9, 1213.	2.4	6
13	Minor Glomerular Abnormalities are Associated with Deterioration of Long-Term Kidney Function and Mitochondrial Injury. Journal of Clinical Medicine, 2020, 9, 33.	2.4	11
14	Age-adjusted global glomerulosclerosis predicts renal progression more accurately in patients with IgA nephropathy. Scientific Reports, 2020, 10, 6270.	3.3	4
15	Evaluation of Cerebral Blood Flow Using Arterial Spin Labeling in Patients with Chronic Kidney Disease. Journal of the Korean Society of Radiology, 2020, 81, 912.	0.2	Ο
16	Severity of foot process effacement is associated with proteinuria in patients with IgA nephropathy. Kidney Research and Clinical Practice, 2020, 39, 295-304.	2.2	8
17	IgA nephropathy is associated with elevated urinary mitochondrial DNA copy numbers. Scientific Reports, 2019, 9, 16068.	3.3	17
18	Long-term effect of medium cut-off dialyzer on middle uremic toxins and cell-free hemoglobin. PLoS ONE, 2019, 14, e0220448.	2.5	29

SAMEL PARK

#	Article	IF	CITATIONS
19	Hemoperfusion leads to impairment in hemostasis and coagulation process in patients with acute pesticide intoxication. Scientific Reports, 2019, 9, 13325.	3.3	7
20	Validation of risk prediction tools in elderly patients who initiate dialysis. International Urology and Nephrology, 2019, 51, 1231-1238.	1.4	7
21	Predicting intradialytic hypotension using heart rate variability. Scientific Reports, 2019, 9, 2574.	3.3	24
22	Change of surfactant protein D and A after renal ischemia reperfusion injury. PLoS ONE, 2019, 14, e0227097.	2.5	7
23	Association of Intracranial Artery Calcification with Cognitive Impairment in Hemodialysis Patients. Medical Science Monitor, 2019, 25, 5036-5043.	1.1	12
24	Change of surfactant protein D and A after renal ischemia reperfusion injury. , 2019, 14, e0227097.		0
25	Change of surfactant protein D and A after renal ischemia reperfusion injury. , 2019, 14, e0227097.		0
26	Change of surfactant protein D and A after renal ischemia reperfusion injury. , 2019, 14, e0227097.		0
27	Change of surfactant protein D and A after renal ischemia reperfusion injury. , 2019, 14, e0227097.		0
28	Change of surfactant protein D and A after renal ischemia reperfusion injury. , 2019, 14, e0227097.		0
29	Change of surfactant protein D and A after renal ischemia reperfusion injury. , 2019, 14, e0227097.		0
30	Clinical characteristics of stress cardiomyopathy in patients with acute poisoning. Scientific Reports, 2018, 8, 223.	3.3	8
31	Seizures in patients with acute pesticide intoxication, with a focus on glufosinate ammonium. Human and Experimental Toxicology, 2018, 37, 331-337.	2.2	11
32	Bariatric Surgery can Reduce Albuminuria in Patients with Severe Obesity and Normal Kidney Function by Reducing Systemic Inflammation. Obesity Surgery, 2018, 28, 831-837.	2.1	27
33	Soluble klotho as a marker of renal fibrosis and podocyte injuries in human kidneys. PLoS ONE, 2018, 13, e0194617.	2.5	23
34	Association of proton pump inhibitor use with renal outcomes in patients with coronary artery disease. Kidney Research and Clinical Practice, 2018, 37, 59-68.	2.2	10
35	Adefovir-induced Fanconi syndrome associated with osteomalacia. Clinical and Molecular Hepatology, 2018, 24, 339-344.	8.9	8
36	Serum S100 protein could predict altered consciousness in glyphosate or glufosinate poisoning patients. Clinical Toxicology, 2017, 55, 357-359.	1.9	15

#	Article	IF	CITATIONS
37	Urine Methyl Hippuric Acid Levels in Acute Pesticide Poisoning: Estimation of Ingested Xylene Volume and Association with Clinical Outcome Parameters. Journal of Korean Medical Science, 2017, 32, 2051.	2.5	5
38	The Anion Gap is a Predictive Clinical Marker for Death in Patients with Acute Pesticide Intoxication. Journal of Korean Medical Science, 2016, 31, 1150.	2.5	15