

# Guanghong Cui

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/513273/guanghong-cui-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23  
papers

1,034  
citations

11  
h-index

25  
g-index

25  
ext. papers

1,390  
ext. citations

7.1  
avg, IF

3.67  
L-index

#	Paper	IF	Citations
23	Elucidation of the essential oil biosynthetic pathways in <i>Cinnamomum burmannii</i> through identification of six terpene synthases.. <i>Plant Science</i> , <b>2022</b> , 317, 111203	5.3	1
22	Identification of (-)-bornyl diphosphate synthase from and its application for (-)-borneol biosynthesis in .. <i>Synthetic and Systems Biotechnology</i> , <b>2022</b> , 7, 490-497	4.2	0
21	Functional characterization of (S)-N-methylcoclaurine 3hydroxylase (NMCH) involved in the biosynthesis of benzyloisoquinoline alkaloids in <i>Corydalis yanhusuo</i> . <i>Plant Physiology and Biochemistry</i> , <b>2021</b> , 168, 507-515	5.4	1
20	Functional identification of the terpene synthase family involved in diterpenoid alkaloids biosynthesis in. <i>Acta Pharmaceutica Sinica B</i> , <b>2021</b> , 11, 3310-3321	15.5	2
19	Recent progress and new perspectives for diterpenoid biosynthesis in medicinal plants. <i>Medicinal Research Reviews</i> , <b>2021</b> , 41, 2971-2997	14.4	2
18	The ERF-VII transcription factor SmERF73 coordinately regulates tanshinone biosynthesis in response to stress elicitors in <i>Salvia miltiorrhiza</i> . <i>New Phytologist</i> , <b>2021</b> , 231, 1940-1955	9.8	1
17	Molecular cloning and functional identification of a high-efficiency (+)-borneol dehydrogenase from <i>Cinnamomum camphora</i> (L.) Presl. <i>Plant Physiology and Biochemistry</i> , <b>2021</b> , 158, 363-371	5.4	5
16	Bornyl Diphosphate Synthase From and Its Application for (+)-Borneol Biosynthesis in Yeast. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2021</b> , 9, 631863	5.8	5
15	Expansion within the CYP71D subfamily drives the heterocyclization of tanshinones synthesis in <i>Salvia miltiorrhiza</i> . <i>Nature Communications</i> , <b>2021</b> , 12, 685	17.4	23
14	Characterization of O-methyltransferases involved in the biosynthesis of tetrandrine in <i>Stephania tetrandra</i> . <i>Journal of Plant Physiology</i> , <b>2020</b> , 250, 153181	3.6	4
13	Functional Integration of Two CYP450 Genes Involved in Biosynthesis of Tanshinones for Improved Diterpenoid Production by Synthetic Biology. <i>ACS Synthetic Biology</i> , <b>2020</b> , 9, 1763-1770	5.7	11
12	An alternative splicing alters the product outcome of a class I terpene synthase in <i>Isodon rubescens</i> . <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 512, 310-313	3.4	3
11	CYP76B74 Catalyzes the 3 $\alpha$ -Hydroxylation of Geranylhydroquinone in Shikonin Biosynthesis. <i>Plant Physiology</i> , <b>2019</b> , 179, 402-414	6.6	15
10	Transcriptomic Insight into Terpenoid Biosynthesis and Functional Characterization of Three Diterpene Synthases in. <i>Molecules</i> , <b>2018</b> , 23,	4.8	9
9	Targeted mutagenesis in the medicinal plant <i>Salvia miltiorrhiza</i> . <i>Scientific Reports</i> , <b>2017</b> , 7, 43320	4.9	91
8	Functional Diversification of Kaurene Synthase-Like Genes in. <i>Plant Physiology</i> , <b>2017</b> , 174, 943-955	6.6	23
7	Analysis of the Genome Sequence of the Medicinal Plant <i>Salvia miltiorrhiza</i> . <i>Molecular Plant</i> , <b>2016</b> , 9, 949-52	14.4	173

6	Cytochrome P450 promiscuity leads to a bifurcating biosynthetic pathway for tanshinones. <i>New Phytologist</i> , <b>2016</b> , 210, 525-34	9.8	107
5	Functional Divergence of Diterpene Syntheses in the Medicinal Plant <i>Salvia miltiorrhiza</i> . <i>Plant Physiology</i> , <b>2015</b> , 169, 1607-18	6.6	84
4	Combining metabolomics and transcriptomics to characterize tanshinone biosynthesis in <i>Salvia miltiorrhiza</i> . <i>BMC Genomics</i> , <b>2014</b> , 15, 73	4.5	131
3	Cloning and characterization of a novel 3-hydroxy-3-methylglutaryl coenzyme A reductase gene from <i>Salvia miltiorrhiza</i> involved in diterpenoid tanshinone accumulation. <i>Journal of Plant Physiology</i> , <b>2011</b> , 168, 148-57	3.6	93
2	Domain loss has independently occurred multiple times in plant terpene synthase evolution. <i>Plant Journal</i> , <b>2011</b> , 68, 1051-60	6.9	58
1	A functional genomics approach to tanshinone biosynthesis provides stereochemical insights. <i>Organic Letters</i> , <b>2009</b> , 11, 5170-3	6.2	191