
Yu-Tse Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5139119/publications.pdf Version: 2024-02-01



<u>Υμ-Τςε \λ/μ</u>

#	Article	IF	CITATIONS
1	Poly (Lactic-Co-Glycolic) Acid–Poly (Vinyl Pyrrolidone) Hybrid Nanoparticles to Improve the Efficiency of Oral Delivery of β-Carotene. Pharmaceutics, 2022, 14, 637.	4.5	4
2	Comparative biotransformation of luteolin and apigenin from the flower extract and the stemâ€andâ€leaf extract of Dendranthema morifolium Ramat. Tzvel. in rats. Journal of the Science of Food and Agriculture, 2021, 101, 4934-4945.	3.5	2
3	Nanoformulation Development to Improve the Biopharmaceutical Properties of Fisetin Using Design of Experiment Approach. Molecules, 2021, 26, 3031.	3.8	22
4	Chinese Herbal Medicine Significantly Impacts the Haematological Variables of the Athlete Biological Passport. International Journal of Environmental Research and Public Health, 2021, 18, 9533.	2.6	1
5	Bloodâ€ŧoâ€muscle distribution and urinary excretion of higenamine in rats. Drug Testing and Analysis, 2021, 13, 1776-1782.	2.6	3
6	Real-world experience of serial serum levels of CS-331007 in chronic hepatitis C hemodialysis patients during and after sofosbuvir/velpatasvir therapy. Journal of Hepatology, 2021, 75, 1006-1007.	3.7	3
7	Effect of Quercetin on Injury to Indomethacin-Treated Human Embryonic Kidney 293 Cells. Life, 2021, 11, 1134.	2.4	1
8	Self-Nanoemulsifying Drug Delivery Systems for Enhancing Solubility, Permeability, and Bioavailability of Sesamin. Molecules, 2020, 25, 3119.	3.8	17
9	Effect of Quercetin on Dexamethasone-Induced C2C12 Skeletal Muscle Cell Injury. Molecules, 2020, 25, 3267.	3.8	32
10	Chinese herbal decoction (Danggui Buxue Tang) supplementation augments physical performance and facilitates physiological adaptations in swimming rats. Pharmaceutical Biology, 2020, 58, 545-552.	2.9	9
11	Potential Risk of Higenamine Misuse in Sports: Evaluation of Lotus Plumule Extract Products and a Human Study. Nutrients, 2020, 12, 285.	4.1	22
12	Oral Bioavailability Enhancement and Anti-Fatigue Assessment of the Andrographolide Loaded Solid Dispersion. International Journal of Molecular Sciences, 2020, 21, 2506.	4.1	21
13	Repressed Exercise-Induced Hepcidin Levels after Danggui Buxue Tang Supplementation in Male Recreational Runners. Nutrients, 2018, 10, 1318.	4.1	10
14	Nanoemulsion as a strategy for improving the oral bioavailability and anti-inflammatory activity of andrographolide. International Journal of Nanomedicine, 2018, Volume 13, 669-680.	6.7	90
15	Development of a Solid Dispersion System for Improving the Oral Bioavailability of Resveratrol in Rats. European Journal of Drug Metabolism and Pharmacokinetics, 2017, 42, 239-249.	1.6	30
16	Rapid determination of oxindole alkaloids in cat's claw by HPLC using ionic liquidâ€based microwaveâ€assisted extraction and silica monolithic column. Biomedical Chromatography, 2017, 31, e3925.	1.7	8
17	Determination of cannabinoids in hemp nut products in Taiwan by HPLCâ€MS/MS coupled with chemometric analysis: quality evaluation and a pilot human study. Drug Testing and Analysis, 2017, 9, 888-897.	2.6	21
18	Self-Nanoemulsifying Drug Delivery System for Resveratrol: Enhanced Oral Bioavailability and Reduced Physical Fatigue in Rats. International Journal of Molecular Sciences, 2017, 18, 1853.	4.1	50

Yu-Tse Wu

#	Article	IF	CITATIONS
19	Microwave-Assisted Extraction of Cannabinoids in Hemp Nut Using Response Surface Methodology: Optimization and Comparative Study. Molecules, 2017, 22, 1894.	3.8	39
20	Bioanalytical Method Development Using Liquid Chromatography with Amperometric Detection for the Pharmacokinetic Evaluation of Forsythiaside in Rats. Molecules, 2016, 21, 1384.	3.8	2
21	A Hydrogel-Based Epirubicin Delivery System for Intravesical Chemotherapy. Molecules, 2016, 21, 712.	3.8	9
22	Enhanced solubility, dissolution, and absorption of lycopene by a solid dispersion technique: The dripping pill delivery system. Powder Technology, 2016, 301, 641-648.	4.2	19
23	Protective effects of the roots of Angelica sinensis on strenuous exercise-induced sports anemia in rats. Journal of Ethnopharmacology, 2016, 193, 169-178.	4.1	14
24	Acute Garcinia mangostana (mangosteen) supplementation does not alleviate physical fatigue during exercise: a randomized, double-blind, placebo-controlled, crossover trial. Journal of the International Society of Sports Nutrition, 2016, 13, 20.	3.9	13
25	HPLC Determination of Lansoprazole and Method Application for the Formulation Development of Entericâ€coated Lansoprazole Pellets. Journal of the Chinese Chemical Society, 2015, 62, 513-520.	1.4	2
26	Development of HPLC with Photoâ€diode Array Method for the Determination of Ramipril in Tablets Using Factorial Design. Journal of the Chinese Chemical Society, 2014, 61, 1388-1394.	1.4	4
27	Determination of rhynchophylline and hirsutine in rat plasma by UPLCâ€MS/MS after oral administration of <i>Uncaria rhynchophylla</i> extract. Biomedical Chromatography, 2014, 28, 439-445.	1.7	14
28	Interaction of Acupuncture and Electroacupuncture on the Pharmacokinetics of Aspirin and the Effect of Brain Blood Flow in Rats. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-9.	1.2	7
29	Pharmacokinetic Studies of Chinese Medicinal Herbs Using an Automated Blood Sampling System and Liquid Chromatography-mass Spectrometry. Journal of Traditional and Complementary Medicine, 2012, 2, 33-40.	2.7	6
30	Effects of a P-glycoprotein modulator on the pharmacokinetics and distribution of free levobupivacaine and bupivacaine in rats. International Journal of Pharmaceutics, 2010, 396, 127-133.	5.2	10
31	Oral Bioavailability, Urinary Excretion and Organ Distribution of Melamine in Spragueâ~'Dawley Rats by High-Performance Liquid Chromatography with Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2010, 58, 108-111.	5.2	28
32	Analysis of Biliary Excretion of Icariin in Rats. Journal of Agricultural and Food Chemistry, 2010, 58, 9905-9911.	5.2	20
33	Distribution of blood–muscle for clenbuterol in rat using microdialysis. International Journal of Pharmaceutics, 2009, 372, 91-96.	5.2	12
34	Measurement of free hydroxytyrosol in microdialysates from blood and brain of anesthetized rats by liquid chromatography with fluorescence detection. Journal of Chromatography A, 2009, 1216, 3501-3507.	3.7	50
35	Determination of melamine in rat plasma, liver, kidney, spleen, bladder and brain by liquid chromatography–tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 7595-7601.	3.7	100
36	Liquid chromatographic method with amperometric detection to determine acteoside in rat blood and brain microdialysates and its application to pharmacokinetic study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 853, 281-286.	2.3	33

Yu-Tse Wu

#	Article	IF	CITATIONS
37	Bioavailability of salvianolic acid B in conscious and freely moving rats. International Journal of Pharmaceutics, 2006, 326, 25-31.	5.2	73
38	Determination of acteoside in Cistanche deserticola and Boschniakia rossica and its pharmacokinetics in freely-moving rats using LC–MS/MS. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2006, 844, 89-95.	2.3	64
39	Simultaneous determination of honokiol and magnolol inMagnolia officinalis by liquid chromatography with tandem mass spectrometric detection. Biomedical Chromatography, 2006, 20, 1076-1081.	1.7	38