

Beom Seok Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5139610/beom-seok-kim-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

1,374
citations

20
h-index

33
g-index

110
ext. papers

1,612
ext. citations

3.6
avg, IF

3.89
L-index

#	Paper	IF	Citations
105	The Immunomodulating Effects of Thalidomide and Dexamethasone in a Murine Cardiac Allograft Transplantation Model.. <i>Yonsei Medical Journal</i> , 2022 , 63, 158-165	3	
104	Advanced liver fibrosis measured by transient elastography predicts chronic kidney disease development in individuals with non-alcoholic fatty liver disease.. <i>Diabetologia</i> , 2021 , 65, 518	10.3	2
103	B-cell metabolism regulator IM156 contributes to the mitigation of systemic lupus erythematosus. <i>Korean Journal of Transplantation</i> , 2021 , 35, S31-S31	0.2	
102	Impact of donor kidney weight to recipient body weight ratio on long-term graft outcomes in live donor kidney transplantation. <i>Korean Journal of Transplantation</i> , 2021 , 35, S108-S108	0.2	
101	Low skeletal muscle mass is associated with mortality in kidney transplant recipients. <i>Korean Journal of Transplantation</i> , 2021 , 35, S18-S18	0.2	
100	Clinical significance of late onset antibody-mediated rejection without donor-specific anti-human leukocyte antigen antibodies in kidney transplantation. <i>Korean Journal of Transplantation</i> , 2021 , 35, S107-S107	0.2	
99	Effects of bisphosphonates on long-term kidney transplantation outcomes. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 722-729	4.3	0
98	Clinical impact of serum bilirubin levels on kidney transplant outcomes. <i>Scientific Reports</i> , 2021 , 11, 6889	4.9	3
97	Glomerular subepithelial microparticles - a footprint for podocyte injury. <i>Ultrastructural Pathology</i> , 2021 , 45, 236-242	1.3	1
96	Clinical significance of tacrolimus intra-patient variability on kidney transplant outcomes according to pre-transplant immunological risk. <i>Scientific Reports</i> , 2021 , 11, 12114	4.9	2
95	Dialysis adequacy predictions using a machine learning method. <i>Scientific Reports</i> , 2021 , 11, 15417	4.9	0
94	Expanding the Non-Invasive Diagnosis of Acute Rejection in Kidney Transplants Through Detection of Donor-Derived DNA in Urine: Proof-of-Concept Study. <i>Annals of Laboratory Medicine</i> , 2021 , 41, 469-478	3.1	1
93	Systemic Immunomodulatory Effects of Combinatorial Treatment of Thalidomide and Dexamethasone on T Cells and Other Immune Cells. <i>Yonsei Medical Journal</i> , 2021 , 62, 137-148	3	1
92	Comparison of Different Types of Oral Adsorbent Therapy in Patients with Chronic Kidney Disease: A Multicenter, Randomized, Phase IV Clinical Trial. <i>Yonsei Medical Journal</i> , 2021 , 62, 41-49	3	2
91	Association between non-alcoholic fatty liver disease and coronary calcification depending on sex and obesity. <i>Scientific Reports</i> , 2020 , 10, 1025	4.9	5
90	False Positive Class II HLA Antibody Reaction Due to Antibodies Against Denatured HLA Might Differ Between Assays: One Lambda vs. Immucor. <i>Annals of Laboratory Medicine</i> , 2020 , 40, 424-427	3.1	4
89	Clinical impact of serum bilirubin levels on kidney transplant outcomes. <i>Korean Journal of Transplantation</i> , 2020 , 34, S79-S79	0.2	0

88	Clinical significance of late onset antibody-mediated rejection without donor-specific anti-human leukocyte antigen antibodies in kidney transplantation. <i>Korean Journal of Transplantation</i> , 2020 , 34, S68-S68	0.2	
87	Low 25-OH vitamin D level are associated with increased postoperative acute kidney injury, bronchopleural fistula after lung transplantation. <i>Korean Journal of Transplantation</i> , 2020 , 34, S7-S7	0.2	
86	Impact of donor kidney weight to recipient body weight ratio on long-term graft outcomes in live donor kidney transplantation. <i>Korean Journal of Transplantation</i> , 2020 , 34, S2-S2	0.2	
85	Clinical outcomes of parathyroidectomy versus cinacalcet in the clinical management of secondary hyperparathyroidism. <i>Endocrine Journal</i> , 2019 , 66, 881-889	2.9	7
84	Early hospital readmissions after ABO- or HLA- incompatible living donor kidney transplantation. <i>Scientific Reports</i> , 2019 , 9, 3246	4.9	3
83	Reduced expression of pyruvate kinase in kidney proximal tubule cells is a potential mechanism of pravastatin altered glucose metabolism. <i>Scientific Reports</i> , 2019 , 9, 5318	4.9	1
82	Rituximab protects against development of atherosclerotic cardiovascular disease after kidney transplantation: a propensity-matched study. <i>Scientific Reports</i> , 2019 , 9, 16475	4.9	5
81	Metabolic Reprogramming by the Excessive AMPK Activation Exacerbates Antigen-Specific Memory CD8 T Cell Differentiation after Acute Lymphocytic Choriomeningitis Virus Infection. <i>Immune Network</i> , 2019 , 19, e11	6.1	3
80	Transplant outcomes in positive complement-dependent cytotoxicity- versus flow cytometry-crossmatch kidney transplant recipients after successful desensitization: a retrospective study. <i>BMC Nephrology</i> , 2019 , 20, 456	2.7	3
79	Association between post-transplant uric acid level and renal allograft fibrosis: Analysis using Banff pathologic scores from renal biopsies. <i>Scientific Reports</i> , 2018 , 8, 11601	4.9	4
78	Update of aristolochic acid nephropathy in Korea. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 961-969	2.5	10
77	Association between post-transplant serum uric acid levels and kidney transplantation outcomes. <i>PLoS ONE</i> , 2018 , 13, e0209156	3.7	12
76	Effects of rituximab dose on hepatitis B reactivation in patients with resolved infection undergoing immunologic incompatible kidney transplantation. <i>Scientific Reports</i> , 2018 , 8, 15629	4.9	9
75	Rituximab and hepatitis B reactivation in HBsAg-negative/ anti-HBc-positive kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 722-729	4.3	22
74	The recovery status from delayed graft function can predict long-term outcome after deceased donor kidney transplantation. <i>Scientific Reports</i> , 2017 , 7, 13725	4.9	14
73	Successful kidney transplantation across a positive complement-dependent cytotoxicity crossmatch by using C1q assay-directed, bortezomib-assisted desensitization: A case report. <i>Medicine (United States)</i> , 2017 , 96, e8145	1.8	5
72	The association between the apolipoprotein B/A-I ratio and coronary calcification may differ depending on kidney function in a healthy population. <i>PLoS ONE</i> , 2017 , 12, e0185522	3.7	4
71	Decreased ex vivo production of interferon-gamma is associated with severity and poor prognosis in patients with lupus. <i>Arthritis Research and Therapy</i> , 2017 , 19, 193	5.7	9

70	A Personalized and Learning Approach for Identifying Drugs with Adverse Events. <i>Yonsei Medical Journal</i> , 2017 , 58, 1229-1236	3	0
69	Two Cases of Antibody-Mediated Rejection Following Kidney Transplantation due to HLA-DQB1 Allele-Specific and DQ Alpha Protein-Specific HLA Antibodies. <i>Annals of Laboratory Medicine</i> , 2017 , 37, 290-292	3.1	1
68	Enhanced immune-modulatory effects of thalidomide and dexamethasone co-treatment on T cell subsets. <i>Immunology</i> , 2017 , 152, 628-637	7.8	12
67	Loss of nighttime blood pressure dipping as a risk factor for coronary artery calcification in nondialysis chronic kidney disease. <i>Medicine (United States)</i> , 2017 , 96, e7380	1.8	7
66	Comparison between Atorvastatin and Rosuvastatin in Renal Function Decline among Patients with Diabetes. <i>Endocrinology and Metabolism</i> , 2017 , 32, 274-280	3.5	4
65	Successful launch of an ABO-incompatible kidney transplantation program to overcome the shortage of compatible living donors: experience at a single center?. <i>Clinical Nephrology</i> , 2017 , 88, 117-123	2.1	5
64	Efficacy of different dipeptidyl peptidase-4 (DPP-4) inhibitors on metabolic parameters in patients with type 2 diabetes undergoing dialysis. <i>Medicine (United States)</i> , 2016 , 95, e4543	1.8	11
63	Urine Output During Cardiopulmonary Bypass Predicts Acute Kidney Injury After Cardiac Surgery: A Single-Center Retrospective Analysis. <i>Medicine (United States)</i> , 2016 , 95, e3757	1.8	14
62	The Power of Renal Function Estimation Equations for Predicting Long-Term Kidney Graft Survival: A Retrospective Comparison of the Chronic Kidney Disease Epidemiology Collaboration and the Modification of Diet in Renal Disease Study Equations. <i>Medicine (United States)</i> , 2016 , 95, e2682	1.8	6
61	The effect of rituximab dose on infectious complications in ABO-incompatible kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 1013-21	4.3	33
60	Variability of the Estimated Glomerular Filtration Rate in the First Year after Kidney Transplantation Is an Independent Risk Factor for Poor Renal Allograft Outcomes: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0168337	3.7	5
59	Sirolimus Combination with Tacrolimus in Kidney Transplant Recipients at High Immunological Risk: Observational Results 3 Years after Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2016 , 30, 165	0.3	
58	Effects of Omega-3 Fatty Acid Supplementation on Diabetic Nephropathy Progression in Patients with Diabetes and Hypertriglyceridemia. <i>PLoS ONE</i> , 2016 , 11, e0154683	3.7	28
57	Regulatory T cell expressed MyD88 is critical for prolongation of allograft survival. <i>Transplant International</i> , 2016 , 29, 930-40	3	2
56	De novo C3 glomerulonephritis in a renal allograft. <i>Ultrastructural Pathology</i> , 2016 , 40, 112-5	1.3	3
55	Mesenchymal stem cell-derived microparticles ameliorate peritubular capillary rarefaction via inhibition of endothelial-mesenchymal transition and decrease tubulointerstitial fibrosis in unilateral ureteral obstruction. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 18	8.3	59
54	Association Between Heme Oxygenase-1 Promoter Polymorphisms and the Development of Albuminuria in Type 2 Diabetes: A Case-Control Study. <i>Medicine (United States)</i> , 2015 , 94, e1825	1.8	17
53	A 12-month single arm pilot study to evaluate the efficacy and safety of sirolimus in combination with tacrolimus in kidney transplant recipients at high immunologic risk. <i>Journal of Korean Medical Science</i> , 2015 , 30, 682-7	4.7	4

52	The effect of specialized continuous renal replacement therapy team in acute kidney injury patients treatment. <i>Yonsei Medical Journal</i> , 2015 , 56, 658-65	3	14
51	Modified Peritoneal Dialysis Catheter Insertion: Comparison with a Conventional Method. <i>Yonsei Medical Journal</i> , 2015 , 56, 981-6	3	5
50	The Effect of Bortezomib on Antibody-Mediated Rejection after Kidney Transplantation. <i>Yonsei Medical Journal</i> , 2015 , 56, 1638-42	3	16
49	Is the new GFR equation using inulin clearance a more accurate method for Asian patients?. <i>Clinical Nephrology</i> , 2015 , 84, 331-8	2.1	4
48	Role of myeloid-derived suppressor cells in mouse pre-sensitized cardiac transplant model. <i>Clinical Immunology</i> , 2014 , 153, 8-16	9	9
47	Changes of Kidney Injury Molecule-1 Expression and Renal Allograft Function in Protocol and for Cause Renal Allograft Biopsy. <i>The Journal of the Korean Society for Transplantation</i> , 2014 , 28, 135	0.3	
46	Ability of nafamostat mesilate to prolong filter patency during continuous renal replacement therapy in patients at high risk of bleeding: a randomized controlled study. <i>PLoS ONE</i> , 2014 , 9, e108737	3.7	25
45	Effect of peritoneal dialysis modality on the 1-year rate of decline of residual renal function. <i>Yonsei Medical Journal</i> , 2014 , 55, 141-8	3	4
44	Fragile TIM-4-expressing tissue resident macrophages are migratory and immunoregulatory. <i>Journal of Clinical Investigation</i> , 2014 , 124, 3443-54	15.9	42
43	Microparticles from kidney-derived mesenchymal stem cells act as carriers of proangiogenic signals and contribute to recovery from acute kidney injury. <i>PLoS ONE</i> , 2014 , 9, e87853	3.7	65
42	Diastolic dysfunction is associated with an increased risk of contrast-induced nephropathy: a retrospective cohort study. <i>BMC Nephrology</i> , 2013 , 14, 146	2.7	20
41	Association between the ratio of insulin-like growth factor-I to insulin-like growth factor binding protein-3 and inflammation in incident automated peritoneal dialysis patients. <i>Growth Hormone and IGF Research</i> , 2013 , 23, 170-4	2	6
40	IL-2/anti-IL-2 complex attenuates renal ischemia-reperfusion injury through expansion of regulatory T cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 1529-36	12.7	74
39	Comparison of two creatinine-based equations for predicting decline in renal function in type 2 diabetic patients with nephropathy in a Korean population. <i>International Journal of Endocrinology</i> , 2013 , 2013, 848963	2.7	8
38	Successful Graft Recovery from Thrombotic Acute Kidney Injury in a Kidney Transplant Patient with Antiphospholipid Syndrome. <i>The Journal of the Korean Society for Transplantation</i> , 2013 , 27, 128	0.3	
37	Two distinct functional patterns of hepatitis C Virus (HCV)-specific T cell responses in seronegative, aviremic patients. <i>PLoS ONE</i> , 2013 , 8, e62319	3.7	8
36	Usefulness of multidetector row computed tomography for predicting cardiac events in asymptomatic chronic kidney disease patients at the initiation of renal replacement therapy. <i>Scientific World Journal, The</i> , 2013 , 2013, 916354	2.2	3
35	Risk factors and characteristics of post-transplant tuberculosis in an endemic area. <i>Annals of Transplantation</i> , 2013 , 18, 163-73	1.4	6

34	Renal transplantation in sensitized recipients with positive luminex and negative CDC (complement-dependent cytotoxicity) crossmatches. <i>Transplant International</i> , 2012 , 25, 1131-7	3	13
33	Kidney transplantation after desensitization in sensitized patients: a Korean National Audit. <i>International Urology and Nephrology</i> , 2012 , 44, 1549-57	2.3	11
32	Strategies to Overcome Memory T Cells Mediated Allograft Injury. <i>The Journal of the Korean Society for Transplantation</i> , 2012 , 26, 69	0.3	
31	Successful Sirolimus Treatment of Multiple Visceral Kaposi's Sarcoma in a Renal Allograft Patient. <i>The Journal of the Korean Society for Transplantation</i> , 2012 , 26, 293	0.3	1
30	Variants of the adiponectin and adiponectin receptor-1 genes and posttransplantation diabetes mellitus in renal allograft recipients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E129-35	5.6	18
29	Attenuation of nephritis in lupus-prone mice by thalidomide. <i>Rheumatology</i> , 2012 , 51, 2131-40	3.9	10
28	Effects of neutral pH and low-glucose degradation product-containing peritoneal dialysis fluid on systemic markers of inflammation and endothelial dysfunction: a randomized controlled 1-year follow-up study. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 1191-9	4.3	25
27	Roles of Toll-like receptors in allogeneic islet transplantation. <i>Transplantation</i> , 2012 , 94, 1005-12	1.8	5
26	A novel multiplex real-time PCR assay for the concurrent detection of hepatitis A, B and C viruses in patients with acute hepatitis. <i>PLoS ONE</i> , 2012 , 7, e49106	3.7	5
25	High peritoneal transport status is not an independent risk factor for high mortality in patients treated with automated peritoneal dialysis. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1313-7	4.7	8
24	Predictors of mortality in patients returning to dialysis after allograft loss. <i>Blood Purification</i> , 2010 , 30, 56-63	3.1	11
23	Association of inflammation and protein-energy wasting with endothelial dysfunction in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1266-71	4.3	29
22	New automated hepatitis C virus (HCV) core antigen assay as an alternative to real-time PCR for HCV RNA quantification. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2253-6	9.7	79
21	Effect of baseline glomerular filtration rate on renal function following stenting for atherosclerotic renal artery stenosis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010 , 44, 169-74		1
20	Cancer in patients on chronic dialysis in Korea. <i>Journal of Korean Medical Science</i> , 2009 , 24 Suppl, S95-S101	17	27
19	Elevated cardiac troponin T predicts cardiovascular events in asymptomatic continuous ambulatory peritoneal dialysis patients without a history of cardiovascular disease. <i>American Journal of Nephrology</i> , 2009 , 29, 129-35	4.6	14
18	Changing prevalence of glomerular diseases in Korean adults: a review of 20 years of experience. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 2406-10	4.3	119
17	Influence of ketoanalog supplementation on the progression in chronic kidney disease patients who had training on low-protein diet. <i>Nephrology</i> , 2009 , 14, 750-7	2.2	29

16	Urinary TGF-beta1 as an indicator of antiproteinuric response to angiotensin II receptor blocker in proteinuric renal diseases. <i>Biomedicine and Pharmacotherapy</i> , 2009 , 63, 672-8	7.5	2
15	Lithospermic acid B ameliorates the development of diabetic nephropathy in OLETF rats. <i>European Journal of Pharmacology</i> , 2008 , 579, 418-25	5.3	26
14	Idiopathic retroperitoneal fibrosis associated with Hashimoto's thyroiditis in an old-aged man. <i>Yonsei Medical Journal</i> , 2008 , 49, 1032-5	3	5
13	Chlamydia pneumoniae accompanied by inflammation is associated with the progression of atherosclerosis in CAPD patients: a prospective study for 3 years. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1011-8	4.3	12
12	Protective Effects of Lithospermic Acid B on Diabetic Nephropathy in OLETF Rats Comparing with Amlodipine and Losartan. <i>Korean Diabetes Journal</i> , 2008 , 32, 10		
11	Exchange Living-donor Kidney Transplantation: The Present and Future. <i>Journal of the Korean Medical Association</i> , 2008 , 51, 717	0.5	
10	Improving Outcome of Capd: Twenty-Five Years Experience in a Single Korean Center. <i>Peritoneal Dialysis International</i> , 2007 , 27, 432-440	2.8	61
9	Outcome of multipair donor kidney exchange by a web-based algorithm. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 1000-6	12.7	35
8	Reduced residual renal function is a risk of peritonitis in continuous ambulatory peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 2653-8	4.3	72
7	Antiproteinuric effect of losartan in non-diabetic renal disease is not dependent on ACE insertion/deletion polymorphism. <i>Kidney and Blood Pressure Research</i> , 2006 , 29, 216-24	3.1	8
6	A Case of Autoimmune Hypoglycemia due to Insulin Antibody in Patient with End Stage Renal Disease. <i>Journal of Korean Endocrine Society</i> , 2006 , 21, 536		
5	Clinical characteristics of dialysis related sclerosing encapsulating peritonitis: multi-center experience in Korea. <i>Yonsei Medical Journal</i> , 2005 , 46, 104-11	3	29
4	Polymorphism of the ACE Gene in dialysis patients: overexpression of DD genotype in type 2 diabetic end-stage renal failure patients. <i>Yonsei Medical Journal</i> , 2005 , 46, 779-87	3	16
3	Impact of cyclosporin on podocyte ZO-1 expression in puromycin aminonucleoside nephrosis rats. <i>Yonsei Medical Journal</i> , 2005 , 46, 141-8	3	9
2	Sclerosing encapsulating peritonitis as a complication of long-term continuous ambulatory peritoneal dialysis in Korea. <i>Nephrology</i> , 2003 , 8 Suppl, S33-9	2.2	40
1	P53 overexpression in gastric adenocarcinoma with Helicobacter pylori infection. <i>Yonsei Medical Journal</i> , 1997 , 38, 117-24	3	2