

Timo Hm Hamers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5140100/publications.pdf>

Version: 2024-02-01

77
papers

4,482
citations

117453

34
h-index

102304

66
g-index

78
all docs

78
docs citations

78
times ranked

4791
citing authors

#	ARTICLE	IF	CITATIONS
1	High-Performance Data Processing Workflow Incorporating Effect-Directed Analysis for Feature Prioritization in Suspect and Nontarget Screening. <i>Environmental Science & Technology</i> , 2022, 56, 1639-1651.	4.6	13
2	Receptor-based in vitro activities to assess human exposure to chemical mixtures and related health impacts. <i>Environment International</i> , 2021, 146, 106191.	4.8	30
3	Effect of Extreme Weather Events on Contaminant Transport From Urban Run-Off to a Fjord System. <i>Frontiers in Environmental Science</i> , 2021, 9, .	1.5	5
4	An annotation database for chemicals of emerging concern in exposome research. <i>Environment International</i> , 2021, 152, 106511.	4.8	29
5	Identification of mutagenic and endocrine disrupting compounds in surface water and wastewater treatment plant effluents using high-resolution effect-directed analysis. <i>Water Research</i> , 2020, 168, 115204.	5.3	57
6	Time integrative sampling properties of Speedisk and silicone rubber passive samplers determined by chemical analysis and in vitro bioassay testing. <i>Chemosphere</i> , 2020, 259, 127498.	4.2	7
7	Transthyretin-Binding Activity of Complex Mixtures Representing the Composition of Thyroid-Hormone Disrupting Contaminants in House Dust and Human Serum. <i>Environmental Health Perspectives</i> , 2020, 128, 17015.	2.8	36
8	Removing Critical Gaps in Chemical Test Methods by Developing New Assays for the Identification of Thyroid Hormone System-Disrupting Chemicals—The ATHENA Project. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3123.	1.8	34
9	Development of a high-throughput bioassay for screening of antibiotics in aquatic environmental samples. <i>Science of the Total Environment</i> , 2020, 729, 139028.	3.9	13
10	Compound Identification Using Liquid Chromatography and High-Resolution Noncontact Fraction Collection with a Solenoid Valve. <i>SLAS Technology</i> , 2019, 24, 543-555.	1.0	8
11	Effect-based trigger values for in vitro and in vivo bioassays performed on surface water extracts supporting the environmental quality standards (EQS) of the European Water Framework Directive. <i>Science of the Total Environment</i> , 2018, 628-629, 748-765.	3.9	176
12	Organophosphate triesters and selected metabolites enhance binding of thyroxine to human transthyretin in vitro. <i>Toxicology Letters</i> , 2018, 285, 87-93.	0.4	47
13	High-Throughput Effect-Directed Analysis Using Downscaled in Vitro Reporter Gene Assays To Identify Endocrine Disruptors in Surface Water. <i>Environmental Science & Technology</i> , 2018, 52, 4367-4377.	4.6	49
14	Development of a luminescent mutagenicity test for high-throughput screening of aquatic samples. <i>Toxicology in Vitro</i> , 2018, 46, 350-360.	1.1	8
15	Comparison of in vitro and in vivo bioassays to measure thyroid hormone disrupting activity in water extracts. <i>Chemosphere</i> , 2018, 191, 868-875.	4.2	35
16	Analysis of Lipid Metabolism, Immune Function, and Neurobehavior in Adult C57BL/6JxFVB Mice After Developmental Exposure to di (2-ethylhexyl) Phthalate. <i>Frontiers in Endocrinology</i> , 2018, 9, 684.	1.5	18
17	Time-Integrative Passive sampling combined with TOxicity Profiling (TIPTOP): an effect-based strategy for cost-effective chemical water quality assessment. <i>Environmental Toxicology and Pharmacology</i> , 2018, 64, 48-59.	2.0	21
18	Effects of environmental pollutants on calcium release and uptake by rat cortical microsomes. <i>NeuroToxicology</i> , 2018, 69, 266-277.	1.4	23

#	ARTICLE	IF	CITATIONS
19	Toxicity profiling of marine surface sediments: A case study using rapid screening bioassays of exhaustive total extracts, elutriates and passive sampler extracts. <i>Marine Environmental Research</i> , 2017, 124, 81-91.	1.1	35
20	Continuous fraction collection of gas chromatographic separations with parallel mass spectrometric detection applied to cell-based bioactivity analysis. <i>Talanta</i> , 2017, 168, 162-167.	2.9	11
21	Improved androgen specificity of AR-EcoScreen by CRISPR based glucocorticoid receptor knockout. <i>Toxicology in Vitro</i> , 2017, 45, 1-9.	1.1	13
22	Optimization of an in vitro assay methodology for competitive binding of thyroidogenic xenobiotics with thyroxine on human transthyretin and albumin. <i>MethodsX</i> , 2017, 4, 404-412.	0.7	2
23	Bioassay battery interlaboratory investigation of emerging contaminants in spiked water extracts â€œTowards the implementation of bioanalytical monitoring tools in water quality assessment and monitoring. <i>Water Research</i> , 2016, 104, 473-484.	5.3	71
24	Levels and distributions of organic pollutants in subtidal sediments from the Loire estuary: Are there any relationships with TTR-binding activity?. <i>Journal of Sea Research</i> , 2016, 118, 59-68.	0.6	4
25	Highly Selective Screening of Estrogenic Compounds in Consumer-Electronics Plastics by Liquid Chromatography in Parallel Combined with Nanofractionation-Bioactivity Detection and Mass Spectrometry. <i>Environmental Science & Technology</i> , 2016, 50, 12385-12393.	4.6	17
26	Dioxins, PCBs, chlorinated pesticides and brominated flame retardants in free-range chicken eggs from peri-urban areas in Arusha, Tanzania: Levels and implications for human health. <i>Science of the Total Environment</i> , 2016, 551-552, 656-667.	3.9	39
27	Indoor Pollutant Hexabromocyclododecane Has a Modest Immunomodulatory Effect on House Dust Mite Induced Allergic Asthma in Mice. <i>Environmental Science & Technology</i> , 2016, 50, 405-411.	4.6	11
28	Pure non-dioxin-like PCB congeners suppress induction of AhR-dependent endpoints in rat liver cells. <i>Environmental Science and Pollution Research</i> , 2016, 23, 2099-2107.	2.7	13
29	Tracing thyroid hormone-disrupting compounds: database compilation and structure-activity evaluation for an effect-directed analysis of sediment. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 5625-5634.	1.9	60
30	The influence of extreme river discharge conditions on the quality of suspended particulate matter in Rivers Meuse and Rhine (The Netherlands). <i>Environmental Research</i> , 2015, 143, 241-255.	3.7	18
31	<i>In Silico</i> Approach To Identify Potential Thyroid Hormone Disruptors among Currently Known Dust Contaminants and Their Metabolites. <i>Environmental Science & Technology</i> , 2015, 49, 10099-10107.	4.6	54
32	Rapid activity-directed screening of estrogens by parallel coupling of liquid chromatography with a functional gene reporter assay and mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1406, 165-174.	1.8	27
33	Challenges in effect-directed analysis with a focus on biological samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 67, 179-191.	5.8	45
34	Toxicological Profile of Ultrapure 2,2,3,4,4,5,5-Heptachlorbiphenyl (PCB 180) in Adult Rats. <i>PLoS ONE</i> , 2014, 9, e104639.	1.1	25
35	Acute disturbance of calcium homeostasis in PC12 cells as a novel mechanism of action for (sub)micromolar concentrations of organophosphate insecticides. <i>NeuroToxicology</i> , 2014, 43, 110-116.	1.4	33
36	Programming of metabolic effects in C57BL/6JxFVB mice by exposure to bisphenol A during gestation and lactation. <i>Toxicology</i> , 2014, 321, 40-52.	2.0	91

#	ARTICLE	IF	CITATIONS
37	Transcriptional and Epigenetic Mechanisms Underlying Enhanced in Vitro Adipocyte Differentiation by the Brominated Flame Retardant BDE-47. <i>Environmental Science & Technology</i> , 2014, 48, 4110-4119.	4.6	109
38	Expert opinion on toxicity profiling—report from a NORMAN expert group meeting. <i>Integrated Environmental Assessment and Management</i> , 2013, 9, 185-191.	1.6	31
39	Integrated chemical and biological analysis to explain estrogenic potency in bile extracts of red mullet (<i>Mullus barbatus</i>). <i>Aquatic Toxicology</i> , 2013, 134-135, 1-10.	1.9	18
40	Transthyretin-Binding Activity of Contaminants in Blood from Polar Bear (<i>Ursus maritimus</i>) Cubs. <i>Environmental Science & Technology</i> , 2013, 47, 4778-4786.	4.6	33
41	Developmental effects of aerosols and coal burning particles in zebrafish embryos. <i>Environmental Pollution</i> , 2013, 178, 72-79.	3.7	19
42	Effects of endocrine disrupting chemicals on in vitro global DNA methylation and adipocyte differentiation. <i>Toxicology in Vitro</i> , 2013, 27, 1634-1643.	1.1	142
43	High-Resolution Fractionation after Gas Chromatography for Effect-Directed Analysis. <i>Analytical Chemistry</i> , 2013, 85, 8204-8211.	3.2	28
44	Effect-Directed Analysis To Explore the Polar Bear Exposome: Identification of Thyroid Hormone Disrupting Compounds in Plasma. <i>Environmental Science & Technology</i> , 2013, 47, 8902-8912.	4.6	80
45	Perfluoroalkyl substances in polar bear mother—cub pairs: A comparative study based on plasma levels from 1998 and 2008. <i>Environment International</i> , 2012, 49, 92-99.	4.8	60
46	Blood Plasma Sample Preparation Method for the Assessment of Thyroid Hormone-Disrupting Potency in Effect-Directed Analysis. <i>Environmental Science & Technology</i> , 2011, 45, 7936-7944.	4.6	52
47	In Vitro Toxicity Profiling of Ultrapure Non—Dioxin-like Polychlorinated Biphenyl Congeners and Their Relative Toxic Contribution to PCB Mixtures in Humans. <i>Toxicological Sciences</i> , 2011, 121, 88-100.	1.4	128
48	Multivariate toxicity profiles and QSAR modeling of non-dioxin-like PCBs — An investigation of in vitro screening data from ultra-pure congeners. <i>Chemosphere</i> , 2011, 85, 1423-1429.	4.2	30
49	Hepatic effects of a highly purified 2,2—,3,4—,5—-heptachlorbiphenyl (PCB 180) in male and female rats. <i>Toxicology</i> , 2011, 284, 42-53.	2.0	34
50	The OBELIX project: early life exposure to endocrine disruptors and obesity. <i>American Journal of Clinical Nutrition</i> , 2011, 94, S1933-S1938.	2.2	58
51	Toxicity profiling: An integrated effect—based tool for site—specific sediment quality assessment. <i>Integrated Environmental Assessment and Management</i> , 2010, 6, 761-773.	1.6	23
52	Testing Endocrine Disruption in Biota Samples: A Method to Remove Interfering Lipids and Natural Hormones. <i>Environmental Science & Technology</i> , 2010, 44, 8322-8329.	4.6	26
53	Competitive Binding of Poly- and Perfluorinated Compounds to the Thyroid Hormone Transport Protein Transthyretin. <i>Toxicological Sciences</i> , 2009, 109, 206-216.	1.4	270
54	Masking effect of anti-androgens on androgenic activity in European river sediment unveiled by effect-directed analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 1385-1397.	1.9	109

#	ARTICLE	IF	CITATIONS
55	Effects of metal pollution on earthworm communities in a contaminated floodplain area: Linking biomarker, community and functional responses. <i>Environmental Pollution</i> , 2009, 157, 895-903.	3.7	75
56	Classification of NDL-PCB congeners based on extensive in vitro screening and multivariate statistics. <i>Toxicology Letters</i> , 2009, 189, S245-S246.	0.4	0
57	A 28-day oral dose toxicity study enhanced to detect endocrine effects of a purified technical pentabromodiphenyl ether (pentaBDE) mixture in Wistar rats. <i>Toxicology</i> , 2008, 245, 109-122.	2.0	86
58	Biotransformation of brominated flame retardants into potentially endocrine-disrupting metabolites, with special attention to 2,2,4,4-tetrabromodiphenyl ether (BDE47). <i>Molecular Nutrition and Food Research</i> , 2008, 52, 284-298.	1.5	202
59	Do high levels of diffuse and chronic metal pollution in sediments of Rhine and Meuse floodplains affect structure and functioning of terrestrial ecosystems?. <i>Science of the Total Environment</i> , 2008, 406, 443-448.	3.9	7
60	More on the toxicity of decabromodiphenyl ether—Response to Hardy et al. (2008). <i>Toxicology Letters</i> , 2008, 182, 130-132.	0.4	3
61	Disruption of thyroid hormone binding to sea bream recombinant transthyretin by ioxinyl and polybrominated diphenyl ethers. <i>Chemosphere</i> , 2007, 69, 155-163.	4.2	78
62	QUANTITATIVE STRUCTURE–ACTIVITY RELATIONSHIP MODELING ON IN VITRO ENDOCRINE EFFECTS AND METABOLIC STABILITY INVOLVING 26 SELECTED BROMINATED FLAME RETARDANTS. <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 816.	2.2	113
63	CADMIUM ACCUMULATION IN HERBIVOROUS AND CARNIVOROUS SMALL MAMMALS: META-ANALYSIS OF FIELD DATA AND VALIDATION OF THE BIOACCUMULATION MODEL OPTIMAL MODELING FOR ECOTOXICOLOGICAL APPLICATIONS. <i>Environmental Toxicology and Chemistry</i> , 2007, 26, 1488.	2.2	31
64	Risk assessment of metals and organic pollutants for herbivorous and carnivorous small mammal food chains in a polluted floodplain (Biesbosch, The Netherlands). <i>Environmental Pollution</i> , 2006, 144, 581-595.	3.7	49
65	In Vitro Profiling of the Endocrine-Disrupting Potency of Brominated Flame Retardants. <i>Toxicological Sciences</i> , 2006, 92, 157-173.	1.4	634
66	A 28-Day Oral Dose Toxicity Study Enhanced to Detect Endocrine Effects of Hexabromocyclododecane in Wistar Rats. <i>Toxicological Sciences</i> , 2006, 94, 281-292.	1.4	178
67	Levels of Hexabromocyclododecane in Harbor Porpoises and Common Dolphins from Western European Seas, with Evidence for Stereoisomer-Specific Biotransformation by Cytochrome P450. <i>Environmental Science & Technology</i> , 2005, 39, 2095-2100.	4.6	222
68	Applicability of the black slug <i>Arion ater</i> for monitoring exposure to polycyclic aromatic hydrocarbons and their subsequent bioactivation into DNA binding metabolites. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 552, 219-233.	0.4	10
69	TOXICOLOGICAL PROFILING OF SEDIMENTS USING IN VITRO BIOASSAYS, WITH EMPHASIS ON ENDOCRINE DISRUPTION. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 32.	2.2	87
70	Lutetium Speciation and Toxicity in a Microbial Bioassay: Testing the Free-Ion Model for Lanthanides. <i>Environmental Science & Technology</i> , 2004, 38, 6597-6604.	4.6	40
71	Estrogenic and esterase-inhibiting potency in rainwater in relation to pesticide concentrations, sampling season and location. <i>Environmental Pollution</i> , 2003, 123, 47-65.	3.7	34
72	Lack of a Distinct Gradient in Biomarker Responses in Small Mammals Collected at Different Distances from a Highway. <i>Archives of Environmental Contamination and Toxicology</i> , 2002, 43, 345-355.	2.1	13

#	ARTICLE	IF	CITATIONS
73	Biological and chemical analysis of the toxic potency of pesticides in rainwater. <i>Chemosphere</i> , 2001, 45, 609-624.	4.2	42
74	A Small-Volume Bioassay for Quantification of the Esterase Inhibiting Potency of Mixtures of Organophosphate and Carbamate Insecticides in Rainwater: Development and Optimization. <i>Toxicological Sciences</i> , 2000, 58, 60-67.	1.4	39
75	The application of reporter gene assays for the determination of the toxic potency of diffuse air pollution. <i>Science of the Total Environment</i> , 2000, 262, 159-174.	3.9	60
76	Predator-Prey Relationships in a Two-Species Toxicity Test System. <i>Ecotoxicology and Environmental Safety</i> , 1997, 37, 203-212.	2.9	33
77	Simulations of the predator-prey interactions in a two species ecotoxicological test system. <i>Ecological Modelling</i> , 1997, 101, 15-25.	1.2	18