
Melissa L Harris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5140414/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Impact of Attrition in an 11-Year Prospective Longitudinal Study of Younger Women. Annals of Epidemiology, 2010, 20, 318-321.	0.9	113
2	Depression, anxiety and perceived stress in women with and without PCOS: a community-based study. Psychological Medicine, 2019, 49, 1510-1520.	2.7	105
3	Online and Offline Recruitment of Young Women for a Longitudinal Health Survey: Findings From the Australian Longitudinal Study on Women's Health 1989-95 Cohort. Journal of Medical Internet Research, 2015, 17, e109.	2.1	83
4	Recruiting Online: Lessons From a Longitudinal Survey of Contraception and Pregnancy Intentions of Young Australian Women. American Journal of Epidemiology, 2015, 181, 737-746.	1.6	79
5	The feminisation of contraceptive use: Australian women's accounts of accessing contraception. Feminism and Psychology, 2015, 25, 178-198.	1.2	75
6	Intimate partner violence adversely impacts health over 16 years and across generations: A longitudinal cohort study. PLoS ONE, 2017, 12, e0178138.	1.1	75
7	Stress increases the risk of type 2 diabetes onset in women: A 12-year longitudinal study using causal modelling. PLoS ONE, 2017, 12, e0172126.	1.1	74
8	Recruitment via the Internet and Social Networking Sites: The 1989-1995 Cohort of the Australian Longitudinal Study on Women's Health. Journal of Medical Internet Research, 2014, 16, e279.	2.1	66
9	Quality, Rigour and Usefulness of Free-Text Comments Collected by a Large Population Based Longitudinal Study - ALSWH. PLoS ONE, 2013, 8, e68832.	1.1	61
10	Increased prevalence of eating disorders, low self-esteem, and psychological distress in women with polycystic ovary syndrome: a community-based cohort study. Fertility and Sterility, 2019, 112, 353-361.	0.5	59
11	Cohort Profile: The Australian Longitudinal Study on Women's Health (ALSWH) 1989–95 cohort. International Journal of Epidemiology, 2018, 47, 391-392e.	0.9	58
12	History of Pregnancy Loss Increases the Risk of Mental Health Problems in Subsequent Pregnancies but Not in the Postpartum. PLoS ONE, 2014, 9, e95038.	1.1	46
13	Seeking Health Information Online: Association With Young Australian Women's Physical, Mental, and Reproductive Health. Journal of Medical Internet Research, 2015, 17, e120.	2.1	46
14	The Influence of Perceived Stress on the Onset of Arthritis in Women: Findings from the Australian Longitudinal Study on Women's Health. Annals of Behavioral Medicine, 2013, 46, 9-18.	1.7	42
15	Application of the Andersen-Newman model of health care utilization to understand antenatal care use in Kersa District, Eastern Ethiopia. PLoS ONE, 2018, 13, e0208729.	1.1	42
16	Effects of unintended pregnancy on maternal healthcare services utilization in low- and lower-middle-income countries: systematic review and meta-analysis. International Journal of Public Health, 2019, 64, 743-754.	1.0	38
17	What do young Australian women want (when talking to doctors about contraception)?. BMC Family Practice, 2017, 18, 35.	2.9	29
18	What qualities of long-acting reversible contraception do women perceive as desirable or undesirable? A systematic review. Sexual Health, 2016, 13, 404.	0.4	28

#	Article	IF	CITATIONS
19	A qualitative analysis of women's explanations for changing contraception: the importance of non-contraceptive effects. Journal of Family Planning and Reproductive Health Care, 2016, 42, 256-262.	0.9	24
20	Unintended Pregnancy in Women Living with HIV in Sub-Saharan Africa: A Systematic Review and Meta-analysis. AIDS and Behavior, 2019, 23, 1431-1451.	1.4	24
21	Determinants of intimate partner violence against women in Ethiopia: A multi-level analysis. PLoS ONE, 2020, 15, e0232217.	1.1	24
22	Loss to follow-up was used to estimate bias in a longitudinal study: a new approach. Journal of Clinical Epidemiology, 2015, 68, 870-876.	2.4	23
23	Who takes responsibility for contraception, according to young Australian women?. Sexual and Reproductive Healthcare, 2018, 15, 2-9.	0.5	20
24	The impact of adverse childhood experiences on the health and health behaviors of young Australian women. Child Abuse and Neglect, 2021, 111, 104771.	1.3	20
25	Assessing the effect of pregnancy intention at conception on the continuum of care in maternal healthcare services use in Bangladesh: Evidence from a nationally representative cross-sectional survey. PLoS ONE, 2020, 15, e0242729.	1.1	20
26	Does unintended pregnancy have an impact on skilled delivery care use in Bangladesh? A nationally representative cross-sectional study using Demography and Health Survey data. Journal of Biosocial Science, 2021, 53, 773-789.	0.5	19
27	Recruiting young women for health surveys: traditional random sampling methods are not costâ€effective. Australian and New Zealand Journal of Public Health, 2014, 38, 495.	0.8	17
28	Psychiatric comorbidities and adverse childhood experiences in women with self-reported polycystic ovary syndrome: An Australian population-based study. Psychoneuroendocrinology, 2020, 116, 104678.	1.3	17
29	Who uses long-acting reversible contraception? Profile of LARC users in the CUPID cohort. Sexual and Reproductive Healthcare, 2017, 11, 19-24.	0.5	16
30	Intimate partner violence against women and its association with pregnancy loss in Ethiopia: evidence from a national survey. BMC Women's Health, 2020, 20, 192.	0.8	16
31	Generating qualitative data by design: the Australian Longitudinal Study on Women's Health qualitative data collection. Public Health Research and Practice, 2016, 26, .	0.7	16
32	Adverse childhood experiences and electronic cigarette use among young Australian women. Preventive Medicine, 2019, 126, 105759.	1.6	15
33	Effect of unintended pregnancy on skilled antenatal care uptake in Bangladesh: analysis of national survey data. Archives of Public Health, 2020, 78, 81.	1.0	15
34	Barriers and facilitators to smoking cessation within pregnant Aboriginal and/or Torres Strait Islander women: An integrative review. Midwifery, 2019, 73, 49-61.	1.0	14
35	"Just Get on with It― Qualitative Insights of Coming to Terms with a Deteriorating Body for Older Women with Osteoarthritis. PLoS ONE, 2015, 10, e0120507.	1.1	14
36	Motivators of contraceptive method change and implications for long-acting reversible contraception (non-)use: A qualitative free-text analysis. Sexual and Reproductive Healthcare, 2019, 19, 71-77.	0.5	13

#	Article	IF	CITATIONS
37	Increased chronic disease prevalence among the younger generation: Findings from a population-based data linkage study to inform chronic disease ascertainment among reproductive-aged Australian women. PLoS ONE, 2021, 16, e0254668.	1.1	12
38	Successful ageing from old to very old: a longitudinal study of 12,432 women from Australia. Age and Ageing, 2019, 48, 803-810.	0.7	11
39	Examining long-acting reversible contraception non-use among Australian women in their 20s: findings from a qualitative study. Culture, Health and Sexuality, 2019, 21, 822-836.	1.0	11
40	Intimate partner violence against women in Ethiopia and its association with unintended pregnancy: a national cross-sectional survey. International Journal of Public Health, 2020, 65, 1657-1667.	1.0	11
41	Contraceptive use among women through their later reproductive years: Findings from an Australian prospective cohort study. PLoS ONE, 2021, 16, e0255913.	1.1	11
42	Factors Influencing Web-Based Survey Response for a Longitudinal Cohort of Young Women Born Between 1989 and 1995. Journal of Medical Internet Research, 2019, 21, e11286.	2.1	11
43	Challenges for Researchers Investigating Contraceptive Use and Pregnancy Intentions of Young Women Living in Urban and Rural Areas of Australia: Face-to-Face Discussions to Increase Participation in a Web-Based Survey. Journal of Medical Internet Research, 2013, 15, e10.	2.1	11
44	Young Australian women explain their contraceptive choices. Culture, Health and Sexuality, 2016, 18, 727-741.	1.0	10
45	Young Women's Complex Patterns of Contraceptive Use: Findings from an Australian Cohort Study. Perspectives on Sexual and Reproductive Health, 2020, 52, 181-190.	0.9	10
46	The relative importance of psychosocial factors in arthritis: Findings from 10,509 Australian women. Journal of Psychosomatic Research, 2012, 73, 251-256.	1.2	9
47	Taking the pulse of the health services research community: a cross-sectional survey of research impact, barriers and support. Australian Health Review, 2020, 44, 160.	0.5	7
48	Changes in smoking, drinking, overweight and physical inactivity in young Australian women 1996–2013. Health Promotion Journal of Australia, 2017, 28, 255-259.	0.6	6
49	Longitudinal inconsistency in responses to survey items that ask women about intimate partner violence. BMC Medical Research Methodology, 2019, 19, 201.	1.4	6
50	Low utilisation of postnatal care among women with unwanted pregnancy: A challenge for Bangladesh to achieve Sustainable Development Goal targets to reduce maternal and newborn deaths. Health and Social Care in the Community, 2022, 30, .	0.7	6
51	Age and cohort rise in diabetes prevalence among older Australian women: Case ascertainment using survey and healthcare administrative data. PLoS ONE, 2020, 15, e0234812.	1.1	6
52	Patterns of contraceptive use among young Australian women with chronic disease: findings from a prospective cohort study. Reproductive Health, 2022, 19, 111.	1.2	6
53	End of life hospitalisations differ for older Australian women according to death trajectory: a longitudinal data linkage study. BMC Health Services Research, 2016, 16, 484.	0.9	5
54	Perceptions of coping with non-disease-related life stress for women with osteoarthritis: a qualitative analysis: TableÂ1. BMJ Open, 2016, 6, e010630.	0.8	5

#	Article	IF	CITATIONS
55	The mediation effect of contraceptive use and women's autonomy on the relationship between intimate partner violence and unintended pregnancy in Ethiopia. BMC Public Health, 2020, 20, 1408.	1.2	5
56	Does gender equality and availability of contraception influence maternal and child mortality? A systematic review. BMJ Sexual and Reproductive Health, 2020, 46, 244-253.	0.9	5
57	Consistency and Inconsistency of Young Women's Reporting of Intimate Partner Violence in a Population-Based Study. Violence Against Women, 2021, 27, 359-377.	1.1	5
58	A Women's Rights-Based Approach to Reducing Child Mortality: Data from 193 Countries Show that Gender Equality does Affect Under-five Child Mortality. Maternal and Child Health Journal, 2022, 26, 1292-1304.	0.7	5
59	Contraceptive use among sexually active women living with HIV in western Ethiopia. PLoS ONE, 2020, 15, e0237212.	1.1	4
60	Association between preconception maternal stress and offspring birth weight: findings from an Australian longitudinal data linkage study. BMJ Open, 2021, 11, e041502.	0.8	4
61	Negative associations of ideal family size achievement with hypertension, obesity and maternal age in women with and without polycystic ovary syndrome. Clinical Endocrinology, 2022, 97, 217-226.	1.2	4
62	First incident hospitalisation for Australian women aged 70 and beyond: A 10 year examination using competing risks. Archives of Gerontology and Geriatrics, 2016, 64, 29-37.	1.4	3
63	Accidentally-on-purpose: findings from a qualitative study exploring pregnancy intention and long-acting reversible contraceptive use. BMJ Sexual and Reproductive Health, 2018, 44, 207-213.	0.9	3
64	Predictors of 15-year survival among Australian women with diabetes from age 76–81. Diabetes Research and Clinical Practice, 2019, 150, 48-56.	1.1	3
65	"They haven't asked me. I haven't told them either†fertility plan discussions between women living with HIV and healthcare providers in western Ethiopia. Reproductive Health, 2020, 17, 124.	1.2	3
66	Alcoholâ€related risk from preâ€loading and heavy episodic drinking (HED) among a cohort of young Australian women: a crossâ€sectional analysis. Australian and New Zealand Journal of Public Health, 2020, 44, 382-389.	0.8	3
67	Discussing Reproductive Plans with Healthcare Providers by Sexually Active Women Living with HIV in Western Ethiopia. AIDS and Behavior, 2020, 24, 2842-2855.	1.4	3
68	E•igarette use and cigarette smoking initiation among Australian women who have never smoked. Drug and Alcohol Review, 2021, 40, 68-77.	1.1	3
69	The Australian Longitudinal Study on Women's Health: Using Focus Groups to Inform Recruitment. JMIR Research Protocols, 2016, 5, e31.	0.5	3
70	"They were all together … discussing the best options for me― Integrating specialist diabetes care with primary care in Australia. Health and Social Care in the Community, 2021, 29, e135-e143.	0.7	3
71	Biopsychosocial factors influencing the occurrence and recurrence of preterm singleton births among Australian women: A prospective cohort study. Midwifery, 2022, 110, 103334.	1.0	3
72	Factors associated with length of stay in hospital for men and women aged 85 and over: A quantile regression approach. European Journal of Internal Medicine, 2019, 63, 46-55.	1.0	2

5

#	Article	IF	CITATIONS
73	Use of medication reviews among older women with dementia, 2003â€2015: A longitudinal cohort study. Australasian Journal on Ageing, 2020, 39, e552-e558.	0.4	2
74	Low birth weight and its associated biopsychosocial factors over a 19-year period: findings from a national cohort study. European Journal of Public Health, 2021, 31, 776-783.	0.1	2
75	Bullying among 18 to 23â€yearâ€old women in 2013. Australian and New Zealand Journal of Public Health, 2017, 41, 394-398.	0.8	1
76	Fertility among women living with HIV in western Ethiopia and its implications for prevention of vertical transmission : a cross-sectional study. BMJ Open, 2020, 10, e036391.	0.8	1
77	Women and divorce: financial coping from midlife to older age. Journal of Women and Aging, 2021, , 1-18.	0.5	1
78	Medications use among women with dementia: a cohort study. Aging Clinical and Experimental Research, 2022, 34, 55-64.	1.4	0
79	How young Australian women explain their use of condoms, withdrawal and fertility awareness: a qualitative analysis of free-text comments from the CUPID study. Culture, Health and Sexuality, 2022, 24, 1563-1574	1.0	Ο