

Deirdre J Murphy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/514193/publications.pdf>

Version: 2024-02-01

115
papers

4,512
citations

109137

35
h-index

123241

61
g-index

121
all docs

121
docs citations

121
times ranked

3598
citing authors

#	ARTICLE	IF	CITATIONS
1	Cervical ripening and labour induction: A critical review of the available methods. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2022, 79, 3-17.	1.4	7
2	Operative vaginal birth. Obstetrics, Gynaecology and Reproductive Medicine, 2020, 30, 19-25.	0.1	0
3	Authors' reply re: Assisted vaginal birth: Greenâ€™top Guideline no. 26. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 1580-1581.	1.1	9
4	Fetal scalp stimulation for assessing fetal wellbeing during labour. The Cochrane Library, 2020, , .	1.5	1
5	Membrane sweeping for induction of labour. The Cochrane Library, 2020, 2, CD000451.	1.5	15
6	Prospective cohort study of water immersion for labour and birth compared with standard care in an Irish maternity setting. BMJ Open, 2020, 10, e038080.	0.8	12
7	Operative vaginal delivery. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2019, 56, 1-2.	1.4	6
8	PARROT Ireland: Placental growth factor in Assessment of women with suspected pre-eclampsia to reduce maternal morbidity: a Stepped Wedge Cluster Randomised Control Trial Research Study Protocol. BMJ Open, 2019, 9, e023562.	0.8	7
9	Forceps delivery for non-rotational and rotational operative vaginal delivery. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2019, 56, 55-68.	1.4	11
10	Medico-legal considerations and operative vaginal delivery. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2019, 56, 114-124.	1.4	13
11	Authorsâ€™™ reply re: Admission cardiotocography versus intermittent auscultation of the fetal heart in lowâ€™risk pregnancy during evaluation for possible labour admissionâ€™”a multicentre randomised trial: the <scp>ADCAR</scp> trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 429-430.	1.1	0
12	Fetal scalp stimulation (FSS) versus fetal blood sampling (FBS) for women with abnormal fetal heart rate monitoring in labor: a prospective cohort study. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1742-1747.	0.7	12
13	Ustekinumab Drug Levels in Maternal and Cord Blood in a Woman With Crohnâ€™™s Disease Treated Until 33 Weeks of Gestation. Journal of Crohn's and Colitis, 2018, 12, 376-378.	0.6	50
14	Intramuscular versus intravenous oxytocin to prevent postpartum haemorrhage at vaginal delivery: randomised controlled trial. BMJ: British Medical Journal, 2018, 362, k3546.	2.4	37
15	Intramuscular oxytocin versus intravenous oxytocin to prevent postpartum haemorrhage at vaginal delivery (LABOR trial): study protocol for a randomised controlled trial. Trials, 2017, 18, 541.	0.7	10
16	Proposed learning strategies of medical students in a clinical rotation in obstetrics and gynecology: a descriptive study. Advances in Medical Education and Practice, 2016, Volume 7, 489-496.	0.7	3
17	Student and staff experiences of attendance monitoring in undergraduate obstetrics and gynecology: a cross-sectional survey. Advances in Medical Education and Practice, 2016, 7, 233.	0.7	2
18	Operative vaginal delivery. Obstetrics, Gynaecology and Reproductive Medicine, 2016, 26, 358-363.	0.1	3

#	ARTICLE	IF	CITATIONS
19	Haemorrhage at caesarean section: a framework for prevention and research. <i>Current Opinion in Obstetrics and Gynecology</i> , 2016, 28, 492-498.	0.9	8
20	Healthy lifestyle behaviours in pregnancy: A prospective cohort study in Ireland. <i>British Journal of Midwifery</i> , 2015, 23, 874-884.	0.1	3
21	Team Objective Structured Bedside Assessment (TOSBA) as formative assessment in undergraduate Obstetrics and Gynaecology: a cohort study. <i>BMC Medical Education</i> , 2015, 15, 172.	1.0	9
22	Financial rewards for pregnant smokers who quit. <i>BMJ, The</i> , 2015, 350, h297-h297.	3.0	3
23	Alcohol consumption in pregnancy and its implications for breastfeeding. <i>British Journal of Midwifery</i> , 2015, 23, 126-134.	0.1	2
24	Impact of a personal learning plan supported by an induction meeting on academic performance in undergraduate Obstetrics and Gynaecology: a cluster randomised controlled trial. <i>BMC Medical Education</i> , 2015, 15, 43.	1.0	3
25	Ultrasound assessment of fetal head circumference at the onset of labor as a predictor of operative delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 2182-2186.	0.7	13
26	A Prospective Cohort Study of Alcohol Exposure in Early and Late Pregnancy within an Urban Population in Ireland. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 2049-2063.	1.2	11
27	A prospective cohort study of the morbidity associated with operative vaginal deliveries performed by day and at night. <i>BMJ Open</i> , 2014, 4, e006291.	0.8	17
28	Decision-making in operative vaginal delivery: when to intervene, where to deliver and which instrument to use? Qualitative analysis of expert clinical practice. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 333-340.	0.5	27
29	The reliability of foetal blood sampling as a test of foetal acidosis in labour. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 167, 142-145.	0.5	12
30	Qualitative analysis by interviews and video recordings to establish the components of a skilled rotational forceps delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 341-347.	0.5	15
31	Behavioural change in relation to alcohol exposure in early pregnancy and impact on perinatal outcomes - a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 8.	0.9	27
32	Student Attendance and Academic Performance in Undergraduate Obstetrics/Gynecology Clinical Rotations. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 2282.	3.8	46
33	Methadone dosing and prescribed medication use in a prospective cohort of opioid-dependent pregnant women. <i>Addiction</i> , 2013, 108, 762-770.	1.7	8
34	A retrospective cohort study of mode of delivery among public and private patients in an integrated maternity hospital setting. <i>BMJ Open</i> , 2013, 3, e003865.	0.8	22
35	Establishing the Accuracy and Acceptability of Abdominal Ultrasound to Define the Foetal Head Position in the Second Stage of Labour. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 9-11.	0.2	0
36	Population-Based Study of Smoking Behaviour throughout Pregnancy and Adverse Perinatal Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 3855-3867.	1.2	25

#	ARTICLE	IF	CITATIONS
37	Role of ultrasound on the labor ward. <i>Expert Review of Obstetrics and Gynecology</i> , 2012, 7, 615-625.	0.4	5
38	Study Protocol. IDUS – Instrumental delivery & ultrasound. A multi-centre randomised controlled trial of ultrasound assessment of the fetal head position versus standard care as an approach to prevent morbidity at instrumental delivery. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 95.	0.9	9
39	Establishing the accuracy and acceptability of abdominal ultrasound to define the foetal head position in the second stage of labour: a validation study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 164, 35-39.	0.5	45
40	Strategies to enhance assessment of the fetal head position before instrumental delivery: a survey of obstetric practice in the United Kingdom and Ireland. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 165, 181-188.	0.5	10
41	Methadone and perinatal outcomes: a prospective cohort study. <i>Addiction</i> , 2012, 107, 1482-1492.	1.7	53
42	A cohort study of maternal and neonatal morbidity in relation to use of sequential instruments at operative vaginal delivery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 156, 41-45.	0.5	172
43	Preferences for mode of delivery after previous caesarean section: what do women want, what do they get and how do they value outcomes?. <i>Health Expectations</i> , 2011, 14, 397-404.	1.1	13
44	Methadone and perinatal outcomes: a retrospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 139.e1-139.e9.	0.7	96
45	Prevalence, predictors and perinatal outcomes of peri-conceptual alcohol exposure - retrospective cohort study in an urban obstetric population in Ireland. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 27.	0.9	74
46	Oxytocin bolus versus oxytocin bolus and infusion for control of blood loss at elective caesarean section: double blind, placebo controlled, randomised trial. <i>BMJ: British Medical Journal</i> , 2011, 343, d4661-d4661.	2.4	74
47	Uterine Rupture. , 2011, , 159-175.		0
48	Implementation of Guidelines on Oxytocin Use at Caesarean Section: A Survey of Practice in Great Britain and Ireland. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 296-297.	0.2	0
49	Active versus expectant management for women in the third stage of labour. , 2010, , CD007412.		55
50	Polymorphisms of the angiotensin converting enzyme gene in relation to intrauterine growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1197-1201.	1.3	2
51	Medication use in early pregnancy – prevalence and determinants of use in a prospective cohort of women. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 408-417.	0.9	72
52	An Australian and New Zealand survey of practice of the use of oxytocin at elective caesarean section. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 30-35.	0.4	16
53	Methadone dose and neonatal abstinence syndrome – systematic review and meta-analysis. <i>Addiction</i> , 2010, 105, 2071-2084.	1.7	144
54	Economic Evaluation of the DiAMOND Randomized Trial: Cost and Outcomes of 2 Decision Aids for Mode of Delivery among Women with a Previous Cesarean Section. <i>Medical Decision Making</i> , 2010, 30, 453-463.	1.2	14

#	ARTICLE	IF	CITATIONS
55	Polymorphisms of the angiotensin converting enzyme gene in early-onset and late-onset pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 874-879.	0.7	19
56	Implementation of guidelines on oxytocin use at caesarean section: A survey of practice in Great Britain and Ireland. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 148, 121-124.	0.5	25
57	Non-technical skills for obstetricians conducting forceps and vacuum deliveries: qualitative analysis by interviews and video recordings. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 150, 147-151.	0.5	93
58	Study Protocol. ECSSIT – Elective Caesarean Section Syntocinon® Infusion Trial. A multi-centre randomised controlled trial of oxytocin (Syntocinon®) 5 IU bolus and placebo infusion versus oxytocin 5 IU bolus and 40 IU infusion for the control of blood loss at elective caesarean section. <i>BMC Pregnancy and Childbirth</i> , 2009, 9, 36.	0.9	10
59	The role of modifiable pre-pregnancy risk factors in preventing adverse fetal outcomes among women with type 1 and type 2 diabetes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 1153-1157.	1.3	16
60	A randomised controlled trial of oxytocin 5IU and placebo infusion versus oxytocin 5IU and 30IU infusion for the control of blood loss at elective caesarean section – Pilot study. ISRCTN 40302163. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2009, 142, 30-33.	0.5	43
61	Can repeated courses of antenatal corticosteroids for threatened preterm birth be justified?. <i>Expert Review of Obstetrics and Gynecology</i> , 2009, 4, 223-226.	0.4	0
62	Smoking in pregnancy. <i>BMJ, The</i> , 2009, 338, b2188-b2188.	3.0	3
63	A complication after a previous caesarean section. <i>BMJ: British Medical Journal</i> , 2009, 339, b2979-b2979.	2.4	1
64	Vasa praevia: diagnosis and management. <i>The Obstetrician and Gynaecologist</i> , 2008, 10, 217-223.	0.2	6
65	Operative vaginal delivery and the use of episiotomy – A survey of practice in the United Kingdom and Ireland. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 136, 178-183.	0.5	34
66	Use of oxytocin to prevent haemorrhage at caesarean section – A survey of practice in the United Kingdom. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 137, 27-30.	0.5	58
67	Correlation of angiotensin converting enzyme activity and the genotypes of the I/D polymorphism in the ACE gene with preterm birth and birth weight. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 141, 27-30.	0.5	15
68	The local adaptation of national recommendations for preventing early-onset neonatal Group B Streptococcal disease in UK maternity units. <i>Journal of Health Services Research and Policy</i> , 2008, 13, 52-57.	0.8	9
69	A pregnant Jehovah's witness. <i>BMJ: British Medical Journal</i> , 2008, 337, a1935-a1935.	2.4	0
70	Two decision aids for mode of delivery among women with previous caesarean section: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 334, 1305.	2.4	140
71	The influence of mode of delivery and ACE genotype on serum angiotensin converting enzyme (ACE) activity in the mother and infant at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 134, 179-183.	0.5	5
72	Is operative delivery associated with postnatal back pain at eight weeks and eight months? A cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1322-1327.	1.3	5

#	ARTICLE	IF	CITATIONS
73	Weight and pregnancy. <i>BMJ: British Medical Journal</i> , 2007, 335, 169-169.	2.4	13
74	Decision-making about mode of delivery after previous caesarean section: development and piloting of two computer-based decision aids. <i>Health Expectations</i> , 2007, 10, 161-172.	1.1	33
75	Epidemiology and environmental factors in preterm labour. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2007, 21, 773-789.	1.4	81
76	Cohort study of the decision to delivery interval and neonatal outcome for emergency operative vaginal delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 145.e1-145.e7.	0.7	44
77	Neurodevelopmental outcome at 5 years after operative delivery in the second stage of labor: a cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 147.e1-147.e6.	0.7	33
78	Current thinking on maternal and neonatal morbidity related to cesarean section. <i>Expert Review of Obstetrics and Gynecology</i> , 2006, 1, 93-102.	0.4	1
79	Uterine rupture. <i>Current Opinion in Obstetrics and Gynecology</i> , 2006, 18, 135-140.	0.9	34
80	Utopian Theory and the Discourse of Natural Birth. <i>Social Theory and Health</i> , 2006, 4, 299-318.	1.0	12
81	Poor glycated haemoglobin control and adverse pregnancy outcomes in type 1 and type 2 diabetes mellitus: Systematic review of observational studies. <i>BMC Pregnancy and Childbirth</i> , 2006, 6, 30.	0.9	166
82	Caesarean delivery in the second stage of labour. <i>BMJ: British Medical Journal</i> , 2006, 333, 613-614.	2.4	69
83	Cohort Study of Maternal and Neonatal Morbidity in Relation to Use of Episiotomy at Instrumental Vaginal Delivery. <i>Obstetrical and Gynecological Survey</i> , 2005, 60, 787-788.	0.2	0
84	Pelvic floor morbidity at 3 years after instrumental delivery and cesarean delivery in the second stage of labor and the impact of a subsequent delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 192, 789-794.	0.7	48
85	Shifting the balance of care-or imaginative healthcare accounting?*. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1-1.	1.1	9
86	Cohort study of maternal and neonatal morbidity in relation to use of episiotomy at instrumental vaginal delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 941-945.	1.1	62
87	Obstetric management of a woman's first delivery and the implications for pelvic floor surgery in later life. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1043-1046.	1.1	28
88	The pre-eclampsia community guideline (PRECOG): how to screen for and detect onset of pre-eclampsia in the community. <i>BMJ: British Medical Journal</i> , 2005, 330, 576-580.	2.4	327
89	Prenatal risk factors for Caesarean section. Analyses of the ALSPAC cohort of 12 944 women in England. <i>International Journal of Epidemiology</i> , 2005, 34, 353-367.	0.9	116
90	Operative delivery and postnatal depression: a cohort study. <i>BMJ: British Medical Journal</i> , 2005, 330, 879.	2.4	67

#	ARTICLE	IF	CITATIONS
91	Antenatal and Intrapartum care of a pregnant woman with glycogen storage disease type 1a. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 118, 111-112.	0.5	12
92	Forceps delivery in modern obstetric practice. <i>BMJ: British Medical Journal</i> , 2004, 328, 1302-1305.	2.4	152
93	Fertility and pregnancy outcomes in men and women with cystic fibrosis in the United Kingdom. <i>Human Reproduction</i> , 2004, 19, 2238-2243.	0.4	64
94	Outcome of subsequent pregnancy three years after previous operative delivery in the second stage of labour: cohort study. <i>BMJ: British Medical Journal</i> , 2004, 328, 311.	2.4	136
95	Pelvic floor morbidity up to one year after difficult instrumental delivery and cesarean section in the second stage of labor: A cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 4-10.	0.7	77
96	Cohort study of forceps delivery and the risk of epilepsy in adulthood. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 392-397.	0.7	10
97	Cohort study of maternal views on future mode of delivery after operative delivery in the second stage of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 542-548.	0.7	37
98	Effect of Operative Delivery in the Second Stage of Labor on Breastfeeding Success. <i>Birth</i> , 2003, 30, 255-260.	1.1	60
99	Cohort study of operative delivery in the second stage of labour and standard of obstetric care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 610-615.	1.1	249
100	Women's views on the impact of operative delivery in the second stage of labour: qualitative interview study. <i>BMJ: British Medical Journal</i> , 2003, 327, 1132-0.	2.4	118
101	The clinical utility of routine urinalysis in pregnancy. <i>Medical Journal of Australia</i> , 2003, 178, 524-524.	0.8	4
102	Cohort study of operative delivery in the second stage of labour and standard of obstetric care. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 610-5.	1.1	19
103	An obstetric perspective. <i>Lancet, The</i> , 2002, 360, 941.	6.3	3
104	Cohort study of near-miss maternal mortality and subsequent reproductive outcome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2002, 102, 173-178.	0.5	58
105	Cohort study of the neonatal outcome of twin pregnancies that were treated with prophylactic or rescue antenatal corticosteroids. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 483-488.	0.7	57
106	The effect of mode of delivery and gestational age on neonatal outcome of the non-cephalic-presenting second twin. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1356-1361.	0.7	35
107	Midline episiotomy was associated with a greater risk of anal incontinence than perineal tear or intact perineum. <i>Evidence-Based Obstetrics and Gynecology</i> , 2001, 3, 16-17.	0.3	0
108	Chorioamnionitis increases the risk of cerebral palsy. <i>Evidence-Based Obstetrics and Gynecology</i> , 2001, 3, 132-133.	0.3	0

#	ARTICLE	IF	CITATIONS
109	Ex-utero intrapartum treatment for cervical teratoma. British Journal of Obstetrics and Gynaecology, 2001, 108, 429-430.	0.9	9
110	Early maternal and neonatal morbidity associated with operative delivery in second stage of labour: a cohort study. Lancet, The, 2001, 358, 1203-1207.	6.3	357
111	Failure to progress in the second stage of labour. Current Opinion in Obstetrics and Gynecology, 2001, 13, 557-561.	0.9	12
112	MORTALITY AND MORBIDITY ASSOCIATED WITH EARLY-ONSET PREECLAMPSIA. Hypertension in Pregnancy, 2000, 19, 221-231.	0.5	101
113	Prolonged second stage of labour including difficult decision-making on operative vaginal delivery and caesarean section. , 0, , 84-92.		0
114	Indications and assessment for operative vaginal birth. , 0, , 12-30.		0
115	Prolonged Second Stage of Labour Including Difficult DecisionMaking on Operative Vaginal Delivery and Caesarean Section. , 0, , 93-103.		0