Ambrogio Fassina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5141975/publications.pdf

Version: 2024-02-01

72 papers 2,719 citations

236833 25 h-index 50 g-index

72 all docs

72 docs citations

times ranked

72

5512 citing authors

#	Article	IF	Citations
1	YAP/TAZ Incorporation in the \hat{I}^2 -Catenin Destruction Complex Orchestrates the Wnt Response. Cell, 2014, 158, 157-170.	13.5	873
2	Epithelial–mesenchymal transition in malignant mesothelioma. Modern Pathology, 2012, 25, 86-99.	2.9	130
3	Molecular Typing of Lung Adenocarcinoma on Cytological Samples Using a Multigene Next Generation Sequencing Panel. PLoS ONE, 2013, 8, e80478.	1.1	96
4	Programmed cell death 4 and micro <scp>RNA</scp> 21 inverse expression is maintained in cells and exosomes from ovarian serous carcinoma effusions. Cancer Cytopathology, 2014, 122, 685-693.	1.4	95
5	Diet and thyroid cancer: A pooled analysis of four european case-control studies. International Journal of Cancer, 1991, 48, 395-398.	2.3	80
6	Next-Generation Sequencing of Lung Cancer EGFR Exons 18-21 Allows Effective Molecular Diagnosis of Small Routine Samples (Cytology and Biopsy). PLoS ONE, 2013, 8, e83607.	1.1	76
7	The miR-17-92 microRNA cluster: a novel diagnostic tool in large B-cell malignancies. Laboratory Investigation, 2012, 92, 1574-1582.	1.7	71
8	Validation of the prognostic role of the "Helsinki Score―in 225 cases of adrenocortical carcinoma. Human Pathology, 2017, 62, 1-7.	1.1	69
9	The prognostic role of the epithelial–mesenchymal transition markers Eâ€cadherin and Slug in laryngeal squamous cell carcinoma. Histopathology, 2015, 67, 491-500.	1.6	66
10	Classification of Non-small Cell Lung Carcinoma in Transthoracic Needle Specimens Using MicroRNA Expression Profiling. Chest, 2011, 140, 1305-1311.	0.4	64
11	Topical 1% 5-fluoruracil as a sole treatment of corneoconjunctival ocular surface squamous neoplasia: long-term study. British Journal of Ophthalmology, 2017, 101, 1094-1099.	2.1	59
12	Guidelines for cytopathologic diagnosis of epithelioid and mixed type malignant mesothelioma. Complementary statement from the International Mesothelioma Interest Group, also endorsed by the International Academy of Cytology and the Papanicolaou Society of Cytopathology. Cytolournal, 2015, 12, 26.	0.8	57
13	Frequency of Thyroid Carcinoma in a Recent Series of 539 Consecutive Thyroidectomies for Multinodular Goiter. Tumori, 1997, 83, 653-655.	0.6	49
14	Young investigator challenge: MicroRNAâ€21/MicroRNAâ€126 profiling as a novel tool for the diagnosis of malignant mesothelioma in pleural effusion cytology. Cancer Cytopathology, 2016, 124, 28-37.	1.4	41
15	Prognostic significance of TERT promoter and BRAF mutations in TIR-4 and TIR-5 thyroid cytology. European Journal of Endocrinology, 2019, 181, 1-11.	1.9	39
16	Profiling of Expression of Human Papillomavirus–Related Cancer miRNAs in Penile Squamous Cell Carcinomas. American Journal of Pathology, 2014, 184, 3376-3383.	1.9	38
17	Diet and Epithelial Cancer of the Thyroid Gland. Tumori, 1990, 76, 331-338.	0.6	34
18	High Risk of Malignancy in Patients with Incidentally Discovered Adrenal Masses: Accuracy of Adrenal Imaging and Image-Guided Fine-Needle Aspiration Cytology. Tumori, 2007, 93, 269-274.	0.6	34

#	Article	IF	CITATIONS
19	Guidelines for the cytopathologic diagnosis of epithelioid and mixedâ€type malignant mesothelioma: Complementary Statement from the International Mesothelioma Interest Group, Also Endorsed by the International Academy of Cytology and the Papanicolaou Society of Cytopathology. Diagnostic Cytopathology, 2015, 43, 563-576.	0.5	34
20	Down-regulation of microRNA-146a is associated with high-risk human papillomavirus infection and epidermal growth factor receptor overexpression in penile squamous cell carcinoma. Human Pathology, 2017, 61, 33-40.	1.1	34
21	Frequency and Significance of Ras, Tert Promoter, and Braf Mutations in Cytologically Indeterminate Thyroid Nodules: A Monocentric Case Series at a Tertiary-Level Endocrinology Unit. Frontiers in Endocrinology, 2017, 8, 273.	1.5	31
22	Survivin expression impacts prognostically on NSCLC but not SCLC. Lung Cancer, 2013, 79, 180-186.	0.9	29
23	Lumican Is Overexpressed in Lung Adenocarcinoma Pleural Effusions. PLoS ONE, 2015, 10, e0126458.	1.1	28
24	Oncofetal gene SALL4 and prognosis in cancer: A systematic review with meta-analysis. Oncotarget, 2017, 8, 22968-22979.	0.8	28
25	Necroptosis-driving genes <i>RIPK1, RIPK3</i> and <i>MLKL-p</i> are associated with intratumoral CD3 ⁺ and CD8 ⁺ T cell density and predict prognosis in hepatocellular carcinoma., 2022, 10, e004031.		27
26	$1\hat{l}\pm,25$ -Dihydroxyvitamin D3 inhibits the human H295R cell proliferation by cell cycle arrest: A model for a protective role of vitamin D receptor against adrenocortical cancer. Journal of Steroid Biochemistry and Molecular Biology, 2014, 140, 26-33.	1.2	26
27	Absence of the Cell Cycle Inhibitor p27Kip1 Protein Predicts Poor Outcome in Patients With Stage I-III Colorectal Cancer. Annals of Surgical Oncology, 1999, 6, 19-25.	0.7	25
28	Sarcomatoid adrenocortical carcinoma: a comprehensive pathological, immunohistochemical, and targeted next-generation sequencing analysis. Human Pathology, 2016, 58, 113-122.	1.1	25
29	Management of cytological material, preâ€analytical procedures and bioâ€banking in effusion cytopathology. Cytopathology, 2019, 30, 31-38.	0.4	25
30	A 4â€MicroRNA signature can discriminate primary lymphomas from anaplastic carcinomas in thyroid cytology smears. Cancer Cytopathology, 2014, 122, 274-281.	1.4	24
31	Methylation Status of Vitamin D Receptor Gene Promoter in Benign and Malignant Adrenal Tumors. International Journal of Endocrinology, 2015, 2015, 1-7.	0.6	23
32	Histopathological and genetic characterization of aldosterone-producing adenomas with concurrent subclinical cortisol hypersecretion: a case series. Endocrine, 2017, 58, 503-512.	1.1	22
33	Analysis of circulating extracellular vesicle-associated microRNAs in cortisol-producing adrenocortical tumors. Endocrine, 2018, 59, 280-287.	1.1	22
34	Accuracy and reproducibility of pleural effusion cytology. Legal Medicine, 2008, 10, 20-25.	0.6	20
35	Metabonomics by proton nuclear magnetic resonance in human pleural effusions: A route to discriminate between benign and malignant pleural effusions and to target small molecules as potential cancer biomarkers. Cancer Cytopathology, 2017, 125, 341-348.	1.4	18
36	miRâ€130A as a diagnostic marker to differentiate malignant mesothelioma from lung adenocarcinoma in pleural effusion cytology. Cancer Cytopathology, 2017, 125, 635-643.	1.4	18

#	Article	IF	CITATIONS
37	Detection of MicroRNAs in Archival Cytology Urine Smears. PLoS ONE, 2013, 8, e57490.	1.1	18
38	Fineâ€needle cytology of cutaneous juvenile xanthogranuloma and langerhans cell histiocytosis. Cancer Cytopathology, 2011, 119, 134-140.	1.4	17
39	Cell and Cellâ€Free Mechanistic Studies on Two Gold(III) Complexes with Proven Antitumor Properties. European Journal of Inorganic Chemistry, 2017, 2017, 1737-1744.	1.0	17
40	The Extent of Surgery for Thyroid Medullary Cancer. Tumori, 1994, 80, 427-432.	0.6	15
41	Investigation of N-cadherin/ \hat{l}^2 -catenin expression in adrenocortical tumors. Tumor Biology, 2016, 37, 13545-13555.	0.8	14
42	MiR-21 over-expression and Programmed Cell Death 4 down-regulation features malignant pleural mesothelioma. Oncotarget, 2018, 9, 17300-17308.	0.8	14
43	Yap, Taz and Areg Expression in Eighth Cranial Nerve Schwannoma. International Journal of Biological Markers, 2017, 32, 319-324.	0.7	13
44	The diagnostic value of cytology in parotid Warthin's tumors: international multicenter series. Head and Neck, 2020, 42, 522-529.	0.9	13
45	DNA Methylation of Steroidogenic Enzymes in Benign Adrenocortical Tumors: New Insights in Aldosterone-Producing Adenomas. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e4605-e4615.	1.8	13
46	Detection of Silica Particles in Lung Tissue by Environmental Scanning Electron Microscopy. Inhalation Toxicology, 2009, 21, 133-140.	0.8	12
47	Changes in micro <scp>RNA</scp> expression during disease progression in patients with chronic viral hepatitis. Liver International, 2015, 35, 1324-1333.	1.9	12
48	MicroRNA profiling in serous cavity specimens: Diagnostic challenges and new opportunities. Cancer Cytopathology, 2019, 127, 493-500.	1.4	12
49	Tumor budding is an adverse prognostic marker in intestinal-type sinonasal adenocarcinoma and seems to be unrelated to epithelial-mesenchymal transition. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 241-248.	1.4	9
50	1H-NMR spectroscopy metabonomics of reactive, ovarian carcinoma and hepatocellular carcinoma ascites. Pleura and Peritoneum, 2020, 5, 20200113.	0.5	9
51	Histological criteria for age determination of fatal venous thromboembolism. International Journal of Legal Medicine, 2018, 132, 775-780.	1.2	8
52	Synchronous nodal metastatic risk in screening detected and endoscopically removed pT1 colorectal cancers. Pathology Research and Practice, 2020, 216, 152966.	1.0	8
53	YAP immunoreactivity is directly related to pilomatrixoma size and proliferation rate. Archives of Dermatological Research, 2015, 307, 379-383.	1.1	7
54	Loss of BAP1 in Pheochromocytomas and Paragangliomas Seems Unrelated to Genetic Mutations. Endocrine Pathology, 2019, 30, 276-284.	5.2	7

#	Article	IF	CITATIONS
55	Epithelial-to-Mesenchymal Transition and Neoangiogenesis in Laryngeal Squamous Cell Carcinoma. Cancers, 2021, 13, 3339.	1.7	7
56	Automated Analysis of Proliferating Cells Spatial Organisation Predicts Prognosis in Lung Neuroendocrine Neoplasms. Cancers, 2021, 13, 4875.	1.7	7
57	Adrenal metastasis from endometrial cancer: A case report. World Journal of Clinical Cases, 2019, 7, 1844-1849.	0.3	7
58	Mitogen-Activated Protein Kinase Pathway: Genetic Analysis of 95 Adrenocortical Tumors. Cancer Investigation, 2015, 33, 526-531.	0.6	6
59	Retroperitoneal Fibrosis after Chemotherapy. European Urology, 2007, 51, 270-272.	0.9	5
60	Concurrent pheochromocytoma and cortical carcinoma of the adrenal gland. Journal of Surgical Oncology, 2011, 103, 103-104.	0.8	5
61	Multiple sporadic gastrointestinal stromal tumors concomitant with ampullary adenocarcinoma: A case report with KIT and PDGFRA mutational analysis and miR-221/222 expression profile. Pathology Research and Practice, 2014, 210, 392-396.	1.0	5
62	HER2 status in sinonasal intestinal-type adenocarcinoma. Pathology Research and Practice, 2019, 215, 152432.	1.0	5
63	\hat{l}^2 -Arrestin-1 expression and epithelial-to-mesenchymal transition in laryngeal carcinoma. International Journal of Biological Markers, 2019, 34, 33-40.	0.7	5
64	Nuclear nonmetastatic protein 23â€H1 expression and epithelialâ€mesenchymal transition in laryngeal carcinoma: A pilot investigation. Head and Neck, 2018, 40, 2020-2028.	0.9	4
65	Complete response to weekly carboplatin–docetaxel chemotherapy in a 91-year-old woman with anaplastic thyroid cancer. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2015, 36, 268-272.	0.6	3
66	Inter―and intraobserver agreement in wholeâ€slide digital ThinPrep samples of lowâ€grade squamous lesions of the cervix uteri with known highâ€risk HPV status: A multicentric international study. Cancer Cytopathology, 2022, 130, 939-948.	1.4	3
67	Nextâ€generation learning and training: The <scp>C</scp> yâ€ <scp>TEST</scp> experience. Cancer Cytopathology, 2017, 125, 669-673.	1.4	2
68	Spontaneous intra-adrenal massive hematoma: possible extreme evolution of a non-secreting untreated adrenal adenoma. Journal of Surgical Case Reports, 2020, 2020, rjaa185.	0.2	2
69	Triumphs and tribulations of COVID-19 vaccines: Lessons to be learned from smallpox epidemics in the 1700s. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2021, 478, 1033-1035.	1.4	2
70	RIPK3 and AXL Expression Study in Primary Cutaneous Melanoma Unmasks AXL as Predictor of Sentinel Node Metastasis: A Pilot Study. Frontiers in Oncology, 2021, 11, 728319.	1.3	2
71	Retroperitoneal Fibrosis after Chemotherapy: Part 2. European Urology, 2007, 51, 559-560.	0.9	1
72	Snot what you think: Mucus or myxoid matrix with epithelioid cells and bubbly cytoplasm?. Cytopathology, 2022, 33, 149-152.	0.4	0