

Naomi Nakagata

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5142342/naomi-nakagata-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

196
papers

7,179
citations

38
h-index

78
g-index

206
ext. papers

7,930
ext. citations

4.4
avg. IF

5.66
L-index

#	Paper	IF	Citations
196	Quercetin-treated rat sperm enables refrigerated transport with motility and fertility for five days. <i>Scientific Reports</i> , 2021 , 11, 22641	4.9	1
195	Metformin ameliorates the severity of experimental Alport syndrome. <i>Scientific Reports</i> , 2021 , 11, 7053	4.9	6
194	Dysfunction of the proteoglycan Tsukushi causes hydrocephalus through altered neurogenesis in the subventricular zone in mice. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	4
193	Sirt7 Deficiency Attenuates Neointimal Formation Following Vascular Injury by Modulating Vascular Smooth Muscle Cell Proliferation. <i>Circulation Journal</i> , 2021 , 85, 2232-2240	2.9	2
192	Species Difference in Hydrolysis of an Ester-type Prodrug of Levodopa in Human and Animal Plasma: Different Contributions of Alpha-1 Acid Glycoprotein. <i>Molecular Pharmaceutics</i> , 2021 , 18, 1985-1991	5.6	1
191	An acute phase protein α 1-acid glycoprotein mitigates AKI and its progression to CKD through its anti-inflammatory action. <i>Scientific Reports</i> , 2021 , 11, 7953	4.9	3
190	Differential mode of cholesterol inclusion with 2-hydroxypropyl-cyclodextrins increases safety margin in treatment of Niemann-Pick disease type C. <i>British Journal of Pharmacology</i> , 2021 , 178, 2727-2746	8.6	4
189	Sexual fate of murine external genitalia development: Conserved transcriptional competency for male-biased genes in both sexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1
188	Efficient production of immunodeficient non-obese diabetic/Shi-scid mice via the superovulation technique using inhibin antiserum and gonadotropin. <i>Laboratory Animals</i> , 2021 , 55, 13-20	2.6	2
187	Murine neonatal ketogenesis preserves mitochondrial energetics by preventing protein hyperacetylation. <i>Nature Metabolism</i> , 2021 , 3, 196-210	14.6	6
186	Induction of oestrus by administering Inhibin antiserum along with equine chorionic gonadotropin in anoestrous bitches. <i>Reproduction in Domestic Animals</i> , 2021 , 56, 1398-1405	1.6	0
185	Gene trapping reveals a new transcriptionally active genome element: The chromosome-specific clustered trap region. <i>Genes To Cells</i> , 2021 , 26, 874-890	2.3	
184	Tamoxifen feeding method is suitable for efficient conditional knockout. <i>Experimental Animals</i> , 2021 , 70, 91-100	1.8	0
183	Successful blastocyst production by intracytoplasmic injection of sperm after in vitro maturation of follicular oocytes obtained from immature female squirrel monkeys (<i>Saimiri boliviensis</i>). <i>Journal of Reproduction and Development</i> , 2021 , 67, 265-272	2.1	
182	Higher Blood Uric Acid in Female Humans and Mice as a Protective Factor against Pathophysiological Decline of Lung Function. <i>Antioxidants</i> , 2020 , 9,	7.1	6
181	Successful selection of mouse sperm with high viability and fertility using microfluidics chip cell sorter. <i>Scientific Reports</i> , 2020 , 10, 8862	4.9	5
180	Tsukushi is essential for the development of the inner ear. <i>Molecular Brain</i> , 2020 , 13, 29	4.5	10

179	Azithromycin Inhibits Constitutive Airway Epithelial Sodium Channel Activation in Vitro and Modulates Downstream Pathogenesis in Vivo. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 725-730	2.3	6
178	Regenerating islet-derived protein (Reg)3 β plays a crucial role in attenuation of ileitis and colitis in mice. <i>Biochemistry and Biophysics Reports</i> , 2020 , 21, 100738	2.2	4
177	Simple transport and cryopreservation of cold-stored mouse embryos. <i>Experimental Animals</i> , 2020 , 69, 423-429	1.8	1
176	Simple Transportation of Genetically Engineered Mice via Cold Storage Techniques. <i>Methods in Molecular Biology</i> , 2020 , 2066, 211-216	1.4	
175	Cryobanking and Recovery of Genetically Modified Mice. <i>Methods in Molecular Biology</i> , 2020 , 2066, 195-209	1.4	1
174	Establishment of sperm cryopreservation and in vitro fertilisation protocols for rats. <i>Scientific Reports</i> , 2020 , 10, 93	4.9	0
173	Cardiomyocyte Sirt (Sirtuin) 7 Ameliorates Stress-Induced Cardiac Hypertrophy by Interacting With and Deacetylating GATA4. <i>Hypertension</i> , 2020 , 75, 98-108	8.5	30
172	Cryopreservation of mouse resources. <i>Laboratory Animal Research</i> , 2020 , 36, 33	1.9	2
171	A synthetic retinoic acid receptor agonist Am80 ameliorates renal fibrosis via inducing the production of alpha-1-acid glycoprotein. <i>Scientific Reports</i> , 2020 , 10, 11424	4.9	6
170	VMAT2 Safeguards β Cells Against Dopamine Cytotoxicity Under High-Fat Diet-Induced Stress. <i>Diabetes</i> , 2020 , 69, 2377-2391	0.9	4
169	Advanced Oxidation Protein Products Contribute to Renal Tubulopathy Perturbation of Renal Fatty Acids.. <i>Kidney360</i> , 2020 , 1, 781-796	1.8	4
168	Bmp4 is an essential growth factor for the initiation of genital tubercle (GT) outgrowth. <i>Congenital Anomalies (discontinued)</i> , 2020 , 60, 15-21	1.1	10
167	Basic mouse reproductive techniques developed and modified at the Center for Animal Resources and Development (CARD), Kumamoto University. <i>Experimental Animals</i> , 2019 , 68, 391-395	1.8	1
166	In vivo Efficacy and Safety Evaluation of Lactosyl- β -Cyclodextrin as a Therapeutic Agent for Hepatomegaly in Niemann-Pick Type C Disease. <i>Nanomaterials</i> , 2019 , 9,	5.4	7
165	Ovulation of juvenile, mature, and aged female C57BL/6 mice following coadministration of inhibin antiserum and equine chorionic gonadotropin. <i>Theriogenology</i> , 2019 , 135, 1-6	2.8	4
164	Hlf marks the developmental pathway for hematopoietic stem cells but not for erythro-myeloid progenitors. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1599-1614	16.6	14
163	In Vitro and In Vivo Evaluation of 6-O- β -Maltosyl- β -Cyclodextrin as a Potential Therapeutic Agent Against Niemann-Pick Disease Type C. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	10
162	Lineage-specific RUNX2 super-enhancer activates MYC and promotes the development of blastic plasmacytoid dendritic cell neoplasm. <i>Nature Communications</i> , 2019 , 10, 1653	17.4	25

161	Mesenchymal actomyosin contractility is required for androgen-driven urethral masculinization in mice. <i>Communications Biology</i> , 2019 , 2, 95	6.7	6
160	Auto-measure emphysematous parameters and pathophysiological gene expression profiles in experimental mouse models of acute and chronic obstructive pulmonary diseases. <i>Journal of Pharmacological Sciences</i> , 2019 , 140, 113-119	3.7	5
159	N-acetyl cysteine restores the fertility of vitrified-warmed mouse oocytes derived through ultrasuperovulation. <i>PLoS ONE</i> , 2019 , 14, e0224087	3.7	5
158	Induction of superovulation using inhibin antiserum and competence of embryo development in wild large Japanese field mice (<i>Apodemus speciosus</i>). <i>Reproduction in Domestic Animals</i> , 2019 , 54, 1637-1642	1.6	6
157	Lowering effect of dimethyl- β -cyclodextrin on GM1-ganglioside accumulation in GM1-gangliosidosis model cells and in brain of β -galactosidase-knockout mice. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2019 , 93, 53-66	1.7	0
156	The CARD Method for Simple Vitrification of Mouse Oocytes: Advantages and Applications. <i>Methods in Molecular Biology</i> , 2019 , 1874, 229-242	1.4	2
155	The CARD Method for Mouse Sperm Cryopreservation and In Vitro Fertilization Using Frozen-Thawed Sperm. <i>Methods in Molecular Biology</i> , 2019 , 1874, 243-256	1.4	7
154	History of cryobiology, with special emphasis in evolution of mouse sperm cryopreservation. <i>Cryobiology</i> , 2018 , 82, 57-63	2.7	19
153	Zinc Deficiency via a Splice Switch in Zinc Importer ZIP2/SLC39A2 Causes Cystic Fibrosis-Associated MUC5AC Hypersecretion in Airway Epithelial Cells. <i>EBioMedicine</i> , 2018 , 27, 304-316	8.8	22
152	CD163 Is Required for Protumoral Activation of Macrophages in Human and Murine Sarcoma. <i>Cancer Research</i> , 2018 , 78, 3255-3266	10.1	49
151	STAT3 inhibition attenuates the progressive phenotypes of Alport syndrome mouse model. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 214-223	4.3	17
150	Electroporation-mediated genome editing in vitrified/warmed mouse zygotes created by IVF via ultra-superovulation. <i>Experimental Animals</i> , 2018 , 67, 535-543	1.8	13
149	Mouse Sperm Cryopreservation Using Cryoprotectant Containing L-Glutamine. <i>Cold Spring Harbor Protocols</i> , 2018 , 2018,	1.2	3
148	Folliculin Regulates Osteoclastogenesis Through Metabolic Regulation. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 1785-1798	6.3	15
147	Generation of and characterization of anti-IL-11 antibodies using newly established Il11-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 505, 453-459	3.4	6
146	In Vitro Fertilization in Mice. <i>Cold Spring Harbor Protocols</i> , 2018 , 2018,	1.2	12
145	Culture time of vitrified/warmed zygotes before microinjection affects the production efficiency of CRISPR-Cas9-mediated knock-in mice. <i>Biology Open</i> , 2017 , 6, 706-713	2.2	8
144	Fertility of cold-stored mouse sperm is recovered by promoting acrosome reaction and hyperactivation after cholesterol efflux by methyl-beta-cyclodextrin. <i>Biology of Reproduction</i> , 2017 , 96, 446-455	3.9	9

143	A novel splice site mutation of myosin VI in mice leads to stereociliary fusion caused by disruption of actin networks in the apical region of inner ear hair cells. <i>PLoS ONE</i> , 2017 , 12, e0183477	3.7	13
142	Androgen Regulates Dimorphic F-Actin Assemblies in the Genital Organogenesis. <i>Sexual Development</i> , 2017 , 11, 190-202	1.6	4
141	Transient Mild Cerebral Ischemia Significantly Deteriorated Cognitive Impairment in a Mouse Model of Alzheimer's Disease via Angiotensin AT1 Receptor. <i>American Journal of Hypertension</i> , 2017 , 30, 141-150	2.3	21
140	Dimethyl sulfoxide and quercetin prolong the survival, motility, and fertility of cold-stored mouse sperm for 10 days. <i>Biology of Reproduction</i> , 2017 , 97, 883-891	3.9	17
139	Changes in expression of C2cd4c in pancreatic endocrine cells during pancreatic development. <i>FEBS Letters</i> , 2016 , 590, 2584-93	3.8	2
138	GANP protein encoded on human chromosome 21/mouse chromosome 10 is associated with resistance to mammary tumor development. <i>Cancer Science</i> , 2016 , 107, 469-77	6.9	10
137	Intracerebroventricular Infusion of Angiotensin-(1-7) Ameliorates Cognitive Impairment and Memory Dysfunction in a Mouse Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016 , 53, 127-33	4.3	26
136	Ultra-superovulation for the CRISPR-Cas9-mediated production of gene-knockout, single-amino-acid-substituted, and floxed mice. <i>Biology Open</i> , 2016 , 5, 1142-8	2.2	24
135	Loss of Folliculin Disrupts Hematopoietic Stem Cell Quiescence and Homeostasis Resulting in Bone Marrow Failure. <i>Stem Cells</i> , 2016 , 34, 1068-82	5.8	21
134	Pharmacological and genetic reappraisals of protease and oxidative stress pathways in a mouse model of obstructive lung diseases. <i>Scientific Reports</i> , 2016 , 6, 39305	4.9	15
133	Feasibility study of cyclodextrins as active pharmaceutical ingredients for the treatment of GM1-gangliosidosis. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016 , 11, 183-184	9	1
132	N-acetyl cysteine prolonged the developmental ability of mouse two-cell embryos against oxidative stress at refrigerated temperatures. <i>Cryobiology</i> , 2016 , 72, 198-204	2.7	9
131	Immunotherapy using inhibin antiserum enhanced the efficacy of equine chorionic gonadotropin on superovulation in major inbred and outbred mice strains. <i>Theriogenology</i> , 2016 , 86, 1341-6	2.8	15
130	Cysteine analogs with a free thiol group promote fertilization by reducing disulfide bonds in the zona pellucida of mice. <i>Biology of Reproduction</i> , 2015 , 92, 90	3.9	14
129	Production of knockout mice by DNA microinjection of various CRISPR/Cas9 vectors into freeze-thawed fertilized oocytes. <i>BMC Biotechnology</i> , 2015 , 15, 33	3.5	39
128	HPGCD outperforms HPBCD as a potential treatment for Niemann-Pick disease type C during disease modeling with iPS cells. <i>Stem Cells</i> , 2015 , 33, 1075-88	5.8	71
127	Tissue-specific roles of FGF signaling in external genitalia development. <i>Developmental Dynamics</i> , 2015 , 244, 759-73	2.9	24
126	Efficacy of 2-Hydroxypropyl-β-cyclodextrin in Niemann-Pick Disease Type C Model Mice and Its Pharmacokinetic Analysis in a Patient with the Disease. <i>Biological and Pharmaceutical Bulletin</i> , 2015 , 38, 844-51	2.3	50

125	Systematic stereoscopic analyses for cloacal development: The origin of anorectal malformations. <i>Scientific Reports</i> , 2015 , 5, 13943	4.9	17
124	Effects of cyclodextrins on GM1-gangliosides in fibroblasts from GM1-gangliosidosis patients. <i>Journal of Pharmacy and Pharmacology</i> , 2015 , 67, 1133-42	4.8	10
123	Superovulation using the combined administration of inhibin antiserum and equine chorionic gonadotropin increases the number of ovulated oocytes in C57BL/6 female mice. <i>PLoS ONE</i> , 2015 , 10, e0128330	3.7	76
122	Region-specific regulation of cell proliferation by FGF receptor signaling during the Wolffian duct development. <i>Developmental Biology</i> , 2015 , 400, 139-47	3.1	18
121	Investigations of motility and fertilization potential in thawed cryopreserved mouse sperm from cold-stored epididymides. <i>Cryobiology</i> , 2014 , 68, 12-7	2.7	17
120	Lipocalin 2 binds to membrane phosphatidylethanolamine to induce lipid raft movement in a PKA-dependent manner and modulates sperm maturation. <i>Development (Cambridge)</i> , 2014 , 141, 2157-64	6.6	30
119	Sexually dimorphic expression of Mafb regulates masculinization of the embryonic urethral formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 16407-12	11.5	32
118	Influence of genotype on the toxicity of hydroxypropyl-β-cyclodextrin, a potentially therapeutic agent, in Niemann-Pick Type C disease models. <i>Molecular Genetics and Metabolism Reports</i> , 2014 , 1, 19-30	1.8	17
117	Midline-derived Shh regulates mesonephric tubule formation through the paraxial mesoderm. <i>Developmental Biology</i> , 2014 , 386, 216-26	3.1	14
116	Application of oocyte cryopreservation technology in TALEN-mediated mouse genome editing. <i>Experimental Animals</i> , 2014 , 63, 349-55	1.8	10
115	Prolonged exposure to hyaluronidase decreases the fertilization and development rates of fresh and cryopreserved mouse oocytes. <i>Journal of Reproduction and Development</i> , 2014 , 60, 454-9	2.1	10
114	Rescue in vitro fertilization method for legacy stock of frozen mouse sperm. <i>Journal of Reproduction and Development</i> , 2014 , 60, 168-71	2.1	11
113	Transporting mouse embryos and germplasm as frozen or unfrozen materials. <i>Current Protocols in Mouse Biology</i> , 2014 , 4, 47-65	1.1	15
112	VMAT2 identified as a regulator of late-stage Ecell differentiation. <i>Nature Chemical Biology</i> , 2014 , 10, 141-8	11.7	53
111	Genetic analysis of the role of Alx4 in the coordination of lower body and external genitalia formation. <i>European Journal of Human Genetics</i> , 2014 , 22, 350-7	5.3	15
110	Essential roles of epithelial bone morphogenetic protein signaling during prostatic development. <i>Endocrinology</i> , 2014 , 155, 2534-44	4.8	11
109	Nonmyocytic androgen receptor regulates the sexually dimorphic development of the embryonic bulbocavernosus muscle. <i>Endocrinology</i> , 2014 , 155, 2467-79	4.8	15
108	Degradation of amyloid beta by human induced pluripotent stem cell-derived macrophages expressing neprilysin-2. <i>Stem Cell Research</i> , 2014 , 13, 442-53	1.6	38

107	Database for exchangeable gene trap clones: pathway and gene ontology analysis of exchangeable gene trap clone mouse lines. <i>Development Growth and Differentiation</i> , 2014 , 56, 161-74	3	12
106	In vitro fertilization in mice using the MBCD-GSH protocol. <i>Current Protocols in Mouse Biology</i> , 2014 , 4, 67-83	1.1	19
105	Contemporary techniques for freezing mouse spermatozoa. <i>Current Protocols in Mouse Biology</i> , 2014 , 4, 85-104	1.1	13
104	Conservation of mouse models through embryo freezing. <i>Current Protocols in Mouse Biology</i> , 2014 , 4, 205-27	1.1	5
103	Gene-trap mutagenesis using Mol/MSM-1 embryonic stem cells from MSM/Ms mice. <i>Mammalian Genome</i> , 2013 , 24, 228-39	3.2	11
102	Applications of cryopreserved unfertilized mouse oocytes for in vitro fertilization. <i>Cryobiology</i> , 2013 , 67, 188-92	2.7	29
101	Ectopic expression of Ptf1a induces spinal defects, urogenital defects, and anorectal malformations in Danforth's short tail mice. <i>PLoS Genetics</i> , 2013 , 9, e1003204	6	15
100	Functional analysis of ectodermal Ectatin during external genitalia formation. <i>Congenital Anomalies (discontinued)</i> , 2013 , 53, 34-41	1.1	10
99	Hedgehog-Gli activators direct osteo-chondrogenic function of bone morphogenetic protein toward osteogenesis in the perichondrium. <i>Journal of Biological Chemistry</i> , 2013 , 288, 9924-9932	5.4	47
98	Centralized mouse repositories. <i>Mammalian Genome</i> , 2012 , 23, 559-71	3.2	24
97	Establishment of a transport system for mouse epididymal sperm at refrigerated temperatures. <i>Cryobiology</i> , 2012 , 65, 163-8	2.7	23
96	The hedgehog signal induced modulation of bone morphogenetic protein signaling: an essential signaling relay for urinary tract morphogenesis. <i>PLoS ONE</i> , 2012 , 7, e42245	3.7	31
95	Reduced BMP signaling results in hindlimb fusion with lethal pelvic/urogenital organ aplasia: a new mouse model of sirenomelia. <i>PLoS ONE</i> , 2012 , 7, e43453	3.7	23
94	Retinoic acid signaling regulates sonic hedgehog and bone morphogenetic protein signalings during genital tubercle development. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2012 , 95, 79-88		12
93	Gli1 protein participates in Hedgehog-mediated specification of osteoblast lineage during endochondral ossification. <i>Journal of Biological Chemistry</i> , 2012 , 287, 17860-17869	5.4	61
92	A potential neuroprotective role of apolipoprotein E-containing lipoproteins through low density lipoprotein receptor-related protein 1 in normal tension glaucoma. <i>Journal of Biological Chemistry</i> , 2012 , 287, 25395-406	5.4	21
91	Akt1-mediated skeletal muscle growth attenuates cardiac dysfunction and remodeling after experimental myocardial infarction. <i>Circulation: Heart Failure</i> , 2012 , 5, 116-25	7.6	32
90	Desalted deep-sea water improves cognitive function in mice by increasing the production of insulin-like growth factor-I in the hippocampus. <i>Translational Research</i> , 2011 , 158, 106-17	11	3

89	The floor plate is sufficient for development of the sclerotome and spine without the notochord. <i>Mechanisms of Development</i> , 2011 , 128, 129-40	1.7	14
88	Epithelial Bmp (Bone morphogenetic protein) signaling for bulboourethral gland development: a mouse model for congenital cystic dilation. <i>Congenital Anomalies (discontinued)</i> , 2011 , 51, 102-9	1.1	5
87	Resveratrol improves cognitive function in mice by increasing production of insulin-like growth factor-I in the hippocampus. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 1150-9	6.3	49
86	Cryopreservation of mouse spermatozoa and in vitro fertilization. <i>Methods in Molecular Biology</i> , 2011 , 693, 57-73	1.4	36
85	Novel migrating mouse neural crest cell assay system utilizing P0-Cre/EGFP fluorescent time-lapse imaging. <i>BMC Developmental Biology</i> , 2011 , 11, 68	3.1	23
84	Effects of cyclosporin A administration on gene expression in rat brain. <i>Brain Injury</i> , 2011 , 25, 614-23	2.1	7
83	Dietary isoflavone increases insulin-like growth factor-I production, thereby promoting hair growth in mice. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 227-33	6.3	22
82	The role of sonic hedgehog-Gli2 pathway in the masculinization of external genitalia. <i>Endocrinology</i> , 2011 , 152, 2894-903	4.8	60
81	Reduced glutathione enhances fertility of frozen/thawed C57BL/6 mouse sperm after exposure to methyl-beta-cyclodextrin. <i>Biology of Reproduction</i> , 2011 , 85, 1066-72	3.9	111
80	Retraction: Stimulation of FcBI on primary sensory neurons increases insulin-like growth factor-I production, thereby reducing reperfusion-induced renal injury in mice. <i>Journal of Immunology</i> , 2011 , 187, 3448	5.3	
79	Genetic analysis of Hedgehog signaling in ventral body wall development and the onset of omphalocele formation. <i>PLoS ONE</i> , 2011 , 6, e16260	3.7	23
78	Cells with hematopoietic activity in the mouse placenta reside in side population. <i>Genes To Cells</i> , 2010 , 15, 983-94	2.3	4
77	Relationship of strain-dependent susceptibility to experimentally induced acute pancreatitis with regulation of Prss1 and Spink3 expression. <i>Laboratory Investigation</i> , 2010 , 90, 654-64	5.9	18
76	Suppression of expression of endoplasmic reticulum chaperones by Helicobacter pylori and its role in exacerbation of non-steroidal anti-inflammatory drug-induced gastric lesions. <i>Journal of Biological Chemistry</i> , 2010 , 285, 37302-13	5.4	10
75	Mouse Bank at CARD Kumamoto University, Japan. <i>Interdisciplinary Bio Central</i> , 2010 , 2, 16.1-16.4		1
74	Stimulation of Fc gammaRI on primary sensory neurons increases insulin-like growth factor-I production, thereby reducing reperfusion-induced renal injury in mice. <i>Journal of Immunology</i> , 2010 , 185, 1303-10	5.3	511
73	Effects of topical application of alpha-D-glucosylglycerol on dermal levels of insulin-like growth factor-I in mice and on facial skin elasticity in humans. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010 , 74, 759-65	2.1	14
72	Kif26b, a kinesin family gene, regulates adhesion of the embryonic kidney mesenchyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 9240-5	11.5	73

71	Antagonistic crosstalk of Wnt/beta-catenin/Bmp signaling within the Apical Ectodermal Ridge (AER) regulates interdigit formation. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 391, 1653-7	3.4	13
70	Cilostazol improves cognitive function in mice by increasing the production of insulin-like growth factor-I in the hippocampus. <i>Neuropharmacology</i> , 2010 , 58, 774-83	5.5	28
69	Mouse Sperm Cryopreservation and Effective Embryo Production Using Cryopreserved C57BL/6 Mouse Sperm. <i>Journal of Mammalian Ova Research</i> , 2010 , 27, 70-78		4
68	Failure of effector function of human CD8+ T Cells in NOD/SCID/JAK3 ^{+/+} immunodeficient mice transplanted with human CD34+ hematopoietic stem cells. <i>PLoS ONE</i> , 2010 , 5, e13109	3.7	13
67	Short-term storage and transport at cold temperatures of 2-cell mouse embryos produced by cryopreserved sperm. <i>Journal of the American Association for Laboratory Animal Science</i> , 2010 , 49, 415-9	1.3	20
66	Aliskiren enhances the protective effects of valsartan against cardiovascular and renal injury in endothelial nitric oxide synthase-deficient mice. <i>Hypertension</i> , 2009 , 54, 633-8	8.5	53
65	Genetic interactions of the androgen and Wnt/beta-catenin pathways for the masculinization of external genitalia. <i>Molecular Endocrinology</i> , 2009 , 23, 871-80		92
64	Embryonic hair follicle fate change by augmented beta-catenin through Shh and Bmp signaling. <i>Development (Cambridge)</i> , 2009 , 136, 367-72	6.6	34
63	Donepezil improves cognitive function in mice by increasing the production of insulin-like growth factor-I in the hippocampus. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 330, 2-12	4.7	38
62	Establishment of germline-competent embryonic stem cell lines from the MSM/Ms strain. <i>Mammalian Genome</i> , 2009 , 20, 14-20	3.2	13
61	Birth of mice from vitrified/warmed 2-cell embryos transported at a cold temperature. <i>Cryobiology</i> , 2009 , 58, 196-202	2.7	20
60	Importance of primary culture conditions for the development of rat ICSI embryos and long-term preservation of freeze-dried sperm. <i>Cryobiology</i> , 2009 , 58, 293-7	2.7	21
59	Fertilization of C57BL/6 mouse sperm collected from cauda epididymides after preservation or transportation at 4 degrees C using laser-microdissected oocytes. <i>Cryobiology</i> , 2009 , 59, 59-62	2.7	21
58	Angiopoietin-like protein 2 promotes chronic adipose tissue inflammation and obesity-related systemic insulin resistance. <i>Cell Metabolism</i> , 2009 , 10, 178-88	24.6	261
57	Stimulation of sensory neurons improves cognitive function by promoting the hippocampal production of insulin-like growth factor-I in mice. <i>Translational Research</i> , 2009 , 154, 90-102	11	16
56	Kinetics of blood glucose in mice carrying hemizygous Pax6. <i>Experimental Animals</i> , 2009 , 58, 105-12	1.8	4
55	Current activities of CARD as an international core center for mouse resources. <i>Experimental Animals</i> , 2009 , 58, 343-50	1.8	18
54	Abnormal urethra formation in mouse models of split-hand/split-foot malformation type 1 and type 4. <i>European Journal of Human Genetics</i> , 2008 , 16, 36-44	5.3	34

53	Effect of topical application of raspberry ketone on dermal production of insulin-like growth factor-I in mice and on hair growth and skin elasticity in humans. <i>Growth Hormone and IGF Research</i> , 2008 , 18, 335-44	2	32
52	Methyl-beta-cyclodextrin improves fertilizing ability of C57BL/6 mouse sperm after freezing and thawing by facilitating cholesterol efflux from the cells. <i>Biology of Reproduction</i> , 2008 , 78, 546-51	3.9	130
51	Positive regulation of steroidogenic acute regulatory protein gene expression through the interaction between Dlx and GATA-4 for testicular steroidogenesis. <i>Endocrinology</i> , 2008 , 149, 2090-7	4.8	41
50	Antithrombin prevents reperfusion-induced hepatic apoptosis by enhancing insulin-like growth factor-I production in mice. <i>Critical Care Medicine</i> , 2008 , 36, 971-4	1.4	519
49	GANP suppresses DNA recombination, measured by direct-repeat beta-galactosidase gene construct, but does not suppress the type of recombination applying to immunoglobulin genes in mammalian cells. <i>Genes To Cells</i> , 2007 , 12, 1205-13	2.3	17
48	Regression of intestinal adenomas by vaccination with heat shock protein 105-pulsed bone marrow-derived dendritic cells in Apc(Min/+) mice. <i>Cancer Science</i> , 2007 , 98, 1930-5	6.9	15
47	Identification of a population of cells with hematopoietic stem cell properties in mouse aorta-gonad-mesonephros cultures. <i>Experimental Cell Research</i> , 2007 , 313, 965-74	4.2	10
46	Beta-defensin overexpression induces progressive muscle degeneration in mice. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 292, C2141-9	5.4	19
45	LGR4 regulates the postnatal development and integrity of male reproductive tracts in mice. <i>Biology of Reproduction</i> , 2007 , 76, 303-13	3.9	75
44	Molecular analysis of coordinated bladder and urogenital organ formation by Hedgehog signaling. <i>Development (Cambridge)</i> , 2007 , 134, 525-33	6.6	120
43	Intestinal tumorigenicity of mice carrying hemizygous Pax6, Pax6(Sey-4H). <i>Experimental Animals</i> , 2007 , 56, 289-94	1.8	1
42	Stimulation of sensory neurons by capsaicin increases tissue levels of IGF-I, thereby reducing reperfusion-induced apoptosis in mice. <i>Neuropharmacology</i> , 2007 , 52, 1303-11	5.5	541
41	Administration of capsaicin and isoflavone promotes hair growth by increasing insulin-like growth factor-I production in mice and in humans with alopecia. <i>Growth Hormone and IGF Research</i> , 2007 , 17, 408-15	2	42
40	Contribution of sensory neurons to sex difference in the development of stress-induced gastric mucosal injury in mice. <i>Gastroenterology</i> , 2006 , 131, 1826-34	13.3	35
39	Impaired expression of importin/karyopherin beta1 leads to post-implantation lethality. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 341, 132-8	3.4	15
38	Improvement in the long-term stability of freeze-dried mouse spermatozoa by adding of a chelating agent. <i>Cryobiology</i> , 2006 , 53, 279-82	2.7	55
37	Long-term cryopreservation of mouse sperm. <i>Theriogenology</i> , 2006 , 66, 1098-101	2.8	23
36	Application of laser-assisted zona drilling to in vitro fertilization of cryopreserved mouse oocytes with spermatozoa from a subfertile transgenic mouse. <i>Journal of Reproduction and Development</i> , 2006 , 52, 601-6	2.1	24

35	The improvement in fertilizing ability of cryopreserved mouse spermatozoa using laser-microdissected oocytes. <i>Reproductive Medicine and Biology</i> , 2006 , 5, 249-253	4.1	14
34	Antithrombin reduces reperfusion-induced liver injury in mice by enhancing sensory neuron activation. <i>Thrombosis and Haemostasis</i> , 2006 , 95, 788-795	7	20
33	The WilmsTumor gene WT1 is a common marker of progenitor cells in fetal liver. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 326, 836-43	3.4	11
32	Characterization of an exchangeable gene trap using pU-17 carrying a stop codon-beta geo cassette. <i>Development Growth and Differentiation</i> , 2005 , 47, 163-72	3	50
31	Angiopietin-related growth factor antagonizes obesity and insulin resistance. <i>Nature Medicine</i> , 2005 , 11, 400-8	50.5	170
30	Ovarian follicular development stimulated by leuprorelin acetate plus human menopausal gonadotropin in chimpanzees. <i>Journal of Medical Primatology</i> , 2005 , 34, 73-85	0.7	2
29	Use of frozen-thawed oocytes for efficient production of normal offspring from cryopreserved mouse spermatozoa showing low fertility. <i>Comparative Medicine</i> , 2005 , 55, 136-9	1.6	23
28	Relation between storage temperature and fertilizing ability of freeze-dried mouse spermatozoa. <i>Comparative Medicine</i> , 2005 , 55, 140-4	1.6	46
27	Spontaneous and radiation-induced leukemogenesis of the mouse small eye mutant, Pax6(Sey3H). <i>Journal of Radiation Research</i> , 2004 , 45, 245-51	2.4	3
26	Decrease of fertilizing ability of mouse spermatozoa after freezing and thawing is related to cellular injury. <i>Biology of Reproduction</i> , 2004 , 71, 973-8	3.9	65
25	Germinal center-associated nuclear protein contributes to affinity maturation of B cell antigen receptor in T cell-dependent responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 1010-5	11.5	38
24	Regulation of oxidative stress by ATM is required for self-renewal of haematopoietic stem cells. <i>Nature</i> , 2004 , 431, 997-1002	50.4	961
23	Loss of PGC-specific expression of the orphan nuclear receptor ERR-beta results in reduction of germ cell number in mouse embryos. <i>Mechanisms of Development</i> , 2004 , 121, 237-46	1.7	67
22	Effects of a Hemizygous Deletion of Mouse Chromosome 2 on the Hematopoietic and Intestinal Tumorigenesis. <i>Journal of Toxicologic Pathology</i> , 2004 , 17, 105-112	1.4	2
21	Experimental evaluation of cross-contamination between cryotubes containing mouse 2-cell embryos and murine pathogens in liquid nitrogen tanks. <i>Experimental Animals</i> , 2003 , 52, 67-70	1.8	30
20	Angiopietin-related growth factor (AGF) promotes epidermal proliferation, remodeling, and regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 9494-9	11.5	93
19	Study of low-temperature (4 degrees C) transport of mouse two-cell embryos enclosed in oviducts. <i>Comparative Medicine</i> , 2003 , 53, 393-6	1.6	5
18	Cryopreservation of spermatozoa from closed colonies, and inbred, spontaneous mutant, and transgenic strains of rats. <i>Comparative Medicine</i> , 2003 , 53, 639-41	1.6	27

17	Naso-maxillary deformity due to frontonasal expression of human transthyretin gene in transgenic mice. <i>Genes To Cells</i> , 2002 , 7, 1087-98	2.3	4
16	SH2-B is required for both male and female reproduction. <i>Molecular and Cellular Biology</i> , 2002 , 22, 3066-73	4.8	57
15	Cryopreservation of transgenic mouse lines. <i>Methods in Molecular Biology</i> , 2002 , 180, 207-28	1.4	18
14	Effect of the intestinal flora on amyloid deposition in a transgenic mouse model of familial amyloidotic polyneuropathy. <i>Experimental Animals</i> , 2002 , 51, 309-16	1.8	17
13	Cryopreservation and transport of mouse spermatozoa at -79 degrees C. <i>Experimental Animals</i> , 2001 , 50, 83-6	1.8	15
12	Mouse Spermatozoa Cryopreservation.. <i>Journal of Mammalian Ova Research</i> , 2000 , 17, 1-8		5
11	Production of chimeric mice from cryopreserved blastocysts. <i>Experimental Animals</i> , 1998 , 47, 167-71	1.8	14
10	Cryopreservation of Gene Disrupted Mouse Spermatozoa.. <i>Journal of Mammalian Ova Research</i> , 1998 , 15, 77-80		5
9	Positive effect of partial zona-pellucida dissection on the in vitro fertilizing capacity of cryopreserved C57BL/6J transgenic mouse spermatozoa of low motility. <i>Biology of Reproduction</i> , 1997 , 57, 1050-5	3.9	88
8	Simple and efficient vitrification procedure for cryopreservation of mouse embryos. <i>Experimental Animals</i> , 1997 , 46, 231-4	1.8	90
7	Studies on cryopreservation of embryos and gametes in mice. <i>Experimental Animals</i> , 1995 , 44, 1-8	1.8	23
6	Evaluation of an antisense RNA transgene for inhibiting growth hormone gene expression in transgenic rats. <i>Genesis</i> , 1995 , 16, 273-7		30
5	Cryopreservation of mouse spermatozoa from inbred and F1 hybrid strains. <i>Experimental Animals</i> , 1993 , 42, 317-20	1.8	55
4	Growth retardation in rats whose growth hormone gene expression was suppressed by antisense RNA transgene. <i>Molecular Reproduction and Development</i> , 1993 , 36, 53-8	2.6	52
3	Production of normal young following insemination of frozen-thawed mouse spermatozoa into fallopian tubes of pseudopregnant females. <i>Experimental Animals</i> , 1992 , 41, 519-22	1.8	16
2	Cryopreservation of unfertilized mouse oocytes from inbred strains by ultrarapid freezing. <i>Experimental Animals</i> , 1990 , 39, 303-5	1.8	7
1	Transplacental induction of myeloschisis associated with hindbrain crowding and other malformations in the central nervous system in Long-Evans rats. <i>Childs Nervous System</i> , 1985 , 1, 137-44	1.7	6