

Danuta Ligocka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/514382/publications.pdf>

Version: 2024-02-01

38
papers

1,475
citations

331538

21
h-index

345118

36
g-index

40
all docs

40
docs citations

40
times ranked

2433
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental exposure to persistent organic pollutants measured in breast milk of lactating women from an urban area in central Poland. <i>Environmental Science and Pollution Research</i> , 2021, 28, 4549-4557.	2.7	14
2	Environmental Tobacco Smoke Exposure during Pregnancy and Child Neurodevelopment. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 796.	1.2	45
3	Estimation of Saliva Cotinine Cut-Off Points for Active and Passive Smoking during Pregnancy – Polish Mother and Child Cohort (REPRO_PL). <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1216.	1.2	22
4	P281 – Exposure to widespread environmental endocrine disrupting chemicals and human sperm sex ratio. , 2016, , .		0
5	Exposure to widespread environmental endocrine disrupting chemicals and human sperm sex ratio. <i>Environmental Pollution</i> , 2016, 213, 732-740.	3.7	37
6	Effect of environmental phthalate exposure on pregnancy duration and birth outcomes. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2016, 29, 683-697.	0.6	46
7	Fish consumption patterns and hair mercury levels in children and their mothers in 17 EU countries. <i>Environmental Research</i> , 2015, 141, 58-68.	3.7	107
8	First Steps toward Harmonized Human Biomonitoring in Europe: Demonstration Project to Perform Human Biomonitoring on a European Scale. <i>Environmental Health Perspectives</i> , 2015, 123, 255-263.	2.8	168
9	Policy recommendations and cost implications for a more sustainable framework for European human biomonitoring surveys. <i>Environmental Research</i> , 2015, 141, 42-57.	3.7	14
10	Urinary cotinine levels and environmental tobacco smoke in mothers and children of Romania, Portugal and Poland within the European human biomonitoring pilot study. <i>Environmental Research</i> , 2015, 141, 106-117.	3.7	30
11	Exposure determinants of cadmium in European mothers and their children. <i>Environmental Research</i> , 2015, 141, 69-76.	3.7	64
12	Communication in a Human biomonitoring study: Focus group work, public engagement and lessons learnt in 17 European countries. <i>Environmental Research</i> , 2015, 141, 31-41.	3.7	25
13	The European COPHES/DEMOCOPHES project: Towards transnational comparability and reliability of human biomonitoring results. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 653-661.	2.1	95
14	The use of PowerPrep and HRGC/HRMS for biological monitoring of exposure to PCDD, PCDF and dl-PCB in Poland. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 11-16.	2.1	12
15	Lifestyle and semen quality: role of modifiable risk factors. <i>Systems Biology in Reproductive Medicine</i> , 2014, 60, 43-51.	1.0	75
16	Phthalate exposure and child development: The Polish Mother and Child Cohort Study. <i>Early Human Development</i> , 2014, 90, 477-485.	0.8	101
17	Predictors of environmental lead exposure among pregnant women - a prospective cohort study in Poland. <i>Annals of Agricultural and Environmental Medicine</i> , 2014, 21, 49-54.	0.5	8
18	Economic benefits of methylmercury exposure control in Europe: Monetary value of neurotoxicity prevention. <i>Environmental Health</i> , 2013, 12, 3.	1.7	123

#	ARTICLE	IF	CITATIONS
19	Association between a biomarker of exposure to polycyclic aromatic hydrocarbons and semen quality. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2013, 26, 790-801.	0.6	26
20	Human urinary phthalate metabolites level and main semen parameters, sperm chromatin structure, sperm aneuploidy and reproductive hormones. <i>Reproductive Toxicology</i> , 2013, 42, 232-241.	1.3	132
21	Effects of polybrominated diphenyl ethers on thyroid hormone, neurodevelopment and fertility in rodents and humans. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2013, 26, 498-510.	0.6	45
22	Estimation of Cutoff Values of Cotinine in Urine and Saliva for Pregnant Women in Poland. <i>BioMed Research International</i> , 2013, 2013, 1-11.	0.9	51
23	Developmental Effects of Exposures to Environmental Factors: The Polish Mother and Child Cohort Study. <i>BioMed Research International</i> , 2013, 2013, 1-11.	0.9	29
24	Environmental Tobacco Smoke Exposure and Child Neurodevelopment. <i>Epidemiology</i> , 2011, 22, S275-S276.	1.2	0
25	Predictors of environmental exposure to polycyclic aromatic hydrocarbons among pregnant women – Prospective cohort study in Poland. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2011, 24, 8-17.	0.6	18
26	Exposure to polycyclic aromatic hydrocarbons and newborn biometric indicators. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2010, 23, 339-46.	0.6	15
27	Assessment of the dermal exposure to azoxystrobin among women tending cucumbers in selected Polish greenhouses after restricted entry intervals expired – the role of the protective gloves. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2009, 22, 261-7.	0.6	16
28	Polish mother and child cohort study – defining the problem, the aim of the study and methodological assumptions. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2009, 22, 383-91.	0.6	48
29	Bioethical committees and data protection issues in Poland. <i>Environmental Health</i> , 2008, 7, S4.	1.7	3
30	Smoking relapse prevention intervention: a study of postpartum women in Lodz, Poland. <i>International Journal of Environment and Health</i> , 2008, 2, 330.	0.3	0
31	Comparison of cytochrome P4502E1 (CYP2E1) activity and hepatic and lymphocyte mRNA expression in patients with chronic hepatitis C. <i>Toxicology Letters</i> , 2005, 155, 171-177.	0.4	6
32	Contribution of CYP2E1 to N-methyl-2-pyrrolidone metabolism. <i>Archives of Toxicology</i> , 2003, 77, 261-266.	1.9	19
33	Cytochrome P4502E1 (CYP2E1) expression in peripheral blood lymphocytes: evaluation in hepatitis C and diabetes. <i>European Journal of Clinical Pharmacology</i> , 2003, 59, 29-33.	0.8	24
34	Interest of genotyping and phenotyping of drug-metabolizing enzymes for the interpretation of biological monitoring of exposure to styrene. <i>Pharmacogenetics and Genomics</i> , 2002, 12, 691-702.	5.7	49
35	The disposition and metabolism of 1,3,5-[U- ¹⁴ C]trioxane in male Wistar albino rats. <i>Archives of Toxicology</i> , 1998, 72, 303-308.	1.9	1
36	The disposition and metabolism of 1-methylnaphthalene and 1-ethylnaphthalene in male wistar albino rats. <i>Toxicology Letters</i> , 1996, 88, 43.	0.4	1

#	ARTICLE	IF	CITATIONS
37	The disposition and metabolism of 1,3-dioxolane in male wistar albino rats. Toxicology Letters, 1996, 88, 89.	0.4	1
38	Urinary and buccal cell biomarkers in children living in Silesia (Poland) exposed to indoor air pollutants. Air Quality, Atmosphere and Health, 0, , .	1.5	0