

# Leonardo Pace

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5144062/publications.pdf>

Version: 2024-02-01

121  
papers

3,379  
citations

147801

31  
h-index

168389

53  
g-index

122  
all docs

122  
docs citations

122  
times ranked

2947  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Dobutamine Echocardiography Predicts Improvement of Hypoperfused Dysfunctional Myocardium After Revascularization in Patients With Coronary Artery Disease. <i>Circulation</i> , 1995, 91, 2556-2565.  | 1.6 | 213       |
| 2  | Assessment of Myocardial Viability in Patients With Chronic Coronary Artery Disease. <i>Circulation</i> , 1996, 94, 2712-2719.   | 1.6 | 188       |
| 3  | Metabolic Tumor Volume Assessed by <sup>18</sup> F-FDG PET/CT for the Prediction of Outcome in Patients with Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1829-1835.   | 5.0 | 157       |
| 4  | Prolonged Impairment of Regional Contractile Function After Resolution of Exercise-Induced Angina. <i>Circulation</i> , 1996, 94, 2455-2464.   | 1.6 | 156       |
| 5  | <sup>18</sup> F-FDG PET/CT, <sup>99m</sup> Tc-MIBI, and MRI in Evaluation of Patients with Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2008, 49, 195-200.   | 5.0 | 155       |
| 6  | Comparison of whole-body PET/CT and PET/MRI in breast cancer patients: Lesion detection and quantitation of 18F-deoxyglucose uptake in lesions and in normal organ tissues. <i>European Journal of Radiology</i> , 2014, 83, 289-296.                      | 2.6 | 117       |
| 7  | Detection of colo-rectal liver metastases: prospective comparison of contrast enhanced US, multidetector CT, PET/CT, and 1.5T MRI with extracellular and reticulo-endothelial cell specific contrast agents. <i>Abdominal Imaging</i> , 2010, 35, 511-521. | 2.0 | 94        |
| 8  | Effects of induced asynchrony on left ventricular diastolic function in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1124-1131.   | 2.8 | 73        |
| 9  | Clinically significant prostate cancer detection on MRI: A radiomic shape features study. <i>European Journal of Radiology</i> , 2019, 116, 144-149.   | 2.6 | 71        |
| 10 | Different patterns of technetium-99m sestamibi uptake in multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 714-720.  | 6.4 | 68        |
| 11 | Combined therapy of Sr-89 and zoledronic acid in patients with painful bone metastases. <i>Bone</i> , 2006, 39, 35-41.   | 2.9 | 68        |
| 12 | Effects of dual-chamber pacing in hypertrophic cardiomyopathy on left ventricular outflow tract obstruction and on diastolic function. <i>American Journal of Cardiology</i> , 1996, 77, 498-502.  | 1.6 | 62        |
| 13 | Sestamibi and FDG-PET scans to support diagnosis of jaw osteonecrosis. <i>Annals of Hematology</i> , 2007, 86, 415-423.  | 1.8 | 60        |
| 14 | Noninvasive Evaluation of Left Ventricular Diastolic Function in Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 1998, 81, 180-187.   | 1.6 | 59        |
| 15 | Successful coronary revascularization improves prognosis in patients with previous myocardial infarction and evidence of viable myocardium at thallium-201 imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 25, 60-68.   | 6.4 | 54        |
| 16 | Direct comparison of technetium 99m sestamibi and technetium 99m tetrofosmin cardiac single photon emission computed tomography in patients with coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 265-274.                         | 2.1 | 49        |
| 17 | Relation between exertional ischemia and prognosis in mildly symptomatic patients with single or double vessel coronary artery disease and left ventricular dysfunction at rest. <i>Journal of the American College of Cardiology</i> , 1989, 13, 567-573. | 2.8 | 47        |
| 18 | Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension. <i>American Journal of Cardiology</i> , 1987, 59, 624-629.  | 1.6 | 44        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effects of Diltiazem on Left Ventricular Systolic and Diastolic Function in Hypertrophic Cardiomyopathy**This study was supported in part by Grant 18/1/57 1994â€“1995 from the Italian Ministry of University and Scientific Research (MURST 60%), Rome, Italy.. American Journal of Cardiology, 1996, 78, 451-457. | 1.6 | 44        |
| 20 | Dual-Time-Point 18F-FDG PET/CT Versus Dynamic Breast MRI of Suspicious Breast Lesions. American Journal of Roentgenology, 2008, 191, 1323-1330.  | 2.2 | 44        |
| 21 | Determinants of Physiologic 18F-FDG Uptake in Brown Adipose Tissue in Sequential PET/CT Examinations. Molecular Imaging and Biology, 2011, 13, 1029-1035.  | 2.6 | 44        |
| 22 | Bone marrow uptake of 99mTc-MIBI in patients with multiple myeloma. European Journal of Nuclear Medicine and Molecular Imaging, 2001, 28, 214-220.   | 2.1 | 41        |
| 23 | Accuracy of single phase contrast enhanced multidetector CT colonography in the preoperative staging of colo-rectal cancer. European Journal of Radiology, 2006, 60, 453-459.  | 2.6 | 41        |
| 24 | Whole-body PET/MRI in oncology: current status and clinical applications. Clinical and Translational Imaging, 2013, 1, 31-44.  | 2.1 | 41        |
| 25 | Evidence of Brown Fat Activity in Constitutional Leanness. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 1214-1218.  | 3.6 | 39        |
| 26 | Dual-time-point [18F]-FDG PET/CT in the diagnostic evaluation of suspicious breast lesions. Radiologia Medica, 2010, 115, 215-224.   | 7.7 | 38        |
| 27 | Dual-Phase Versus Single-Phase Helical CT to Detect and Assess Resectability of Pancreatic Carcinoma. American Journal of Roentgenology, 2002, 178, 1473-1479.   | 2.2 | 35        |
| 28 | Real-life management and outcome of thyroid carcinoma-related bone metastases: results from a nationwide multicenter experience. Endocrine, 2018, 59, 90-101.  | 2.3 | 35        |
| 29 | Contemporary Imaging in Takotsubo Syndrome. Heart Failure Clinics, 2016, 12, 559-575.  | 2.1 | 34        |
| 30 | Quantitative thallium-201 and technetium 99m sestamibi tomography at rest in detection of myocardial viability in patients with chronic ischemic left ventricular dysfunction. Journal of Nuclear Cardiology, 2000, 7, 8-15.   | 2.1 | 32        |
| 31 | Diffusion volume (DV) measurement in endometrial and cervical cancer: A new MRI parameter in the evaluation of the tumor grading and the risk classification. European Journal of Radiology, 2016, 85, 113-124.  | 2.6 | 32        |
| 32 | Left ventricular dysfunction in coronary artery disease: Comparison between rest-redistribution thallium 201 and resting technetium 99m methoxyisobutyl isonitrile cardiac imaging. Journal of Nuclear Cardiology, 1994, 1, 65-71.   | 2.1 | 31        |
| 33 | Regulatory role of extracellular matrix proteins in neutrophil respiratory burst during aging. Mechanisms of Ageing and Development, 2000, 119, 69-82.   | 4.6 | 31        |
| 34 | PET/CT in the management of differentiated thyroid cancer. Diagnostic and Interventional Imaging, 2021, 102, 515-523.  | 3.2 | 31        |
| 35 | 18F-FDG PET/CT, 99mTc-MIBI, and MRI in the Prediction of Outcome of Patients With Multiple Myeloma. Clinical Nuclear Medicine, 2015, 40, 303-308.  | 1.3 | 30        |
| 36 | Technetium 99m-labeled tetrofosmin myocardial tomography in patients with coronary artery disease: Comparison between adenosine and dynamic exercise stress testing. Journal of Nuclear Cardiology, 1996, 3, 194-203.  | 2.1 | 29        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Whole-Body FDG-PET in Patients with Recurrent Colorectal Carcinoma A Comparative Study with CT. <i>Molecular Imaging and Biology</i> , 2000, 3, 107-114.  | 0.3 | 29        |
| 38 | Assessment of Metabolic Response to Radioimmunotherapy with <sup>90</sup> Y- <sup>90</sup> Y-ibritumomab Tiuxetan in Patients with Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. <i>Radiology</i> , 2010, 254, 245-252.   | 7.3 | 29        |
| 39 | Segmental 18F-FDG-PET/CT in a single pulmonary nodule: a better cost/effectiveness strategy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1-4.   | 6.4 | 29        |
| 40 | Colorectal cancer and 18FDG-PET/CT: What about adding the T to the N parameter in loco-regional staging?. <i>World Journal of Gastroenterology</i> , 2011, 17, 1427.  | 3.3 | 29        |
| 41 | Accuracy and repeatability of left ventricular systolic and diastolic function measurements using an ambulatory radionuclide monitor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992, 19, 800-6.  | 2.1 | 28        |
| 42 | Resting technetium-99m methoxyisobutylisonitrile cardiac imaging in chronic coronary artery disease: comparison with rest-redistribution thallium-201 scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 1186-92.  | 2.1 | 28        |
| 43 | PET/CT colonography in patients with colorectal polyps: a feasibility study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1594-1603.   | 6.4 | 28        |
| 44 | Scintimammography with 99mTc-MIBI versus dynamic MRI for non-invasive characterization of breast masses. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 56-63.   | 2.1 | 27        |
| 45 | Comparison of simultaneous 18F-2-[18F] FDG PET/MR and PET/CT in the follow-up of patients with differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 3066-3073.  | 6.4 | 27        |
| 46 | Predictive value of technetium-99m sestamibi in patients with multiple myeloma and potential role in the follow-up. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 304-312.  | 2.1 | 25        |
| 47 | Prognostic Role of 18F-FDG PET/CT in the Postoperative Evaluation of Differentiated Thyroid Cancer Patients. <i>Clinical Nuclear Medicine</i> , 2015, 40, 111-115.  | 1.3 | 25        |
| 48 | Endogenous prostaglandin endoperoxides may alter infarct size in the presence of thromboxane synthase inhibition: Studies in a rabbit model of coronary artery occlusion-reperfusion. <i>Journal of the American College of Cardiology</i> , 1993, 21, 493-501.                                       | 2.8 | 24        |
| 49 | Short-term outcome of differentiated thyroid cancer patients receiving a second iodine-131 therapy on the basis of a detectable serum thyroglobulin level after initial treatment. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 179-183.                             | 6.4 | 24        |
| 50 | Combined evaluation of rest-redistribution thallium-201 tomography and low-dose dobutamine echocardiography enhances the identification of viable myocardium in patients with chronic coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 744-750. | 6.4 | 23        |
| 51 | Functional Imaging of Multidrug Resistant Phenotype by 99mTc-MIBI Scan in Patients with Multiple Myeloma. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2004, 19, 165-170.  | 1.0 | 21        |
| 52 | Aurintricarboxylic Acid Reduces Platelet Deposition in Stenosed and Endothelially Injured Rabbit Carotid Arteries more Effectively than other Antiplatelet Interventions. <i>Thrombosis and Haemostasis</i> , 1995, 74, 974-979.  | 3.4 | 20        |
| 53 | Rest-injected thallium-201 redistribution and resting technetium-99m methoxyisobutylisonitrile uptake in coronary artery disease: relation to the severity of coronary artery stenosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 502-10.                         | 2.1 | 19        |
| 54 | Adenosine coronary vasodilation quantitative technetium 99m methoxy isobutyl isonitrile myocardial tomography in the identification and localization of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1996, 3, 9-17.  | 2.1 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Determinants of aortic artifacts during transesophageal echocardiography of the ascending aorta. American Heart Journal, 1999, 137, 967-972.  | 2.7 | 19        |
| 56 | Fully automated synthesis procedure of 4-[18F]fluorobenzaldehyde by commercial synthesizer: Amino-oxi peptide labelling prosthetic group. Applied Radiation and Isotopes, 2009, 67, 1664-1669.  | 1.5 | 19        |
| 57 | Visual and volumetric parameters by 18F-FDG-PET/CT: a head to head comparison for the prediction of outcome in patients with multiple myeloma. Annals of Hematology, 2020, 99, 127-135.   | 1.8 | 18        |
| 58 | Effects of intravenous verapamil on left ventricular relaxation and filling in stable angina pectoris. American Journal of Cardiology, 1990, 66, 818-825.   | 1.6 | 17        |
| 59 | Influence of left ventricular cavity size on clinical presentation in hypertrophic cardiomyopathy. American Journal of Cardiology, 1999, 83, 547-552.   | 1.6 | 17        |
| 60 | Prediction of long-term effects of revascularization on regional and global left ventricular function by dobutamine echocardiography and rest Tl-201 imaging alone and in combination in patients with chronic coronary artery disease. Journal of Nuclear Cardiology, 2002, 9, 174-182.                    | 2.1 | 17        |
| 61 | Performance of FDG-PET/CT in solitary pulmonary nodule based on pre-test likelihood of malignancy: results from the ITALIAN retrospective multicenter trial. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1898-1907.   | 6.4 | 17        |
| 62 | Relationship between contractile reserve, Tl-201 uptake, and collateral angiographic circulation in collateral-dependent myocardium: Implications regarding the evaluation of myocardial viability. Journal of Nuclear Cardiology, 2003, 10, 17-27.   | 2.1 | 16        |
| 63 | Outcome of Patients With Differentiated Thyroid Cancer Treated With 131-Iodine on the Basis of a Detectable Serum Thyroglobulin Level After Initial Treatment. Frontiers in Endocrinology, 2019, 10, 146.   | 3.5 | 16        |
| 64 | Assessment of systolic wall thickening using technetium-99m methoxyisobutylisonitrile in patients with coronary artery disease: relation to thallium-201 scintigraphy with re-injection. European Journal of Nuclear Medicine and Molecular Imaging, 1995, 22, 1017-1022.                                   | 2.1 | 15        |
| 65 | Assessment of metabolic activity by PET-CT with 18F-FDG in patients with B-cell lymphoma. British Journal of Haematology, 2010, 151, 195-197.   | 2.5 | 15        |
| 66 | Prediction of improvement in global left ventricular function in patients with chronic coronary artery disease and impaired left ventricular function: rest thallium-201 SPET versus low-dose dobutamine echocardiography. European Journal of Nuclear Medicine and Molecular Imaging, 2000, 27, 1740-1746. | 2.1 | 14        |
| 67 | Progressive Supranuclear Palsy-Like Phenotype in a GBA E326K Mutation Carrier. Movement Disorders Clinical Practice, 2017, 4, 444-446.  | 1.5 | 14        |
| 68 | Brown Adipose Tissue in Breast Cancer Evaluated by [18F] FDG-PET/CT. Molecular Imaging and Biology, 2020, 22, 1111-1115.  | 2.6 | 14        |
| 69 | Quantitative exercise technetium-99m tetrofosmin myocardial tomography for the identification and localization of coronary artery disease. European Journal of Nuclear Medicine and Molecular Imaging, 1996, 23, 648-655.   | 2.1 | 13        |
| 70 | Bone Scintigraphy and SPECT/CT in Bisphosphonate-Induced Osteonecrosis of the Jaw. Journal of Nuclear Medicine, 2009, 50, 1385.1-1385.  | 5.0 | 12        |
| 71 | Combined Imaging With 18F-FDG-PET/CT and 111In-Labeled Octreotide SPECT for Evaluation of Thymic Epithelial Tumors. Clinical Nuclear Medicine, 2013, 38, 354-358.   | 1.3 | 12        |
| 72 | Prognostic role of FDG PET/CT in patients with differentiated thyroid cancer treated with 131-iodine empiric therapy. Medicine (United States), 2017, 96, e8344.  | 1.0 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Risk-related 18F-FDG PET/CT and new diagnostic strategies in patients with solitary pulmonary nodule: the ITALIAN multicenter trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1908-1914.  | 6.4 | 12        |
| 74 | Assessment of acute myocarditis by cardiac magnetic resonance imaging: Comparison of qualitative and quantitative analysis methods. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 857-865.  | 2.1 | 12        |
| 75 | Risk of structural persistent disease in pediatric patients with low or intermediate risk differentiated thyroid cancer. <i>Endocrine</i> , 2021, 71, 378-384.   | 2.3 | 12        |
| 76 | Effects of myocardial revascularization on regional thallium-201 uptake and systolic function in regions with reverse redistribution on tomographic thallium-201 imaging at rest in patients with chronic coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 153-160.                          | 2.1 | 11        |
| 77 | Diagnostic accuracy of low-dose dobutamine echocardiography in predicting post-revascularisation recovery of function in patients with chronic coronary artery disease: relationship to thallium-201 uptake. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 1616-1623.                | 2.1 | 11        |
| 78 | A Complex Radiomic Signature in Luminal Breast Cancer from a Weighted Statistical Framework: A Pilot Study. <i>Diagnostics</i> , 2022, 12, 499.  | 2.6 | 11        |
| 79 | Comparison between exercise and trans-oesophageal atrial pacing in patients with coronary artery disease: technetium-99m methoxy isobutyl isonitrile simultaneous evaluation of ventricular function and myocardial perfusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992, 19, 119-24. | 2.1 | 10        |
| 80 | Risk stratification of patients with coronary artery disease and left ventricular dysfunction by exercise radionuclide angiography and exercise electrocardiography. <i>Journal of Nuclear Cardiology</i> , 1994, 1, 529-536.  | 2.1 | 10        |
| 81 | Added value of CT colonography after a positive conventional colonoscopy: impact on treatment strategy. <i>Abdominal Imaging</i> , 2004, 30, 42-47.  | 2.0 | 9         |
| 82 | Impact of 18F-fluoride PET-CT on implementing early treatment of painful bone metastases with Sm-153 EDTMP. <i>Nuclear Medicine and Biology</i> , 2013, 40, 518-523.   | 0.6 | 9         |
| 83 | Long-Term Prognostic Value of the Response to Therapy Assessed by Laboratory and Imaging Findings in Patients with Differentiated Thyroid Cancer. <i>Cancers</i> , 2021, 13, 4338.   | 3.7 | 9         |
| 84 | Quantitative imaging characterization of hypersecreting or nonhypersecreting adrenal adenomas. <i>Nuclear Medicine Communications</i> , 2011, 32, 535-541.   | 1.1 | 8         |
| 85 | Tomographic imaging of the spleen: the role of morphological and metabolic features in differentiating benign from malignant diseases. <i>Clinical Imaging</i> , 2012, 36, 559-567.  | 1.5 | 8         |
| 86 | Technetium-99m Methoxy Isobutyl Isonitrile Simultaneous Evaluation of Ventricular Function and Myocardial Perfusion in Patients With Congenital Heart Disease. <i>Clinical Nuclear Medicine</i> , 1994, 19, 28-32.   | 1.3 | 7         |
| 87 | Exercise-rest Tc-99m tetrofosmin SPECT in patients with chronic ischemic left ventricular dysfunction: Direct comparison with TI-201 reinjection. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 270-277.   | 2.1 | 7         |
| 88 | Evaluation of metabolic response with 18F-FDG PET-CT in patients with advanced or recurrent thymic epithelial tumors. <i>Cancer Imaging</i> , 2017, 17, 10.  | 2.8 | 7         |
| 89 | MR-enterography in Crohn's disease: what MRE mural parameters are associated to one-year therapeutic management outcome?. <i>British Journal of Radiology</i> , 2021, 94, 20200844.  | 2.2 | 7         |
| 90 | Evaluation of Myocardial Perfusion and Function by Technetium-99m Methoxy Isobutyl Isonitrile Before and After Percutaneous Transluminal Coronary Angioplasty Preliminary Results. <i>Clinical Nuclear Medicine</i> , 1993, 18, 286-290.   | 1.3 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Enhancement of reaction conditions for the radiolabelling of DOTA-peptides with high activities of yttrium-90. <i>Applied Radiation and Isotopes</i> , 2011, 69, 52-55.  | 1.5 | 6         |
| 92  | Prognostic value of 18F-FDG PET/MRI in patients with advanced oropharyngeal and hypopharyngeal squamous cell carcinoma. <i>Annals of Nuclear Medicine</i> , 2021, 35, 479-484.   | 2.2 | 6         |
| 93  | Combined bone scintigraphy and fluorocholine PET/computed tomography predicts response to radium-223 therapy in patients with prostate cancer. <i>Future Science OA</i> , 2021, 7, FSO719.   | 1.9 | 6         |
| 94  | Ambulatory monitoring of left ventricular function in patients with Parkinson's disease and postural hypotension. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 1312-1317.   | 2.1 | 5         |
| 95  | 18F-fluorodeoxyglucose positron emission tomography/computed tomography in the evaluation of early response in a primary hepatic lymphoma. <i>British Journal of Haematology</i> , 2006, 133, 580-580.   | 2.5 | 5         |
| 96  | Postsurgical diagnostic evaluation of patients with differentiated thyroid carcinoma: comparison of ultrasound, iodine-131 scintigraphy and PET with fluorine-18 fluorodeoxyglucose. <i>Radiologia Medica</i> , 2008, 113, 278-288.                          | 7.7 | 5         |
| 97  | Bipolar Disorder and Parkinson's Disease: A 123I-hoflupane Dopamine Transporter SPECT Study. <i>Frontiers in Neurology</i> , 2021, 12, 652375.   | 2.4 | 5         |
| 98  | Reverse Redistribution in Tl-201 Stress-Redistribution Myocardial Scintigraphy. <i>Clinical Nuclear Medicine</i> , 1994, 19, 956-961.  | 1.3 | 4         |
| 99  | Tc99m-sestaMIBI uptake in nonsecretory multiple myeloma. <i>Hematology</i> , 2005, 10, 335-338.  | 1.5 | 4         |
| 100 | Technetium 99m Sestamibi in Multiple Myeloma. <i>Radiology</i> , 2005, 234, 312-313.   | 7.3 | 4         |
| 101 | The current and evolving role of FDG PET/CT in personalized iodine-131 therapy of differentiated thyroid cancer. <i>Clinical and Translational Imaging</i> , 2017, 5, 533-544.   | 2.1 | 4         |
| 102 | Tc-99m Sestamibi Scintigraphy in Multiple Myeloma. <i>Clinical Nuclear Medicine</i> , 1999, 24, 115-116.   | 1.3 | 4         |
| 103 | Prognostic Value of Hybrid PET/MR Imaging in Patients with Differentiated Thyroid Cancer. <i>Cancers</i> , 2022, 14, 2958.   | 3.7 | 4         |
| 104 | Quantitation of left ventricular asynchrony on radionuclide angiography phase images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 16, 801-806.   | 2.1 | 3         |
| 105 | Pattern of left ventricular filling in hypertrophic cardiomyopathy Assessment by Doppler echocardiography and radionuclide angiography. <i>European Heart Journal</i> , 1998, 19, 1261-1267.   | 2.2 | 3         |
| 106 | Screening in von Hippel-Lindau disease: concurrent pheochromocytomas, paragangliomas and spinal hemangioblastomas revealed by helical-CT, MIBG scintigraphy and MRI in an asymptomatic patient. <i>European Journal of Radiology Extra</i> , 2003, 48, 8-13. | 0.1 | 3         |
| 107 | 99mTc-sestaMIBI Scintigraphy in Thalidomide-treated Refractory or Relapsed Multiple Myeloma Patients. <i>Leukemia and Lymphoma</i> , 2003, 44, 1081-1082.  | 1.3 | 3         |
| 108 | Usefulness of [111In-DTPA0] octreotide scintigraphy in a family with von Hippel-Lindau disease. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 352-359.  | 3.3 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Italian Tailored Assessment of Lung Indeterminate Accidental Nodule by Proposing a Segmental Pet/Computed Tomography (S-Pet/Ct): Rationale And Study Design of a Retrospective, Multicenter Trial. <i>Current Radiopharmaceuticals</i> , 2018, 11, 46-49. | 0.8 | 3         |
| 110 | Predictors of outcome in patients with de novo diagnosis of heart failure with reduced ejection fraction: Role of combined myocardial and lung Iodine-123 Meta-Iodobenzylguanidine imaging. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 72-85.       | 2.1 | 3         |
| 111 | MRI to assess deep myometrial invasion in patients with endometrial cancer:A multi-reader study to evaluate the diagnostic role of different sequences. <i>European Journal of Radiology</i> , 2021, 138, 109629.   | 2.6 | 3         |
| 112 | A Comparison of Tl-201 and Tc-99m MIBI in a Patient with an Apical Aneurysm. <i>Clinical Nuclear Medicine</i> , 1992, 17, 325-327.  | 1.3 | 2         |
| 113 | Assessment of left ventricular regional function by radionuclide angiography: Effects of number of sectors on repeatability. <i>Nuclear Medicine and Biology</i> , 1994, 21, 883-887.   | 0.6 | 2         |
| 114 | The delicate balance between present and future. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 346-347.   | 6.4 | 2         |
| 115 | Tumour uptake of 57-cobalt-bleomycin in patients with breast cancer. <i>European Journal of Cancer</i> , 1993, 29, 195-198.   | 2.8 | 1         |
| 116 | The identification of reversible dysfunctional myocardium is influenced by the severity of contractile dysfunction and by the length of follow-up. <i>Nuclear Medicine Communications</i> , 2005, 26, 337-343.  | 1.1 | 1         |
| 117 | Rest-redistribution 201-Thallium single photon emission computed tomography predicts myocardial infarction and cardiac death in patients with ischemic left ventricular dysfunction. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 122-128.       | 1.5 | 1         |
| 118 | Diagnosis of Coronary Artery Disease with Tc 99m-Methoxy Isobutil Isonitrile and Transesophageal Pacing. <i>Angiology</i> , 1992, 43, 818-825.  | 1.8 | 0         |
| 119 | Usefulness of Monitoring Left Ventricular Function by an Ambulatory Radionuclide Detector (VEST) in Patients with Parkinson's Disease and Postural Hypotension. <i>Advances in Behavioral Biology</i> , 1995, , 51-54.                                    | 0.2 | 0         |
| 120 | 2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography/computed tomography in primary extranodal lymphomas: treatment response evaluation and prognosis. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 64, 219-225.    | 0.7 | 0         |
| 121 | The best prostate biopsy sampling system—fusion and systematic biopsy: A single center experience. <i>Urologia</i> , 2021, , 039156032110371.   | 0.7 | 0         |