

Leonardo Pace

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5144062/publications.pdf>

Version: 2024-02-01

121
papers

3,379
citations

147801

31
h-index

168389

53
g-index

122
all docs

122
docs citations

122
times ranked

2947
citing authors

#	ARTICLE	IF	CITATIONS
1	A Complex Radiomic Signature in Luminal Breast Cancer from a Weighted Statistical Framework: A Pilot Study. <i>Diagnostics</i> , 2022, 12, 499.	2.6	11
2	Prognostic Value of Hybrid PET/MR Imaging in Patients with Differentiated Thyroid Cancer. <i>Cancers</i> , 2022, 14, 2958.	3.7	4
3	Risk of structural persistent disease in pediatric patients with low or intermediate risk differentiated thyroid cancer. <i>Endocrine</i> , 2021, 71, 378-384.	2.3	12
4	Predictors of outcome in patients with de novo diagnosis of heart failure with reduced ejection fraction: Role of combined myocardial and lung Iodine-123 Meta-Iodobenzylguanidine imaging. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 72-85.	2.1	3
5	MR-enterography in Crohn's disease: what MRE mural parameters are associated to one-year therapeutic management outcome?. <i>British Journal of Radiology</i> , 2021, 94, 20200844.	2.2	7
6	Prognostic value of 18F-FDG PET/MRI in patients with advanced oropharyngeal and hypopharyngeal squamous cell carcinoma. <i>Annals of Nuclear Medicine</i> , 2021, 35, 479-484.	2.2	6
7	Bipolar Disorder and Parkinson's Disease: A 123I-Hoflupane Dopamine Transporter SPECT Study. <i>Frontiers in Neurology</i> , 2021, 12, 652375.	2.4	5
8	MRI to assess deep myometrial invasion in patients with endometrial cancer: A multi-reader study to evaluate the diagnostic role of different sequences. <i>European Journal of Radiology</i> , 2021, 138, 109629.	2.6	3
9	Long-Term Prognostic Value of the Response to Therapy Assessed by Laboratory and Imaging Findings in Patients with Differentiated Thyroid Cancer. <i>Cancers</i> , 2021, 13, 4338.	3.7	9
10	Combined bone scintigraphy and fluorocholine PET/computed tomography predicts response to radium-223 therapy in patients with prostate cancer. <i>Future Science OA</i> , 2021, 7, FSO719.	1.9	6
11	PET/CT in the management of differentiated thyroid cancer. <i>Diagnostic and Interventional Imaging</i> , 2021, 102, 515-523.	3.2	31
12	The best prostate biopsy sampling system: fusion and systematic biopsy: A single center experience. <i>Urologia</i> , 2021, , 039156032110371.	0.7	0
13	Visual and volumetric parameters by 18F-FDG-PET/CT: a head to head comparison for the prediction of outcome in patients with multiple myeloma. <i>Annals of Hematology</i> , 2020, 99, 127-135.	1.8	18
14	Comparison of simultaneous 18F-2-[18F] FDG PET/MR and PET/CT in the follow-up of patients with differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 3066-3073.	6.4	27
15	Brown Adipose Tissue in Breast Cancer Evaluated by [18F] FDG-PET/CT. <i>Molecular Imaging and Biology</i> , 2020, 22, 1111-1115.	2.6	14
16	2-deoxy-2-[18F]fluoro-D-glucose positron emission tomography/computed tomography in primary extranodal lymphomas: treatment response evaluation and prognosis. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 64, 219-225.	0.7	0
17	Clinically significant prostate cancer detection on MRI: A radiomic shape features study. <i>European Journal of Radiology</i> , 2019, 116, 144-149.	2.6	71
18	Outcome of Patients With Differentiated Thyroid Cancer Treated With 131-Iodine on the Basis of a Detectable Serum Thyroglobulin Level After Initial Treatment. <i>Frontiers in Endocrinology</i> , 2019, 10, 146.	3.5	16

#	ARTICLE	IF	CITATIONS
19	Assessment of acute myocarditis by cardiac magnetic resonance imaging: Comparison of qualitative and quantitative analysis methods. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 857-865.	2.1	12
20	Real-life management and outcome of thyroid carcinoma-related bone metastases: results from a nationwide multicenter experience. <i>Endocrine</i> , 2018, 59, 90-101.	2.3	35
21	Italian Tailored Assessment of Lung Indeterminate Accidental Nodule by Proposing a Segmental Pet/Computed Tomography (S-Pet/Ct): Rationale And Study Design of a Retrospective, Multicenter Trial. <i>Current Radiopharmaceuticals</i> , 2018, 11, 46-49.	0.8	3
22	Performance of FDG-PET/CT in solitary pulmonary nodule based on pre-test likelihood of malignancy: results from the ITALIAN retrospective multicenter trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1898-1907.	6.4	17
23	Risk-related 18F-FDG PET/CT and new diagnostic strategies in patients with solitary pulmonary nodule: the ITALIAN multicenter trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1908-1914.	6.4	12
24	Progressive Supranuclear Palsyâ€Like Phenotype in a <i>GBA</i> E326K Mutation Carrier. <i>Movement Disorders Clinical Practice</i> , 2017, 4, 444-446.	1.5	14
25	The delicate balance between present and future. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 346-347.	6.4	2
26	Prognostic role of FDG PET/CT in patients with differentiated thyroid cancer treated with 131-iodine empiric therapy. <i>Medicine (United States)</i> , 2017, 96, e8344.	1.0	12
27	The current and evolving role of FDGâ€PET/CT in personalized iodine-131 therapy of differentiated thyroid cancer. <i>Clinical and Translational Imaging</i> , 2017, 5, 533-544.	2.1	4
28	Evaluation of metabolic response with 18F-FDG PET-CT in patients with advanced or recurrent thymic epithelial tumors. <i>Cancer Imaging</i> , 2017, 17, 10.	2.8	7
29	Segmental 18F-FDG-PET/CT in a single pulmonary nodule: a better cost/effectiveness strategy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1-4.	6.4	29
30	Contemporary Imaging in Takotsubo Syndrome. <i>Heart Failure Clinics</i> , 2016, 12, 559-575.	2.1	34
31	Diffusion volume (DV) measurement in endometrial and cervical cancer: A new MRI parameter in the evaluation of the tumor grading and the risk classification. <i>European Journal of Radiology</i> , 2016, 85, 113-124.	2.6	32
32	18F-FDG PET/CT, 99mTc-MIBI, and MRI in the Prediction of Outcome of Patients With Multiple Myeloma. <i>Clinical Nuclear Medicine</i> , 2015, 40, 303-308.	1.3	30
33	Prognostic Role of 18F-FDG PET/CT in the Postoperative Evaluation of Differentiated Thyroid Cancer Patients. <i>Clinical Nuclear Medicine</i> , 2015, 40, 111-115.	1.3	25
34	Comparison of whole-body PET/CT and PET/MRI in breast cancer patients: Lesion detection and quantitation of 18F-deoxyglucose uptake in lesions and in normal organ tissues. <i>European Journal of Radiology</i> , 2014, 83, 289-296.	2.6	117
35	Whole-body PET/MRI in oncology: current status and clinical applications. <i>Clinical and Translational Imaging</i> , 2013, 1, 31-44.	2.1	41
36	Impact of 18F-fluoride PET-CT on implementing early treatment of painful bone metastases with Sm-153 EDTMP. <i>Nuclear Medicine and Biology</i> , 2013, 40, 518-523.	0.6	9

#	ARTICLE	IF	CITATIONS
37	Evidence of Brown Fat Activity in Constitutional Leanness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 1214-1218.	3.6	39
38	Combined Imaging With 18F-FDG-PET/CT and 111In-Labeled Octreotide SPECT for Evaluation of Thymic Epithelial Tumors. <i>Clinical Nuclear Medicine</i> , 2013, 38, 354-358.	1.3	12
39	Metabolic Tumor Volume Assessed by ¹⁸ F-FDG PET/CT for the Prediction of Outcome in Patients with Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2012, 53, 1829-1835.	5.0	157
40	Tomographic imaging of the spleen: the role of morphological and metabolic features in differentiating benign from malignant diseases. <i>Clinical Imaging</i> , 2012, 36, 559-567.	1.5	8
41	Quantitative imaging characterization of hypersecreting or nonhypersecreting adrenal adenomas. <i>Nuclear Medicine Communications</i> , 2011, 32, 535-541.	1.1	8
42	Determinants of Physiologic 18F-FDG Uptake in Brown Adipose Tissue in Sequential PET/CT Examinations. <i>Molecular Imaging and Biology</i> , 2011, 13, 1029-1035.	2.6	44
43	Enhancement of reaction conditions for the radiolabelling of DOTA-peptides with high activities of yttrium-90. <i>Applied Radiation and Isotopes</i> , 2011, 69, 52-55.	1.5	6
44	Colorectal cancer and 18FDG-PET/CT: What about adding the T to the N parameter in loco-regional staging?. <i>World Journal of Gastroenterology</i> , 2011, 17, 1427.	3.3	29
45	Detection of colo-rectal liver metastases: prospective comparison of contrast enhanced US, multidetector CT, PET/CT, and 1.5ÅTesla MR with extracellular and reticulo-endothelial cell specific contrast agents. <i>Abdominal Imaging</i> , 2010, 35, 511-521.	2.0	94
46	Dual-time-point [18F]-FDG PET/CT in the diagnostic evaluation of suspicious breast lesions. <i>Radiologia Medica</i> , 2010, 115, 215-224.	7.7	38
47	Assessment of metabolic activity by PET-CT with ¹⁸ F-FDG in patients with T-cell lymphoma. <i>British Journal of Haematology</i> , 2010, 151, 195-197.	2.5	15
48	Assessment of Metabolic Response to Radioimmunotherapy with ⁹⁰ Y- ⁹⁰ Y-ibritumomab Tiuxetan in Patients with Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. <i>Radiology</i> , 2010, 254, 245-252.	7.3	29
49	Bone Scintigraphy and SPECT/CT in Bisphosphonate-Induced Osteonecrosis of the Jaw. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1385.1-1385.	5.0	12
50	Fully automated synthesis procedure of 4-[18F]fluorobenzaldehyde by commercial synthesizer: Amino-oxi peptide labelling prosthetic group. <i>Applied Radiation and Isotopes</i> , 2009, 67, 1664-1669.	1.5	19
51	Rest-redistribution 201-Thallium single photon emission computed tomography predicts myocardial infarction and cardiac death in patients with ischemic left ventricular dysfunction. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 122-128.	1.5	1
52	Postsurgical diagnostic evaluation of patients with differentiated thyroid carcinoma: comparison of ultrasound, iodine-131 scintigraphy and PET with fluorine-18 fluorodeoxyglucose. <i>Radiologia Medica</i> , 2008, 113, 278-288.	7.7	5
53	Usefulness of [111In-DTPA0] octreotide scintigraphy in a family with von Hippel-Lindau disease. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 352-359.	3.3	3
54	¹⁸ F-FDG PET/CT, ^{99m} Tc-MIBI, and MRI in Evaluation of Patients with Multiple Myeloma. <i>Journal of Nuclear Medicine</i> , 2008, 49, 195-200.	5.0	155

#	ARTICLE	IF	CITATIONS
55	Dual-Time-Point 18F-FDG PET/CT Versus Dynamic Breast MRI of Suspicious Breast Lesions. <i>American Journal of Roentgenology</i> , 2008, 191, 1323-1330.	2.2	44
56	PET/CT colonography in patients with colorectal polyps: a feasibility study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1594-1603.	6.4	28
57	Sestamibi and FDG-PET scans to support diagnosis of jaw osteonecrosis. <i>Annals of Hematology</i> , 2007, 86, 415-423.	1.8	60
58	Combined therapy of Sr-89 and zoledronic acid in patients with painful bone metastases. <i>Bone</i> , 2006, 39, 35-41.	2.9	68
59	Accuracy of single phase contrast enhanced multidetector CT colonography in the preoperative staging of colo-rectal cancer. <i>European Journal of Radiology</i> , 2006, 60, 453-459.	2.6	41
60	18F-fluorodeoxyglucose positron emission tomography/computed tomography in the evaluation of early response in a primary hepatic lymphoma. <i>British Journal of Haematology</i> , 2006, 133, 580-580.	2.5	5
61	Short-term outcome of differentiated thyroid cancer patients receiving a second iodine-131 therapy on the basis of a detectable serum thyroglobulin level after initial treatment. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 179-183.	6.4	24
62	Tc99m-sestaMIBI uptake in nonsecretory multiple myeloma. <i>Hematology</i> , 2005, 10, 335-338.	1.5	4
63	The identification of reversible dysfunctional myocardium is influenced by the severity of contractile dysfunction and by the length of follow-up. <i>Nuclear Medicine Communications</i> , 2005, 26, 337-343.	1.1	1
64	Technetium 99m Sestamibi in Multiple Myeloma. <i>Radiology</i> , 2005, 234, 312-313.	7.3	4
65	Functional Imaging of Multidrug Resistant Phenotype by 99mTc-MIBI Scan in Patients with Multiple Myeloma. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2004, 19, 165-170.	1.0	21
66	Added value of CT colonography after a positive conventional colonoscopy: impact on treatment strategy. <i>Abdominal Imaging</i> , 2004, 30, 42-47.	2.0	9
67	Relationship between contractile reserve, Tl-201 uptake, and collateral angiographic circulation in collateral-dependent myocardium: Implications regarding the evaluation of myocardial viability. <i>Journal of Nuclear Cardiology</i> , 2003, 10, 17-27.	2.1	16
68	Screening in von Hippel-Lindau disease: concurrent pheochromocytomas, paragangliomas and spinal hemangioblastomas revealed by helical-CT, MIBG scintigraphy and MRI in an asymptomatic patient. <i>European Journal of Radiology Extra</i> , 2003, 48, 8-13.	0.1	3
69	99mTc-sestaMIBI Scintigraphy in Thalidomide-treated Refractory or Relapsed Multiple Myeloma Patients. <i>Leukemia and Lymphoma</i> , 2003, 44, 1081-1082.	1.3	3
70	Dual-Phase Versus Single-Phase Helical CT to Detect and Assess Resectability of Pancreatic Carcinoma. <i>American Journal of Roentgenology</i> , 2002, 178, 1473-1479.	2.2	35
71	Prediction of long-term effects of revascularization on regional and global left ventricular function by dobutamine echocardiography and rest Tl-201 imaging alone and in combination in patients with chronic coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2002, 9, 174-182.	2.1	17
72	Predictive value of technetium-99m sestamibi in patients with multiple myeloma and potential role in the follow-up. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 304-312.	2.1	25

#	ARTICLE	IF	CITATIONS
73	Bone marrow uptake of ^{99m} Tc-MIBI in patients with multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 214-220.	2.1	41
74	Scintimammography with ^{99m} Tc-MIBI versus dynamic MRI for non-invasive characterization of breast masses. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 56-63.	2.1	27
75	Diagnostic accuracy of low-dose dobutamine echocardiography in predicting post-revascularisation recovery of function in patients with chronic coronary artery disease: relationship to thallium-201 uptake. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 1616-1623.	2.1	11
76	Regulatory role of extracellular matrix proteins in neutrophil respiratory burst during aging. <i>Mechanisms of Ageing and Development</i> , 2000, 119, 69-82.	4.6	31
77	Quantitative thallium-201 and technetium ^{99m} sestamibi tomography at rest in detection of myocardial viability in patients with chronic ischemic left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 2000, 7, 8-15.	2.1	32
78	Prediction of improvement in global left ventricular function in patients with chronic coronary artery disease and impaired left ventricular function: rest thallium-201 SPET versus low-dose dobutamine echocardiography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 1740-1746.	2.1	14
79	Whole-Body FDG-PET in Patients with Recurrent Colorectal Carcinoma A Comparative Study with CT. <i>Molecular Imaging and Biology</i> , 2000, 3, 107-114.	0.3	29
80	Exercise-rest Tc- ^{99m} tetrofosmin SPECT in patients with chronic ischemic left ventricular dysfunction: Direct comparison with Tl-201 reinjection. <i>Journal of Nuclear Cardiology</i> , 1999, 6, 270-277.	2.1	7
81	Influence of left ventricular cavity size on clinical presentation in hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 1999, 83, 547-552.	1.6	17
82	Determinants of aortic artifacts during transesophageal echocardiography of the ascending aorta. <i>American Heart Journal</i> , 1999, 137, 967-972.	2.7	19
83	Tc- ^{99m} Sestamibi Scintigraphy in Multiple Myeloma. <i>Clinical Nuclear Medicine</i> , 1999, 24, 115-116.	1.3	4
84	Effects of myocardial revascularization on regional thallium-201 uptake and systolic function in regions with reverse redistribution on tomographic thallium-201 imaging at rest in patients with chronic coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 153-160.	2.1	11
85	Noninvasive Evaluation of Left Ventricular Diastolic Function in Hypertrophic Cardiomyopathy. <i>American Journal of Cardiology</i> , 1998, 81, 180-187.	1.6	59
86	Different patterns of technetium- ^{99m} sestamibi uptake in multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 714-720.	6.4	68
87	Combined evaluation of rest-redistribution thallium-201 tomography and low-dose dobutamine echocardiography enhances the identification of viable myocardium in patients with chronic coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 744-750.	6.4	23
88	Direct comparison of technetium ^{99m} sestamibi and technetium ^{99m} tetrofosmin cardiac single photon emission computed tomography in patients with coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1998, 5, 265-274.	2.1	49
89	Pattern of left ventricular filling in hypertrophic cardiomyopathy Assessment by Doppler echocardiography and radionuclide angiography. <i>European Heart Journal</i> , 1998, 19, 1261-1267.	2.2	3
90	Successful coronary revascularization improves prognosis in patients with previous myocardial infarction and evidence of viable myocardium at thallium-201 imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 25, 60-68.	6.4	54

#	ARTICLE	IF	CITATIONS
91	Quantitative exercise technetium-99m tetrofosmin myocardial tomography for the identification and localization of coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1996, 23, 648-655.	2.1	13
92	Effects of dual-chamber pacing in hypertrophic cardiomyopathy on left ventricular outflow tract obstruction and on diastolic function. <i>American Journal of Cardiology</i> , 1996, 77, 498-502.	1.6	62
93	Effects of Diltiazem on Left Ventricular Systolic and Diastolic Function in Hypertrophic Cardiomyopathy**This study was supported in part by Grant 18/1/57 1994â€“1995 from the Italian Ministry of University and Scientific Research (MURST 60%), Rome, Italy.. <i>American Journal of Cardiology</i> , 1996, 78, 451-457.	1.6	44
94	Adenosine coronary vasodilation quantitative technetium 99m methoxy isobutyl isonitrile myocardial tomography in the identification and localization of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1996, 3, 9-17.	2.1	19
95	Technetium 99m-labeled tetrofosmin myocardial tomography in patients with coronary artery disease: Comparison between adenosine and dynamic exercise stress testing. <i>Journal of Nuclear Cardiology</i> , 1996, 3, 194-203.	2.1	29
96	Prolonged Impairment of Regional Contractile Function After Resolution of Exercise-Induced Angina. <i>Circulation</i> , 1996, 94, 2455-2464.	1.6	156
97	Assessment of Myocardial Viability in Patients With Chronic Coronary Artery Disease. <i>Circulation</i> , 1996, 94, 2712-2719.	1.6	188
98	Assessment of systolic wall thickening using technetium-99m methoxyisobutylisonitrile in patients with coronary artery disease: relation to thallium-201 scintigraphy with re-injection. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1995, 22, 1017-1022.	2.1	15
99	Aurintricarboxylic Acid Reduces Platelet Deposition in Stenosed and Endothelially Injured Rabbit Carotid Arteries more Effectively than other Antiplatelet Interventions. <i>Thrombosis and Haemostasis</i> , 1995, 74, 974-979.	3.4	20
100	Dobutamine Echocardiography Predicts Improvement of Hypoperfused Dysfunctional Myocardium After Revascularization in Patients With Coronary Artery Disease. <i>Circulation</i> , 1995, 91, 2556-2565.	1.6	213
101	Usefulness of Monitoring Left Ventricular Function by an Ambulatory Radionuclide Detector (VEST) in Patients with Parkinsonâ€™s Disease and Postural Hypotension. <i>Advances in Behavioral Biology</i> , 1995, , 51-54.	0.2	0
102	Risk stratification of patients with coronary artery disease and left ventricular dysfunction by exercise radionuclide angiography and exercise electrocardiography. <i>Journal of Nuclear Cardiology</i> , 1994, 1, 529-536.	2.1	10
103	Left ventricular dysfunction in coronary artery disease: Comparison between rest-redistribution thallium 201 and resting technetium 99m methoxyisobutyl isonitrile cardiac imaging. <i>Journal of Nuclear Cardiology</i> , 1994, 1, 65-71.	2.1	31
104	Ambulatory monitoring of left ventricular function in patients with Parkinson's disease and postural hypotension. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 1312-1317.	2.1	5
105	Assessment of left ventricular regional function by radionuclide angiography: Effects of number of sectors on repeatability. <i>Nuclear Medicine and Biology</i> , 1994, 21, 883-887.	0.6	2
106	Reverse Redistribution in TI-201 Stress-Redistribution Myocardial Scintigraphy. <i>Clinical Nuclear Medicine</i> , 1994, 19, 956-961.	1.3	4
107	Technetium-99m Methoxy Isobutyl Isonitrile Simultaneous Evaluation of Ventricular Function and Myocardial Perfusion in Patients With Congenital Heart Disease. <i>Clinical Nuclear Medicine</i> , 1994, 19, 28-32.	1.3	7
108	Resting technetium-99m methoxyisobutylisonitrile cardiac imaging in chronic coronary artery disease: comparison with rest-redistribution thallium-201 scintigraphy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 1186-92.	2.1	28

#	ARTICLE	IF	CITATIONS
109	Rest-injected thallium-201 redistribution and resting technetium-99m methoxyisobutylisothionitrate uptake in coronary artery disease: relation to the severity of coronary artery stenosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1993, 20, 502-10.	2.1	19
110	Tumour uptake of 57-cobalt-bleomycin in patients with breast cancer. <i>European Journal of Cancer</i> , 1993, 29, 195-198.	2.8	1
111	Effects of induced asynchrony on left ventricular diastolic function in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1124-1131.	2.8	73
112	Endogenous prostaglandin endoperoxides may alter infarct size in the presence of thromboxane synthase inhibition: Studies in a rabbit model of coronary artery occlusion-reperfusion. <i>Journal of the American College of Cardiology</i> , 1993, 21, 493-501.	2.8	24
113	Evaluation of Myocardial Perfusion and Function by Technetium-99m Methoxy Isobutyl Isonitrate Before and After Percutaneous Transluminal Coronary Angioplasty Preliminary Results. <i>Clinical Nuclear Medicine</i> , 1993, 18, 286-290.	1.3	6
114	Diagnosis of Coronary Artery Disease with Tc 99m-Methoxy Isobutyl Isonitrate and Transesophageal Pacing. <i>Angiology</i> , 1992, 43, 818-825.	1.8	0
115	A Comparison of Tl-201 and Tc-99m MIBI in a Patient with an Apical Aneurysm. <i>Clinical Nuclear Medicine</i> , 1992, 17, 325-327.	1.3	2
116	Accuracy and repeatability of left ventricular systolic and diastolic function measurements using an ambulatory radionuclide monitor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992, 19, 800-6.	2.1	28
117	Comparison between exercise and trans-oesophageal atrial pacing in patients with coronary artery disease: technetium-99m methoxy isobutyl isonitrate simultaneous evaluation of ventricular function and myocardial perfusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1992, 19, 119-24.	2.1	10
118	Effects of intravenous verapamil on left ventricular relaxation and filling in stable angina pectoris. <i>American Journal of Cardiology</i> , 1990, 66, 818-825.	1.6	17
119	Quantitation of left ventricular asynchrony on radionuclide angiography phase images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 16, 801-806.	2.1	3
120	Relation between exertional ischemia and prognosis in mildly symptomatic patients with single or double vessel coronary artery disease and left ventricular dysfunction at rest. <i>Journal of the American College of Cardiology</i> , 1989, 13, 567-573.	2.8	47
121	Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension. <i>American Journal of Cardiology</i> , 1987, 59, 624-629.	1.6	44