

# Nobutake Yamamichi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5144286/publications.pdf>

Version: 2024-02-01

86  
papers

2,327  
citations

236612

25  
h-index

223531

46  
g-index

88  
all docs

88  
docs citations

88  
times ranked

3061  
citing authors

#	ARTICLE	IF	CITATIONS
1	Locked Nucleic Acid <i>in situ</i> Hybridization Analysis of miR-21 Expression during Colorectal Cancer Development. <i>Clinical Cancer Research</i> , 2009, 15, 4009-4016.	3.2	175
2	Cancer development based on chronic active gastritis and resulting gastric atrophy as assessed by serum levels of pepsinogen and <i>Helicobacter pylori</i> antibody titer. <i>International Journal of Cancer</i> , 2014, 134, 1445-1457.	2.3	137
3	Demonstration of the usefulness of epigenetic cancer risk prediction by a multicentre prospective cohort study. <i>Gut</i> , 2015, 64, 388-396.	6.1	115
4	Polyglycolic acid sheets with fibrin glue can prevent esophageal stricture after endoscopic submucosal dissection. <i>Endoscopy</i> , 2015, 47, 336-340.	1.0	95
5	The Brm gene suppressed at the post-transcriptional level in various human cell lines is inducible by transient HDAC inhibitor treatment, which exhibits antioncogenic potential. <i>Oncogene</i> , 2005, 24, 5471-5481.	2.6	94
6	Scheduled second-look endoscopy is not recommended after endoscopic submucosal dissection for gastric neoplasms (the SAFE trial): a multicentre prospective randomised controlled non-inferiority trial. <i>Gut</i> , 2015, 64, 397-405.	6.1	89
7	Frequent Loss of Brm Expression in Gastric Cancer Correlates with Histologic Features and Differentiation State. <i>Cancer Research</i> , 2007, 67, 10727-10735.	0.4	86
8	Incidence of and risk factors for metachronous gastric cancer after endoscopic resection and successful <i>Helicobacter pylori</i> eradication: results of a large-scale, multicenter cohort study in Japan. <i>Gastric Cancer</i> , 2016, 19, 911-918.	2.7	86
9	Polyglycolic acid sheets and fibrin glue decrease the risk of bleeding after endoscopic submucosal dissection of gastric neoplasms (with video). <i>Gastrointestinal Endoscopy</i> , 2015, 81, 906-912.	0.5	85
10	<i>Helicobacter pylori</i> infection is not associated with fatty liver disease including non-alcoholic fatty liver disease: a large-scale cross-sectional study in Japan. <i>BMC Gastroenterology</i> , 2015, 15, 25.	0.8	80
11	Lifestyle factors affecting gastroesophageal reflux disease symptoms: a cross-sectional study of healthy 19864 adults using FSSG scores. <i>BMC Medicine</i> , 2012, 10, 45.	2.3	77
12	Background Factors of Reflux Esophagitis and Non-Erosive Reflux Disease: A Cross-Sectional Study of 10,837 Subjects in Japan. <i>PLoS ONE</i> , 2013, 8, e69891.	1.1	74
13	Trend and Risk Factors of Diverticulosis in Japan: Age, Gender, and Lifestyle/Metabolic-Related Factors May Cooperatively Affect on the Colorectal Diverticula Formation. <i>PLoS ONE</i> , 2015, 10, e0123688.	1.1	74
14	Bleeding after endoscopic submucosal dissection: Risk factors and preventive methods. <i>World Journal of Gastroenterology</i> , 2016, 22, 5927.	1.4	73
15	Endoscopic tissue shielding method with polyglycolic acid sheets and fibrin glue to cover wounds after colorectal endoscopic submucosal dissection (with video). <i>Gastrointestinal Endoscopy</i> , 2014, 79, 151-155.	0.5	67
16	Highly accurate artificial intelligence systems to predict the invasion depth of gastric cancer: efficacy of conventional white-light imaging, nonmagnifying narrow-band imaging, and indigo-carmin dye contrast imaging. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 866-873.e1.	0.5	67
17	High impact of methylation accumulation on metachronous gastric cancer: 5-year follow-up of a multicentre prospective cohort study. <i>Gut</i> , 2017, 66, 1721-1723.	6.1	54
18	No Association of Coffee Consumption with Gastric Ulcer, Duodenal Ulcer, Reflux Esophagitis, and Non-Erosive Reflux Disease: A Cross-Sectional Study of 8,013 Healthy Subjects in Japan. <i>PLoS ONE</i> , 2013, 8, e65996.	1.1	51

#	ARTICLE	IF	CITATIONS
19	Cathepsin E Is a Marker of Gastric Differentiation and Signet-Ring Cell Carcinoma of Stomach: A Novel Suggestion on Gastric Tumorigenesis. PLoS ONE, 2013, 8, e56766.	1.1	50
20	Endoscopic tissue shielding to prevent bleeding after endoscopic submucosal dissection: a prospective multicenter randomized controlled trial. Endoscopy, 2019, 51, 619-627.	1.0	48
21	Triamcinolone Injection and Shielding with Polyglycolic Acid Sheets and Fibrin Glue for Postoperative Stricture Prevention after Esophageal Endoscopic Resection: A Pilot Study. American Journal of Gastroenterology, 2016, 111, 581-583.	0.2	40
22	Serum anti- <i>Helicobacter pylori</i> antibody titer and its association with gastric nodularity, atrophy, and age: A cross-sectional study. World Journal of Gastroenterology, 2018, 24, 4061-4068.	1.4	36
23	Cdx2 and the Brm-type SWI/SNF complex cooperatively regulate villin expression in gastrointestinal cells. Experimental Cell Research, 2009, 315, 1779-1789.	1.2	32
24	Helicobacter pylori infection is positively associated with gallstones: a large-scale cross-sectional study in Japan. Journal of Gastroenterology, 2014, 49, 882-889.	2.3	31
25	Magnifying endoscopy with narrow-band imaging is more accurate for determination of horizontal extent of early gastric cancers than chromoendoscopy. Endoscopy International Open, 2016, 04, E690-E698.	0.9	31
26	Detection of gastritis by a deep convolutional neural network from double-contrast upper gastrointestinal barium X-ray radiography. Journal of Gastroenterology, 2019, 54, 321-329.	2.3	25
27	The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach. PLoS ONE, 2020, 15, e0234433.	1.1	25
28	Steroid injection and polyglycolic acid shielding to prevent stricture after esophageal endoscopic submucosal dissection: a retrospective comparative analysis (with video). Gastrointestinal Endoscopy, 2020, 92, 1176-1186.e1.	0.5	23
29	Sessile serrated adenoma detection rate is correlated with adenoma detection rate. World Journal of Gastrointestinal Oncology, 2018, 10, 82-90.	0.8	23
30	A combination of serum anti- <i>Helicobacter pylori</i> antibody titer and Kyoto classification score could provide a more accurate diagnosis of H pylori. United European Gastroenterology Journal, 2019, 7, 343-348.	1.6	22
31	Comparative analysis of upper gastrointestinal endoscopy, double-contrast upper gastrointestinal barium X-ray radiography, and the titer of serum anti- <i>Helicobacter pylori</i> IgG focusing on the diagnosis of atrophic gastritis. Gastric Cancer, 2016, 19, 670-675.	2.7	21
32	An effective technique for delivery of polyglycolic acid sheet after endoscopic submucosal dissection of the esophagus: the clip and pull method. Endoscopy, 2014, 46, E44-E45.	1.0	20
33	Atrophic gastritis and enlarged gastric folds diagnosed by double-contrast upper gastrointestinal barium X-ray radiography are useful to predict future gastric cancer development based on the 3-year prospective observation. Gastric Cancer, 2016, 19, 1016-1022.	2.7	18
34	Transduced caudal-type homeobox ( <i>CDX</i> 2/ <i>CDX</i> 1) can induce growth inhibition on <i>CDX</i> -deficient gastric cancer by rapid intestinal differentiation. Cancer Science, 2018, 109, 3853-3864.	1.7	17
35	Identification of marker genes and pathways specific to precancerous duodenal adenomas and early stage adenocarcinomas. Journal of Gastroenterology, 2019, 54, 131-140.	2.3	17
36	Associated Factors of Atrophic Gastritis Diagnosed by Double-Contrast Upper Gastrointestinal Barium X-Ray Radiography: A Cross-Sectional Study Analyzing 6,901 Healthy Subjects in Japan. PLoS ONE, 2014, 9, e111359.	1.1	16

#	ARTICLE	IF	CITATIONS
37	Recent Development of Techniques and Devices in Colorectal Endoscopic Submucosal Dissection. <i>Clinical Endoscopy</i> , 2017, 50, 562-568.	0.6	16
38	Laparoscopic and endoscopic cooperative surgery for gastrointestinal tumor. <i>Annals of Translational Medicine</i> , 2017, 5, 187-187.	0.7	16
39	Gli Regulates MUC5AC Transcription in Human Gastrointestinal Cells. <i>PLoS ONE</i> , 2014, 9, e106106.	1.1	15
40	Successful closure of a large perforation during colorectal endoscopic submucosal dissection by application of polyglycolic acid sheets and fibrin glue. <i>Gastrointestinal Endoscopy</i> , 2016, 84, 374-375.	0.5	14
41	Endoscopic ultrasound-guided fine-needle aspiration skill acquisition of gastrointestinal submucosal tumor by trainee endoscopists: A pilot study. <i>Endoscopic Ultrasound</i> , 2016, 5, 157.	0.6	13
42	Columnar Metaplasia in Three Types of Surgical Mouse Models of Esophageal Reflux. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 115-123.	2.3	11
43	Gastroesophageal Reflux Disease-Related Disorders of Systemic Sclerosis Based on the Analysis of 66 Patients. <i>Digestion</i> , 2018, 98, 201-208.	1.2	11
44	Expression of Gastric Markers Is Associated with Malignant Potential of Nonampullary Duodenal Adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2018, 63, 2617-2625.	1.1	11
45	Gastric polyps diagnosed by double-contrast upper gastrointestinal barium X-ray radiography mostly arise from the <i>Helicobacter pylori</i> -negative stomach with low risk of gastric cancer in Japan. <i>Gastric Cancer</i> , 2017, 20, 314-321.	2.7	10
46	High-dose dexamethasone may prevent esophageal stricture after endoscopic submucosal dissection. <i>Clinical Journal of Gastroenterology</i> , 2010, 3, 155-158.	0.4	9
47	Evaluation of image-enhanced endoscopic technology using advanced diagnostic endoscopy for the detection of early gastric cancer: a pilot study. <i>Endoscopy International Open</i> , 2017, 05, E825-E833.	0.9	9
48	Inverse time trends of peptic ulcer and reflux esophagitis show significant association with reduced prevalence of <i>Helicobacter pylori</i> infection. <i>Annals of Medicine</i> , 2020, 52, 506-514.	1.5	9
49	Risk factors for gastric cancer in Japan in the 2010s: a large, long-term observational study. <i>Gastric Cancer</i> , 2022, 25, 481-489.	2.7	9
50	Autoimmune gastritis induces aberrant DNA methylation reflecting its carcinogenic potential. <i>Journal of Gastroenterology</i> , 2022, 57, 144-155.	2.3	9
51	Desirable training of endoscopic submucosal dissection: further spread worldwide. <i>Annals of Translational Medicine</i> , 2014, 2, 27.	0.7	8
52	Elevated risk of recurrent colorectal neoplasia with <i>Helicobacter pylori</i> -associated chronic atrophic gastritis: A follow-up study of patients with endoscopically resected colorectal neoplasia. <i>Molecular and Clinical Oncology</i> , 2013, 1, 75-82.	0.4	7
53	Preventing esophageal stricture after endoscopic submucosal dissection: steroid injection and shielding with polyglycolic acid sheets and fibrin glue. <i>Endoscopy</i> , 2015, 47, E473-E474.	1.0	7
54	Video of the Month. <i>American Journal of Gastroenterology</i> , 2015, 110, 1535.	0.2	6

#	ARTICLE	IF	CITATIONS
55	Evaluation of endoscopic submucosal dissection using a new endosurgical knife DN-D2718B: a first clinical feasibility study. <i>Endoscopy International Open</i> , 2017, 05, E670-E674.	0.9	6
56	Evaluation of preferable insertion routes for esophagogastroduodenoscopy using ultrathin endoscopes. <i>World Journal of Gastroenterology</i> , 2014, 20, 5045.	1.4	6
57	Postprandial fullness correlates with rapid inflow of gastric content into duodenum but not with chronic gastritis. <i>BMC Gastroenterology</i> , 2011, 11, 140.	0.8	5
58	Categorization of Upper Gastrointestinal Symptoms Is Useful in Predicting Background Factors and Studying Effects and Usages of Digestive Drugs. <i>PLoS ONE</i> , 2014, 9, e88277.	1.1	5
59	Transcriptome of sessile serrated adenoma/polyps is associated with <i>MSI-high</i> colorectal cancer and decreased expression of <i>CDX2</i> . <i>Cancer Medicine</i> , 2022, 11, 5066-5078.	1.3	5
60	Rebamipide induces dendritic cell recruitment to N-methyl-N-nitrosoguanidine (MNNG)-exposed rat gastric mucosa based on IL-1 $\beta$ upregulation. <i>Biochemical and Biophysical Research Communications</i> , 2012, 424, 124-129.	1.0	4
61	Foam plompage: a novel technique for optimal fixation of polyglycolic acid sheets positioned using a clip and pull after esophageal endoscopic submucosal dissection. <i>Endoscopy</i> , 2015, 47, E435-E436.	1.0	4
62	Trends in proton pump inhibitor use, reflux esophagitis, and various upper gastrointestinal symptoms from 2010 to 2019 in Japan. <i>PLoS ONE</i> , 2022, 17, e0270252.	1.1	4
63	Nectin1 expression is frequently decreased in gastric cancers. <i>Pathology International</i> , 2018, 68, 557-562.	0.6	3
64	Nuclear staining of claudin-18 is a new immunohistochemical marker for diagnosing intramucosal well-differentiated gastric adenocarcinoma. <i>Pathology International</i> , 2020, 70, 644-652.	0.6	3
65	The natural history of sporadic non-ampullary duodenal epithelial tumors: Can we wait and see?. <i>DEN Open</i> , 2021, 1, e9.	0.5	3
66	The feasibility of a novel injectable hydrogel for protecting artificial gastrointestinal ulcers after endoscopic resection: an animal pilot study. <i>Scientific Reports</i> , 2021, 11, 18508.	1.6	3
67	Impact of clinical characteristics of colonic diverticular bleeding in extremely elderly patients treated with direct oral anti-coagulant drugs: a retrospective multi-center study. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021, 69, 222-228.	0.6	3
68	Chemoprevention for Colorectal Cancers: Are Chemopreventive Effects Different Between Left and Right Sided Colorectal Cancers?. <i>Digestive Diseases and Sciences</i> , 2022, , 1.	1.1	3
69	Tandem repeats of the 5' flanking region of human MUC5AC have a role as a novel enhancer in MUC5AC gene expression. <i>Biochemistry and Biophysics Reports</i> , 2019, 18, 100632.	0.7	2
70	Clinicopathological features and prognosis of developed gastric cancer based on the diagnosis of mucosal atrophy and enlarged folds of stomach by double-contrast upper gastrointestinal barium X-ray radiography. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 947-954.	0.4	2
71	VII. <i>Helicobacter Pylori</i> and Future Prospect of Gastric Cancer Screening in Japan. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 55-63.	0.0	1
72	Reply to Wang et al.. <i>Endoscopy</i> , 2019, 51, 1184-1184.	1.0	0

#	ARTICLE	IF	CITATIONS
73	Reply to Murakami et al.. Endoscopy, 2020, 52, 77-77.	1.0	0
74	Cytomegalovirus Infection in a Patient With Steroid-Resistant Ulcerative Colitis. Progress of Digestive Endoscopy, 2002, 60, 76-77.	0.0	0
75	A case of pericecal abscess treated successfully by endoscopic abscess drainage. Progress of Digestive Endoscopy, 2003, 63, 120-121.	0.0	0
76	63 year-old-man who suffered from lung MALT lymphoma which has gastrointestinal metastasis with unusual macroscopic finding. Progress of Digestive Endoscopy, 2003, 63, 86-87.	0.0	0
77	A case of inside-out type intussuscepted appendix. Progress of Digestive Endoscopy, 2003, 63, 122-123.	0.0	0
78	A case report of a large rectal tumor close to anal verge successfully resected by one piece by the submucosal dissection EMR using a flex-knife. Progress of Digestive Endoscopy, 2003, 63, 130-131.	0.0	0
79	A case of colonic neoplasm with non-lifting sign successfully treated by endoscopic &lt;i>En-bloc&/i> resection using Flex Knife. Progress of Digestive Endoscopy, 2004, 64, 134-135.	0.0	0
80	A case of gastric carcinoma which became a core of gastric phytobezoar. Progress of Digestive Endoscopy, 2010, 77, 62-63.	0.0	0
81	A case of early gastric cancer successfully diagnosed by magnifying endoscopy with narrow band imaging system. Progress of Digestive Endoscopy, 2010, 76, 66-67.	0.0	0
82	Method for evaluation of the range of vision of colonoscopy using a constructed colon model. Progress of Digestive Endoscopy, 2015, 86, 40-43.	0.0	0
83	Title is missing!. , 2020, 15, e0234433.		0
84	Title is missing!. , 2020, 15, e0234433.		0
85	Title is missing!. , 2020, 15, e0234433.		0
86	Title is missing!. , 2020, 15, e0234433.		0