

Nobutake Yamamichi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5144286/nobutake-yamamichi-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

1,676
citations

23
h-index

39
g-index

88
ext. papers

2,000
ext. citations

4.7
avg, IF

3.96
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 84 | Locked nucleic acid in situ hybridization analysis of miR-21 expression during colorectal cancer development. <i>Clinical Cancer Research</i> , 2009 , 15, 4009-16 | 12.9 | 164 |
| 83 | Cancer development based on chronic active gastritis and resulting gastric atrophy as assessed by serum levels of pepsinogen and Helicobacter pylori antibody titer. <i>International Journal of Cancer</i> , 2014 , 134, 1445-57 | 7.5 | 97 |
| 82 | Demonstration of the usefulness of epigenetic cancer risk prediction by a multicentre prospective cohort study. <i>Gut</i> , 2015 , 64, 388-96 | 19.2 | 87 |
| 81 | The Brm gene suppressed at the post-transcriptional level in various human cell lines is inducible by transient HDAC inhibitor treatment, which exhibits antioncogenic potential. <i>Oncogene</i> , 2005 , 24, 5471-81 | 9.2 | 87 |
| 80 | Frequent loss of Brm expression in gastric cancer correlates with histologic features and differentiation state. <i>Cancer Research</i> , 2007 , 67, 10727-35 | 10.1 | 80 |
| 79 | Polyglycolic acid sheets with fibrin glue can prevent esophageal stricture after endoscopic submucosal dissection. <i>Endoscopy</i> , 2015 , 47, 336-40 | 3.4 | 72 |
| 78 | Polyglycolic acid sheets and fibrin glue decrease the risk of bleeding after endoscopic submucosal dissection of gastric neoplasms (with video). <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 906-12 | 5.2 | 66 |
| 77 | Scheduled second-look endoscopy is not recommended after endoscopic submucosal dissection for gastric neoplasms (the SAFE trial): a multicentre prospective randomised controlled non-inferiority trial. <i>Gut</i> , 2015 , 64, 397-405 | 19.2 | 63 |
| 76 | Incidence of and risk factors for metachronous gastric cancer after endoscopic resection and successful Helicobacter pylori eradication: results of a large-scale, multicenter cohort study in Japan. <i>Gastric Cancer</i> , 2016 , 19, 911-8 | 7.6 | 60 |
| 75 | Background factors of reflux esophagitis and non-erosive reflux disease: a cross-sectional study of 10,837 subjects in Japan. <i>PLoS ONE</i> , 2013 , 8, e69891 | 3.7 | 60 |
| 74 | Helicobacter pylori infection is not associated with fatty liver disease including non-alcoholic fatty liver disease: a large-scale cross-sectional study in Japan. <i>BMC Gastroenterology</i> , 2015 , 15, 25 | 3 | 57 |
| 73 | Endoscopic tissue shielding method with polyglycolic acid sheets and fibrin glue to cover wounds after colorectal endoscopic submucosal dissection (with video). <i>Gastrointestinal Endoscopy</i> , 2014 , 79, 151-5 | 5.2 | 57 |
| 72 | Lifestyle factors affecting gastroesophageal reflux disease symptoms: a cross-sectional study of healthy 19864 adults using FSSG scores. <i>BMC Medicine</i> , 2012 , 10, 45 | 11.4 | 55 |
| 71 | Bleeding after endoscopic submucosal dissection: Risk factors and preventive methods. <i>World Journal of Gastroenterology</i> , 2016 , 22, 5927-35 | 5.6 | 51 |
| 70 | Trend and risk factors of diverticulosis in Japan: age, gender, and lifestyle/metabolic-related factors may cooperatively affect on the colorectal diverticula formation. <i>PLoS ONE</i> , 2015 , 10, e0123688 | 3.7 | 47 |
| 69 | No association of coffee consumption with gastric ulcer, duodenal ulcer, reflux esophagitis, and non-erosive reflux disease: a cross-sectional study of 8,013 healthy subjects in Japan. <i>PLoS ONE</i> , 2013 , 8, e65996 | 3.7 | 42 |
| 68 | High impact of methylation accumulation on metachronous gastric cancer: 5-year follow-up of a multicentre prospective cohort study. <i>Gut</i> , 2017 , 66, 1721-1723 | 19.2 | 37 |

| | | | |
|----|---|-----|----|
| 67 | Cathepsin E is a marker of gastric differentiation and signet-ring cell carcinoma of stomach: a novel suggestion on gastric tumorigenesis. <i>PLoS ONE</i> , 2013 , 8, e56766 | 3.7 | 36 |
| 66 | Highly accurate artificial intelligence systems to predict the invasion depth of gastric cancer: efficacy of conventional white-light imaging, nonmagnifying narrow-band imaging, and indigo-carmine dye contrast imaging. <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 866-873.e1 | 5.2 | 31 |
| 65 | Endoscopic tissue shielding to prevent bleeding after endoscopic submucosal dissection: a prospective multicenter randomized controlled trial. <i>Endoscopy</i> , 2019 , 51, 619-627 | 3.4 | 30 |
| 64 | Cdx2 and the Brm-type SWI/SNF complex cooperatively regulate villin expression in gastrointestinal cells. <i>Experimental Cell Research</i> , 2009 , 315, 1779-89 | 4.2 | 29 |
| 63 | Helicobacter pylori infection is positively associated with gallstones: a large-scale cross-sectional study in Japan. <i>Journal of Gastroenterology</i> , 2014 , 49, 882-9 | 6.9 | 25 |
| 62 | Triamcinolone Injection and Shielding with Polyglycolic Acid Sheets and Fibrin Glue for Postoperative Stricture Prevention after Esophageal Endoscopic Resection: A Pilot Study. <i>American Journal of Gastroenterology</i> , 2016 , 111, 581-3 | 0.7 | 23 |
| 61 | Magnifying endoscopy with narrow-band imaging is more accurate for determination of horizontal extent of early gastric cancers than chromoendoscopy. <i>Endoscopy International Open</i> , 2016 , 4, E690-8 | 3 | 22 |
| 60 | Serum anti- antibody titer and its association with gastric nodularity, atrophy, and age: A cross-sectional study. <i>World Journal of Gastroenterology</i> , 2018 , 24, 4061-4068 | 5.6 | 20 |
| 59 | An effective technique for delivery of polyglycolic acid sheet after endoscopic submucosal dissection of the esophagus: the clip and pull method. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E44-5 | 3.4 | 18 |
| 58 | Sessile serrated adenoma detection rate is correlated with adenoma detection rate. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 82-90 | 3.4 | 18 |
| 57 | Comparative analysis of upper gastrointestinal endoscopy, double-contrast upper gastrointestinal barium X-ray radiography, and the titer of serum anti-Helicobacter pylori IgG focusing on the diagnosis of atrophic gastritis. <i>Gastric Cancer</i> , 2016 , 19, 670-675 | 7.6 | 16 |
| 56 | Atrophic gastritis and enlarged gastric folds diagnosed by double-contrast upper gastrointestinal barium X-ray radiography are useful to predict future gastric cancer development based on the 3-year prospective observation. <i>Gastric Cancer</i> , 2016 , 19, 1016-22 | 7.6 | 15 |
| 55 | Detection of gastritis by a deep convolutional neural network from double-contrast upper gastrointestinal barium X-ray radiography. <i>Journal of Gastroenterology</i> , 2019 , 54, 321-329 | 6.9 | 14 |
| 54 | A combination of serum anti- antibody titer and Kyoto classification score could provide a more accurate diagnosis of. <i>United European Gastroenterology Journal</i> , 2019 , 7, 343-348 | 5.3 | 13 |
| 53 | Associated factors of atrophic gastritis diagnosed by double-contrast upper gastrointestinal barium X-ray radiography: a cross-sectional study analyzing 6,901 healthy subjects in Japan. <i>PLoS ONE</i> , 2014 , 9, e111359 | 3.7 | 13 |
| 52 | Laparoscopic and endoscopic cooperative surgery for gastrointestinal tumor. <i>Annals of Translational Medicine</i> , 2017 , 5, 187 | 3.2 | 12 |
| 51 | Successful closure of a large perforation during colorectal endoscopic submucosal dissection by application of polyglycolic acid sheets and fibrin glue. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 374-5 | 5.2 | 11 |
| 50 | Identification of marker genes and pathways specific to precancerous duodenal adenomas and early stage adenocarcinomas. <i>Journal of Gastroenterology</i> , 2019 , 54, 131-140 | 6.9 | 11 |

| | | | |
|----|--|-----|----|
| 49 | Endoscopic ultrasound-guided fine-needle aspiration skill acquisition of gastrointestinal submucosal tumor by trainee endoscopists: A pilot study. <i>Endoscopic Ultrasound</i> , 2016 , 5, 157-64 | 3.6 | 11 |
| 48 | The association of <i>Helicobacter pylori</i> infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach. <i>PLoS ONE</i> , 2020 , 15, e0234433 | 3.7 | 10 |
| 47 | Gli regulates MUC5AC transcription in human gastrointestinal cells. <i>PLoS ONE</i> , 2014 , 9, e106106 | 3.7 | 10 |
| 46 | Recent Development of Techniques and Devices in Colorectal Endoscopic Submucosal Dissection. <i>Clinical Endoscopy</i> , 2017 , 50, 562-568 | 2.5 | 9 |
| 45 | Steroid injection and polyglycolic acid shielding to prevent stricture after esophageal endoscopic submucosal dissection: a retrospective comparative analysis (with video). <i>Gastrointestinal Endoscopy</i> , 2020 , 92, 1176-1186.e1 | 5.2 | 7 |
| 44 | Gastric polyps diagnosed by double-contrast upper gastrointestinal barium X-ray radiography mostly arise from the <i>Helicobacter pylori</i> -negative stomach with low risk of gastric cancer in Japan. <i>Gastric Cancer</i> , 2017 , 20, 314-321 | 7.6 | 6 |
| 43 | Columnar Metaplasia in Three Types of Surgical Mouse Models of Esophageal Reflux. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017 , 4, 115-123 | 7.9 | 6 |
| 42 | Evaluation of image-enhanced endoscopic technology using advanced diagnostic endoscopy for the detection of early gastric cancer: a pilot study. <i>Endoscopy International Open</i> , 2017 , 5, E825-E833 | 3 | 6 |
| 41 | Evaluation of endoscopic submucosal dissection using a new endosurgical knife DN-D2718B: a first clinical feasibility study. <i>Endoscopy International Open</i> , 2017 , 5, E670-E674 | 3 | 6 |
| 40 | High-dose dexamethasone may prevent esophageal stricture after endoscopic submucosal dissection. <i>Clinical Journal of Gastroenterology</i> , 2010 , 3, 155-8 | 1.1 | 6 |
| 39 | Transduced caudal-type homeobox (CDX) 2/CDX1 can induce growth inhibition on CDX-deficient gastric cancer by rapid intestinal differentiation. <i>Cancer Science</i> , 2018 , 109, 3853-3864 | 6.9 | 6 |
| 38 | Inverse time trends of peptic ulcer and reflux esophagitis show significant association with reduced prevalence of infection. <i>Annals of Medicine</i> , 2020 , 52, 506-514 | 1.5 | 5 |
| 37 | Gastroesophageal Reflux Disease-Related Disorders of Systemic Sclerosis Based on the Analysis of 66 Patients. <i>Digestion</i> , 2018 , 98, 201-208 | 3.6 | 5 |
| 36 | Preventing esophageal stricture after endoscopic submucosal dissection: steroid injection and shielding with polyglycolic acid sheets and fibrin glue. <i>Endoscopy</i> , 2015 , 47 Suppl 1 UCTN, E473-4 | 3.4 | 5 |
| 35 | Elevated risk of recurrent colorectal neoplasia with -associated chronic atrophic gastritis: A follow-up study of patients with endoscopically resected colorectal neoplasia. <i>Molecular and Clinical Oncology</i> , 2013 , 1, 75-82 | 1.6 | 5 |
| 34 | Postprandial fullness correlates with rapid inflow of gastric content into duodenum but not with chronic gastritis. <i>BMC Gastroenterology</i> , 2011 , 11, 140 | 3 | 5 |
| 33 | Video of the Month: A Novel Endoscopic Full-Thickness Resection for Early Gastric Cancer. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1535 | 0.7 | 4 |
| 32 | Desirable training of endoscopic submucosal dissection: further spread worldwide. <i>Annals of Translational Medicine</i> , 2014 , 2, 27 | 3.2 | 4 |

| | | | |
|----|--|-----|---|
| 31 | Evaluation of preferable insertion routes for esophagogastroduodenoscopy using ultrathin endoscopes. <i>World Journal of Gastroenterology</i> , 2014 , 20, 5045-50 | 5.6 | 4 |
| 30 | Foam plompage: a novel technique for optimal fixation of polyglycolic acid sheets positioned using "clip and pull" after esophageal endoscopic submucosal dissection. <i>Endoscopy</i> , 2015 , 47 Suppl 1 UCTN, E435-6 | 3.4 | 3 |
| 29 | Expression of Gastric Markers Is Associated with Malignant Potential of Nonampullary Duodenal Adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 2617-2625 | 4 | 3 |
| 28 | Rebamipide induces dendritic cell recruitment to N-methyl-N-nitro-N-nitrosoguanidine (MNNG)-exposed rat gastric mucosa based on IL-1 β upregulation. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 424, 124-9 | 3.4 | 3 |
| 27 | Categorization of upper gastrointestinal symptoms is useful in predicting background factors and studying effects and usages of digestive drugs. <i>PLoS ONE</i> , 2014 , 9, e88277 | 3.7 | 2 |
| 26 | Nectin1 expression is frequently decreased in gastric cancers. <i>Pathology International</i> , 2018 , 68, 557-562 | 1.8 | 2 |
| 25 | Risk factors for gastric cancer in Japan in the 2010s: a large, long-term observational study.. <i>Gastric Cancer</i> , 2022 , 1 | 7.6 | 1 |
| 24 | The feasibility of a novel injectable hydrogel for protecting artificial gastrointestinal ulcers after endoscopic resection: an animal pilot study. <i>Scientific Reports</i> , 2021 , 11, 18508 | 4.9 | 1 |
| 23 | Chemoprevention for Colorectal Cancers: Are Chemopreventive Effects Different Between Left and Right Sided Colorectal Cancers?. <i>Digestive Diseases and Sciences</i> , 2022 , 1 | 4 | 1 |
| 22 | Nuclear staining of claudin-18 is a new immunohistochemical marker for diagnosing intramucosal well-differentiated gastric adenocarcinoma. <i>Pathology International</i> , 2020 , 70, 644-652 | 1.8 | 0 |
| 21 | Autoimmune gastritis induces aberrant DNA methylation reflecting its carcinogenic potential.. <i>Journal of Gastroenterology</i> , 2022 , 57, 144 | 6.9 | 0 |
| 20 | The natural history of sporadic non-ampullary duodenal epithelial tumors: Can we wait and see?. <i>DEN Open</i> , 2021 , 1, e9 | | 0 |
| 19 | Clinicopathological features and prognosis of developed gastric cancer based on the diagnosis of mucosal atrophy and enlarged folds of stomach by double-contrast upper gastrointestinal barium X-ray radiography. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 947-954 | 1.1 | 0 |
| 18 | Impact of clinical characteristics of colonic diverticular bleeding in extremely elderly patients treated with direct oral anti-coagulant drugs: a retrospective multi-center study. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2021 , 69, 222-228 | 3.1 | 0 |
| 17 | Tandem repeats of the 5Tflanking region of human have a role as a novel enhancer in gene expression. <i>Biochemistry and Biophysics Reports</i> , 2019 , 18, 100632 | 2.2 | |
| 16 | VII. Helicobacter Pylori and Future Prospect of Gastric Cancer Screening in Japan. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021 , 110, 55-63 | 0 | |
| 15 | Cytomegalovirus Infection in a Patient With Steroid-Resistant Ulcerative Colitis. <i>Progress of Digestive Endoscopy</i> , 2002 , 60, 76-77 | 0 | |
| 14 | A case of pericecal abscess treated successfully by endoscopic abscess drainage. <i>Progress of Digestive Endoscopy</i> , 2003 , 63, 120-121 | 0 | |

- 13 63 year-old-man who suffered from lung MALT lymphoma which has gastrointestinal metastasis with unusual macroscopic finding. *Progress of Digestive Endoscopy*, **2003**, 63, 86-87 ○
- 12 A case of inside-out type intussuscepted appendix. *Progress of Digestive Endoscopy*, **2003**, 63, 122-123 ○
- 11 A case report of a large rectal tumor close to anal verge successfully resected by one piece by the submucosal dissection EMR using a flex-knife. *Progress of Digestive Endoscopy*, **2003**, 63, 130-131 ○
- 10 A case of colonic neoplasm with non-lifting sign successfully treated by endoscopic En-bloc resection using Flex Knife. *Progress of Digestive Endoscopy*, **2004**, 64, 134-135 ○
- 9 Method for evaluation of the range of vision of colonoscopy using a constructed colon model. *Progress of Digestive Endoscopy*, **2015**, 86, 40-43 ○
- 8 A case of gastric carcinoma which became a core of gastric phytobezoar. *Progress of Digestive Endoscopy*, **2010**, 77, 62-63 ○
- 7 A case of early gastric cancer successfully diagnosed by magnifying endoscopy with narrow band imaging system. *Progress of Digestive Endoscopy*, **2010**, 76, 66-67 ○
- 6 Reply to Murakami et al. *Endoscopy*, **2020**, 52, 77 3-4
- 5 Reply to Wang et al. *Endoscopy*, **2019**, 51, 1184 3-4
- 4 The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach **2020**, 15, e0234433
- 3 The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach **2020**, 15, e0234433
- 2 The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach **2020**, 15, e0234433
- 1 The association of Helicobacter pylori infection with serum lipid profiles: An evaluation based on a combination of meta-analysis and a propensity score-based observational approach **2020**, 15, e0234433